

West Virginia Department of Health & Human
Resources
Morgan County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

| | | |
|---|---|--------------------------|
| Establishment Information | | |
| Facility Name Panda Brothers Inc | Facility Type Food Service Establishment | |
| Licensee Name (Owner Not Set) | Facility Telephone # | |
| Facility Address 70 Morgan Square, Suite 8 Berkeley Springs, WV | Licensee Address | |
| Inspection Information | | |
| Inspection Type Routine | Inspection Date May 16, 2017 | Total Time Spent 1.00 |

| | |
|-------------------------------|--------------------------|
| Equipment Temperatures | |
| Description | Temperature (Fahrenheit) |
| Cooling Unit #1 | 41 |
| Cooling Unit #2 | 41 |
| Chest Freezer | 6.5 |
| Walk-in Cooler | 7.6 |
| Walk-in Freezer | 39 |

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

| |
|--|
| Observed Critical Violations |
| Total # 1 |
| Repeated # 0 |
| 3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING |
| <i>Observation: No date listed on meat inside condiment cooler.</i> |
| <i>Corrective Action(s):</i> |

| |
|---|
| Observed Non-Critical Violations |
| Total # 12 |
| Repeated # 0 |
| 4-602.13 - NONFOOD CONTACT SURFACES |
| <i>Observation: Grease trap and other plumbing underneath cooking equipment need cleaned.</i> |
| <i>Corrective Action(s):</i> |
| 4-602.13 - NONFOOD CONTACT SURFACES |
| <i>Observation: Walk-in freezer floors need cleaned.</i> |
| <i>Corrective Action(s):</i> |
| 4-602.13 - NONFOOD CONTACT SURFACES |
| <i>Observation: Shelves in kitchen need cleaned.</i> |
| <i>Corrective Action(s):</i> |

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Food residue in condiment cooler seal.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Condiment coolers need cleaned (inside and out).

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Walk in cooler floors need cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Walk-in freezer shelves need cleaned.

Corrective Action(s):

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

Observation: Temperature knobs in condiment cooler need repaired.

Corrective Action(s):

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

Observation: Kitchen floors need cleaned under equipment.

Corrective Action(s):

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

Observation: Wall behind kitchen entrance needs cleaned.

Corrective Action(s):

6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION

Observation: Hood vents need cleaned.

Corrective Action(s):

6-501.16 - DRYING MOPS

Observation: Mops need to be hung vertically to air dry properly.

Corrective Action(s):

Inspection Outcome

Comments

Disclaimer

Person in Charge



Sanitarian

Tim Zeigler