

**West Virginia Department of Health
& Human Resources
Berkeley County Health Department**

No image found with name: Berkeley.png. Image files needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information	
Facility Name Tomahawk Intermediate School	Facility Type Food Service Establishment
Licensee Name Berkeley Co. Board of Education	Facility Telephone # 304 754-3171
Facility Address 6665 Hedgesville Rd Hedgesville, WV	Licensee Address ,

Inspection Information		
Inspection Type Routine	Inspection Date 10/13/2017	Total Time Spent 1.50

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk-In	40
Metro Hot Hold	169
Useco-Epco Hot Hold	151
Milk Right	38
Milk Left	39

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Dishwasher3- Baysinkclothbucket	heatchemicalchem ical	160	50	HeatChlori ne	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 1 Repeated # 0 4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): Vegetable slicer needs cleaned (Edlund)

ObservedNon-CriticalViolations
Total # 0 Repeated # 0

Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian




Dolly McGuire

Keith Allison