

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Elmcroft	Facility Type Food Service Establishment	
Licensee Name EC Opco Martyinsburg LLC	Facility Telephone # 304 267-5800	
Facility Address 200 Gloucester Drive Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 01/10/2019	Total Time Spent 1.38

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Hot lamp	183
Artic Air cooler	39
Walk in cooler	41
Juice machine	45

Food Temperatures	
Description	Temperature (Fahrenheit)
Butter packets	77
Mushrooms	148

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysinkDishmac	chemchemchem		200-3001		
hineBucket			00200-300		

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations

Total # 3

Repeated # 3

3-501.16 (Cold) - POTENTIALLY HAZARDOUS FOOD, COLD HOLDING

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): Butter packets 77F

4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): 4 sharp kitchen knives stored unclean

4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS

This is a critical violation

OBSERVATION: Walk in cooler shelves need cleaned

Observed Non-Critical Violations

Total # 7

Repeated # 3

4-502.11 - GOOD REPAIR AND CALIBRATION

OBSERVATION: Several torn blue lids need replaced.

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Outside of the dish machine needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Top of the ice machine needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside of the plate rack needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Dry stock shelves need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Filters need cleaned in the hoods

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Floors need cleaned behind and under equipment

Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian



tammy hendershot



Glenn GCO Ondick