

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name <b>St. Joseph</b>	Facility Type <b>Food Service Establishment</b>	
Licensee Name <b>Diocese of Wheeling Charleston</b>	Facility Telephone # <b>304 267-6447</b>	
Facility Address <b>110 E Stephen St Martinsburg , WV</b>	Licensee Address <b>,</b>	
<b>Inspection Information</b>		
Inspection Type <b>Routine</b>	Inspection Date <b>12/18/2018</b>	Total Time Spent <b>1.25</b>

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
2 door fridge-Beverage Air Walkin	30
Hot box	36
Milk cooler	188
back milk cooler(empty)	40
	38

<b>Food Temperatures</b>	
Description	Temperature (Fahrenheit)
taco meat	180

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
BucketDishmachine	quat		200		

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<b>Total # 0</b>
<b>Repeated # 0</b>

<b>Observed Non-Critical Violations</b>
<b>Total # 1</b>
<b>Repeated # 0</b>
<b>6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS</b>
<b>OBSERVATION: (CORRECTED DURING INSPECTION):</b> Tops of equipment need cleaned, dust

<b>Inspection Outcome</b>

<b>Comments</b>


Disclaimer

Person in Charge



**marie coffey**

Sanitarian



**Luke Hartley**