

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name Panda Express	Facility Type Food Service Establishment	
Licensee Name Panda Express	Facility Telephone # 304	
Facility Address 4703 Foxcroft Ave Martinsburg , WV	Licensee Address ,	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 09/13/2018	Total Time Spent 1.50

<i>Equipment Temperatures</i>	
Description	Temperature (Fahrenheit)
Walk in cooler	38
Rice steamer	159
Rice wok cooler	41
Dinner wok cooler	38
Carry out food line hot	

<i>Food Temperatures</i>	
Description	Temperature (Fahrenheit)
White rice	139
Fried rice	138
kung po chicken	142
Honey chicken	140
Sauces	136
Chicken	147

<i>Warewashing Info</i>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysinkLinebucket	chemchem		300-4003 00-400		

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<i>Observed Critical Violations</i>
<p>Total # 1 Repeated # 2</p> <p>4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS This is a critical violation REPEAT OBSERVATION Walk in cooler shelves need cleaned,</p>

Observed Non-Critical Violations

Total # 3

Repeated # 2

4-502.11 - GOOD REPAIR AND CALIBRATION

REPEAT OBSERVATION Rice cooler gasket needs repaired, torn

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Dry stock shelves need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Floors and floor drains under wok line and customer drink area need cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge



hilary werdebaugh

Sanitarian



Glenn GCO Ondick