Price List

10 • 2022

bouty.com

10871, avenue Salk
Montréal-Nord (Québec) H1G 6M7
T 514.324.0916 • 800.982.6889

The reference for comfort
at work... and at home!

Table of contents

Collections 2

Terms of Sale

Prices 4

Terms 4

Purchase order 4

Storage 4

Return of merchandise 4

Specifications 4

Guarantee 4

Reflex program 5

Spare parts prices 6

Gas lifts 8

Back upright 9

Mechanisms 10

Armrests 12

Collections

Office area

Agio

Arista

Circus

Drumback

Fira

Fusion

Impulse

Kadera

Kendo

Maglia

Neos

Quatra

Repend

Scope

Sity

Spin

Teknik

Toleo
NEW

Vario

Vittoria

Xylo

Zome

Lounge and waiting area

Admix

Evolution

Loop

Organic

Organic Link

Pouf

Stylus

2000

	Ergonomic	Executive	Conference room	Multi-purpose	Lounge and Waiting Room	Stools	
	E	D	C	A	R	T	
Agio			X	X	X		14-21
Arista	X	X	X				22-25
Circus			X	X	X		26-31
Drumback	X	X	X				32-35
Fira	X	X	X				36-41
Fusion	X		X			X	42-45
Impulse	X	X	X	X			46-51
Kadera	X	X	X				52-55
Kendo			X	X	X		56-59
Maglia		X	X				60-63
Neos	X	X	X	X		X	64-69
Quatra	X	X	X	X		X	70-75
Repend			X	X	X		76-79
Scope	X	X	X	X			80-85
Sity	X	X	X	X			86-91
Spin			X	X	X		92-95
Teknik				X		X	96-99
Toleo	X	X	X	X		X	100-105
Vario				X	X		106-109
Vittoria	X	X	X			X	110-115
Xylo				X	X		116-119
Zome	X	X	X			X	120-123
Admix					X		126-129
Evolution			X	X	X		130-133
Loop				X	X		134-135
Organic				X	X		136-141
Organic Link				X	X		142-147
Pouf				X	X		148-151
Stylus				X	X		152-157
2000				X	X		158-161

E	D	C	A	R	T
Seat offering the necessary adjustments to conform to its user's morphology, work environment and various recurring tasks	Ergonomic seat generally characterized by a higher backrest and several adjustment possibilities.	Seat typically used in a meeting or conference room. Intended for short or medium-term use, these seats offer limited adjustments which ensure visual homogeneity of the environment.	Seat used sporadically or for a short period, and typically arranged with accompanying seats.	One or more elements allowing to sit comfortably in a high traffic or commonly used environment. Thought and designed with functionality and esthetics in mind, the elements adapt to several users and functions	Seat offering a comfortable work position on surfaces higher than usual standards

PRICES

Prices shown in this list are suggested retail, taxes extra, and are subject to change without notice.
Depending on destination and product, shipping and installation fees can apply as described in the freight policy available from our customer service department. Unless otherwise specified, these fees are not included for parts orders.

TERMS

For customers with an approved credit line, payment terms are Net 30 days from date of invoice. Overdue accounts will be subject to 2% monthly interest charge. Bouty reserves the right to withhold or refuse any order for customers with overdue accounts.

ORDERS

For every order received, an acknowledgment is sent to the customer, who is responsible for validating the accuracy of its order and notifying Bouty of any required changes within two (2) days. For any modification or cancellation requested after this two-day period, Bouty reserves the right to claim costs incurred at the time of modification or cancellation.

STORAGE

Bouty reserves the right to charge storage fees for any order that cannot be received by the customer following the agreed delivery date.

CLAIMS AND RETURNS OF MERCHANDISE

Claims for incomplete orders or damaged merchandise must be submitted within seven (7) days following delivery. In the case of shipments where damage is obvious, customers must refuse delivery until the carrier has written the nature of the observation on the bill of lading. No merchandise can be returned without Bouty's written consent and shipping instructions. Authorized returns will be shipped prepaid by the customer and will entail a handling and inspection charge of 25% of the invoice price. Only merchandise in perfect and unused condition will be accepted, unless otherwise specified.

SPECIFICATIONS

ADI reserves the right to modify specifications of its products, materials, designs, or accessories, and to discontinue manufacturing of the forementioned without notice. Measurements are approximate and may vary, depending on seat and backrest adjustments, foam compression and/or upholstery type, by up to ½'' ou 12mm.

GUARANTEE

Bouty offers a ten (10) year warranty on its products against all manufacturing defects, excluding:

- Seat and backrest upholstery (catalog products) : two (2) years
- Intensive use, more specifically more than eight (8) hours per day : three (3) years

This warranty is not transferable and does not apply to the following situations:

- Failure resulting from normal wear and tear.
- Damages resulting from product abuse, misuse or extreme conditions.
- Damages incurred during transportation or storage post-delivery
- Products modified or altered.
- C.O.M. and other upholstery not included in standard Bouty program.
- Upholstery color matching to samples or prior purchases.
- Minor irregularities of color, surface, grain or texture, and leather natural marks.

REFLEX PROGRAM

Bouty offers fast production program (within 10 days), which allow to order up to ten (10) chairs of the following models:

- Agio AGPP
- Agio AGPT
- Quatra 4002
- Quatra 4003
- Vario 75
- Vario 175
- Vittoria VTM2
- Vittoria VTM3
- Vittoria VTMM

Fabric offer for the Reflex program consists in the following selection:

Genesis (geosheard.com)

- GS101 Poplar (beige)
- GS304 Chianti (red)
- GS404 Atmosphere (blue)
- GS802 Moonwalk (grey)
- GS903 Flint (black)

Challenger (ennisfabrics.com)

- 17 Garnet (red)
- 30 Denim blue (blue)
- 605 Cream (beige)
- 908 Chinchilla (grey)
- 909 Raven (black)

FREIGHT CHARGES APPLICABLE ON EVERY REFLEX ORDER

* (delivered to the dealer)

Greater Montréal area:	50$ per chair
Rest of Québec*:	100$ per chair
Canada (excluding Québec)* :	150$ per chair
USA :	200$ per chair

Product offering, fabrics and other terms may change without notice. Please validate the conditions in force when placing an order by visiting our website: bouty.com

Glides		Price
GL01	Translucent plastic for hard floor (Circus, Neos, Quatra, Sity)	2
GL08	Black plastic with felt (Toleo TOPP, TOPM, TOPR, TOMR)	2
GL12	Black plastic with felt (Toleo, TOPR, TOMR)	6
GL18	Black plastic with felt (Toleo TOPP, TOPM, TOPR, TOMR, TOPS, TOMS)	6
GL23	17,5" long translucent plastic with protective felt (Circus 1640/1642)	10
GL30	Glides replacing casters on N6 and A5 bases	12
GL31	Translucent plastic (AGPT/AGP2-3-4)	4
GL32	Translucent plastic with felt insert (AGPT/AGP2-3-4)	6
GL38	Translucent plastic (Vario)	4
GL39	Translucent plastic with integrated ganging device (Vario)	4
GL44	Translucent plastic with felt (Vario)	6
GL45	Translucent plastic with felt and integrated ganging device (Vario)	6
GL46	Black plastic (Impulse IMRP/IMMP)	2
GL47	Black plastic with felt (Impulse IMRP/IMMP)	6
GL53	Black plastic with felt (3101/3103)	8
GL54	Black plastic with felt (3102/3104)	8
GL55	Translucent plastic with felt (1751/1752/1753)	6
GL75	Translucent plastic with felt, heavy duty (Vario)	6
GL9A	Adjustable metallic glide	6
GL90	White nylon, covering an adjustable metallic glide	8
Casters		**Price**
RO14/RO70/RO30	For carpet	6
RO5N/RO7N/RO31	For hard floors	12
RO26/RO28/RO90/RO25	For carpet	10
RO27/RO29/RO91	For hard floors	16
RO4Y	For carpet or hard floors	70
Spacers		**Price**
PB1	Lower the armrest height by 1''	40
PB2	Raise the armrest height by 1''	40
PB1/2	Raise the armrest height by 1/2''	40

The prices indicated below do not include delivery or installation.

Full backrest	A	B	C	D	E	LEATHER
Circus 1640/1642/1680	150	160	170	180	190	300
Fusion / Neos	260	280	290	300	310	410
Quatra 4001/4002/4003	310	310	310	310	310	310
Quatra 4004/4005	340	360	370	380	390	490
Sity 9001 / 9002	310	310	310	310	310	310
Sity 9003	340	360	370	380	390	490
Vittoria / Zome	310	310	310	310	310	310
Full seat	**A**	**B**	**C**	**D**	**E**	**LEATHER**
Circus	190	200	210	220	230	290
Fusion / Neos /Vittoria	230	250	260	270	280	330
Quatra / Sity / Zome	270	290	300	310	320	370

The prices indicated below do not include delivery or installation.

Gas lifts		Price
GA01/GA07/GA36	5” range	50
GA01HD/GA07HD/GA07Z	5” range	90
GA14/GA24	4” range	50
GA06	8” range	70
GA10	10” range	70
GA13Z	Fixed height	90

The prices indicated below do not include delivery or installation.

Range

Difference at the lowest



Difference at the highest



Connectivity module			Price
CU011N	2 USB (A+C) outlets, black, 72” power supply cord with a barrel connector, installed on one side under the top.		500
CU011W	2 USB (A+C) outlets, white, 72” power supply cord with a barrel connector, installed on one side under the top.		500
CS211N	2 110V Power outlets and 2 USB (A+C) outlets, black, 120” power supply cord, installed in the middle of the table. (Rectangular options only)		550
CS211W	2 110V Power outlets and 2 USB (A+C) outlets, white, 120” power supply cord, installed in the middle of the table. (Rectangular options only)		550
CR111N	1 110V Power outlets and 2 USB (A-C) outlets, black, 120” power supply cord, installed in the middle of the table. (Rectangular options only)		600
CR111W	1 110V Power outlets and 2 USB (A-C) outlets, white, 120” power supply cord, installed in the middle of the table. (Rectangular options only)		600
CR320N	3 110V Power outlets and 2 USB (A) outlets, black, 120” power supply cord, installed in the middle of the table. (Rectangular options only)		700
CR320W	3 110V Power outlets and 2 USB (A) outlets, white, 120” power supply cord, installed in the middle of the table. (Rectangular options only)		700
CS120G	1 Power outlet and 2 USB-A outlets, metallic silver paint, 10’ power cord, installed on the side 8” from the ground or top (tables only).		600

Back uprights		Price
BU1/BU2 (2 ¼")	Reversible (change depth by ± 1")	60

	BU	BUH	BUE	BU1	BU2
	Straight Standard back position.	**90°** Standard back position.	**Curved** Ratchet back (Only on Vittoria).	**Curved** Offset	**Curved** Offset
H		X			
MF	X			X	X
MFE			X		
MFJ			X		
SS/SSHD	X			X	X
SSE			X		
SSJ			X		
					

Units of measurement provided are imperial and metric.
Dimensions in inches and centimeters
Weight in pounds and kilograms
Volumes in cubic feet and cubic meters
C.O.M and C.O.L fabrics in yards

Mechanisms

H



H
- Swivel
- Tilt and locking 0°
- Seat height adjustment

MF



MF
- Swivel
- Tilt and locking
- Backrest angle adjustment
- Seat height adjustment
- Backrest height adjustment

MFE/MFJ



MFE (Ratchet back)
- Swivel
- Tilt and locking
- Backrest angle adjustment
- Seat height adjustment
- Backrest height adjustment (ratchet)

MFJ (Fixed mesh backrest)
- Swivel
- Tilt and locking
- Backrest angle adjustment
- Seat height adjustment

SS/SSHD



SS (Ratchet back)
- Swivel
- Tilt and locking
- Backrest angle adjustment
- Backrest height adjustment
- Seat height adjustment
- Seat slider

SSHD
- Swivel
- Tilt and locking
- Backrest angle adjustment
- Seat height adjustment
- Backrest height adjustment
- Seat slider
- Additional strength tension up to 330 lb

SSE/SSJ



SSE (Ratchet back)
- Swivel
- Tilt and locking
- Backrest angle adjustment
- Seat height adjustment
- Backrest height adjustment (ratchet)
- Seat slider

SSJ (Fixed mesh backrest)
- Swivel
- Tilt and locking
- Backrest angle adjustment
- Seat height adjustment
- Seat slider

DSN



DSN
- Swivel
- Seat angle adjustment
- Backrest angle adjustment
- Seat height adjustment
- Backrest height adjustment
- Foot ring

C28





C28
- Swivel
- Synchro-tilt (2,7:1) with tension adjustment
- Locks in 4 positions
- Seat height adjustment
- Seat slider

SYE/SYJ



SYE (Ratchet back)
- Swivel
- Synchro-tilt (2:1)
- Locks in 4 positions
- Seat height adjustment
- Backrest height adjustment (ratchet)
- Seat slider

SYJ (Fixed mesh backrest)
- Swivel
- Synchro-tilt (2:1)
- Locks in 4 positions
- Seat height adjustment
- Seat slider

IC/IA



IC
- Swivel
- Balance point synchromatic with tension control
- Locks in 4 positions
- Seat height adjustment (with buttons)
- Backrest height adjustment (with buttons)

IA
- Swivel
- Balance point synchromatic with tension control
- Locks in 4 positions
- 2 position dynamic-forward tilt
- Seat height adjustment (with buttons)
- Backrest height adjustment (with buttons)
- Seat slider

SC/SCHD



SC
- Die cast aluminum
- Swivel
- Synchro-tilt
- Locks in 3 positions
- Seat height adjustment (with buttons)
- Backrest height adjustment (with buttons)
- Seat slider

SCHD
- Die cast aluminum
- Swivel
- Synchro-tilt
- Locks in 3 positions
- Seat height adjustment (with buttons)
- Backrest height adjustment (with buttons)
- Seat slider
- Additional strength tension up to 330 lb

SDE/SDJ



SDE
- Swivel
- Synchro-tilt (2:1)
- Locks in 5 positions
- Seat height adjustment (with buttons)
- Backrest height adjustment (with buttons)
- Seat slider

SDJ (Fixed mesh backrest)
- Swivel
- Synchro-tilt (2:1)
- Locks in 5 positions
- Seat height adjustment
- Seat slider

SIE/SIJ



SIE
- Swivel
- Synchro-tilt (3,3:1), automatic tension adjustment
- Locks in 5 positions
- Seat height adjustment (with buttons)
- Backrest height adjustment (with buttons)

SIJ (Fixed mesh backrest)
- Swivel
- Synchro-tilt (3,3:1), automatic tension adjustment
- Locks in 5 positions
- Seat height adjustment

DA



DA
- Swivel
- Synchro-tilt
- 4 position tilt limiter
- Seat height adjustment (with buttons)
- Backrest height adjustment
- Seat slider (2 1/2")
- Weight activated backrest tilt with micro adjustment for more precision.

SP



SP
- Swivel
- Tilt
- Seat height adjustment
- Seat angle adjustment
- Backrest angle adjustment
- Backrest height adjustment

adjustable Armrests

01S

Adjustable in width and height, with black polyurethane pads

75/7H

Adjustable in width and in height with a numeric wheel, with black polyurethane pads.

81

Adjustable in height, with black polyurethane pads adjustable in depth and pivot 60°.

82

Adjustable in height, width with black polyurethane pads adjustable in depth and pivot 60°.

89

Adjustable in width and height, with black polyurethane pads adjustable in width and depth and pivot 30°.

99

Adjustable in width and in height with a numeric wheel, with black visco foam pads adjustable in width and depth.

V2

Adjustable in width and height, with black polyurethane pads adjustable in width and in depth, locks and pivot 360°.

V5

Fixed, in nylon with black polyurethane pads.

V6

Fixed, in nylon and polished aluminum.

V8

Adjustable in width and height, with black polyurethane pads adjustable in depth and pivot 60°.

V9

Adjustable in width and height, with black polyurethane pads adjustable in width and in depth, locks and pivot 360°.

VN/VW



VN : Adjustable in width and height, with black polyurethane pads adjustable in depth and pivot 60°, with white structure.

VW : Adjustable in width and height, with black polyurethane pads adjustable in depth and pivot 60°, with black structure.

V2N/V2W

V2N : Adjustable in width and height, with black polyurethane with black structure.

V2W : Adjustable in width and height, with black polyurethane with white structure.

V4N/V4W



V4N : Adjustable in width and height, with black polyurethane pads adjustable in depth and pivot 60°, with black structure.

V4W : Adjustable in width and height, with black polyurethane pads adjustable in depth and pivot 60°, with white structure.

12

Fixed, in black polypropylene.

11

Fixed, with black polyurethane pads.

CN

Fixed, elliptical shape, with black polyurethane pads.

77

Fixed, in polished aluminum, with black polyurethane pads.

31

Fixed, in polished aluminum with soft black polyurethane inlay pad.

42

Fixed, in black nylon.

68/69

68 : Fixed, in black nylon for multipurpose chairs with a plastic backrest

69 : Fixed, in black nylon for multipurpose chairs with a mesh backrest

D1

Fixed, in nylon, matching the backrest colour.

D2

Fixed, in plastic, matching the backrest colour

60

Fixed, in polished aluminum, C shape with black polyurethane insert.

50

Fixed, in black PVC

66

Fixed, in black PVC

Agio

With its slick design, Agio provides solutions for making collective working spaces versatile and comfortable. Characterized by a slim silhouette, the wide seat provides maximum comfort while being extremely lightweight and stackable up to 40 chairs high. Itswell finished minimalist design makes it a perfect chair for any environment.

Collection

Conference	Multi-purpose	Lounge and Waiting Room
C	A	R

AGPP

AGPT

AGPS

AGPB

AGP2-AGN

AGP3-AGN

AGP4-AGN

AGP2-CON

AGP3-CON

AGP4-CON

AGPP

AGPP 380



AGPS

AGPS 480



AGPT

AGPT 380



AGPB

AGPB 500



Armrests		
D2	Fixed, in plastic, matching the backrest color (not available on AGPP)	70
Bases (AGPB)		
N2	Black nylon	Standard
A6	Polished aluminium	100
Glides		
GL31	Translucent plastic (AGPT/AGP2-3-4) (For 4)	12
GL32	Translucent plastic with felt insert (AGPT/AGP2-3-4) (For 4)	20
Casters (AGPB)		
70	For carpet	Standard
7N	For hard floors	30
Ganging device		
JB	Translucent plastic for armless chairs, including the possibility of fixing the beam to the floor (for 2)	20
JC	Gray plastic, for armless chairs, on beam (for 2)	30
JL	Gray plastic, for armchairs, on beam (for 2)	40
Accessories		
PA	Book rack (AGPT)	On request
TDN	Right side writing tablet (including armrests)	250
TGN	Left side writing tablet (including armrests)	250
Trolley		
CA1	Trolley with capacity of 40 chairs (AGPT) (15 for AGPT-R1)	900
Plastic colors		
PN	Black	Standard
PR	Red	20
PW	White	20
PB	Blue	20
PV	Green	20
PG	Grey	20
PS	Sand	20

Upholstery		A	B COM	C	D	E	LEATHER	COM
R1	Seat	80	90	100	110	120	200	0.9
R2	Seat and backrest	160	180	200	220	240	400	0.9
AD	Seat and backrest with a different color							30

AGP2-AGN

AGP2-AGN	1050



AGP2-CON

AGP2-CON	1180



AGP3-AGN

AGP3-AGN	1350



AGP3-CON

AGP3-CON	1470



AGP4-AGN

AGP4-AGN	1650



AGP4-CON

AGP4-CON	1800



AG Legs		
AGN	Black paint	Standard
AGZ	Polished chrome	50
CO Legs		
CON	Black paint	Standard
COG	Metallic grey paint	40
Continuous beams (CO)		
L	Extended beam on one side to increase the space between the end chairs when 2 beams are side by side	40
LL	Extended beam on both sides to increase the space between the end chairs when 3 beams are side by side	60
X	Series of custom-length beams adapted with middle legs	-
Sano privacy panels		
P1	1 Sano privacy panel added to beam	800
P2	2 Sano privacy panel added to beam	1600
P3	3 Sano privacy panel added to beam	2400
P4	4 Sano privacy panel added to beam	3200
P5	5 Sano privacy panels added to beam (not available with AG legs)	4000
	When adding a Sano panel, the beam length will increase from 6 " to 10". Drawing is required to determine the precise length of a configuration.	
Sano privacy panels finishes		
PTC	3/8'' thick plexiglass panel with clear finish	Standard
PGF	3/8'' thick plexiglass panel with frosted finish	-
PTT	3/8'' thick plexiglass panel with tinted finish	120
Accessories		
T1	1 table with a maple laminate finish (drawing required for table location)	-
T2	2 tables with a maple laminate finish (drawing required for both tables location)	-
E	Cantilever end table with maple laminate finish (available with CO legs only, add 22 "to total length)	450
FS	Floor anchors for CO legs (for 4)	40

Configuration examples



AGP3-AGN-T1-PN
1350



AGP4-AGN-T2-D2-PN
1780



AGP3-CON-T1-PN
1350



AGP4-CON-P5-D2-PN
5780



AGP3-AGN-P3-PN
3750



AGP3-CON-P4-D2-PN
4690



AGP2-AGN-P3-PN + AGP2-AGN-P2-PN
5180



AGP3-CON-L-PN + AGP3-CON-L-PN
1550





AGP3-CON-E-E-PN
2370



AGP4-CON-E-PN
2250



AGP3-CON-PN-X + AGP3-CON-PN-X + AGP3-CON-PN-X*
4410

*Please provide drawing for custom beams (including party legs)

Agio



Measures	A	B	C	D	E	F	G	H	J	Weight	Volume
AGPP	18	16 1/2	17 1/2	18	15	-	9	32	19 1/2	11	13
	46	42	45	46	38	-	23	81	50	5	0.4
AGPB	18	16 1/2	15 1/2 - 20 1/4	18	15	22 1/2	9	30 -35 1/4	26	28	13
	46	42	39 - 51	46	38	57	23	76 - 90	66	12.7	0.4
AGPT	18	16 1/2	17 1/2	18	15	22 1/2	9	32 1/2	21 1/2	13	13
	46	42	44	46	38	57	23	83	55	6	0.4
AGPS	18	16 1/2	28	18	15	22 1/2	9	42	21 1/2	15	19
	46	42	71	46	38	57	23	107	55	6.8	0.5
AGP2-AG	42	16 1/2	17 1/2	18	15	46 1/2	9	32	48	45	25
	46	42	44	46	38	118	23	81	122	20.4	0.7
AGP3-AG	66	16 1/2	17 1/2	18	15	70 1/2	9	32	72	60	36
	46	42	44	46	38	179	23	81	183	27.2	1
AGP4-AG	90	16 1/2	17 1/2	18	15	94 1/2	9	32	48	75	48
	46	42	44	46	38	240	23	81	122	34	1.4
AGP2-CO	42	16 1/2	17 1/2	18	15	42 1/2	9	32	25	50	25
	46	42	44	46	38	108	23	81	64	22.7	0.7
AGP3-CO	66	16 1/2	17 1/2	18	15	70 1/2	9	32	36	65	36
	168	42	44	46	38	179	23	81	91	29.4	1
AGP4-CO	90	16 1/2	17 1/2	18	15	94 1/2	9	32	48	85	48
	229	42	44	46	38	240	23	81	122	39.6	1.4

Imperial system *Metric system*

Arista

With clean lines, Arista chairs lend refinement and sophistication to any work environment. Their exceptional ergonomic qualities provide the ultimate in comfort.

Collection

Ergonomic	Executive	Conference
E	D	C

1401

1402

1401



	COM A	B	C	D	E	LEATHER
H	920	945	970	995	1020	1320
MFE	1070	1095	1120	1145	1170	1470
SSE	1110	1135	1160	1185	1210	1510
SYE	1050	1075	1100	1125	1150	1450
SSHD	1320	1345	1370	1395	1420	1720

1402



	COM A	B	C	D	E	LEATHER
H	1000	1025	1050	1075	1100	1400
MFE	1150	1175	1200	1225	1250	1550
SSE	1190	1215	1240	1265	1290	1590
SYE	1130	1155	1180	1205	1230	1530
SSHD	1400	1425	1450	1475	1500	1800

Mechanisms			
H	Swivel, tilt and locking, seat height adjustment.		
MFE	Swivel, tilt and locking, adjustment of seat front tilt, backrest angle, seat and backrest height (ratchet).		
SSE	Swivel, tilt and locking, backrest angle adjustment, seat and backrest height adjustment (ratchet), seat slider (21/4'').		
SYE	Swivel, synchro-tilt (2:1), locks in 4 positions, seat and backrest height adjustment (ratchet), seat slider (21/4'').		
SSHD	Swivel, tilt and locking, adjustment of backrest angle, seat and backrest height, seat slider (21/4''), heavy duty.		
Gas lifts			
GA01	5'' range		Standard
GA14	5" range, increases the chair height by 2" at its highest.		-
GA01HD	5" range, increases the chair height by 2" at its highest, heavy duty.		50
Seat dimension			
L	Large version: Seat at 22'' and back at 20'' (Measures: A & D)		70
Armrests			
Fixed	12	Fixed, in black polypropylene.	90
	CN	Fixed, elliptical shape, with black polyurethane pads.	150
	77	Fixed, in polished aluminum, with black polyurethane pads.	200
	60	Fixed, in polished aluminum, C shape with polyurethane insert.	200
Adjustable	81	Adjustable in height, with black polyurethane pads adjustable in depth and pivot 60°.	80
	82	Adjustable in height, width, with black polyurethane pads adjustable in depth and pivot 60°.	170
	01S	Adjustable in width and in height with black polyurethane pads.	170
	89	Adjustable in width and height, with black polyurethane pads adjustable in width and depth and pivot 30°.	180
	99	Adjustable in width and in height with a numeric wheel, with black visco foam pads adjustable in width and depth.	300
Bases			
N2	Black nylon		Standard
A6	Polished aluminum		100
Casters			
70	For carpet		Standard
7N	For hard floors		30
Upholstery			
AD	Upholstered seat and backrest with different colours		40



Measures	A	B	C	D	E	H	J	Weight	Volume	COM
1401	20	19	18 - 21 3/4	18	23 1/2	37 1/2 - 44	26	43	13	1.6
	51	48	46 - 55	46	60	95 - 112	66	19.5	1.2	1.5
1402	20	19	18 - 21 3/4	18	30	44 1/2 - 51	26	45	19	1.8
	51	48	46 - 55	46	76	113 - 130	66	20.4	1.8	1.6

Imperial system *Metric system*

Circus

The refined lines and strength of Circus chairs strike a perfect balance between form and function, making them ideal for any space from the office, cafeteria, waiting room, conference room, or even for an auditorium or counter seating at a bistro. Several steel frame finishes as well as seat and back options are available. Easy to stack, Circus chairs can be moved effortlessly with an optional trolley.

Collection

Conference	Multi-purpose	Lounge and waiting room
C	A	R

1640/1640C*

1642

1662

1680

*1640 C : Cafeteria version with a straighter backrest angle

1640/1640C*



	COM					
	A	B	C	D	E	LEATHER
	520	540	560	580	600	770

1642



	COM					
	A	B	C	D	E	LEATHER
	540	560	580	600	620	790

1662



	COM					
	A	B	C	D	E	LEATHER
H	680	700	720	740	760	930

1680



	COM					
	A	B	C	D	E	LEATHER
	630	650	670	690	710	880

*1640 C : Cafeteria version with a straighter backrest angle

Mechanisms (1662)		
H	Swivel, tilt and locking, seat height adjustment.	
Gas lifts (1662)		
GA01	5'' range	Standard
GA14	4'' range, decreases the chair height by 1'' at its lowest	-
Frames		
N	Black paint	Standard
G	Metallic silver paint	-
Z	Polished chrome (1640/1642)	120
Bases (1662)		
N6	Black nylon	Standard
A5	Polished aluminium	100
Glides		
GL01	Translucent plastic for hard floors (4 glides per chair)	8
GL23	Translucent plastic of 17.5" with felt protector for hard floors (2 glides per chair)	20
GL30	Glides replacing casters on N6 and A5 bases	30
GL82	White nylon, covering the metallic glides (1680)	8
Casters (1662)		
14	For carpets	Standard
5N	For hard floors	30
Ganging device		
J	Integrated in the frame (50 minimum)	30
Handle		
P	Die-cut handle in the maple backrest	60
Writing tablets		
TD	Right side writing tablet (1640)	250
TG	Left side writing tablet (1640)	250
Trolley		
CC1	Equipped with a carrying handle, with 2 fixed wheels and 2 swivel wheels, capacity of 10 chairs (structure A and Z only). Measurements of trolley with chairs: 23'' X 48'' X 75''	600
Upholstery		
AD	Upholstered seat and backrest with different colours	40

Finishes			
E1	Maple backrest		90
E2	Maple seat and backrest (1640/1642/1680)	Added to the grade A price	200
T	Stain maple seat and backrest (1640/1642/1680)	Added to the grade A price	250
S	Laminated seat and backrest (1640/1642/1680) (standard products) minimum 25 chairs	Added to the grade A price	140
S	Laminated backrest (1662) (standard products) minimum 25 chairs		50

Circus



Measures	A	B	C	D	E	F	G	H	J	Weight	Volume	COM
1640 / 1640C	17 1/2	17 1/2	18	16	12 1/2	---	---	32	20 1/2	20	13	1.1
	44	44	46	41	32	---	---	81	52	9	1.2	1
1642	17 1/2	17 1/2	18	16	12 1/2	20	8	32	20 1/2	25	13	1.1
	44	44	46	41	32	51	20	81	52	1.3	1.2	1
1662	19 1/2	17 1/2	15 - 20	18	13	23	8 1/2	30 - 35	25	25	13	1.1
	50	44	38 - 51	46	33	58	22	76 - 89	64	11.3	1.2	1
1680	17	16 1/2	30	16	7 1/2	---	---	40 1/2	19	25	16	1.0
	43	42	76	41	19	---	---	103	48	11.3	1.5	0.9

Imperial system *Metric system*

Circus

Drumback

Drumback ingeniously combines the advantages of upholstered backrests to those of mesh. Martin Ballendat's innovative idea was to stretch mesh, like on a drum, over a polypropylene frame. The result is a soft, cool comfort of a mesh back and the stability of upholstery, in a fresh and contemporary look.

Collection

Ergonomic	Executive	Conference
E	D	C

DRR3

DRR3

	A
DA	780



Mechanism		
DA	Swivel, balance point synchromatic, 4 position tilt limiter, adjustment of seat and backrest height, integrated adjustable lumbar support, seat slider (2 1/2”). Weight activated backrest tilt with micro adjustment for more precision	
Gas lifts		
GA01	5’’ range	Standard
GA14	4’’ range, decreases the chair height by 1’’ at its lowest	-
GA01HD	5’’ range, increases the chair height by 2’’ at its highest, heavy duty	50
Armrests		
VW	Adjustable in width and height, with black polyurethane pads adjustable in depth, locks and pivot 60°, with white structure	175
VN	Adjustable in width and height, with black polyurethane pads adjustable in depth, locks and pivot 60°, with black structure	175
Bases		
N2	Black nylon	Standard
A6	Polished aluminium	100
Casters		
70	For carpet	Standard
7N	For hard floors	30
Backrest color		
DW	Outside backrest in white plastic with integrated adjustable lumbar support	Standard
DN	Outside backrest in black plastic with integrated adjustable lumbar support	Standard
Upholstery		
AD	Upholstered seat and backrest with different colours	40
Backrest mesh		
MN	Black	Standard
MA	Anthracite	-
MG	Grey	-
MZ	Bronze	-
MB	Blue	-
MO	Orange	-
MS	Sand	-
MR	Red	-
MV	Green	-

Seat mesh		
SN	Black	Standard
SA	Anthracite	-
SG	Grey	-
SZ	Bronze	-
SB	Blue	-
SO	Orange	-
SS	Sand	-
SR	Red	-
SV	Green	-



Measures	A	B	C	D	E	H	J	Weight	Volume	COM
DRR3	19	19 1/2	17 - 22	17 1/2	20	39 - 46 1/2	26	29	16	-
	48	50	43 - 56	44	51	99 - 118	66	13	1.5	-

Imperial system *Metric system*

Fira

Dynamic concept based on components proven techniques, Fira offers a range full range of ergonomic chairs of amazing quality/ price ratio. With its two heights of upholstered back or its mesh backrest, Fira is the ideal chair for organizations concerned with productivity and quality of life.

Collection

Ergonomic **E** | Executive **D** | Conference **C**

FIR3

FIR4

FIM3

FIR3



	COM					
	A	B	C	D	E	LEATHER
SIE	800	825	850	875	900	1200
SDE	900	925	950	975	1000	1300

FIR4



	COM					
	A	B	C	D	E	LEATHER
SIE	820	845	870	895	920	1220
SDE	920	945	970	995	1020	1320

FIM3



	COM					
	A	B	C	D	E	LEATHER
SIJ	850	870	890	910	930	1100
SDJ	950	970	990	1010	1030	1200

Mechanisms			
SIE	Swivel, synchro-tilt (3,3:1), automatic tension adjustment, locks in 5 positions, adjustment of seat and backrest height (with buttons).		
SIJ	Swivel, synchro-tilt (3,3:1), automatic tension adjustment, locks in 5 positions, adjustment of seat height.		
SDE	Swivel, synchro-tilt (2:1), locks in 5 positions, adjustment of seat and backrest height (with buttons), seat slider (21/4''). (FIR3, FIR4)		
SDJ	Swivel, synchro-tilt mechanism (2:1), locks in 5 positions, adjustment of seat height, seat slider (21/4''). (FIM3)		
Gas lifts			
GA01	5'' range		Standard
GA14	4'' range, decreases the chair height by 1'' at its lowest		-
GA01HD	5'' range, heavy duty		50
Seat dimension			
L	Large version: Seat at $21^{1/2}$'' *(Measures : A)*		70
Armrests			
Fixed	12	Fixed, in black polypropylene.	90
	11	Fixed, with black polyurethane pads.	105
	CN	Fixed, elliptical shape, with black polyurethane pads.	150
	77	Fixed, in polished aluminum, with black polyurethane pads.	200
	60	Fixed, in polished aluminum, C shape with polyurethane insert.	200
Adjustable	81	Adjustable in height, with black polyurethane pads adjustable in depth and pivot 60°.	80
	82	Adjustable in height, width, with black polyurethane pads adjustable in depth and pivot 60°.	170
	01S	Adjustable in width and in height with black polyurethane pads.	170
	89	Adjustable in width and height, with black polyurethane pads adjustable in width and depth and pivot 30°.	180
	99	Adjustable in width and in height with a numeric wheel, with black visco foam pads adjustable in width and depth.	300
Bases			
N2	Black nylon		Standard
A6	Polished aluminium		100
Casters			
70	For carpet		Standard
7N	For hard floors		30
Lumbar supports			
LSR	With depth adjustment (FIR3, FIR4)		30
LSM	With height and depth adjustment (FIM3)		80

Headrests		COM A	B	C	D	E	LEATHER
ATR	Upholstered (FIR3, FIR4)	200	210	220	230	240	280
ATN	Black mesh (FIM3)						220
ATA	Mesh with colour matching mesh backrest (FIM3)						240
Upholstery							
AD	Upholstered seat and backrest with different colours						40
Backrest mesh							
MN	Black						Standard
MA	Anthracite						20
MG	Grey						20
MW	White						20
MB	Blue						20
MO	Orange						20
MP	Purple						20
MR	Red						20
MV	Green						20

Fira



Measures	A	B	C	D	E	H	J	Weight	Volume	COM
FIR3	19 1/2	18	16 3/4 - 20 1/2	18 1/2	21 1/2	37 3/4 - 44	26	47	16	1.2
	50	46	43 - 52	47	55	96 - 112	66	21.3	7.3	1.1
FIR4	19 1/2	18	16 3/4 - 20 1/2	18 1/2	24 1/2	40 1/4 - 46 1/2	26	49	19	1.3
	50	46	43 - 52	47	62	102 - 118	66	22.2	8.6	1.2
FIM3	19 1/2	18	16 3/4 - 20 1/2	18	23 1/2	39 3/4 - 43 1/2	26	42	16	1.0
	50	46	43 - 52	46	60	101 - 110	66	19	7.3	0.9

Imperial system *Metric system*

Fusion

The Fusion chair has long been a success story for Bouty, one of the very first manufacturers to use high resilience polyurethane moulded foam in office chairs. Since the 1980s, the line has continued to evolve while offering exceptional value. Long-lasting comfort has made Fusion very popular with health and educational institutions.

Collection

Ergonomic	Conference	Stool
E	C	T

1880

1882

1990

1992

1880-DSN

1990-DSN

1880





	COM A	B	C	D	E	LEATHER
H	650	675	700	725	750	1050
MF	760	785	810	835	860	1160
SS	800	825	850	875	900	1200
DSN	850	875	900	925	950	1250

1882



	COM A	B	C	D	E	LEATHER
H	690	715	740	765	790	1090
MF	800	825	850	875	900	1200
SS	840	865	890	915	940	1240

1990





	COM A	B	C	D	E	LEATHER
H	700	725	750	775	800	1100
MF	810	835	860	885	910	1210
SS	850	875	900	925	950	1250
DSN	900	925	950	975	1000	1300

1992



	COM A	B	C	D	E	LEATHER
H	740	765	790	815	840	1140
MF	850	875	900	925	950	1250
SS	890	915	940	965	990	1290

Mechanisms			
H	Swivel, tilt and locking, seat height adjustment.		
MF	Swivel, tilt and locking, backrest angle, seat and backrest height.		
SS	Swivel, tilt and locking, backrest angle adjustment, seat and backrest height adjustment, seat slider.		
DSN	Swivel, seat and backrest angle and height adjustment, foot ring.		
Gas lifts			
GA01	5'' range		Standard
GA14	4'' range, decreases the chair height by 1" at its lowest		-
GA01HD	5'' range, heavy duty		50
Armrests			
Adjustable	81	Adjustable in height, with black polyurethane pads adjustable in depth and pivot 60°.	80
	82	Adjustable in height, width, with black polyurethane pads adjustable in depth and pivot 60°.	170
	7H	Adjustable in width and in height with a numeric wheel, with black polyurethane pads.	180
	89	Adjustable in width and height, with black polyurethane pads adjustable in width and depth and pivot 30°.	180
	99	Adjustable in width and in height with a numeric wheel, with black visco foam pads adjustable in width and depth.	300
Bases			
N6	Black nylon		Standard
N10	Black nylon (1880-DSN/1990-DSN)		Standard
Glides			
GL30	Glides replacing casters on N6 base		30
Casters			
14	For carpet		Standard
5N	For hard floors		30
Upholstery			
AD	Upholstered seat and backrest with different colours		40



Measures	A	B	C	D	E	H	J	Weight	Volume	COM
1880	17	$16^{1/2}$	$16^{3/4}$ - $21^{3/4}$	18	15	$31^{1/4}$ - $41^{1/4}$	23	35	13	1.3
	43	42	43 - 55	46	38	79 - 105	58	15.9	1.2	1.2
1882	17	$16^{1/2}$	$16^{3/4}$ - $21^{3/4}$	18	19	$34^{1/4}$ - $44^{1/4}$	23	35	13	1.4
	43	42	43 - 55	46	48	79 - 105	58	15.9	1.2	1.3
1990	19	$17^{1/2}$	$17^{1/2}$ - $22^{1/2}$	18	18	$33^{3/4}$ - 42	25	40	13	1.7
	48	44	44 - 57	46	46	86 - 107	64	18	1.2	1.6
1992	19	$17^{1/2}$	$17^{1/2}$ - $22^{1/2}$	18	20	$35^{3/4}$ - 44	25	40	13	1.9
	48	44	44 - 57	46	51	91 - 112	64	18	1.2	1.7
1880-DSN	17	$16^{1/2}$	24 - 34	18	15	39 - $53^{3/4}$	25	35	13	1.3
	43	42	61 - 86	46	38	99 - 137	64	15.9	1.2	1.2
1990-DSN	19	$17^{1/2}$	$24^{3/4}$ - $34^{3/4}$	18	18	42 - $55^{1/4}$	25	40	13	1.7
	48	44	63 - 88	46	46	107 - 140	64	18	1.2	1.6

Imperial system *Metric system*

Impulse

Impulse is a complete family of seating and uniquely combines design and innovation, in an affordable and economic package.Task chairs feature class leading ergonomics, sophisticated synchronous technology with instant touch response tension adjustment, unique integrated function buttons and a floating dynamic tilt.

Collection

Ergonomic	Executive	Conference	Multi-purpose
E	D	C	A

IMR3

IMM3

IMR4

IMM4

IMRP

IMMP

IMRC

IMMC

COM

IMR3



	A	B	C	D	E	LEATHER
IC	1050	1075	1100	1125	1150	1450
IA	1080	1105	1130	1155	1180	1480

COM

IMM3



	A	B	C	D	E	LEATHER
IC	1080	1100	1120	1140	1160	1330
IA	1110	1130	1150	1170	1190	1360

COM

IMR4



	A	B	C	D	E	LEATHER
IC	1200	1225	1250	1275	1300	1600
IA	1230	1255	1280	1305	1330	1630

COM

IMM4



	A	B	C	D	E	LEATHER
IC	1200	1220	1240	1260	1280	1450
IA	1230	1250	1270	1290	1310	1480

IMRP



COM					
A	B	C	D	E	LEATHER
560	580	600	620	640	810

IMMP



COM					
A	B	C	D	E	LEATHER
560	580	600	620	640	810

IMRC



COM					
A	B	C	D	E	LEATHER
570	590	610	630	650	970

IMMC



COM					
A	B	C	D	E	LEATHER
570	590	610	630	650	970

Mechanisms			
IC	Swivel, balance point synchromatic with tension control, locks in 4 positions, adjustment of seat and backrest height.		
IA	Swivel, balance point synchromatic with tension control, locks in 4 positions, 2 position dynamic forward tilt, adjustment of seat and backrest height, seat slider (2 1/4").		
Gas lifts			
GA01	5'' range		Standard
GA14	4'' range, decreases the chair height by 1" at its lowest		-
GA01HD	5'' range, heavy duty		50
Armrests			
Fixed	42	Fixed, in nylon for multipurpose chairs.	80
Adjustable	V5	Adjustable in width, in nylon with black polyurethane pads.	120
	V6	Adjustable in width, in nylon and polished aluminum.	150
	V1	Adjustable in width and height, with black polyurethane pads adjustable in depth, locks and pivot 60°.	240
	V2	Adjustable in width and in height, with black polyurethane pads adjustable in width and in depth and that pivot 360°.	300
Frames (IMRP, IMMP, IMRC, IMMC)			
N	Black paint		Standard
G	Metallic silver paint		-
Z	Polished chrome		100
Bases (IMRP, IMMP, IMRC, IMMC)			
N1	Black nylon		Standard
A6	Polished aluminium		100
Glides			
GL46	Black plastic (IMRP, IMMP)		Standard
GL47	Black plastic with felt (IMRP, IMMP)		14
GL48	Black plastic with felt (IMRC, IMMC)		18
Casters			
30	For carpet		Standard
31	For hard floors		30
Lumbar supports			
LSF	Fixed for mesh backrests (IMM3, IMM4)		Standard
LSM	With depth adjustment for mesh backrests (IMM3, IMM4)		70
LSR	With depth adjustment for upholstered backrests (IMR3, IMR4)		80

Upholstery		
AD	Upholstered seat and backrest with different colours	40
Mesh		
MN	Black	Standard
MA	Anthracite	20
MG	Grey	20
MW	White	20
MB	Blue	20
MO	Orange	20
MP	Purple	20
MR	Red	20
MV	Green	20



Measures	A	B	C	D	E	H	J	Weight	Volume	COM
IMR3	18 1/2	16	16 1/2 - 21 1/4	18 1/2	22 - 24 1/2	39 -45	27 1/2	40	16	1.2
	47	41	42 - 54	47	56 - 62	99 - 114	70	18	1.5	1.1
IMM3	18 1/2	16	16 1/2 - 21 1/4	18 1/2	22 - 24 1/2	39 -45	27 1/2	40	16	1.0
	47	41	42 - 54	47	56 - 62	99 - 114	70	18	1.5	0.9
IMR4	18 1/2	16	16 1/2 - 21 1/4	18 1/2	29 - 31 1/2	46 - 52	27 1/2	44	19	1.3
	47	41	42 - 54	47	74 - 80	117 - 132	70	20	1.8	1.2
IMM4	18 1/2	16	16 1/2 - 21 1/4	18 1/2	29 - 31 1/2	46 - 52	27 1/2	44	19	1
	47	41	42 - 54	47	74 - 80	117 - 132	70	20	1.8	0.9
IMRP	19	18 1/2	18 1/2	23	16 1/2	34 1/2	21 1/2	16	16	0.9
	48	47	47	58	42	88	55	7.3	1.5	0.8
IMMP	19	18 1/2	18 1/2	23	16 1/2	34 1/2	21 1/2	16	16	0.9
	48	47	47	58	42	88	55	7.3	1.5	0.8
IMRC	19	18 1/2	18 1/2	23	16 1/2	34 1/2	21 1/2	20	16	0.9
	48	47	47	58	42	88	55	9	1.5	0.8
IMMC	19	18 1/2	18 1/2	23	16 1/2	34 1/2	21 1/2	20	16	0.9
	48	47	47	58	42	88	55	9	1.5	0.8

Imperial system *Metric system*

Kadera

The decidedly contemporary look of the Kadera armchair lends a touch of style to any work or meeting space. With its clean lines, free of superfluous detail, Kadera is a sturdy chair that provides roomy and exceptionally comfortable seating.

Collection

Ergonomic	Executive	Conference
E	D	C

5001

5002

5001



	COM A	B	C	D	E	LEATHER
H	960	985	1010	1035	1060	1360
MF	1070	1095	1120	1145	1170	1470
SS	1110	1135	1160	1185	1210	1510
SSHD	1360	1385	1410	1435	1460	1760

5002



	COM A	B	C	D	E	LEATHER
H	1000	1025	1050	1075	1100	1400
MF	1110	1135	1160	1185	1210	1510
SS	1150	1175	1200	1225	1250	1550
SSHD	1400	1425	1450	1475	1500	1800

Mechanisms			
H	Swivel, tilt and locking, seat height adjustment.		
MF	Swivel, tilt and locking, adjustment of backrest angle and seat height.		
SS	Swivel, tilt and locking, backrest angle adjustment, seat and backrest height adjustment, seat slider (21/4).		
SSHD	Swivel, tilt and locking, adjustment of backrest angle, seat and backrest height, seat slider.		
Gas lifts			
GA01	5'' range		Standard
GA14	4'' range, decreases the chair height by 1" at its lowest		-
GA01HD	5'' range, heavy duty		50
Seat dimension			
L	Large version: Seat at 22'' and back at 20'' (Measures: A & D)		70
Armrests			
Fixed	12	Fixed, in black polypropylene.	90
	CN	Fixed, elliptical shape, with black polyurethane pads.	150
	77	Fixed, in polished aluminum, with black polyurethane pads.	200
	60	Fixed, in polished aluminum, C shape with polyurethane insert.	200
Adjustable	81	Adjustable in height, with black polyurethane pads adjustable in depth and pivot 60°.	80
	82	Adjustable in height, width, with black polyurethane pads adjustable in depth and pivot 60°.	170
	01S	Adjustable in width and in height with black polyurethane pads.	170
	89	Adjustable in width and height, with black polyurethane pads adjustable in width and depth and pivot 30°.	180
	99	Adjustable in width and in height with a numeric wheel, with black visco foam pads adjustable in width and depth.	300
Bases			
N2	Black nylon		Standard
A6	Polished aluminium		100
Casters			
70	For carpet		Standard
7N	For hard floors		30
Upholstery			
AD	Upholstered seat and backrest with different colours		40



Measures	A	B	C	D	E	H	J	Weight	Volume	COM
5001	20	19	17 - 21 3/4	18	20	36 - 41 3/4	26	40	16	1.7
	51	48	43 - 55	46	51	91 - 106	66	18	1.5	1.6
5002	20	19	17 - 21 3/4	18	25	41 - 46 3/4	26	42	16	1.9
	51	48	43 - 55	46	64	104 - 119	66	19	1.5	1.7

Imperial system *Metric system*

Kendo

The wide range of configuration offered by Kendo gives this chair a natural versatility for working, community, studying/learning and entertainment. Its innovative concept allows both nesting and stacking capabilities while guaranteeing a high level of comfort and durability. With its multiple features to choose, such as frame, polypropylene and mesh finishes as well as writing tablets, Kendo has no equal in the multi-purpose chair category.

Collection

Conference	Multi-purpose	Lounge and Waiting Room
C	A	R

KEPP

KEMP

KEPR

KEMR

KEPP / KEMP

KEPP 450



KEMP 500

KEPR / KEMR

KEPR 550



KEMR 600

Armrests							
D1	Fixed, in plastic, matching the backrest colour						50
Frames							
N	Black paint						Standard
G	Grey paint						40
Z	Polished chrome						50
Ganging device							
JC	For chairs without armrests						15
JL	For chairs with armrests						30
Writing tablet							
TDN	Right side writing tablet, black plastic (including armrests)						200
TGN	Right left writing tablet, black plastic (including armrests)						200
Trolley							
CK1	Trolley with capacity of 20 chairs (KEPP/KEMP) (8 for KEPP-R1/KEMP-R1)						260
Plastic colors							
PN	Black						Standard
PG	Grey						20
Upholstery		A	B	C	D	E	LEATHER
R1	Seat	60	70	80	90	100	200
R2	Seat and backrest	120	140	160	180	200	400
AD	Seat and backrest with a different colours						40
Mesh							
MN	Black						Standard
MA	Anthracite						20
MG	Grey						20
MW	White						20
MB	Blue						20
MO	Orange						20
MP	Purple						20
MR	Red						20
MV	Green						20



Measures	A	B	C	D	E	F	G	H	J	Weight	Volume
KEPP	18	17	18	16	11	24 1/2	8 1/2	31 1/4	21	14	13
	46	43	46	41	28	62	22	79	53	6.4	1.2
KEMP	18	17	18	16	11	24 1/2	8 1/2	31 1/4	21	14	13
	46	43	46	41	28	62	22	79	53	6.4	1.2
KEPR	18	17	18	16	11	24 1/2	8 1/2	31 1/4	21	14	13
	46	43	46	41	28	62	22	79	53	6.4	1.2
KEMR	18	17	18	16	11	24 1/2	8 1/2	31 1/4	21	14	13
	46	43	46	41	28	62	22	79	53	6.4	1.2

Imperial system *Metric system*

Maglia

Based on a totally modern and innovative approach, the Maglia is distinguished by its fine and light lines adding dynamism and audacity to workspaces. Maglia offers a unique range of quality armchairs at an impressive price. With its two backrest heights and two frame finishes, Maglia is the perfect chair to add a touch of elegance and class to your office.

Collection

Executive	Conference	Stool
D	C	T

MAP2

MAP3

MAA2

MAA3

MAP2S

MAA2S

MAP2

MAP2 930



MAP2S 1030

MAP3

MAP3 970

MAA2



MAA2 1200

MAA2S 1300

MAA3

MAA3 1240

Mechanisms		
BN	Swivel, tilt and locking, in black aluminum. (MAP2, MAP3, MAP2S)	
BZ	Swivel, tilt and locking, in polished aluminum. (MAA2, MAA3, MAA2S)	
Gas lifts		
GA07	6” range, black	Standard
GA07Z	6” range, chrome	10
Bases		
N2	Black nylon	Standard
A6	Polished aluminium	100
Casters		
70	For carpet	Standard
7N	For hard floors	30
25	For carpet, with chrome detail (60 mm)	10
Mesh		
MN	Black	Standard
MA	Anthracite	20
MG	Grey	20
MW	White	20
MB	Blue	20
MO	Orange	20
MR	Red	20
MJ	Yellow	20
MV	Green	20



Measures	A	B	C	D	E	F	G	H	J	Weight	Volume
MAP2	19 1/4	17 1/2	18 - 23 1/2	18 1/4	17 1/4	19 1/4	9	35 1/2 - 41	26	22	13
	49	44	46 - 60	46	44	49	23	90 - 104	66	10	1.2
MAP3	19 1/4	17 1/2	18 - 23 1/2	17	23	19 1/4	9	41 - 46 1/2	26	30	16
	49	44	46 - 60	43	58	49	23	104 - 118	66	13.6	1.5
MAA2	19 1/4	17 1/2	18 - 23 1/2	18 1/4	17 1/4	19 1/4	9	35 1/2 - 41	26	22	13
	49	44	46 - 60	46	44	49	23	90 - 104	66	10	1.2
MAA3	19 1/4	17 1/2	18 - 23 1/2	17	23	19 1/4	9	41 - 46 1/2	26	30	16
	49	44	46 - 60	43	58	49	23	104 - 118	66	13.6	1.5
MAP2S	19 1/4	17 1/2	24 - 34 1/2	18 1/4	17 1/4	19 1/4	9	41 1/2 - 52	26	40	19
	49	44	61 - 88	46	44	49	23	105 - 132	66	18	1.8
MAA2S	19 1/4	17 1/2	24 - 34 1/2	18 1/4	17 1/4	19 1/4	9	41 1/2 - 52	26	40	19
	49	44	61 - 88	46	44	49	23	105 - 132	66	18	1.8

Imperial system *Metric system*

Neos

Neos follows in a rich tradition of armchairs that combine ergonomic qualities with a contemporary look. The result of a completely new design process, Neos is the ultimate in versatility and comfort. The complete line includes executive, conference room, and multi-purpose chairs as well as laboratory chairs with a foot ring.

Collection

Ergonomic	Executive	Conference	Multi-purpose	Stool
E	D	C	A	T

1070

1080

1082

1090

1070P

1070T

1070R

1010P

1012P

1012R

1022

1070-DSN

1080-DSN

1082-DSN

1070 R - T - P

		COM A	B	C	D	E	LEATHER
T	1070 R - T - P	600	625	650	675	700	850





1070

	COM A	B	C	D	E	LEATHER
H	630	655	680	705	730	1030
MF	740	765	790	815	840	1140
MFE	780	805	830	855	880	1180
SS	780	805	830	855	880	1180
SSE	820	845	870	895	920	1220
SYE	760	785	810	835	860	1160
DSN	830	855	880	905	930	1230



1080

	COM A	B	C	D	E	LEATHER
H	670	695	720	745	770	1070
MF	780	805	830	855	880	1180
MFE	820	845	870	895	920	1220
SS	820	845	870	895	920	1220
SSE	860	885	910	935	960	1260
SYE	800	825	850	875	900	1200
DSN	870	895	920	945	970	1270




1082

	COM A	B	C	D	E	LEATHER
H	700	725	750	775	800	950
MFJ	810	835	860	885	910	1060
SSJ	850	875	900	925	950	1100
SYJ	830	855	880	905	930	1080
DSN	900	925	950	975	1000	1300




1090



	A	B	C	D	E	LEATHER
	COM					
H	710	735	760	785	810	1110
MF	820	845	870	895	920	1220
MFE	860	885	910	935	960	1260
SS	860	885	910	935	960	1260
SSE	900	925	950	975	1000	1300
SYE	840	865	890	915	940	1240

1010

P



R



	A	B	C	D	E	LEATHER
	COM					
1010P	520	545	570	595	620	770
1010R	520	545	570	595	620	770

1012

P



R



	A	B	C	D	E	LEATHER
	COM					
1012P	550	575	600	625	650	800
1012R	550	575	600	625	650	800

1022



	A	B	C	D	E	LEATHER
	COM					
H	630	655	680	705	730	880

Mechanisms			
H	Swivel, tilt and locking, seat height adjustment.		
MF	Swivel, tilt and locking, adjustment of backrest angle, seat and backrest height.		
MFE	Swivel, tilt and locking, adjustment of seat front tilt, backrest angle, seat and backrest height (ratchet).		
MFJ	Swivel, tilt and locking, adjustment of backrest angle and seat height.		
SS	Swivel, tilt and locking, adjustment of backrest angle, seat and backrest height, seat slider.		
SSJ	Swivel, tilt and locking, backrest angle and seat height adjustment, seat slider.		
SSE	Swivel, tilt and locking, backrest angle adjustment, seat and backrest height adjustment (ratchet), seat slider.		
SYJ	Swivel, synchro-tilt mechanism (2:1), locks in 4 positions, seat height adjustment, seat slider.		
SYE	Swivel, synchro-tilt (2:1), locks in 4 positions, seat and backrest height adjustment (ratchet), seat slider.		
DSN	Swivel, seat and backrest angle and height adjustment, foot ring.		
Gas lifts			
GA01	5'' range		Standard
GA14	4'' range, decreases the chair height by 1" at its lowest		-
GA07	5" range (1022)		Standard
Armrests			
Fixed	12	Fixed, in black polypropylene.	90
	11	Fixed, with black polyurethane pads.	105
	CN	Fixed, elliptical shape, with black polyurethane pads.	150
	77	Fixed, in polished aluminum, with black polyurethane pads.	200
	60	Fixed, in polished aluminum, C shape with polyurethane insert.	200
Adjustable	81	Adjustable in height, with black polyurethane pads adjustable in depth and pivot 60°.	80
	82	Adjustable in height, width, with black polyurethane pads adjustable in depth and pivot 60°.	170
	01S	Adjustable in width and in height with black polyurethane pads.	170
	89	Adjustable in width and height, with black polyurethane pads adjustable in width and depth and pivot 30°.	180
	99	Adjustable in width and in height with a numeric wheel, with black visco foam pads adjustable in width and depth.	300
Frames			
N	Black paint		Standard
G	Metallic silver paint		-

Bases		
N2	Black nylon	Standard
A6	Polished aluminium	100
Glides		
GL30	Glides replacing casters on N2 and A6 base	30
GL48	Black plastic with felt (1070T)	18
Casters		
70	For carpet	Standard
7N	For hard floors	30
90	For carpet (1010R/1012R/1070R)	Standard
91	For hard floors (1010R/1012R/1070R)	40
Upholstery		
M	Additional cushioning of the seat (+1 ½") and the backrest (+½") (1010/1012/1022)	80
AD	Upholstered seat and backrest with different colours	40



Measures	A	B	C	D	E	H	J	Weight	Volume	COM
1070	19 1/2	19	17 1/2 - 22 1/2	17	19	35 1/2 - 43	26	38	13	1.5
	50	48	44 - 57	43	48	90 - 109	66	17.2	1.2	1.4
1080	19 1/2	19	17 1/2 - 22 1/2	17	21 1/2	38 - 45 1/2	26	41	16	1.6
	50	48	44 - 57	43	55	97 - 116	66	18.5	1.5	1.5
1082	19 1/2	19	17 1/2 - 22 1/2	16 1/2	19 1/2	39 - 44	26	37	16	0.9
	50	48	44 - 57	42	50	99 - 111	66	16.8	1.5	0.8
1090	19 1/2	19	17 1/2 - 22 1/2	17 1/2	24	40 1/2 - 48	26	46	16	1.6
	50	48	44 - 57	44	61	103 - 122	66	20.9	1.5	1.5
1070P/R	19 1/2	19	17 1/2	17	19	33 1/2	22	30	13	1.5
	50	48	44	43	48	85	56	13.6	1.2	1.4
1070T	19 1/2	19	17 1/2	17	19	33 1/2	21 1/2	32	13	1.5
	50	48	44	43	48	85	55	14.5	1.2	1.4
1010P/R	18	18 1/2	17 1/2	18 1/2	11 1/2	23 1/2	21 1/2	15	13	1.1
	46	47	44	47	29	60	55	6.8	1.2	1
1012P/R	18	18 1/2	17 1/2	18 1/2	11 1/2	23 1/2	21 1/2	18	13	1.1
	46	47	44	47	29	60	55	8	1.2	1
1022	19	18 1/2	16 - 21 1/4	18 1/2	13	31 1/4 - 36 1/2	26	28	13	1.1
	48	47	41 - 54	47	33	79 - 93	66	12.7	1.2	1
1070-DSN	19 1/2	18 1/2	24 - 34	16 1/2	19	41 3/4 - 56	26	38	16	1.5
	50	47	61 - 86	42	48	106 - 142	66	17.2	1.5	1.4
1080-DSN	19 1/2	18 1/2	24 - 34	16 1/2	21 1/2	44 1/4 - 58 1/2	26	38	16	1.6
	50	47	61 - 86	42	55	113 - 149	66	17.2	1.5	1.5
1082-DSN	19 1/2	18 1/2	24 - 34	16 1/2	21 1/2	45 1/4 - 55 1/2	26	38	16	0.9
	50	47	61 - 86	42	55	115 - 141	66	17.2	1.5	0.8

Imperial system *Metric system*

Quatra

With form fitting curves for extra lumbar support, Quatra sets the ergonomic standard for office, occasional and laboratory chairs. Any Quatra chair can be personalized for true universal comfort with a range of interchangeable components. Perfect for working long hours at a stretch, Quatra chairs feature several different seat and backrest models with exchangeable slip covers.

Collection

Ergonomic	Executive	Conference	Multi-purpose	Stool
E	D	C	A	T

4001

4002

4003

4004

4005

4001R

4001T

4001P

4001-DSN

4002-DSN

4001 R - T - P

COM

		A	B	C	D	E	LEATHER
T	R - T - P	700	725	750	775	800	1100





4001

COM

	A	B	C	D	E	LEATHER
H	770	795	820	845	870	1170
MF	880	905	930	955	980	1280
SS	920	945	970	995	1020	1320
DSN	970	995	1020	1045	1070	1370





4002

COM

	A	B	C	D	E	LEATHER
H	810	835	860	885	910	1210
MF	920	945	970	995	1020	1320
SS	960	985	1010	1035	1060	1360
SYE	940	965	990	1015	1040	1340
DSN	1010	1035	1060	1085	1110	1410





4003

COM

	A	B	C	D	E	LEATHER
H	850	875	900	925	950	1250
MF	960	985	1010	1035	1060	1360
SS	1000	1025	1050	1075	1100	1400
SYE	980	1005	1030	1055	1080	1380
SSHD	1250	1275	1300	1325	1350	1650



4004



	COM A	B	C	D	E	LEATHER
H	890	915	940	965	990	1290
MF	1000	1025	1050	1075	1100	1400
SS	1040	1065	1090	1115	1140	1440
SYE	1020	1045	1070	1095	1120	1420
SSHD	1290	1315	1340	1365	1390	1690

4005



	COM A	B	C	D	E	LEATHER
H	970	995	1020	1045	1070	1370
MF	1080	1105	1130	1155	1180	1480
SS	1120	1145	1170	1195	1220	1520
SSHD	1370	1395	1420	1445	1470	1770

Mechanisms			
H	Swivel, tilt and locking, seat height adjustment.		
MF	Swivel, tilt and locking, adjustment of backrest angle, seat and backrest height.		
SS	Swivel, tilt and locking, backrest angle adjustment, seat and backrest height adjustment, seat slider ($2^{1/4}$'').		
SYE	Swivel, synchro-tilt (2:1), locks in 4 positions, seat and backrest height adjustment (ratchet), seat slider ($2^{1/4}$'').		
DSN	Swivel, seat and backrest angle and height adjustment, footring.		
SSHD	Swivel, tilt and locking, adjustment of backrest angle, seat and backrest height, seat slider ($2^{1/4}$''), heavy duty.		
Back uprights			
BU	Straight, standard backrest position. Seat depth: $17^{1/2}$''		-
BU1	Curved, forward backrest position. Seat depth: $16^{1/2}$''		-
BU2	Curved, backward backrest position. Seat depth: $18^{1/2}$''		-
Gas lifts			
GA01	5'' range		Standard
GA14	4'' range, decreases the chair height by 1" at its lowest		-
GA01HD	5'' range, heavy duty		50
Seat dimension			
S	Small version: Seat at 18'' and back at 15'' (Measures : A and D)		70
L	Large version: Seat at 22'' (Measures : A)		70
Armrests			
Fixed	12	Fixed, in black polypropylene.	90
	11	Fixed, with black polyurethane pads.	105
	CN	Fixed, elliptical shape, with black polyurethane pads.	150
	77	Fixed, in polished aluminum, with black polyurethane pads.	200
	60	Fixed, in polished aluminum, C shape with polyurethane insert.	200
Adjustable	81	Adjustable in height, with black polyurethane pads adjustable in depth and pivot 60°.	80
	82	Adjustable in height, width, with black polyurethane pads adjustable in depth and pivot 60°.	170
	01S	Adjustable in width and in height with black polyurethane pads.	170
	75	Adjustable in width and in height with a numeric wheel, with black polyurethane pads.	180
	89	Adjustable in width and height, with black polyurethane pads adjustable in width and depth and pivot 30°.	180
	99	Adjustable in width and in height with a numeric wheel, with black visco foam pads adjustable in width and depth.	300

Frames (4001 R - T - P)		
N	Black paint	Standard
G	Metallic silver paint	-
Bases		
N6	Black nylon	Standard
N10	Black nylon (4004/4005/4001-DSN/4002-DSN)	Standard
A5	Polished aluminium	100
Glides		
GL30	Glides replacing casters on N6 and A5 bases	30
GL48	Black plastic with felt (4001T)	18
Casters		
14	For carpet	Standard
5N	For hard floors	30
90	For carpet (4001R)	Standard
91	For hard floors (4001R)	40
Upholstery		
AD	Upholstered seat and backrest with different colours	40

COM

Slip covers *Applicable to all sizes*	A	B	C	D	E	LEATHER
Seat cover	140	150	160	170	180	290
Backrest cover 4001	100	110	120	130	140	350
Backrest cover 4002	120	130	140	150	160	370
Backrest cover 4003	140	150	160	170	180	390
Backrest cover 4004	160	170	180	190	200	410
Backrest cover 4005	180	195	210	225	240	255



Measures	A	B	C	D	E	H	J	Weight	Volume	COM
4001	20	17 1/2	17 1/2 - 22 1/2	17	15	32 - 39 1/2	25	40	13	1.2
	51	44	44 - 57	43	38	81 - 100	64	18	1.2	1.1
4002	20	17 1/2	17 1/2 - 22 1/2	17	19	36 - 43 1/2	25	42	13	1.3
	51	44	44 - 57	43	48	91 - 110	64	19	1.2	1.2
4003	20	17 1/2	17 1/2 - 22 1/2	17	23	41 - 48 1/2	25	44	16	1.3
	51	44	44 - 57	43	58	104 - 123	64	20	1.5	1.2
4004	20	17 1/2	17 1/2 - 22 1/2	17	28	45 - 52 1/2	26	46	19	1.5
	51	44	44 - 57	43	71	114 - 133	66	20.9	1.8	1.4
4005	22	17 1/2	17 1/2 - 22 1/2	19	28	45 - 52 1/2	26	46	19	1.6
	56	44	44 - 57	48	71	114 - 133	66	20.9	1.8	1.5
4001T	20	17 1/2	17 1/2	17	15	33 1/2	20 1/2	40	13	1.2
	51	44	44	43	38	85	52	18	1.2	1.1
4001P/R	20	17 1/2	18	17	15	33 1/2	26	40	13	1.2
	51	44	46	43	38	85	66	18	1.2	1.1
4001-DSN	20	17 1/2	24 - 34	17	15	39 3/4 - 52 1/4	26	40	13	1.2
	51	44	61 - 86	43	38	101 - 133	66	18	1.2	1.1
4002-DSN	20	17 1/2	24 - 34	17	19	43 3/4 - 56 1/4	26	42	16	1.2
	51	44	61 - 86	43	48	111 - 143	66	19	1.5	1.1

Imperial system *Metric system*

Repend

Lean and stylish, Repend reflects modernism. Available in three (3) colors, its shell is ideal for meeting areas and collaborative spaces. Repend will suit to any environment.

Collection

Conference	Multi-purpose	Lounge and Waiting Room
C	A	R

RE4

RET

REE

REP

RE4

RE4 520

RET

RET 580

REE

REE 580

REP

REP 800

Mechanisms (REP, REE)							
LV	Swivel, seat height adjustment, polished aluminum (REP, REE)						
Frames							
N	Black paint (RE4, RET)						Standard
G	Metallic grey paint (RE4)						-
Z	Polished chrome (RE4)						70
Bases							
N2	Black nylon (REE)						Standard
A6	Polished aluminium (REE)						100
A8	Polished aluminium (REP)						Standard
Casters (REE)							
70	For carpet						Standard
7N	For hard floors						30
25	For carpet, with chrome detail (60 mm)						10
Upholstery		A	B	C	D	E	LEATHER
R1	Seat	100	110	120	130	140	240
Plastic colors							
PN	Black						Standard
PW	White						-
PG	Grey						-



Measures	A	B	C	D	E	F	H	J	Weight	Volume
RE4	18	18	17	$16^{1/2}$	17	24	$32^{1/2}$	20	18	11
	46	46	43	42	43	61	83	51	8	1
RET	18	18	17	$16^{1/2}$	17	24	$32^{1/2}$	19	18	11
	46	46	43	42	43	61	83	48	8	1
REE	18	18	15 - $18^{1/2}$	$16^{1/2}$	17	24	31 - 35	20	23	11
	46	46	38 - 47	42	43	61	79 - 89	51	10.4	1
REP	18	18	17 - 22	$16^{1/2}$	17	24	33 - 38	26	22	11
	46	46	43 - 56	42	43	61	84 - 97	66	10	1

Imperial system *Metric system*

Scope

The future is here, the future is Scope. Created by renowned designer Martin Ballendat, Scope is a complete family of task, meeting and multi-purpose chairs. Every component was specifically designed using a consistent theme and style. The end result created offers a stunning visual impact.

Collection

Ergonomic	Executive	Conference	Multi-purpose
E	D	C	A

3001

3005

3101

3103

3102

3104

3003

3007

3001



	COM					
	A	B	C	D	E	LEATHER
3001	1800	1825	1850	1875	1900	2200

3005



	COM					
	A	B	C	D	E	LEATHER
3005	1800	1820	1840	1860	1880	2050

3101



	COM					
	A	B	C	D	E	LEATHER
3101	750	775	800	825	850	1150

3103

	COM					
	A	B	C	D	E	LEATHER
3103	750	770	790	810	830	1000

3102



	COM					
	A	B	C	D	E	LEATHER
3102	800	825	850	875	900	1200

3104

	COM					
	A	B	C	D	E	LEATHER
3104	800	820	840	860	880	1050



3003

	COM					
	A	B	C	D	E	LEATHER
3003	1200	1225	1250	1275	1300	1600



3007

	COM					
	A	B	C	D	E	LEATHER
3007	1200	1220	1240	1260	1280	1450



Mechanisms			
SC		Die cast aluminum, swivel, balance point synchromatic with sliding tension control, locks in 3 positions, seat and backrest height adjustment, seat slider (4'')	Standard
SCHD		With additional strength tension up to 330 lb.	50
Armrests			
Fixed	31	Fixed, in polished aluminum with soft polyurethane inlay pad.	140
Adjustable	V6	Fixed, in nylon and polished aluminum.	150
	V8	Adjustable in width and height, with black polyurethane pads adjustable in depth and pivot 60°.	300
	V9	Adjustable in width and in height, with black polyurethane pads adjustable in width and in depth and pivot 360°.	350
Bases			
A2		Polished aluminium (3001/3005)	Standard
A4		Polished aluminium (3003/3007)	Standard
Glides			
GL53		Black plastic with felt (3101/3103)	20
GL54		Black plastic with felt (3102/3104)	20
Casters			
26		For carpet (3001/3005)	Standard
27		For hard floors (3001/3005)	30
28		For carpet (3003/3007)	Standard
29		For hard floors (3003/3007)	30
Lumbar supports			
LSR		With depth adjustment for upholstered backrest (3001)	110
LSM		With depth adjustment for mesh backrest (3005)	60

Headrest		A	B	C	D	E	LEATHER
ATR	Upholstered	220	225	230	235	240	280

Upholstery		
AD	Upholstered seat and backrest with different colours	40
Mesh		
MD	Dark grey	Standard
MM	Middle grey	-
MS	Silver grey	-

Scope



Measures	A	B	C	D	E	H	J	Weight	Volume	COM
3001	19	17	18 - 22 1/2	18	23	42 - 51	28	42	19	1.0
	48	43	46 - 57	46	58	107 - 130	71	19	1.8	0.9
3005	19	17	18 - 22 1/2	18	23	42 - 51	28	42	19	1.0
	48	43	46 - 57	46	58	107 - 130	71	19	1.8	0.9
3101	19	19 1/2	19	17 1/2	17	35	20 1/2	18	16	1.0
	48	50	48	44	43	89	55	8	1.5	0.9
3103	19	19 1/2	19	17 1/2	17	35	20 1/2	18	16	1.0
	48	50	48	44	43	89	55	8	1.5	0.9
3102	19	19 1/2	19	17 1/2	17	35	20 1/2	18	16	1.0
	48	50	48	44	43	89	55	8	1.5	0.9
3104	19	19 1/2	19	17 1/2	17	35	20 1/2	18	16	1.0
	48	50	48	44	43	89	55	8	1.5	0.9
3002	19	19 1/2	19	17 1/2	17	37	28	27	16	1.0
	48	50	48	44	43	94	71	12.2	1.5	0.9
3006	19	19 1/2	19	17 1/2	17	37	28	27	16	1.0
	48	50	48	44	43	94	71	12.2	1.5	0.9
3003	19	19 1/2	19	17 1/2	17	37	26	29	16	1.0
	48	50	48	44	43	94	66	13.1	1.5	0.9
3007	19	19 1/2	19	17 1/2	17	37	26	29	16	1.0
	48	50	48	44	43	94	66	13.1	1.5	0.9

Imperial system *Metric system*

Scope

Sity

Bold design and advanced ergonomics make Sity armchairs the perfect solution for long work days. Memory foam inserts in critical areas of the seat and backrest provide maximum comfort. Upholstered with finesse and elegance, Sity is available in three different back heights and two seat widths.

Collection

Ergonomic	Executive	Conference	Multi-purpose
E	D	C	A

9001

9002

9003

9001T

9001P

9001R

9001T-P-R

	A	B	C	D	E	LEATHER
	COM					
T-P-R	740	765	790	815	840	1140

T



P



R



9001

	A	B	C	D	E	LEATHER
	COM					
H	840	865	890	915	940	1240
MF	950	975	1000	1025	1050	1350
MFE	990	1015	1040	1065	1090	1390
SS	990	1015	1040	1065	1090	1390
SSE	1030	1055	1080	1105	1130	1430
SYE	970	995	1020	1045	1070	1370



9002

	A	B	C	D	E	LEATHER
	COM					
H	880	905	930	955	980	1280
MF	990	1015	1040	1065	1090	1390
MFE	1030	1055	1080	1105	1130	1430
SS	1030	1055	1080	1105	1130	1430
SSE	1070	1095	1120	1145	1170	1470
SYE	1010	1035	1060	1085	1110	1410
SSHD	1280	1305	1330	1355	1380	1680



9003

	A	B	C	D	E	LEATHER
	COM					
H	920	945	970	995	1020	1320
MF	1030	1055	1080	1105	1130	1430
MFE	1070	1095	1120	1145	1170	1470
SS	1070	1095	1120	1145	1170	1470
SSE	1110	1135	1160	1185	1210	1510
SYE	1050	1075	1100	1125	1150	1450
SSHD	1320	1345	1370	1395	1420	1720



Mechanisms			
H	Swivel, tilt and locking, seat height adjustment		
MF	Swivel, tilt and locking, adjustment of backrest angle, seat and backrest height.		
MFE	Swivel, tilt and locking, adjustment of seat front tilt, backrest angle, seat and backrest height (ratchet).		
SS	Swivel, tilt and locking, adjustment of backrest angle, seat and backrest height, seat slider ($2^{1/4}$'').		
SSE	Swivel, tilt and locking, backrest angle adjustment, seat and backrest height adjustment (ratchet), seat slider ($2^{1/4}$'').		
SYE	Swivel, synchro-tilt (2:1), locks in 4 positions, seat and backrest height adjustment (ratchet), seat slider ($2^{1/4}$'').		
SSHD	Swivel, tilt and locking, adjustment of backrest angle, seat and backrest height, seat slider ($2^{1/4}$''), heavy duty.		
Gas lifts			
GA01	5'' range		Standard
GA14	4'' range, decreases the chair height by 1'' at its lowest		-
GA01HD	5'' range, heavy duty		50
Seat dimension			
S	Small version: Seat at $18^{1/2}$'' and back at 16'' *(Measures : A and D)*		70
Armrests			
Fixed	12	Fixed, in black polypropylene.	90
	11	Fixed, with black polyurethane pads.	105
	CN	Fixed, elliptical shape, with black polyurethane pads.	150
	77	Fixed, in polished aluminum, with black polyurethane pads.	200
	60	Fixed, in polished aluminum, C shape with polyurethane insert.	200
Adjustable	81	Adjustable in height, with black polyurethane pads adjustable in depth and pivot 60°.	80
	82	Adjustable in height, width, with black polyurethane pads adjustable in depth and pivot 60°.	170
	01S	Adjustable in width and in height with black polyurethane pads.	170
	89	Adjustable in width and height, with black polyurethane pads adjustable in width and depth and pivot 30°.	180
	99	Adjustable in width and in height with a numeric wheel, with black visco foam pads adjustable in width and depth.	300
Frames (9001 R - T - P)			
N	Black paint		Standard
G	Metallic silver paint		-
Bases			
N2	Black nylon		Standard
A6	Polished aluminium		100

Glides		
GL48	Black plastic with felt (9001T)	18
Casters		
70	For carpet	Standard
7N	For hard floors	30
90	For carpet (9001R)	Standard
91	For hard floors (9001R)	40
Upholstery		
AD	Upholstered seat and backrest with different colours	40



Measures	A	B	C	D	E	H	J	Weight	Volume	COM
9001	20 1/2	18 1/2	17 3/4 - 22 3/4	18	17	34 - 42 1/2	26	42	13	1.5
	52	47	45 - 58	46	43	86 - 108	66	19	1.2	1.4
9002	20 1/2	18 1/2	17 3/4 - 22 3/4	18	23	40 - 48 1/2	26	46	16	1.6
	52	47	45 - 58	46	58	102 - 123	66	20.9	1.5	1.5
9003	20 1/2	18 1/2	17 3/4 - 22 3/4	18	29	46 - 54 1/2	26	50	19	1.6
	52	47	45 - 58	46	74	117 - 139	66	22.7	1.8	1.5
9001T	20 1/2	18 1/2	18	18	17	35	21 1/2	32	13	1.5
	52	47	46	46	43	89	55	14.5	1.2	1.4
9001P/R	20 1/2	18 1/2	18	18	17	35	22	32	13	1.5
	52	47	46	46	43	89	56	14.5	1.2	1.4

Imperial system *Metric system*

Sity

Spin

Collection offering 4 guest models with curved steel tube structure. Seat and back made of black polypropylene. Several options available including uphosltered seat and back as well as a handling trolley.

Collection

Conference	Multi-purpose	Lounge and waiting room	Stool
C	A	R	T

PN4

PN4R

PNL

PN7

PN8

PN-DSN

PN4



PN4	300

PN4R



PN4R	320

PNL

PNL-H	400

PN7



PN7	370

PN8



PN8	380

PN-DSN

PN-DSN	560

Mechanism			
H	Swivel, tilt and locking, seat height adjustment		
Gas lifts			
GA01	5'' range (PNL)		Standard
GA10	10'' range (PN-DSN)		Standard
Armrests			
Fixed	50	Fixed, in black polyurethane (PN4)	40
	66	Fixed, black sandex frame with fixed PVC arms (PNL)	60
Adjustable	01S	Adjustable in width and height, with black polyurethane pads.	170
Bases (PNL)			
N2	Black nylon		Standard
A6	Polished aluminium		100
Casters			
70	For carpet		Standard
7N	For hard floors		30
90	For carpet (PN4R)		Standard
91	For hard floors (PN4R)		30
Trolley			
PN20	Trolley with capacity for 12 chairs (armless only, without upholstered seat and/or backrest)		550

Upholstery		A	COM B	C	D	E	LEATHER	COM
R1	Seat	80	90	100	110	120	200	0.9
R2	Seat and backrest	160	180	200	220	240	400	0.9
AD	Upholstered seat and backrest with different colours							40

Finishes		
N	Black paint	Standard
G	Metallic grey paint	-
Z	Polished chrome	80



Measures	A	B	C	D	E	Weight	Volume
PN4	17	18 1/2	18	18	13	15	9
	43	47	46	46	33	6.8	0.8
PN7	17	18 1/2	24	18	13	17	11
	43	47	61	46	33	7.7	1
PN8	17	18 1/2	30	18	13	18	13
	43	47	76	46	33	8	1.2
PNL	17	18 1/2	17 - 22	18	13	28	9
	43	47	43 - 56	46	33	12.7	0.8
PN-DSN	22	27	24	---	---	30	9
	56	69	61	---	---	13.6	0.8

Imperial system *Metric system*

Teknik

Available with two backrest models or with saddle seat and chest support, the Teknik series of multipurpose stools is ideal when space is at a premium. These complementary products are truly practical for a variety of uses and can be easily stored under a desk.

Collection

Multi-purpose A

Stool T

1500

Q1500

1507

MED

1500-DSN

Q1500-DSN

1507-DSN

1500

COM

	A	B	C	D	E
20H	420	430	440	450	460
DSN	620	630	640	650	660



DSN



Q1500

COM

	A	B	C	D	E
20H	520	530	540	550	560
DSN	720	730	740	750	760

DSN



1507

COM

	A	B	C	D	E
20H	560	570	580	590	600
DSN	760	770	780	790	800



DSN



MED

	A	B	C	D	E
SP	1000	1010	1020	1030	1040



Mechanisms		
20H	Swivel, seat height adjustment.	
DSN	Swivel, seat and backrest angle and height adjustment, foot ring.	
SP	Swivel, adjustment of seat and backrest angle and seat and chest support height.	
Gas lifts		
GA01	5” range	Standard
GA10	10” range (1500-DSN/Q1500-DSN/1507-DSN)	Standard
GA07	5” range (MED)	Standard
Bases		
N6	Black nylon	Standard
N10	Black nylon (1507-DSN)	Standard
A5	Polished aluminium	100
Glides		
GL30	Glides replacing casters on N6, N10 and A5 bases	30
Casters		
14	For carpet	Standard
5N	For hard floors	30



Measures	A	B	C	D	E	H	J	Weight	Volume	COM
1500	17	17	16 - 21	---	---	---	23	20	13	0.9
	43	43	41 - 53	---	---	---	58	9	1.2	0.8
Q1500	17	17	16 - 21	16	$3^{1/2}$	$24^{3/4}$ - $32^{1/2}$	23	20	13	0.9
	43	43	41 - 53	41	8	63 - 83	58	9	1.2	0.8
1507	17	17	$16^{1/4}$ - $21^{1/4}$	16	$10^{1/2}$	29 - 34	23	23	13	0.9
	43	43	41 - 54	41	27	74 - 86	58	10.4	1.2	0.8
1500-DSN	17	17	$23^{3/4}$ - $33^{3/4}$	---	---	---	25	25	13	0.9
	43	43	60 - 86	---	---	---	64	11.3	1.2	0.8
Q1500-DSN	17	17	$23^{3/4}$ - $33^{3/4}$	16	---	$32^{1/2}$ - $46^{1/4}$	25	26	16	0.9
	43	43	60 - 86	41	---	83 - 117	64	11.8	1.5	0.8
1507-DSN	17	17	24 - 34	16	$10^{1/2}$	$36^{3/4}$ - $46^{3/4}$	25	30	16	0.9
	43	43	61 - 86	41	27	93 - 119	64	13.6	1.5	0.8
MED	15	16	$17^{3/4}$ - 22	$8^{1/2}$	7	33 - $43^{1/2}$	25	22	13	0.9
	38	41	45 - 56	22	18	84 - 110	64	10	1.2	0.8

Imperial system *Metric system*

Toleo

The distinct character of Toleo is revealed at the first glance through its back support arm. This allows impressive twisting motion, offering lateral mobility (right-left), thanks to its innovative design and composite material. The curved backrest and (optional) headrest provide dynamic movement in all positions and indisputable seating comfort. Toleo is available in two backrest and armrest colors. To complete the offer, you also have access to a wide range of guest and conference chairs and stools.

Collection

Ergonomic	Executive	Conference	Multi-purpose	Stool
E	D	C	A	T

TOM3

TOR3

TOPP / TOMP

TOPR / TOMR

TOPC / TOMC

TOPB / TOMB

TOPS / TOMS

TOPD / TOMD

TOM3

	COM A	B	C	D	E	LEATHER
C28	950	975	1000	1025	1050	1350

TOR3

	COM A	B	C	D	E	LEATHER
C28	1050	1075	1100	1125	1150	1450

TOPP / TOMP



TOPP	400
TOMP	490

TOPR / TOMR



TOPR	420
TOMR	510

TOPC / TOMC



TOPC	480
TOMC	570

TOPB / TOMB



TOPB	560
TOMB	650

TOPS / TOMS



TOPS	500
TOMS	590

TOPD / TOMD



TOPD	650
TOMD	740

Mechanisms			
C28	Swivel, balance point synchromatic with tension control, locks in 4 positions, forward tilt of 3°, seat height adjustment, seat slider.		
20H	Swivel, seat height adjustment.		
DSN	Swivel, seat and backrest angle and height adjustment, foot ring.		
Gas lifts			
GA01	5'' range		Standard
GA14	4'' range, decreases the chair height by 1" at its lowest		-
GA01HD	5'' range, raises the chair height by 2" at its highest, heavy duty		50
Armrests			
Fixed	68	Fixed, in nylon for multipurpose chairs with a plastic backrest.	100
	69	Fixed, in nylon for multipurpose chairs with a mesh backrest.	100
Adjustable	V2N	Adjustable in width and height, with black polyurethane with black structure.	170
	V2W	Adjustable in width and height, with black polyurethane with white structure.	170
	V4N	Adjustable in width and height, with black polyurethane pads adjustable in depth and pivot 60°, with black structure.	250
	V4W	Adjustable in width and height, with black polyurethane pads adjustable in depth and pivot 60°, with white structure.	250
Frames			
N	Black paint		Standard
G	Grey paint		70
Z	Polished chrome		100
Bases			
N2	Black nylon		Standard
A6	Polished aluminium		100
W2	White nylon		40
Glides			
GL08	Black plastic (TOPP/TOMP/TOPS/TOMS)		Standard
GL18	Black plastic with felt (TOPP/TOMP/TOPS/TOMS, 4 glides per chair)		16
GL12	Black plastic with felt (TOPC/TOMC, 4 glides per chair)		16
GL30	Glides replacing casters on N2 and A6 base		30

Casters		
70	For carpet	Standard
7N	For hard floors	30
90	For carpet (TOPR/TOMR)	Standard
91	For hard floors (TOPR/TOMR)	40
Backrest color		
DN	Backrest frame black	**Standard**
DW	Backrest frame white	**Standard**
Lumbar supports		
LSM	With height and depth adjustment (TOM3)	50
Headrests		
ATRN	Upholstered, with black frame	230
ATRW	Upholstered, with white frame	230
Writing tablet		
TD	Right side writing tablet (TOPP/TOMP/TOPR/TOMR/TOPC/TOMC)	230

Upholstery		A	COM B	C	D	E	LEATHER	COM
R1	Seat	100	110	120	130	140	200	0.9
R2	Seat and backrest	200	220	240	260	280	400	0.9
AD	Upholstered seat and backrest with different colours							40

Backrest mesh		
MN	Black	Standard
MA	Anthracite	20
MG	Grey	20
MW	White	20
MB	Blue	20
MO	Orange	20
MP	Purple	20
MR	Red	20
MV	Green	20

Toleo



Measures	A	B	C	D	E	H	J	Weight	Volume	COM
TOM3	18	17 1/2	17 - 22	18 1/2	22	39 - 44	26	15	16	0.9
	46	43	43 - 56	47	56	99 - 112	66	33	1.5	0.8
TOR3	18	17 1/2	17 - 22	18 1/2	22	39 - 44	26	15	16	0.9
	46	43	43 - 56	47	56	99 - 112	66	33	1.5	0.8
TOPP/TOMP	18	17	18 1/2	18	15 1/2	33	18	18	13	0.9
	46	43	47	46	39	84	46	8	1.2	0.8
TOPR/TOMR	18	17	18 1/2	18	15 1/2	33	18	18	13	0.9
	46	43	47	46	39	84	46	8	1.2	0.8
TOPC/TOMC	18	17	18 1/2	18	15 1/2	33	19	18	13	0.9
	46	43	47	46	39	84	47	8	1.2	0.8
TOPB/TOMB	18	17	15 1/4 - 20 1/2	18	15 1/2	30 - 35 1/4	26	18	13	0.9
	46	43	39 - 52	46	39	76 - 90	66	8	1.2	0.8
TOPS/TOMS	18	17	29 1/2	18	15 1/2	43 1/2	19	21	16	0.9
	46	43	75	46	39	110	47	9.5	1.5	0.8
TOPD/TOMD	18	17	22 - 32	18	15 1/2	36 1/2 - 46 1/2	26	24	16	0.9
	46	43	56 - 81	46	39	93 - 118	66	10.8	1.5	0.8

Imperial system *Metric system*

Vario

With its seat and backrest of high quality polypropylene, the multifunctional Vario chair is simple and stylish. The sled frame combines refined shape with exceptional stability. Up to 45 Vario chairs can be stacked in a compact pile on a single trolley.

Collection

Mutli-purpose	Lounge and waiting room
A	R

75

76

175

75



75 400

76

76 520

175



175 650

Glides		
GL38	Translucent plastic (4 glides per chair)	12
GL39	Translucent plastic, integrated ganging device (4 glides per chair) (for 75 and 175 only)	12
GL44	Translucent plastic with a felt insert (4 glides per chair)	20
GL45	Translucent plastic with a felt insert, integrated ganging device (4 glides per chair) (for 75 and 175 only)	20
GL75	Translucent plastic with felt, heavy duty (4 glides per chair)	20
Accessories		
TD	Writing tablet (right side)	300
PA	Book rack	On request
Trolley		
CV1	Equipped with four swivel casters including two lockable ones, with capacity of 45 chairs	1550

Upholstery		A	B	C	D	E	COM
R1	Seat	100	120	140	160	180	0.9
R2	Seat and backrest	200	240	280	320	360	1.1
AD	Upholstered seat and backrest with different colours						40

Colors		
PN	Black	Standard
PR	Red	-
PW	White	-
PB	Blue	-
PV	Green	-
PG	Grey	-
PS	Sand	-



Measures	A	B	C	D	E	F	H	J	Weight	Volume
75	$17^{1/2}$	17	$18^{1/2}$	18	$15^{1/2}$	---	23	22	15	16
	44	43	47	46	39	---	58	56	6.8	1.5
76	$17^{1/2}$	17	$18^{1/2}$	18	$15^{1/2}$	$23^{1/2}$	23	22	17	16
	44	43	47	46	39		58	56	7.7	1.5
175	$17^{1/2}$	17	28	18	$15^{1/2}$	---	23	$22^{1/2}$	20	19
	44	43	71	46	39	---	58	57	9	1.8

Imperial system *Metric system*

Vittoria

Once again, Bouty reinvents the universal ergonomic office chair with Vittoria and sets itself apart from its rivals. Audaciously, Vittoria presents an extremely slim form combined with optimized adjustment settings that push back the boundaries of comfort at work. In the end, Vittoria defines a new generation of office seating and becomes the new leader in its class.

Collection

Ergonomic	Executive	Conference	Stool
E	D	C	T

VTM1

VTM2

VTM3

VTM4

VTMM

VTM2T

VTM2P

VTM2R

VTM1-DSN

VTM2-DSN

VTM1

	COM A	B	C	D	E	LEATHER
H	690	715	740	765	790	1090
MF	800	825	850	875	900	1200
MFE	840	865	890	915	940	1240
SS	840	865	890	915	940	1240
SSE	880	905	930	955	980	1280
SYE	820	845	870	895	920	1220
DSN	890	915	940	965	990	1290

VTM2T-P-R

T



	COM A	B	C	D	E	LEATHER
T-P-R	700	725	750	775	800	1100

VTM2



	COM A	B	C	D	E	LEATHER
H	730	755	780	805	830	1130
MF	840	865	890	915	940	1240
MFE	880	905	930	955	980	1280
SS	880	905	930	955	980	1280
SSE	920	945	970	995	1020	1320
SYE	860	885	910	935	960	1260
DSN	930	955	980	1005	1030	1330

VTM3



	COM A	B	C	D	E	LEATHER
H	770	795	820	845	870	1170
MF	880	905	930	955	980	1280
MFE	920	945	970	995	1020	1320
SS	920	945	970	995	1020	1320
SSE	960	985	1010	1035	1060	1360
SYE	900	925	950	975	1000	1300
SSHD	1170	1195	1220	1245	1270	1570

VTM4



	COM A	B	C	D	E	LEATHER
H	810	835	860	885	910	1210
MF	920	945	970	995	1020	1320
MFE	960	985	1010	1035	1060	1360
SS	960	985	1010	1035	1060	1360
SSE	1000	1025	1050	1075	1100	1400
SYE	940	965	990	1015	1040	1340
SSHD	1210	1235	1260	1285	1310	1610

VTMM



	COM A	B	C	D	E	LEATHER
H	670	690	710	730	750	920
SYE	820	845	870	895	920	1070
SS	800	825	850	875	900	1050
DSN	1010	1035	1060	1085	1110	1410

Mechanisms			
H	Swivel, tilt and locking, seat height adjustment.		
MF	Swivel, tilt and locking, adjustment of backrest angle, seat and backrest height.		
MFE	Swivel, tilt and locking, adjustment of seat front tilt, backrest angle, seat and backrest height (ratchet).		
SS	Swivel, tilt and locking, backrest angle adjustment, seat and backrest height adjustment, seat slider (2 1/4'').		
SSE	Swivel, tilt and locking, adjustment of backrest angle, seat and backrest height (ratchet), seat slider (2 1/4'').		
SYE	Swivel, synchro-tilt (2:1), locks in 4 positions, adjustment of seat and backrest height (ratchet), seat slider (2 1/4'').		
DSN	Swivel, adjustment of seat and backrest angle and seat and backrest height, foot ring.		
SSHD	Swivel, tilt and locking, adjustment of backrest angle, seat and backrest height, seat slider.		
Back uprights			
BU1	Curved, forward backrest position. Effective depth: 17'' (SSE)		Standard
BU2	Curved, backward backrest position. Effective depth: 18¼'' (SSE)		-
Gas lifts			
GA01	5'' range		Standard
GA14	4'' range, decreases the chair height by 1" at its lowest		-
GA01HD	5'' range, heavy duty		50
Seat dimension			
S	Small version: Seat at 17 1/2" and back at 15 1/2" *(Measures : A and D)*		70
L	Large version: Seat at 21 1/2" (*Measures : A)*		70
Armrests			
Fixed	12	Fixed, in black polypropylene.	90
	11	Fixed, with black polyurethane pads.	105
	CN	Fixed, elliptical shape, with black polyurethane pads.	150
	77	Fixed, in polished aluminum, with black polyurethane pads.	200
	60	Fixed, in polished aluminum, C shape with polyurethane insert.	200
Adjustable	81	Adjustable in height, with black polyurethane pads adjustable in depth and pivot 60°.	80
	82	Adjustable in height, width, with black polyurethane pads adjustable in depth and pivot 60°.	170
	01S	Adjustable in width and height, with black polyurethane pads.	170
	89	Adjustable in width and height, with black polyurethane pads adjustable in width and depth and pivot 30°.	180
	99	Adjustable in width and in height with a numeric wheel, with black visco foam pads adjustable in width and depth.	300

Frames		
N	Black paint	Standard
G	Metallic silver paint	-
Bases		
N2	Black nylon	Standard
A6	Polished aluminium	100
Glides		
GL30	Glides replacing casters on N2 and A6 base	30
GL48	Black plastic with felt (VTM2T)	18
Casters		
70	For carpet	Standard
7N	For hard floors	30
90	For carpet (VTM2R)	Standard
91	For hard floors (VTM2R)	40
Upholstery		
AD	Upholstered seat and backrest with different colours	40
Mesh		
MN	Black	Standard
MG	Grey	20
MK	Nickel	20
MM	Navy	20
ME	Electric	20
MC	Ocean	20
MV	Green	20
MR	Red	20
MO	Orange	20



Measures	A	B	C	D	E	H	J	Weight	Volume	COM
VTM1	19 1/2	16 1/2	17 3/4 - 22 3/4	17 1/2	15	33 - 40 1/2	26	40	13	1.4
	50	42	45 - 58	44	38	84 - 103	66	18	1.2	1.3
VTM2	19 1/2	16 1/2	17 3/4 - 22 3/4	17 1/2	19	37 - 44 1/2	26	42	13	1.5
	50	42	45 - 58	44	48	94 - 113	66	19	1.2	1.4
VTM3	19 1/2	16 1/2	17 3/4 - 22 3/4	17 1/2	23	41 - 48 1/2	26	44	16	1.6
	50	42	45 - 58	44	58	104 - 123	66	20	1.5	1.5
VTM4	19 1/2	16 1/2	17 3/4 - 22 3/4	17 1/2	27	45 - 52 1/2	26	46	19	1.7
	50	42	45 - 58	44	69	114 - 133	66	20.9	1.8	1.6
VTMM	19 1/2	18	17 3/4 - 22 3/4	18	24 1/2	42 1/4 - 47 1/4	26	36	16	1.0
	50	46	45 - 58	46	62	107 - 120	66	16.3	1.5	0.9
VTM1-DSN	19 1/2	18 1/2	24 1/4 - 34 1/4	17 1/2	15	37 3/4 - 51 1/4	26	47	19	1.4
	50	47	62 -88	44	38	96 - 130	66	21.3	1.8	1.3
VTM2-DSN	19 1/2	18 1/2	24 1/4 - 34 1/4	17 1/2	19	41 3/4 - 55 1/4	26	49	19	1.5
	50	47	62 - 88	44	48	106 - 130	66	22.2	1.8	1.4
VTM2T	19 1/2	19	18 1/2	17 1/2	19	36 1/2	26	34	16	1.5
	50	48	47	44	48	92	66	15.4	1.5	1.4
VTM2P/R	19 1/2	19	18 1/2	17 1/2	19	36 1/2	26	32	16	1.5
	50	48	47	44	48	92	66	14.5	1.5	1.4

Imperial system *Metric system*

Xylo

Perfect for a wide range of uses, Xylo chairs and stools are practical, sturdy and contemporary. Available with three different backrest shapes, Xylo is made of moulded plywood on a chrome plated tubular metal base. Choose between a wooden natural or stained finish or select one of many laminated or veneer options.

Collection

	Multi-purpose	Lounge and Waiting Room
	A	R

1741

1742

1743

1751

1752

1753

1761

1762

1763

1781

1782

1783

1741 / 1742 / 1743

500



1751 / 1752 / 1753

550



1761 / 1762 / 1763

	A	B	C	D	E	LEATHER
H	600	620	640	660	680	780



1781 / 1782 / 1783

650



Mechanism		
H	Swivel, tilt and locking, seat height adjustment.	
Gas lift		
GA07	5'' range	Standard
Frames		
Z	Polished chrome	Standard
Z-HD	Polished chrome, heavy duty (1741/1742/1743)	60
X	Special finish	On request
Bases		
N2	Black nylon	Standard
A6	Polished aluminium	100
Glides		
GL07	Black plastic (1741/1742/1743/1781/1782/1783)	Standard
GL17	Pivoting white nylon (1741/1742/1743/1781/1782/1783) (4 glides per chair)	20
GL55	Translucent plastic with felt (1751/1752/1753) (4 glides per chair)	20
Casters		
70	For carpet	Standard
7N	For hard floors	30
Trolley		
XY20	Trolley with capacity for 10 chairs (without upholstered seat)	550

Upholstery		A	B	C	D	E	LEATHER	COM
			COM					
R1	Seat	80	90	100	110	120	200	0.8

Cut pattern		
CP	Custom cut pattern	On request
Finishes		
EN	Natural maple	Standard
HN	Natural beech	-
ET	Stained maple : 25 chairs minimum	80
S	Laminated (standard products) : 25 chairs minimum	120
P	Veneer (standard products) : 25 chairs minimum	240



Measures	A	B	C	D	E	H	J	Weight	Volume
1741 /1742 / 1743	16	17 1/2	17 1/2	15	17 1/2	34	20	16	13
	41	44	44	38	44	86	51	7.3	1.2
1751 / 1752 / 1753	16	17 1/2	17 1/2	15	17 1/2	34	20	16	13
	41	44	44	38	44	86	51	7.3	1.2
1761 / 1762 / 1763	16	17 1/2	15 - 20 1/2	15	17 1/2	31 1/2 - 36 1/2	26	16	13
	41	44	38 - 52	38	44	80 - 93	66	7.3	1.2
1781 / 1782 / 1783	14 1/2	17 1/2	29 1/2	13 1/2	12	40 1/2	18	16	16
	37	44	75	34	30	103	46	7.3	1.5

Imperial system *Metric system*

Zome

No matter how late you finish at the office, Zome chairs continue to deliver ergonomic support and a soft comfort. The seat and backrest are fully covered with memory foam to distribute weight perfectly without any pressure points.

Collection

Ergonomic	Executive	Conference	Stool
E	D	C	T

8001

8002

8001-DSN

8001





	COM A	B	C	D	E	LEATHER
H	860	885	910	935	960	1260
MF	970	995	1020	1045	1070	1370
MFE	1010	1035	1060	1085	1110	1410
SS	1010	1035	1060	1085	1110	1410
SSE	1050	1075	1100	1125	1150	1450
SYE	990	1015	1040	1065	1090	1390
DSN	1060	1085	1110	1135	1160	1460

8002



	COM A	B	C	D	E	LEATHER
H	900	925	950	975	1000	1300
MF	1010	1035	1060	1085	1110	1410
MFE	1050	1075	1100	1125	1150	1450
SS	1050	1075	1100	1125	1150	1450
SSE	1090	1115	1140	1165	1190	1490
SYE	1030	1055	1080	1105	1130	1430

Mechanisms			
H	Swivel, tilt and locking, seat height adjustment.		
MF	Swivel, tilt and locking, adjustment of seat front tilt, backrest angle, seat and backrest height.		
MFE	Swivel, tilt and locking, adjustment of seat front tilt, backrest angle, seat and backrest height (ratchet).		
SS	Swivel, tilt and locking, backrest angle adjustment, seat and backrest height adjustment, seat slider (21/4'').		
SSE	Swivel, tilt and locking, backrest angle adjustment, seat and backrest height adjustment (ratchet), seat slider ($2^{1/4}$'').		
SYE	Swivel, synchro-tilt (2:1), locks in 4 positions, seat and backrest height adjustment (ratchet), seat slider ($2^{1/4}$'').		
DSN	Swivel, seat and backrest angle and height adjustment, footring.		
Gas lifts			
GA01	5'' range		Standard
GA14	4" range, decreases the chair height by 1" at its lowest		-
Armrests			
Fixed	CN	Fixed, elliptical shape, with black polyurethane pads.	150
Adjustable	89	Adjustable in width and height, with black polyurethane pads adjustable in width and depth and pivot 30°.	180
	99	Adjustable in width and in height with a numeric wheel, with black visco foam pads adjustable in width and in depth.	300
Bases			
N2	Black nylon		Standard
A6	Polished aluminium		100
Casters			
70	For carpet		Standard
7N	For hard floors		30
Upholstery			
AD	Upholstered seat and backrest with different colours		40



Measures	A	B	C	D	E	H	J	Weight	Volume	COM
8001	20	18	$17^{1/2}$ - $22^{1/2}$	17	$18^{1/2}$	36 - 43	26	46	13	1.4
	51	46	44 - 57	43	47	91 - 109	66	20.9	1.2	1.3
8002	20	18	$17^{1/2}$ - $22^{1/2}$	17	24	$41^{1/2}$ - $48^{1/2}$	26	50	13	1.6
	51	46	44 - 57	43	61	105 - 123	66	22.7	1.2	1.5
8001-DSN	20	18	24 - 34	17	$18^{1/2}$	43 - 53	26	40	16	1.4
	51	46	61 - 86	43	47	109 - 135	66	18	1.5	1.3

Imperial system *Metric system*

Lounge and
EVENT DESIGN

waiting area

Admix

The Admix line offers all the versatility of a truly modular system. Combine armchairs, loveseats and sofas with matching benches and tables to create the perfect arrangement for your space.

Collection

Lounge and Waiting Room

R

6021

6001

6022

6002

6023



6003

6001 T

6002 T

6021 / 6001

COM

	A	B	C	D	E	LEATHER
6001	1000	1020	1040	1060	1080	1300
6021	1260	1290	1320	1350	1380	1660



6022 / 6002

COM

	A	B	C	D	E	LEATHER
6002	1200	1230	1260	1290	1320	1700
6022	1600	1650	1700	1750	1800	2300



6023 / 6003

COM

	A	B	C	D	E	LEATHER
6003	1400	1440	1480	1520	1560	2200
6023	2000	2070	2140	2210	2280	3000



6001 T

6001T	1100



6002 T

6002T	1500



COM

Armrests			A	B	C	D	E	LEATHER	COM
ACD	Right armrest		170	180	190	200	210	360	0.4
ACG	Left armrest		170	180	190	200	210	360	0.4
Glides									
GL09	Black plastic								Standard
GL9A	Adjustable metallic glides								16
GL90	White nylon, covering adjustable metallic glides								20
Bases									
G	Metallic silver paint								Standard
N	Black paint								-
Z	Polished chrome								140
Ganging device									
J	Metallic silver paint								30
Tabletop finishes									
E	Maple laminate								Standard
X	Laminate colour on request								On request



Measures	B	C	D	E	F	G	H	I	J	K	Weight	Volume	COM
6021	21	17	21	11	36	6 1/2	31	29	28	8	50	22	1.9
	54	43	54	28	91	17	79	74	71	20	22.7	2	1.7
6022	21	17	42	11	57	6 1/2	31	29	49	8	70	34	2.8
	54	43	107	28	145	17	79	74	124	20	31.8	3.2	2.6
6023	21	17	63	11	78	6 1/2	31	29	70	8	90	46	5
	54	43	160	28	198	17	79	74	178	20	40.8	4.3	4.6
6001	---	17	---	---	---	6 1/2	17	26	28	9 1/2	40	22	1.7
	---	43	---	---	---	17	43	66	71	24	18	2	1.6
6002	---	17	---	---	---	6 1/2	17	26	49	9 1/2	55	46	1.7
	---	43	---	---	---	17	43	66	124	24	25	4.3	1.6
6003	---	17	---	---	---	6 1/2	17	26	70	9 1/2	70	34	2.8
	---	43	---	---	---	17	43	66	178	24	31.8	3.2	2.6
6001 T	---	17	---	---	---	---	17	25 1/2	25 1/2	---	14	22	---
	---	43	---	---	---	---	43	65	65	---	6.4	2	---
6002 T	---	17	---	---	---	---	17	25 1/2	46 1/2	---	23	34	---
	---	43	---	---	---	---	43	65	118	---	10.4	3.2	---

Imperial system *Metric system*

Evolution

Inspired by the extravagance of post-modernism, the Evolution collection showcases fluidly shaped armchairs and curved lines promoting comfort and aesthetics. Offering a mix of styles from the feminist period and influenced by current trends, the collection offers a variety of models that will revive the work and collaborative spaces.

Collection

Conference	Multi-purpose	Lounge and waiting room
C	A	R

Rosa
EVRC

Malala
EVMC

Simone
EVSC

Frida
EVFC

Frida
EVFE

Frida
EVFP

ROSA

	A	B	C	D	COM E	LEATHER
EVRC	1550	1600	1650	1700	1750	2550



MALALA

	A	B	C	D	COM E	LEATHER
EVMC	1450	1500	1550	1600	1650	2450

SIMONE

	A	B	C	D	COM E	LEATHER
EVSC	1250	1300	1350	1400	1450	2250

FRIDA

	A	B	C	D	COM E	LEATHER
EVFC	1350	1400	1450	1500	1550	2350
EVFP-LA	1500	1550	1600	1650	1700	2500
EVFP-LF	1400	1450	1500	1550	1600	2400
EVFE-LA	1450	1500	1550	1600	1650	2450
EVFE-LF	1350	1400	1450	1500	1550	2350

EVFC

EVFP



EVFE



*COM: minimum of 10 chairs per model
Note: Given the complexity of the upholstery process of the models, the selection of fabric is subject to prior approval

Mechanisms		
LF	Swivel	
LA	Swivel, tilt, seat height adjustment, in polished aluminum (EVFP, EVFE)	
Gas lifts		
GA17Z	Fixed height, chrome (EVMC, EVSC, EVFC, EVFE)	Standard
GA13Z	Auto-return, fixed height, chrome (EVMC, EVSC, EVFC)	50
GA16Z	4'' range, chrome (EVFE)	Standard
GA18Z	4'' range, chrome (EVFP)	Standard
GA19Z	Fixed height, chrome (EVFP)	-
Bases		
A9	Cross in polished aluminum (EVRC, EVMC, EVSC, EVFC)	Standard
A8	Pyramid in polished aluminum (EVFP)	Standard
A6	Star in polished aluminum (EVFE)	Standard
Casters		
70	For carpet (EVFE)	Standard
7N	For hard floors (EVFE)	30
25	For carpet, with chrome detail (60 mm)	10
Upholstery		
AD	Combination of two colors from the same pattern (Higher grade price applies)	100





Measures	A	B	C	D	E	F	G	H	J	K	L	Weight	Volume	COM
EVRC	20	20	15 1/2	20	27	36	---	37	33	8	34	41	27	3.5
	51	51	39	51	69	91	---	94	84	20	86	18.6	2.5	3.2
EVMC	19	20	18	20	18	29	---	32 1/2	33	---	28 1/2	31	16	3
	48	51	46	51	46	69	---	82	84	---	72	14	1.5	2.7
EVSC	20	19 1/2	16 1/2	17 1/2	18	27	---	32 1/2	33	---	27	28	14	1.75
	51	50	42	44	46	69	---	82	84	---	68.6	12.7	1.3	1.6
EVFC	20	20 1/2	19	13	15	28 1/2	7	32	33	3	25	33	14	3
	51	52	48	33	38	72	18	81	84	8	64	15	1.3	2.7
EVFP	20	20 1/2	17 3/4 - 21 1/2	13	15	28 1/2	7	17 3/4 - 21 1/2	20	3	25	33	13	3
	51	52	45 - 55	33	38	72	18	45 - 55	51	8	64	15	1.2	2.7
EVFE	20	20 1/2	17 1/2 - 21	13	15	28 1/2	7	29 -34	26	3	25	33	14	3
	51	52	44 - 53	33	38	72	18	74 - 86	66	8	64	15	1.3	2.7

Imperial system *Metric system*

Loop

The Loop series of armchairs makes any small space fresh and inviting. As with every Bouty product, Loop armchairs are available in a wide range of exciting colours.

Collection

Multi-purpose	Lounge and waiting room
A	L

01

01

	COM A	B	C	D	E	LEATHER
Loop	1400	1450	1500	1550	1600	2000



Legs		
E	Natural maple	Standard
X	Colour stained maple on request	70



Measures	A	B	C	D	E	F	G	H	J	Weight	Volume	COM
01	18	18	17	16	16	23	10	31 1/2	18	50	12	2.8
	46	46	43	41	41	58	25	80	46	22.7	1.1	2.6

Imperial system *Metric system*

Organic

Organic is a modular, convertible and adaptable open space system and communication tool. Its five modules of seating and tables can be expanded or contracted to adopt any configuration and provide spaces for employees to meet, link, think, relax and contribute to corporate success in totally different ways.



Collection

Multi-purpose A

Lounge and waiting room R

ORB1

ORB2

ORB3

ORB4

ORB5

ORT1

ORT2

ORT3

ORD4

ORD5

ORB1-R

ORB2-R

ORB3-R

ORB4-R

ORB5-R

ORT1-R

ORT2-R

ORT3-R

ORD4-R

ORD5-R

ORB1



	COM				
	A	B	C	D	E
ORB1	1200	1230	1260	1290	1320
ORT1	1540	1570	1600	1630	1660

ORB2

	COM				
	A	B	C	D	E
ORB2	1200	1240	1280	1320	1360
ORT2	1540	1580	1620	1660	1700

ORB3

	COM				
	A	B	C	D	E
ORB3	1550	1600	1650	1700	1750
ORT3	1900	1950	2000	2050	2100

ORB4



	COM				
	A	B	C	D	E
ORB4	1900	1960	2020	2080	2140
ORD4	2420	2490	2560	2630	2700

ORB5



	COM				
	A	B	C	D	E
ORB5	2500	2570	2640	2710	2780
ORD5	3120	3200	3280	3360	3440

Conectivity module		
CS120G	1 Power outlet and 2 USB-A outlets, metallic silver paint, 10’ power cord, installed on the side 8’’ from the ground or top (tables only).	600
Symmetrical modules		
R	Symetrical versions of each model.	-
Upholstery		
AD	Upholstered seat and backrest with different colours.	70
Tabletop finishes		
TN	5/8’’ particle board with black high pressure laminate top and T-Molding edge.	Standard
VN	5/8’’ birch plywood with black high pressure laminate and clear varnish edge.	400
VX	5/8’’ birch plywood with custom colour high pressure laminate and clear varnish edge.	600





ORB1

ORB2

ORB3

ORB4

ORB5



ORB1-R

ORB2-R

ORB3-R



ORB4-R

ORB5-R



Measures	A	B	C	D	E	Weight	Volume	COM
ORB1/ORT1	25 1/2	29 1/2	18	---	---	40/44	13	2.1
	65	75	46	---	---	18.1/20	1.2	1.9
ORB2/ORT2	38 1/4	21	18	---	---	44/49	16	2.3
	97	53	46	---	---	20/22.2	1.5	2.1
ORB3/ORT3	56 1/2	26	18	---	---	68/75	21	3.0
	144	66	46	---	---	30.8/34	2	2.7
ORB4	63	26 1/2	18	---	---	80	23	3.2
	160	67	46	---	---	36.2	2.1	2.9
ORD4	63	26 1/2	18	35 1/2	12 1/2	99	38	4.5
	160	67	46	90	32	45	3.5	4.1
ORB5	80 1/4	34	18	---	---	115	34	4.2
	204	86	46	---	---	52	3.2	3.8
ORD5	80 1/4	34	18	53	12 1/2	141	56	5.5
	204	86	46	135	32	64	5.2	5

Imperial system *Metric system*

Configuration examples

COR01



1x ORB5	2500
1x ORB4	1900
1x ORB3	1550
1x ORT2	1540
1x ORT1	1540
	9030*

COR02



1x ORD5	3120
1x ORD4	2420
1x ORB3	1550
1x ORB2	1200
1x ORB1	1200
	9490*

COR03



1x ORD5	3120
1x ORD4	2420
1x ORB3	1550
1x ORT2	1540
1x ORT1	1540
	10170*

COR04



1x ORB5	2500
1x ORB3	1550
1x ORB2	1200
	5250*

COR05



2x ORD4	4840
2x ORT1-C2	3080
	7920*

COR06



2x ORD5	4840
2x ORD5-R	3080
	7920*

COR07



1x ORD5	3120
1x ORD4	2420
1x ORT1-C2	1540
	7080*

COR08

1x ORD5	3120
1x ORD4	2420
1x ORT3-C2	1900
1x ORT1-C2	1540
	8980*

COR09



1x ORB5	2500
1x ORB4	1900
	4400*

COR10



1x ORB3	1550
1x ORB2	1200
1x ORT1-C2	1540
	4290*

COR11



2x ORD4	4840
2x ORD4-R	4840
	9680*

* Price for grade A fabric. Standard tables when applicable.

COR12



1x ORD5	3120	1x ORD5-R	3120
1x ORD4	2420	1x ORD4-R	2420
1x ORT1	1540	1x ORT1-R	1540
			14160 *

COR13



1x ORB5	2500
1x ORB4	1900
1x ORB3	1550
1x ORT2	1540
1x ORT1	1540
	9030*

COR14



1x ORD5	3120
1x ORD4	2420
1x ORT2	1540
1x ORT1	1540
	8620*

COR15



2x ORB5	5000
2x ORT1	1540
1x ORT1-C2	1540
	8080 *

COR16



1x ORD5	3120
1x ORD4	2420
1x ORD5-R	3120
1x ORD4-R	2420
	11080 *

COR17



3x ORD4	7260
1x ORT1-C2	1540
	8800 *

COR18



4x ORD4	9680
	9680 *

COR19



4x ORD5	12480
2x ORD4	4840
2x ORB4	3800
2x ORT3-2C2	3800
	24290 *

* Price for grade A fabric. Standard tables when applicable.

Organic Link

Organic Link is the ideal product for places of retreat, informal team meetings and elegant waiting areas. The optional privacy panels offer visual and acoustic protection from the open room. The elements can be combined in a straight line to create a bench of potentially unlimited lenght.



Collection

Multi-purpose	Lounge and waiting room
A	R

OLBD

OLBC



OLBG

OLDD

OLDC

OLDG

OLPD

OLPC

OLPG

OLPI

OLOC

OLOD

OLOG

OLTG

OLTP

RIGHT SECTION



OLBD OLDD OLPD

COM

	A	B	C	D	E
OLBD	1440	1480	1520	1560	1600
OLDD	2000	2060	2120	2180	2240
OLPD	880	910	940	970	1000

MIDDLE SECTION



OLBC OLDC OLPC

COM

	A	B	C	D	E
OLBC	1340	1380	1420	1460	1500
OLDC	1760	1820	1880	1940	2000
OLPC	770	800	830	860	890

LEFT SECTION



OLBG OLDG OLPG

COM

	A	B	C	D	E
OLBG	1440	1480	1520	1560	1600
OLDG	2000	2060	2120	2180	2240
OLPG	880	910	940	970	1000

PANELS



OLPI OLOC OLOD OLOG

	A	B	C	D	E
OLPI	880	910	940	970	1000
OLOC	980	1020	1060	1100	1140
OLOD	880	910	940	970	1000
OLOG	880	910	940	970	1000

OLTP

OLTP	970



OLTG

OLTG	1140



Ganging device		
J	Male-Female kit for each bench-panel assembly	20
Connectivity module		
CS120G	1 Power and 2 USB-A outlets, metallic silver paint, 12’ power cord, installed on the side 8’’ from the ground.	600
Upholstery		
AD	Upholstered seat and backrest with different colours.	70
Tabletop finishes		
TN	5/8’’ particle board with black high pressure laminate top and T-Molding edge.	Standard
VX	5/8’’ birch plywood with custom colour high pressure laminate (standard products) and clear varnish edge.	400
HN	5/8’’ phenolic resin with black high pressure laminate top.	400
HG	5/8’’ phenolic resin with grey high pressure laminate top.	400
HW	5/8’’ phenolic resin with white high pressure laminate top.	400

Configuration examples

COL1



	CODE		QUANTITY	PRICE	TOTAL PRICE
BENCHES	OLDD		1	2000	2000
	OLDC		3	1760	5280
	OLDG		1	2000	2000
PNNELS	No.	CODE	QUANTITY	PRICE	TOTAL PRICE
	1	OLPD	1	880	880
	2	OLPI	2	880	1760
	3	OLPC	3	770	2310
	4	OLPG	1	880	880
Ganging kit ▲		J	11	20	220
					15330*

COL2



	CODE		QUANTITY	PRICE	TOTAL PRICE
BENCHES	OLDD		2	2000	4000
	OLDG		2	2000	4000
	OLTP		1	970	970
PANELS	No.	CODE	QUANTITY	PRICE	TOTAL PRICE
	1	OLPD	2	770	1 540
	2	OLPI	4	770	3 080
	4	OLPG	2	770	1 540
Ganging kit ▲		J	10	12	120
					16210*

COL3



	CODE		QUANTITY	PRICE	TOTAL PRICE
BENCHES	OLDG		2	2000	4000
	OLDD		2	2000	4000
	OLTG		1	1140	1 140
PANELS	No.	CODE	QUANTITY	PRICE	TOTAL PRICE
	1	OLPD	1	880	880
	2	OLPI	4	880	3 520
	4	OLPG	1	880	880
	5	OLOG	1	880	880
	6	OLOC	1	980	980
	7	OLOD	1	880	880
Ganging kit ▲		J	10	20	200
					17360*

COL4



	CODE		QUANTITY	PRICE	TOTAL PRICE
BENCHES	OLDG		2	2000	4000
	OLDD		2	2000	4000
	OLDC		2	1 760	3 520
	OLTG		1	1 140	1 140
PANELS	No.	CODE	QUANTITY	PRICE	TOTAL PRICE
	1	OLPD	1	880	880
	2	OLPI	4	880	3 520
	3	OLPC	2	770	1 540
	4	OLPG	1	880	880
	5	OLOG	1	880	880
	6	OLOC	1	980	980
	7	OLOD	1	880	880
Ganging kit ▲		J	14	12	168
					22500*

* Price for grade A fabric. Standard tables when applicable.

Organic Link









Measures	A	B	C	D	E	H	I	Weight	Volume	COM
OLBD	33	32	18	---	---	---	32	61	15	3.0
	84	81	46	---	---	---	81	27.7	1.4	2.7
OLBC	25 1/2	32	18	---	---	---	32	53	15	2.6
		81	46	---	---	---	81	24	1.4	2.4
OLBG	33	32	18	---	---	---	32	61	15	3.0
	84	81	46	---	---	---	81	27.7	1.4	2.7
OLDD	33	19	18	29	12 1/2	30	32	80	24	4.4
	84	48	46	74	32	76	81	36.3	2.2	4
OLDC	25 1/2	19	18	25 1/2	12 1/2	30	32	69	24	3.8
	65	48	46	65	32	76	81	31.3	2.2	3.5
OLDG	33	19	18	29	12 1/2	30	32	80	24	4.4
	84	48	46	74	32	76	81	36.3	2.2	4
OLTP	31 1/2	13 3/4	24 1/4	---	---	---	---	65	8	----
	80	35	62	---	---	---	---	29.5	0.7	---
OLTG	47 1/4	23 3/4	24 1/4	---	---	---	---	97	20	----
	120	60	62	---	---	---	---	44	1.9	---
OLPD	29 1/4	2	---	---	---	---	---	24	2	2.0
	74	5	---	---	---	---	---	10.9	0.2	1.8
OLPC	25 1/2	2	---	---	---	---	---	22	2	2.0
	65	5	---	---	---	---	---	10	0.2	1.8
OLPG	29 1/4	2	---	---	---	---	---	24	2	2.0
	74	5	---	---	---	---	---	10.9	0.2	1.8
OLPI	30 1/4	2	---	---	---	---	---	25	2	2.0
	77	5	---	---	---	---	---	11.3	0.2	1.8
OLOD	27	2	---	---	---	---	---	23	2	2.0
	69	5	---	---	---	---	---	10.4	0.2	1.8
OLOC	38	2	---	---	---	---	---	32	2	2.0
	97	5	---	---	---	---	---	14.5	0.2	1.8
OLOG	27	2	---	---	---	---	---	32	2	2.0
	69	5	---	---	---	---	---	14.5	0.2	1.8

Imperial system *Metric system*

Pouf

Our footrests collection can be used as an additional seating or as a tray-topped accent piece, for your space. Available in a wide range of fabrics or leathers, our Pouf series offers the perfect combination of style and function.

Collection

	Multi-purpose	Lounge and waiting room
	A	R

1575

1575R

1585

1585R

1510

1510R

1520

1520R

1575

	COM A	B	C	D	E
1575 / 1575R	400	420	440	460	480



1585

	COM A	B	C	D	E
1585 / 1585R	500	520	540	560	580



1510

	COM A	B	C	D	E
1510 / 1510R	430	450	470	490	510



1520

	COM A	B	C	D	E
1520 / 1520R	570	590	610	630	650



Glides		
GL13	Metal	-
Casters		
8N	For carpet	-
Handle		
P	Sewn handle on the side	40
Upholstery		
AD	Combination of two colors from the same pattern	50



Measures	A	B	C	J	Weight	Volume	COM
1510 / R	17	17	18	14	12	6	1.3
	43	43	46	36	5.4	0.6	1.2
1520 / R	24	24	18	21	24	8	2.0
	61	61	46	53	10.9	0.7	1.8
1575 / R	17	17	18	14	12	6	1.3
	43	43	46	36	5.4	0.6	1.2
1585 / R	24	24	18	21	24	8	2.0
	61	61	46	53	1.9	0.7	1.8

Imperial system *Metric system*

Stylus

Light and solid construction, our brand new collection of Stylus tables is characterized not only by its many options, but also by the maintenance of an elegant ultra functional classic style that allows it to easily adapt to any space, whether residential, commercial or office.

Collection

Appoint A

Rencontre R

Round	Square	Lotus	Square	Lotus
Round	Round	Lotus	Square	Lotus

Rectangular	Rectangular
Round	Square

Note: Tables sold not assembled

Round Round base	**Lotus** **Lotus base**	**Lotus** Round base	**A**	**B**	**C**	**Weight**	**Price**
SYR-15R-20	SYL-15L-20	SYL-15R-20	20	20	15	50	700
			51	51	38	22.7	
SYR-15R-24	SYL-15L-24	SYL-15R-24	24	24	15	55	750
			61	61	38	25	
SYR-15R-30	SYL-15L-30	SYL-15R-30	30	30	15	74	800
			76	76	38	33.6	
SYR-15R-36	SYL-15L-36	SYL-15R-36	36	36	15	82	910
			91	91	38	37.2	
SYR-19R-20	SYL-19L-20	SYL-19R-20	20	20	19	53	710
			51	51	48	24	
SYR-19R-24	SYL-19L-24	SYL-19R-24	24	24	19	57	760
			61	61	48	25.9	
SYR-19R-30	SYL-19L-30	SYL-19R-30	30	30	19	75	810
			76	76	48	34	
SYR-19R-36	SYL-19L-36	SYL-19R-36	36	36	19	83	920
			91	91	48	37.6	
SYR-26R-20	SYL-26L-20	SYL-26R-20	20	20	26	55	720
			51	51	66	25	
SYR-26R-24	SYL-26L-24	SYL-26R-24	24	24	26	59	770
			61	61	66	26.8	
SYR-26R-30	SYL-26L-30	SYL-26R-30	30	30	26	78	820
			76	76	66	35.4	
SYR-29R-20	SYL-29L-20	SYL-29R-20	20	20	29	56	730
			51	51	74	25,4	
SYR-29R-24	SYL-29L-24	SYL-29R-24	24	24	29	60	780
			61	61	74	27.2	
SYR-29R-30	SYL-29L-30	SYL-29R-30	30	30	29	79	830
			76	76	74	35.8	
SYR-29R-36	SYL-29L-36	SYL-29R-36	36	36	29	87	940
			91	91	74	39.5	
SYR-36R-20	SYL-36L-20	SYL-36R-20	20	20	36	59	740
			51	51	91	26.8	
SYR-36R-24	SYL-36L-24	SYL-36R-24	24	24	36	62	790
			61	61	91	28.1	
SYR-36R-30	SYL-36L-30	SYL-36R-30	30	30	36	81	840
			76	76	91	36.7	
SYR-42R-20	SYL-42L-20	SYL-42R-20	20	20	42	71	750
			51	51	107	32.2	
SYR-42R-24	SYL-42L-24	SYL-42R-24	24	24	42	64	800
			61	61	107	29	
SYR-42R-30	SYL-42L-30	SYL-42R-30	30	30	42	83	850
			76	76	107	37.6	

Note: Tables sold not assembled

Square Square base	Square Round base	A	B	C	Weight	Price
SYC-15C-20	SYC-15R-20	20	20	15	62	700
		51	51	38	28.1	
SYC-15C-24	SYC-15R-24	24	24	15	67	705
		61	61	38	30.4	
SYC-15C-30	SYC-15R-30	30	30	15	90	755
		76	76	38	40.9	
SYC-15C-36	SYC-15R-36	36	36	15	100	865
		91	91	38	45.4	
SYC-19C-20	SYC-19R-20	20	20	19	63	710
		51	51	48	28.6	
SYC-19C-24	SYC-19R-24	24	24	19	68	715
		61	61	48	30.8	
SYC-19C-30	SYC-19R-30	30	30	19	91	765
		76	76	48	41.3	
SYC-19C-36	SYC-19R-36	36	36	19	101	875
		91	91	48	45.8	
SYC-26C-20	SYC-26R-20	20	20	26	66	720
		51	51	66	30	
SYC-26C-24	SYC-26R-24	24	24	26	70	725
		61	61	66	31.8	
SYC-26C-30	SYC-26R-30	30	30	26	94	775
		76	76	66	42.6	
SYC-29C-20	SYC-29R-20	20	20	29	67	730
		51	51	74	30.4	
SYC-29C-24	SYC-29R-24	24	24	29	71	735
		61	61	74	32.2	
SYC-29C-30	SYC-29R-30	30	30	29	95	785
		76	76	74	43	
SYC-29C-36	SYC-29R-36	36	36	29	104	895
		91	91	74	47.2	
SYC-36C-20	SYC-36R-20	20	20	36	69	740
		51	51	91	31.3	
SYC-36C-24	SYC-36R-24	24	24	36	74	745
		61	61	91	33.6	
SYC-36C-30	SYC-36R-30	30	30	36	97	795
		76	76	91	44	
SYC-42C-20	SYC-42R-20	20	20	42	71	750
		51	51	107	32.2	
SYC-42C-24	SYC-42R-24	24	24	42	75	755
		61	61	107	34	
SYC-42C-30	SYC-42R-30	30	30	42	99	805
		76	76	107	45	

Note: Tables sold not assembled

Rectangular Round base	Rectangular Square base	A	B	C	Weight	Price
SYD-29R-2448	SYD-29C-2448	24	48	29	142	1150
		61	122	74	64.4	
SYD-29R-3048	SYD-29C-3048	30	48	29	150	1200
		76	122	74	68	
SYD-29R-3060	SYD-29C-3060	30	60	29	189	1250
		76	152	74	85.7	
SYD-29R-3072	SYD-29C-3072	30	72	29	198	1300
		76	183	74	89.8	
SYD-29R-3084	SYD-29C-3084	30	84	29	207	1350
		76	213	74	93.9	
SYD-29R-3096	SYD-29C-3096	30	96	29	216	1450
		76	244	74	98	
SYD-29R-3648	SYD-29C-3648	36	48	29	157	1250
		91	122	74	71.2	
SYD-29R-3660	SYD-29C-3660	36	60	29	198	1300
		91	152	74	89.8	
SYD-29R-3672	SYD-29C-3672	36	72	29	209	1350
		91	183	74	94.8	
SYD-29R-3684	SYD-29C-3684	36	84	29	220	1400
		91	213	74	99.8	
SYD-29R-3696	SYD-29C-3696	36	96	29	230	1450
		91	244	74	104,3	
SYD-36R-2448	SYD-36C-2448	24	48	36	147	1180
		61	122	91	66.7	
SYD-36R-3048	SYD-36C-3048	30	48	36	154	1230
		76	122	91	69.8	
SYD-36R-3060	SYD-36C-3060	30	60	36	194	1280
		76	152	91	88	
SYD-36R-3072	SYD-36C-3072	30	72	36	203	1330
		76	183	91	92	
SYD-36R-3084	SYD-36C-3084	30	84	36	212	1380
		76	213	91	96.2	
SYD-36R-3096	SYD-36C-3096	30	96	36	221	1480
		76	244	91	100.2	
SYD-42R-2448	SYD-42C-2448	24	48	42	151	1210
		61	122	107	68.5	
SYD-42R-3048	SYD-42C-3048	30	48	42	158	1260
		76	122	107	71.7	
SYD-42R-3060	SYD-42R-3060	30	60	42	198	1310
		76	152	107	89.8	
SYD-42R-3072	SYD-42C-3072	30	72	42	207	1360
		76	183	107	93.9	
SYD-42R-3084	SYD-42C-3084	30	84	42	216	1410
		76	213	107	98	
SYD-42R-3096	SYD-42C-3096	30	96	42	225	1510
		76	244	107	102	

Note: Tables sold not assembled

Bases only 3’ diameter tube and 23’ diameter/side double thickness base

Round base	Lotus base	Square base	C	Weight	Price
SYB-15R	SYB-15L	SYB-15C	14	67	385
			36	30.4	
SYB-19R	SYB-19L	SYB-19C	17	69	395
			43	31.3	
SYB-26R	SYB-26L	SYB-26C	24 1/2	71	410
			62	32.2	
SYB-29R	SYB-29L	SYB-29C	28	72	420
			71	32.7	
SYB-36R	SYB-36L	SYB-36C	35	74	435
			89	33.6	
SYB-42R	SYB-42L	SYB-42C	41	76	450
			104	34.5	

Imperial system *Metric system*





Connectivity module			
CU011N	2 USB (A+C) outlets, black, 72” power supply cord with a barrel connector, installed on one side under the top.		500
CU011W	2 USB (A+C) outlets, white, 72” power supply cord with a barrel connector, installed on one side under the top.		500
CS211N	2 110V Power outlets and 2 USB (A+C) outlets, black, 120” power supply cord, installed in the middle of the table. (Rectangular options only)		550
CS211W	2 110V Power outlets and 2 USB (A+C) outlets, white, 120” power supply cord, installed in the middle of the table. (Rectangular options only)		550
CR111N	1 110V Power outlets and 2 USB (A-C) outlets, black, 120” power supply cord, installed in the middle of the table. (Rectangular options only)		600
CR111W	1 110V Power outlets and 2 USB (A-C) outlets, white, 120” power supply cord, installed in the middle of the table. (Rectangular options only)		600
CR320N	3 110V Power outlets and 2 USB (A) outlets, black, 120” power supply cord, installed in the middle of the table. (Rectangular options only)		700
CR320W	3 110V Power outlets and 2 USB (A) outlets, white, 120” power supply cord, installed in the middle of the table. (Rectangular options only)		700

Tabletop finishes		
	1’’ Thermally fused laminate panel tops and PVC edge	
631	Black	Standard
123	Charcoal	-
555	White	-
H58	Storm	-
H59	Twilight	-
K02	Sesame	-
H72	Ginger	-
H57	Haze	-
H56	Chill	-
204	Bourbon Cherry	-
205	Tobacco Cherry	-
992	Hardrock maple	-
Bases finishes		
SG	Metallic silver paint	Standard
BL	Black	-
SX	Black Sandex	-
WH	White	-
CH	Charcoal	-
IP	Industrial	-

2000

Perfect for a lounge, staff room or any other work space where people gather to exchange ideas, the 2000 series is attractively sculptured and remarkably comfortable. Models designed to seat one, two or three people are available in a variety of colours and come with a convenient handle, polished aluminum wheels or solid maple legs, and other optional features.

Collection

Multi-purpose	Lounge and waiting room
A	R

2001

2002

2003

2001

	COM A	B	C	D	E	LEATHER
2001	1800	1860	1920	1980	2040	2800



2002

	COM A	B	C	D	E	LEATHER
2002	2400	2490	2580	2670	2760	3400



2003

	COM A	B	C	D	E	LEATHER
2003	3300	3420	3540	3660	3780	4300



Legs and casters			
ZA	Set of 4 brushed aluminum legs	4X	Standard
ZB	Set of 4 adjustable anodized aluminum legs	4X	100
4Y	Set of 4 metallic silver paint casters (2 with brakes, at the front)	4X	140
3Y	Set of 2 adjustable anodized aluminum legs (at the back) and 2 metallic silver paint casters (at the front)	2X 2X	120
Carrier handle			
P1	Polished aluminum		100
Writing tablet			
TD	Right side writing tablet made of ¾'' birch plywood with maple color high pressure laminate top and clear varnish edge		300
TG	Left side writing tablet made of ¾'' birch plywood with maple color high pressure laminate top and clear varnish edge		300
T2	Set of writing tablets (left and right) with cup holder (right side)		600
Connectivity module			
CS120G	1 Power outlet and 2 USB-A outlets, metallic silver paint, 10' power cord, installed on the side 8'' from the ground or top (tables only).		600
Upholstery			
AD	Upholstered seat and backrest with different colours		70



Measures	A	B	C	E	F	G	H	I	J	Weight	Volume	COM
2001	21 1/2	19	17	17	31 1/2	10	30	30 1/2	27	75	18	4.3
	55	48	43	43	80	25	76	77	69	34	1.7	3.9
2002	43	19	17	17	53	10	30	30 1/2	48 1/2	115	35	5.9
	109	48	43	43	135	25	76	77	123	52.2	3.3	5.4
2003	64 1/2	19	17	17	74 1/2	10	30	30 1/2	70	155	46	7.8
	164	48	43	43	189	25	76	77	178	70.3	4.3	7.1

Imperial system *Metric system*

bouty

bouty.com

10871, avenue Salk
Montréal-Nord (Québec) H1G 6M7
T 514.324.0916 • 800.982.6889

The reference for comfort
at work... and at home!