

# MATERIAL SAFETY DATA SHEET

**Trade Name:** Johnsens Hybrid Air Conditioning Lubricant 2/8 oz  
**MSDS NO.** 6830  
**Revision Date:**  
**Date Printed** 12/30/2008

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Trade Name:** Johnsens Hybrid Air Conditioning Lubricant 2/8 oz  
**Chemical Family:** Refrigeration Oil  
**Synonyms:** None  
**Emergency Telephone (24 hr.):** CHEMTREC 1-800-424-9300  
**Supplier:** Technical Chemical Company, P.O. Box 139, Cleburne, Texas 76033

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	OSHA TWA	OSHA STEL	OSHA SKIN
Alkyl Acid Phosphahate 68307-94-8	0.5-1	Not Listed	Not Listed	Not Listed
Ester Refrigeration Lubricant Mixture	97-99	Not Listed	Not Listed	Not Listed
Anti-wear Additive Proprietary	0.5-1	Not Listed	Not Listed	Not Listed

Component	Weight %	OSHA Z PEL	OSHA Z TWA	OSHA Z Ceiling
Alkyl Acid Phosphahate 68307-94-8	0.5-1	Not Listed	Not Listed	Not Listed
Ester Refrigeration Lubricant Mixture	97-99	Not Listed	Not Listed	Not Listed
Anti-wear Additive Proprietary	0.5-1	Not Listed	Not Listed	Not Listed

Component	ACGIH TLV TWA	ACGIH TLV STEL	ACGIH TLV Ceiling
Alkyl Acid Phosphahate 68307-94-8	Not Listed	Not Listed	Not Listed
Ester Refrigeration Lubricant Mixture	Not Listed	Not Listed	Not Listed
Anti-wear Additive Proprietary	Not Listed	Not Listed	Not Listed

**Other:** Contains no ingredients in concentrations greater than 0.1% that are now known to be hazardous as defined by OSHA.

## 3. HAZARDS IDENTIFICATION

**Emergency Overview:** Ingestion of this product may cause gastrointestinal distress with symptoms of nausea, vomiting, diarrhea and abdominal pain. May cause irritation to skin and eyes.

**HMIS Classification:** Health: 1 Flammability: 1 Physical Hazard: 0  
**NFPA Rating:** Health: 1 Flammability: 1 Reactivity: 0

## 4. FIRST AID MEASURES

**Eye Contact:** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids. Seek medical attention if irritation persists.

# MATERIAL SAFETY DATA SHEET

Trade Name: Johnsens Hybrid Air Conditioning Lubricant 2/8 oz  
MSDS NO. 6830  
Revision Date:  
Date Printed 12/30/2008

## 4. FIRST AID MEASURES

**Ingestion:** DO NOT INDUCE VOMITING. Give nothing by mouth. Get medical attention! If vomiting occurs, keep head lower than hips to prevent aspiration.  
**Inhalation:** If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.  
**Skin Contact:** Remove contaminated clothing and shoes, and launder before reuse. Get medical attention if irritation persists. Wash with soap and water. Use skin cream for defatted areas.

## 5. FIRE FIGHTING MEASURES

### Flammable Properties

**Flash Point °F(°C):** Not Determined  
**Flash Point Method:** Not Applicable  
**Flammable Limits in Air - Lower (%):** Not Determined  
**Flammable Limits in Air - Upper (%):** Not Determined  
**Autoignition Temperature °F(°C):** Not Determined  
**Extinguishing Media:** Carbon dioxide. Dry chemical. Foam.  
**Protection Of Fire-Fighters:**

**Special Fire-Fighting Procedures:** Wear approved positive-pressure self-contained breathing apparatus and protective clothing. Do not direct a solid stream of water or foam into hot, burning pools; this may cause frothing and increase fire intensity.

**Hazardous Combustion Products:** Oxides of carbon, nitrogen and phosphorus.  
**Aerosol Comments:** Not Applicable

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Wear appropriate protective clothing and equipment to prevent skin and eye contact.  
**Spill Procedures:** Wear protective equipment specified. Contain any liquid from leaking containers.  
**Action to be taken if material is released or spilled:** Absorb spills on inert material such as perlite, vermiculite, sand or dirt. Place in double polyethylene bags. Isolate from other waste materials. Wash walking surfaces with detergent and water to reduce slipping hazard.  
**Environmental Precautions:** Do not allow to enter sanitary drains, sewer or surface and subsurface waters.

## 7. HANDLING AND STORAGE

**Handling and Storage:** Avoid contact with eyes. Keep containers tightly closed when not in use. Use only in a well ventilated area. Good hygienic practices should be observed. Work clothes should be washed separately at the end of each work day. Contaminated disposable clothing should be discarded in accordance with local, state and federal rules. Wash thoroughly after handling. Do Not Swallow. Store at room temperature. Avoid prolonged/repeated breathing of vapors, mists or fumes.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:** Eyewash stations. Showers. Use local exhaust.  
**Eyes:** Chemical goggles; also wear a face shield if splashing hazard exists.  
**Skin Protection:** Neoprene coated apron or clothing.  
**Respiratory Protection:** Appropriate respiratory protection shall be worn when applied engineering controls are not adequate to protect against inhalation exposure.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Clear to light yellow liquid  
**Odor:** MILD ETHER  
**pH Value:** Not Determined  
**Vapor Pressure:** Not Determined  
**Vapor Density (Air=1):** Not Determined  
**Boiling Point (°F):** >300 C.  
**Melting/Freezing Point:** Not Determined  
**Solubility in Water:** INSOLUBLE

# MATERIAL SAFETY DATA SHEET

Trade Name: Johnsens Hybrid Air Conditioning Lubricant 2/8 oz  
MSDS NO. 6830  
Revision Date:  
Date Printed 12/30/2008

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Bulk Density at 20°C: Not Determined  
Molecular Weight: Mixture  
Specific Gravity (H2O=1): 1.04 @ 60F  
Viscosity: 100 cSt @ 40C  
Evaporation Rate: Not Determined  
VOC Content(%): Not determined.  
Decomposition Temperature: Not Known

## 10. STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions of handling, use and transportation.  
Conditions to Avoid: High temperatures.  
Materials to Avoid: Strong oxidizing agents.  
Hazardous Decomposition Products: Oxides of nitrogen. Oxides of carbon. Oxides of sulfur.  
Hazardous Polymerization: WILL NOT OCCUR

## 11. TOXICOLOGICAL INFORMATION

Toxicological Data:

Component	Route	Species	Dose
Alkyl Acid Phosphosphate 68307-94-8	Inhalation	Rats	Not known.
Ester Refrigeration Lubricant Mixture	Inhalation	Rats	Not known.
Anti-wear Additive Proprietary	Inhalation	Rats	Not known.

Carcinogenicity:

Component	IARC	NTP	OSHA
Alkyl Acid Phosphosphate 68307-94-8	Not Listed	Not Listed	Not Listed
Ester Refrigeration Lubricant Mixture	Not Listed	Not Listed	Not Listed
Anti-wear Additive Proprietary	Not Listed	Not Listed	Not Listed

Comments: No component known to be present in this product at >.1% is presently listed as a carcinogen by IARC, NTP or OSHA.

## 12. ECOLOGICAL INFORMATION

Remarks: Ecological testing has not been conducted on this product.

## 13. DISPOSAL CONSIDERATION

Waste Classification: This product as purchased does not fall under current U.S. EPA RCRA definitions of hazardous waste. Under RCRA it is the generator's responsibility to determine the status of the waste at the time of its disposal. This product does not contain any CERCLA regulated materials.  
Waste Management: Not determined.  
Disposal Method: Disposal of this material to the land may be banned by federal law (40 CFR 268).

## 14. TRANSPORTATION INFORMATION

U.S. DOT:  
Proper Shipping Name: Consumer Commodity

# MATERIAL SAFETY DATA SHEET

Trade Name: Johnsens Hybrid Air Conditioning Lubricant 2/8 oz  
 MSDS NO. 6830  
 Revision Date:  
 Date Printed 12/30/2008

## 14. TRANSPORTATION INFORMATION

Hazard Class: ORM-D  
 UN/NA Number: Not Applicable  
 DOT Packing Group: Not Applicable

IMDG:  
 Proper Shipping Name: Consumer Commodity  
 Hazard Class: ORM-D  
 Hazard Subclass: Not Applicable  
 UN No.: Not Applicable  
 Packing Group: Not Applicable  
 Marine Pollutant: No

## 15. REGULATORY INFORMATION

**US Federal Regulations:**

Component	SARA 313	SARA 302	TPQ	RQ
Alkyl Acid Phosphosphate 68307-94-8	Not Listed	Not Listed	Not Listed	Not Listed
Ester Refrigeration Lubricant Mixture	Not Listed	Not Listed	Not Listed	Not Listed
Anti-wear Additive Proprietary	Not Listed	Not Listed	Not Listed	Not Listed

**US OSHA HEALTH CLASSIFICATION:** Hazardous per OSHA 29 CFR 1910.1200  
**SARA 311/312 Hazard Categories:** Immediate Health: Yes, Delayed Health: No, Fire: No, Reactive: No, Pressure: No.

**State Regulations:**

Component	California Prop. 65 Cancer list	California - Prop 65 Developmental Toxicity	California Prop. 65 Reproductive Female	California Prop. 65 Reproductive Male
Alkyl Acid Phosphosphate 68307-94-8	Not Listed	Not Listed	Not Listed	Not Listed
Ester Refrigeration Lubricant Mixture	Not Listed	Not Listed	Not Listed	Not Listed
Anti-wear Additive Proprietary	Not Listed	Not Listed	Not Listed	Not Listed

**U.S. TSCA:** One or more components of this product is not listed on the TSCA Inventory.  
**Canadian Inventory:** One or more components of this product is not listed on the Canadian DSL or NDSL Inventory.

**Consumer Product Safety Improvement Act of 2008 General Conformity Certification**

The Supplier identified in Section 1 of this MSDS has evaluated this product and certifies it to be labeled and packaged in compliance with the applicable provisions of the Federal Hazardous Substance Act as stated in 16 CFR 1500 and enforced by the Consumer Product Safety Commission, and where applicable the products that require Child Resistant Closures are packaged in accordance with the Poison Prevention Packaging Act as stated in 16 CFR 1700 and enforced by the Consumer Product Safety Commission. All closures have been tested in accordance with the latest protocols. No other testing is required to certify compliance with the above. The date of manufacture is stamped on the product container.

## 16. OTHER INFORMATION

**General Notes:** Do not allow undiluted material or large quantities to reach groundwater, bodies of water or sewer system.

## MATERIAL SAFETY DATA SHEET

**Trade Name:** Johnsens Hybrid Air Conditioning Lubricant 2/8 oz  
**MSDS NO.** 6830  
**Revision Date:**  
**Date Printed** 12/30/2008

### 16. OTHER INFORMATION

**Disclaimer:**

The information and recommendations contained herein are based upon tests believed to be reliable. However, the manufacturer/distributor of this product does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. The manufacturer/distributor assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.