

West Virginia Department of Health & Human
Resources
Morgan County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name VFW Post 4019	Facility Type Food Service Establishment	
Licensee Name (Owner Not Set)	Facility Telephone #	
Facility Address 4490 Valley Rd Berkeley Springs, WV	Licensee Address	
Inspection Information		
Inspection Type Routine	Inspection Date October 20, 2017	Total Time Spent 1.00

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Cooling Unit (Stainless Steel)	35
Freezer (Stainless Steel)	-2
Freezer (White)	16
Cooling Unit (Bar)	33

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

Observed Non-Critical Violations
Total # 5
Repeated # 0
4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED Observation: <i>(CORRECTED DURING INSPECTION)</i> : Microwave needs cleaned. Corrective Action(s):
4-602.13 - NONFOOD CONTACT SURFACES Observation: Ice machine needs cleaned. Corrective Action(s):
4-602.13 - NONFOOD CONTACT SURFACES Observation: <i>(CORRECTED DURING INSPECTION)</i> : Magnetic knife holder needs cleaned. Corrective Action(s):
4-602.13 - NONFOOD CONTACT SURFACES Observation: Food residue in cooler. Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Food residue in freezers.

Corrective Action(s):

Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian



Tim Zeigler