

Decorative Series Interior Doops

## **FEATURING:**

- 42 Traditional & Contemporary Interior Door Glass Designs
- 8 Stainable Wood Species, or Primed and Ready to Paint
- > 6' 8" and 8' 0" Tall Doors
- Metal Caming, Wrought Iron, Reed Glass, Cast Glass,
   Pattern Glass, Textured,
   Grooved & Etched, Frosted &
   Plain Glass Designs

Glass Doors Add Light and Beauty to Any Home



ABS - AMERICAN BUILDING SUPPLY, INC.



Doormerica Decorative Series doors feature several unique designs, from v-groove and beveled to wrought iron and frosted glass. Decorative Series doors are the perfect choice for an interior application.

### **Privacy Rating**

The privacy rating scale goes from: Clear – full detail easily seen through glass; Obscure – light, shadows and color can be seen, but no distinguishable shapes.

## Viewable Detail on Glass

The nature of decorative glass requires some planning in the hanging of the door. We have included some detail below to assist this process. Contact us for specific information on your glass choice.



Readable side is smooth with silk screened design on back: 9-lite Obscure, Vintage, Jasmine, Columbia, Hamilton, Frosted Glass, Pantry and Laundry.

Functional Speciality side is: Cross Reed, Narrow Reed, Micro Cross Reed, Bamboo, Morisco, Bermuda, Quartz, Delta, Bordeaux, Cast Pantry, Cast Wheat, and Kona. Exception: Reeded Pantry is smooth on outside and reeded texture on the inside. Pantry etching on the smooth side.

Textured: Tulip, Rainy Day, Reed, Cameron, Magnolia and Pinpoint • V-Groove: Sedona, Stratford, Madison, Wave and 10-lite. • Insulated glass clear view with obscure view back: El Dorado, Mojave, Hacienda, Athens and Serrano.







Serrano Page 5



Page 5

Hacienda



El Dorado

Page 4

Moiave Page 4







Page 6

Narrow Reed

Page 6

**Micro Cross Reed** 

Page 6

**Reeded Pantry** 

Page 7





Cast Wheat Page 7



Kona Page 8



**Rainy Day** Page 8



Magnolia Page 8



Pinpoint Page 9



Bermuda Page 9



Bamboo Page 9







Quartz Page 10



Delta Page 11



Page 11



Sedona Page 11



Stratford Page 12



Madison Page 12



Page 12

10-Lite V Groove

Page 13

Cameron

Page 13

9-Lite Obscure

Page 13



Hamilton Page 14



Solid Frosted Page 14



**lvy** Page 14



Mazatlan



Laundry Page 16



Page 17



**Clear Glass** Page 17



White Laminate Page 17





Columbia



Page 15


### Featuring Insulated **Glass Panels**


The metallic caming on the El Dorado, Mojave, Athens and Serrano, and the wrought iron on the Hacienda, along with their decorative glass components, are "sandwiched" between clear glass panels. These insulated panels protect the metallic finishes, are easy to clean and help filter noise.

Optional 8 foot tall doors are available in Primed White and Pine species only.



Optional 8 foot tall door features additional panel at bottom -





amber centerpiece.



FAMILY:

**METAL CAMING** 

Ripple, wave & beveled glass are combined with platinum caming.



FAMILY:

**METAL CAMING** 

Patina caming with granite, clear and beveled glass.



Available in 2/6, 2/8, 3/0 only






Available in 2/6, 2/8, 3/0 only





www.Doormerica.com







*Available in 2/6, 2/8, 3/0 only* 





African Mohogany

Cherry



Optional 8 foot tall doors are available in Primed White and Pine species only.



Optional 8 foot tall door features additional panel at bottom



A cross hatch pattern of fluted reed glass. Obscured view and modern appeal.



**REED GLASS** 


Delicate fluted design provides obscurity and a modern architectural look.



FAMILY:

**REED GLASS** 

Delicate symmetrical flutes in a cross hatch design provides detail and texture.





OBSCURE



PRIVACY RATING





www.Doormerica.com











Optional 8 foot tall doors are available in Primed White and Pine species only.



Optional 8 foot tall door features additional panel at bottom



Perfect for that island paradise or city retreat. Palm design in a cast glass process. A bold high profile surface.



FAMILY:

**PATTERNED GLASS** 

**Rainy Day** 


Rain pattern one-piece glass adds high level of privacy.



FAMILY:

**PATTERNED GLASS** 

Molded glass with leaf pattern offers high obscurity.







PRIVACY RATING

OBSCURE

CLEAR





www.Doormerica.com













African Mohogany



Optional 8 foot tall doors are available in Primed White and Pine species only.



Optional 8 foot tall door features additional panel at bottom



Delicately detailed textured pattern glass.



**TEXTURED GLASS** 

Simple and elegant textured design.



FAMILY:

**TEXTURED GLASS** 

Jeweled Pebble-like design providing obscurity and beauty.







PRIVACY RATING

OBSCURE

CLEAR





www.Doormerica.com



Traditional textured design with modern appeal.

Grooved and etched glass with floral pattern. Tulip pattern is handed.

Grooved and etched glass with south-western pattern.








Specify LH or RH (LH shown)










Optional 8 foot tall doors are available in Primed White and Pine species only.



Optional 8 foot tall door features additional panel <u>at bottom</u>



Grooved and etched glass pattern centerpiece with beveled grids and clear glass.



**GROOVED & ETCHED** 

Grooved and etched glass pattern centerpiece with beveled grids and clear glass.




FAMILY:

**GROOVED & ETCHED** 

Wave LH/RH

Grooved wave style glass French door.











Specify LH or RH (RH shown)



www.Doormerica.com













African Mohogany

Cherry



Optional 8 foot tall doors are available in Primed White and Pine species only.



Optional 8 foot tall door features additional panel at bottom



Frosted glass with triple border for a contemporary look.



**FROSTED GLASS** 

**Solid Frosted** 

Uniform obscure glass with etched surface for a clean timeless design.



FAMILY:

**FROSTED GLASS** 

Three dimensional pattern created by a unique screening process adds depth and texture.







PRIVACY RATING

CLEAR



Frosted pattern on both sides






www.Doormerica.com



15



Optional 8 foot tall doors are available in Primed White and Pine species only.



Optional 8 foot tall door features additional panel at bottom



Grape pattern at center of frosted glass with marginal border.



**FROSTED GLASS** 

Frosted glass with pantry design and marginal border.



FAMILY:

**FROSTED GLASS** 

Laundry room design with frosted marginal border.








PRIVACY RATING

CLEAR



Available in 2/6, 2/8, 3/0 only







www.Doormerica.com



PRIVACY RATING CLEAR

17



## **Limited Warranty**

This warranty applies only to the Decorative Series described doors by Doormerica - American Building Supply, Inc. Should any doors manufactured by Doormerica Decorative Series fail to conform to this written warranty, Doormerica - American Building Supply, Inc. will, at our option, either:

- 1. Replace the doors to the distributor or the person making the warranty claim. The doors will only be replaced in the exact same manner in which the doors were originally sold.
- 2. Repair the doors.
- 3. Refund the original purchase price paid to Doormerica American Building Supply, Inc. for the doors. In no claim situation will Doormerica American Building Supply, Inc. pay for ANY labor for the finishing or installation of the replacement doors, or any other costs associated to the replacement of the doors. Contact our sales office for claims procedure form and exact details on any claim situation.

#### **Warranty Periods:**

Construction Type	Interior	Exterior
Residential 1-3/8 Decorative Series	1 Year	N/A
With Clear Pine frame	1 Year	N/A
With Knotty Pine frame	1 Year	N/A
With Oak frame	1 Year	N/A
Specialty Glass	1 Year	N/A

This warranty is subject to the following tolerances:

1. Size Tolerance:

- a. Thickness + or 1/16"
- b. Width + or 1/16"
- c. Height + or 1/16"
- 2. Squareness Tolerance:
- a. Diagonal measurement will not exceed 1/4"
- 3. Warp Tolerance:

Warp will be measured with a straight edge along the concaved face of the door, if the measurement is 1/4'' or less the door will not be considered as defective.

4. Glass tempered or laminated.

#### This warranty is subject to the following storage & handling instructions:

- Store doors flat on a level surface in a dry, well ventilated building. Doors should be kept at least 3-1/2"
  off the floor and should have protective coverings under the bottom door and over the top. Covering
  should protect doors from dirt, water and abuse but allow air circulation under and around the stack.
  Avoid exposure to any sunlight or artificial light.
- 2. Certain species (e.g., Clear Pine, Knotty Pine, Oak, Cherry, Fir, Knotty Alder, Maple & African Mohogany) are more susceptible to discoloration if exposed to either sunlight or some forms of artificial light. To protect doors from light damage after delivery, opaque plastic wrapping is recommended.

#### This warranty is subject to the following finishing instructions:

Interior primed and stain doors should be finished in accordance with the published Doormerica care
and finishing instructions for Decorative interior doors. Always follow paint/varnish manufacturer's
recommendation.

Warranty limitations and exclusions:

- 1. The natural variations or unsatisfactory results in color, texture, gloss level, or appearance resulting from the field application of paint or any other finishing material.
- 2. Warp not exceeding 1/4" in the plane of the door itself. Warp shall include bow, cup and twist. For doors larger than 3/0 x 7/0, warp not exceeding 3/8" in the plane of the door itself.
- Doors left unfinished at the job site and exposed to the sun or excessive cold, heat, or moisture.
   Glass or mirror breakage.
- 5. Doors used in exterior applications.
- 6. Cutting doors more than 2" in height from bottom rail and/or more than a total of 3/8" in width (maximum 3/16" each side).
- 7. Failure to follow Care & Finishing, Installation, and Maintenance Instructions
- 8. Poor Installation. Including, but not limited to, improper on-site storage per Care & Finishing.

There are no warranties that extend beyond the foregoing, and the manufacturer's responsibility under this warranty is as stated herein. No dealer, distributor or person other than the manufacturer has the right to alter this warrant verbally or in writing. The manufacturer shall not be liable for consequential, indirect or incidental damage, or for any amount in excess of the manufacturer's price for the doors involved, whether the claim is for breach of warranty or negligence.

In order to provide our customers with the finest products, manufactured in the most up-to-date manner, Doormerica - American Building Supply, Inc. reserves the right to make design or specific construction changes without notice.

## **Care & Finishing**

- 1. Wood is dimensionally influenced by changes in moisture content caused within its surrounding environment. To assure uniform moisture exposure and dimensional control all surfaces must be finished.
- 2. Preparation Doors should not be considered ready for painting when initially received. Prior to painting, remove all handling marks, raised grain, scuffs, burnishes and other undesirable blemishes by completely block sanding all surfaces with 180-220 grit sand paper or fine sanding sponges and spot prime as needed. To avoid cross grain scratches, sand with the grain. Paint or seal all six sides of the door.
- 3. Stain doors: To avoid blotches, we recommend a wood sealer, sanding with #400 grit sander between coats and then applying two or more coats of top coating, according to finish requirements. Certain species of wood, particularly oak, contain chemicals that react unfavorably with foreign materials in the finishing process. Eliminate the use of steel wool on bare wood, rusty containers or any other contaminate in the finishing system. Contact the finishing supplier regarding the correct application and use of these products.
- 4. Knotty Pine & Knotty Alder Doors: Our recommendation is for 3 top coats of a clear finish (varnish). A wood sealer is also recommended. Sand with #400 grit sander between coats and then applying two or more coats of the clear finish (varnish), according to manufacturer's recommendation.
- 5. Between Coats Insure that the door surfaces being painted are satisfactory in both smoothness and color before applying the next coat. Sand if necessary and be sure that each coat is hard and dry before applying the next coat.
- 6. Paint Selection On factory primed doors, a waterborne all acrylic latex finish is most compatible with the primers used and is highly recommended. Always obtain and follow paint manufacturers recommendations. Never attempt to paint in high moisture conditions, for the paint will not dry quickly enough and will penetrate into the door and can cause expansion and surface irregularities.
- 7. During paint application process doors should be stood straight up or hanging. Do not lean doors or lay doors down without equal support throughout the door to avoid warpage. Insure that the environment that the doors are painted in is dry and at a temperature recommended by paint manufacturer.
- 8. Test Door Always only paint ONE door to assure quality first. Doormerica American Building Supply, Inc. must be contacted immediately if any quality issues are noticed.

**Cleaning and Touch-up:** 

- Inspect all doors prior to hanging them on the job and repair noticeable marks or defects that may have occurred from improper storage and handling.
- 2. Field touchup shall include the filling of exposed nail or screw holes, re-finishing raw surfaces resulting from job fitting, repair of job inflicted scratches and mars, and final cleaning of finished surfaces. Field repairs and touch ups are the responsibility of the installing contractor.
- 3. When cleaning frosted glass use clear water and squeegee only. Household cleaners and chemicals may damage the frosted, design side. Do not use towels or cloths when cleaning the frosted side as they may leave residue.
- 4. When cleaning door surfaces, use a non-abrasive commercial cleaner designed for cleaning wood door or paneling surfaces, that do not leave a film residue that would build up or effect the surface gloss of the door finish.

### Doors must be sealed on all surfaces including top and bottom.

# Warranty Claim

All doors manufactured by Doormerica - American Building Supply, Inc. are warranted to be free from defects in materials and workmanship. Although our stringent quality control system and our utilization of modern packaging and shipping methods assure that virtually all doors arrive at their destination in perfect condition, occasionally a problem does occur. To comply with the terms of our sales agreement, and to assure the most expedient resolution of any problem, the following steps must be followed.

#### **Information Requirement:**

The written claim notice must include:

- 1. Invoice number
- 2. Date of purchase
- 3. Purchase order number
- 4. All pertinent information on the original order
- 5. Detailed explanation of defect.

#### **Inspection Requirement:**

Doors that are pre-machined at our factory should be checked against the frame, in which they are to be installed, for correct machining prior to installation.INSTALLATION OF ANY PRE-MACHINED DOOR SHALL CONSTITUTE ACCEPTANCE. WARNING - Field Finished Doors. All doors that are to be field finished must be checked thoroughly. It is the responsibility of the finisher to prepare the doors by either hand sanding or power sanding each door to remove all handling marks. Sand paper grit and duration of preparation time depends on the finish that is required. If problems occur, the finishing process must stop and Doormerica - American Building Supply, Inc. must be contacted. Finishing of any doors shall constitute acceptance.

#### **Notice Requirement:**

Since Doormerica - American Building Supply, Inc. can not control the handling or exposure of doors following receipt, a specific duty of inspection is imposed upon the purchaser as a condition precedent to any claim. Such inspection must be made upon receipt of goods. Should a manufacturing defect be discovered, a written notice of the claim must be received by Doormerica - American Building Supply, Inc. within 15 days of receipt of the goods or, in the event of a latent defect, from the date that such defect was, or should have been discovered. It will be the responsibility of Doormerica - American Building Supply, Inc. to determine the most efficient method to remedy such defect. Any repairs authorized or performed by any party, other than Doormerica - American Building Supply, Inc. No claim will be honored unless the proper notification, as outlined above, has been received.

#### **Transportation Related Damage:**

Doormerica - American Building Supply, Inc. does not guarantee safe delivery of goods. Our responsibility ceases with issuance of the bill of lading showing delivery in good order to the transportation company. All claims for shortages, loss, delay or damage from any cause must be filed by the consignee upon the transportation company.





ABS - AMERICAN BUILDING SUPPLY, INC.