

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**CHILD CARE CENTER INSPECTION REPORT**

<b><i>Establishment Information</i></b>	
Facility Name Tree House Child Development Facility 2	Facility Type Family Day Care
Licensee Name Tree House Child Development Facility 2	Facility Telephone # 304
Facility Address 155 Waverly Court Martinsburg , WV	Licensee Address 155 Waverly Court Martinsburg , WV 25403

<b><i>Establishment Details</i></b>		
Adult to Child Ratio	12 children: 1-1; 3-2's; 8 over 2=2 adults	
<b><i>Inspection Information</i></b>		
Inspection Type Routine	Inspection Date 04/30/2018	Total Time Spent 0.95

**OPERATOR** - The violations in operating procedure or physical arrangement indicated below must be corrected by the next routine inspection or by a date specified in this report.

**ObservedViolations**

**Total # 8**

**Repeated # 2**

**11.2.A - All food preparation, service and storage areas, and all equipment and utensils shall be kept clean and in good repair;**

**OBSERVATION:** drawer beneath stove holding extra sippy cups needs to be cleaned

**11.2.E - Food shall be in sound condition, free from spoilage, filth or other contamination and shall be obtained from approved sources. Home-canned food is prohibited except for jams, jellies, preserves, apple butter, syrup and honey. Fluid milk and milk produc**

REPEAT OBSERVATION bologna from April 18-out of original wrapper-past 7 days

**5.1.B. - Child care center buildings or structures shall be of sound structure and maintained in good repair.**

REPEAT OBSERVATION kitchen-small tear in refrigerator door gasket

**5.1.B. - Child care center buildings or structures shall be of sound structure and maintained in good repair.**

**OBSERVATION:** kitchen ceiling light-2 bulbs need replaced and also ceiling light in hallway

**5.1.B. - Child care center buildings or structures shall be of sound structure and maintained in good repair.**

**OBSERVATION:** sofa-tear in back corner exposing sofa filling and small tear in arm; also curtains need frayed edges trimmed

**5.2.A - Floors, walls and ceilings shall be of easily cleanable construction.**

**OBSERVATION:** main restroom-floor coving needs cleaned

**5.4.D - The child care center shall be free of insects and rodents at all times.**

**OBSERVATION:** mouse droppings observed in garage-used for storage of toys, etc

**6.1 - All activity equipment shall be free of safety hazards, shall be of smooth construction and, where applicable, easily cleanable. Activity equipment shall include, but not be limited to: toys, furnishings, tables, chairs, cots and similar equipment.**

**OBSERVATION:** play equipment-clean before using(standing water and bird droppings)

**Inspection Outcome**

**Comments**

Refrigerator-34; Bleach bottle 50ppm

Pest control treatment needed for garage-Be sure all holes are filled, openings tight, etc

\*Playground to be re-surfaced

Disclaimer

Person in Charge



Sanitarian



Amy ARE Edwards