



West Virginia Department of Health & Human Resources

Berkeley County Health Department

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours for Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 CSR 17-3.1.j).

OBSERVATIONS TOTALS: PRIORITY 1 PRIORITY FOUNDATION 0
 CORE 11 TOTAL 12

ESTABLISHMENT: 5 Spot #1 PERMIT NO.: _____ DATE: 10/1/2019
 ADDRESS: 26 Emery Lane CITY: Inwood STATE: WV ZIP: 25428
 PERSON IN CHARGE/TITLE: X Connie Patterson TELEPHONE: _____
 RECEIVED BY (SIGNATURE): X [Signature] SANITARIAN (SIGNATURE): [Signature]
 INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT OTHER: _____ TIME: 1:00 pm

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
		✓	6-501.16	Mop needs to Air Dry
			4-501.11	Frigidaire Chest Freezer needs defrosted
		✓	6-501.11	Dumpster Area needs repaired (Asphalt Buckling)
		✓	6-501.11	Screw holes above 3-Bay sink need repaired.
	✓		4-602.11	Nozzles on Water Dispenser need cleaned (Mold/Lime)
		✓	6-501.11	Electrical Outlet under coffee counter needs repaired (Wires Exposed)
		✓	6-501.12	Area under coffee counter needs cleaned.
			3-304.12	Styrofoam cups stored on Paper Towel (Non-Cleanable)
		✓	6-501.11	Light cover/Fan missing in women's bathroom and needs repaired.
		✓	6-501.11	Trim beside women's bathroom missing and needs replaced (nails exposed)
		✓	6-501.11	Hole in wall beside Corona Extra sign needs sealed/repaired.
			6-501.11	Outlet cover for stereo behind stand needs replaced (missing) Exposed Wires.

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
Pepsi	39°						