

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Waffle House-Inwood	Facility Type Food Service Establishment	
Licensee Name East Coast Waffles, Inc.	Facility Telephone # 304 229-6102	
Facility Address 4851 Gerrardstown Rd Inwood , WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 12/17/2018	Total Time Spent 2.00

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Walk in cooler	28
reach in 1	41
Reach in 2/3	35
Reach in 4	38
top of cold prep	40
lower prep	39

<b>Food Temperatures</b>	
Description	Temperature (Fahrenheit)
sausage gravy	155
onions in prep	35
pickles	38

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Sanitizerbottlesani tizerpansdishmac hine	chemheatheat		50		

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

**Observed Critical Violations**

**Total # 2**

**Repeated # 0**

**2-401.11 - EATING, DRINKING, OR USING TOBACCO**

**This is a critical violation**

**OBSERVATION: (CORRECTED DURING INSPECTION):** Multiple employees drinks observed without lids

**4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS**

**This is a critical violation**

**OBSERVATION: (CORRECTED DURING INSPECTION):** Shelves in stand up cooler need cleaned, old food and mold

**Observed Non-Critical Violations**

**Total # 8**

**Repeated # 0**

**4-601.11(C) - NON-FOOD CONTACT SURFACES**

**OBSERVATION:** Shelf under grill needs cleaned, grease

**4-601.11(C) - NON-FOOD CONTACT SURFACES**

**OBSERVATION:** Sides of grill need cleaned, old food piled up in corners

**5-501.113 - COVERING RECEPTACLES**

**OBSERVATION: (CORRECTED DURING INSPECTION):** Dumpster lids open at time of inspection

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Gaskets on several fridges need replaced, ripped and coming apart

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION: (CORRECTED DURING INSPECTION):** Standing water observed on floor of walk in

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Floor under dish machine needs cleaned, food debris and trash

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Fan in walk in needs cleaned, dust

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Floor around back door needs cleaned, dirt, debris from outside

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge

Sanitarian



**jason gomberg**



**Luke Hartley**