

**West Virginia Department of Health
& Human Resources
Berkeley County Health Department**

No image found with name: Berkeley.png. Image files needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information	
Facility Name Burke Street Elementary	Facility Type Food Service Establishment
Licensee Name Berkeley Co. Board of Education	Facility Telephone # 304 267-3525
Facility Address 422 Burke St Martinsburg, WV	Licensee Address ,

Inspection Information		
Inspection Type Routine	Inspection Date 11/07/2017	Total Time Spent 1.42

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Hot box	153
Victory Cooler	38
Hoshizaki Cooler	38
Milk cooler	39

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
BucketDishmachinespraysanitize r3baysinkquatspray-premixed	ChemicalHeatch emicalchemical	160	100	Chlorin eHeat	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0 Repeated # 0

Observed Non-Critical Violations
Total # 1 Repeated # 0 6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR OBSERVATION: Wall behind ice machine needs repaired (flaking).

Inspection Outcome

Comments

Disclaimer

Person in Charge


Lisa Talbott

Sanitarian


Keith Allison