





WELDING & METALWORKING



Abrasives	912 - 938
Brushes	939 - 947
Cutting Tools	948 - 991
Parts Cleaners	992 - 995
Lubricating Equipment	996 - 1001
Chemicals	1002 - 1037
Paint & Painting Supplies	1038 - 1054
Sandblasting & Fume Extractors	1055 - 1061
Gas Equipment & Accessories	1062 - 1075
Reels & Welding Accessories	1076 - 1079
Soldering Tools & Accessories	1080 - 1083
Arc Tools & Accessories	1084 - 1089
Welding Machines	1090 - 1093
MIG Guns & Accessories	1094 - 1099
TIG Torches & Accessories	1100 - 1114
Pipe Layout Measuring Tools	1115 - 1117
Welding Screens & Blankets	1118 - 1119
Welding Helmets & Lenses	1120 - 1128
Welding Clothing & Gloves	1129 - 1134
Alloys & Fluxes	1135 - 1141
Metal Working Fluids & Equipment	1142 - 1153





REINFORCED CUT-OFF WHEELS

Typical Applications

- Cutting sheet metal
- Cutting pipe
- Foundry/forge shops – gate/riser removal, cutting forgings
- Metal plate dimensioning
- Ship building – metal fabrication
- Tool room – cutting drill bits, steel bar, tubing, metallurgical sectioning
- Construction – concrete/masonry work

To be used with:

- Portable grinder small diameter (2" - 4")
- Right angle grinder (4" - 9")
- Circular saw (6" - 8")
- High-speed gas/electric saw (12" - 16")
- Stationary machine large diameter (10" - 30")
- Chop saw (10" - 16")

PORTABLE SMALL DIAMETER REINFORCED CUT-OFF WHEELS



NORZON PLUS TYPE 01

- Patented Norton SG (ceramic alumina)/NorZon (zirconia alumina) grain combination
- Highly advanced bond system
- State-of-the-art manufacturing
- NorZon Plus: Up to 3x life versus aluminum oxide wheels on carbon steel, stainless and cast iron, 40% faster cut rate versus standard aluminum oxide wheels
- Superior wheel balance



NORTON

Model No.	Mfg. No.	D" x T" x A"	Max RPM	Price /Each
NS138	C0303514NZZ	3 x 1/32 x 1/4	25 465	5.90
NS139	C0303538NZZ	3 x 1/32 x 3/8	25 465	5.90
NS140	C0311614NZZ	3 x 1/16 x 1/4	25 465	5.90
NS142	C0311638NZZ	3 x 1/16 x 3/8	25 465	5.90
NS145	C031838NZZ	3 x 1/8 x 3/8	25 465	7.23
NR003	C0403538NZZ	4 x 1/32 x 3/8	19 100	8.11
NR004	C0411614NZZ	4 x 1/16 x 1/4	19 100	8.11
NR005	C0411638NZZ	4 x 1/16 x 3/8	19 100	8.11
NR006	C041838NZZ	4 x 1/8 x 3/8	19 100	10.80

GEMINI TYPE 01

- Advanced formulation
- Free cutting
- Maximizes the performance of conventional aluminum oxide abrasive
- Engineered to cut hard materials



NORTON

Model No.	Mfg. No.	D" x T" x A"	Max RPM	Price /Each
NS172	C0303514GFC	3 x 1/32 x 1/4	25 465	2.12
NS174	C0303538GFC	3 x 1/32 x 3/8	25 465	2.12
NS176	C0311614GFC	3 x 1/16 x 1/4	25 465	2.12
NS178	C0311638GFC	3 x 1/16 x 3/8	25 465	2.12
NS180	C031814GFC	3 x 1/8 x 1/4	25 465	3.30
NS182	C031838GFC	3 x 1/8 x 3/8	25 465	3.39
NS184	C0403514GFC	4 x 1/32 x 1/4	19 100	2.91
NS186	C0403538GFC	4 x 1/32 x 3/8	19 100	2.91
NS188	C0411614GFC	4 x 1/16 x 1/4	19 100	2.91
NS189	C0411638GFC	4 x 1/16 x 3/8	19 100	2.91
NS191	C041814GFC	4 x 1/8 x 1/4	19 100	4.09
NS192	C041838GFC	4 x 1/8 x 3/8	19 100	3.97

D x T x A: Diameter x Thickness x Arbor Size

BASIC 2 IN 1

- Basic fast-cut
- Used in various applications
- For use on steel & stainless steel



TYROLIT

Model No.	Mfg. No.	D" x T" x A"	Max RPM	Price /Each
TYPE 01				
NU421	222899	4 1/2 x 1/16 x 7/8	13 300	2.42
NU422	222900	5 x 1/16 x 7/8	12 250	2.54
TYPE 27				
NU419	222858	4 1/2 x 1/4 x 7/8	13 300	3.05
NU420	222860	5 x 1/4 x 7/8	12 250	3.30

PREMIUM 2 IN 1 THINCUT

- Superior comfort and performance
- Offers a fast, cool and burr free cut
- Free cutting reduces workload and increases productivity
- Highly reinforced cutting wheel
- For use on steel & stainless steel

TYROLIT



Model No.	Mfg. No.	D" x T" x A"	Max RPM	Price /Each
TYPE 01				
NU404	384142	4 1/2 x 3/64 x 7/8	13 300	3.26
NU405	384143	5 x 3/64 x 7/8	12 250	3.32
NU406	401205	6 x 3/64 x 7/8	10 200	4.27
TYPE 27				
NU554	34042238	4 1/2 x 3/64 x 7/8	13 300	3.26
NU397	34042239	5 x 3/64 x 7/8	12 250	3.32
NU408	34042240	6 x 3/64 x 7/8	10 200	4.27

CUBITRON™ II CUT-OFF WHEELS

- Designed to provide high cut rates and long life on all types of ferrous metals, stainless steels, alloy steels and cast iron
- Cool cutting for a higher quality and faster cut
- Fast cool cutting helps extend the life of the tool

3M



Model No.	Mfg. No.	D" x T" x A"	Max RPM	Price /Each
TYPE 01				
NU222	051115-66518	4 x 0.035 x 3/8	19 100	5.65
NU224	051115-66520	4 x 0.06 x 3/8	19 100	6.28
NU225	051115-66521	4 x 0.09 x 5/8	15 300	5.93
NU226	051115-66522	4 x 0.045 x 5/8	15 300	6.27
NU228	051115-66524	4 x 0.125 x 3/8	19 100	8.18
NU229	051115-66525	4 1/2 x 0.045 x 7/8	13 300	4.45
NU230	051115-66526	5 x 0.045 x 7/8	12 250	5.05
NU231	051115-66527	6 x 0.045 x 7/8	10 200	5.35
NU232	051115-66528	7 x 0.045 x 7/8	8 500	7.28
TYPE 27				
NU233	051115-66529	4 x 0.045 x 5/8	15 300	6.28
NU362	051115-66531	4 1/2 x 0.045 x 7/8	13 300	4.70
NU236	051115-66535	4 1/2 x 0.125 x 7/8	13 300	7.77
NU237	051115-66537	5 x 0.045 x 7/8	12 250	5.52
NU238	051115-66539	5 x 0.09 x 7/8	12 250	5.85
NU363	051115-66541	6 x 0.045 x 7/8	10 200	5.97
NU240	051115-66543	7 x 0.09 x 7/8	8 500	10.80

RIGHTCUT EVO

- Quality aluminum oxide grain
- Consistent performance at a competitive price
- Ideal for small jobs on a variety of metal applications from carbon to stainless steels
- Unique reinforcement design
- Provides safety, strength and straight cuts
- Extra thin
- Quick cutting action and low kerf loss



NORTON

Model No.	Mfg. No.	Size			Max RPM	Price /Each
		D" x	T" x	A"		
TYPE 01						
NS003	RC5G	5 x	3/64 x	7/8	12 225	4.32
NS211	RC7G	7 x	1/16 x	7/8	8730	6.03
TYPE 27						
NS093	RC45G27	4 1/2 x	3/64 x	7/8	13 580	2.87
NS094	RC5G27	5 x	3/64 x	7/8	12 225	3.39
NS096	RC7G27	7 x	1/16 x	7/8	8730	4.62

BLUEFIRE RIGHT ANGLE GRINDERS

- Upgraded zirconia alumina grain chemistry and shape, blended with premium aluminum oxide grain provides 2-3 times the life of aluminum oxide wheels
- Broad utility: from light- to heavy-pressure applications, on a wide range of materials: stainless steel, carbon steel, and alloys, to grey iron



NORTON

Model No.	Mfg. No.	Size			Max RPM	Price /Each
		D" x	T" x	A"		
TYPE 01						
NR991	66252843208	4 1/2 x	0.045 x	7/8	13580	3.60
N0015	66252843209	5 x	0.045 x	7/8	12225	3.95
TYPE 27						
NR994	66252843219	4 1/2 x	0.045 x	7/8	13580	3.83
N0018	66252843220	5 x	0.045 x	7/8	12225	4.59

NORZON PLUS RIGHTCUT

- High performance, proprietary ceramic and zirconia alumina abrasives blend
- Far fewer wheel changes required so job is completed faster
- Ideal for applications on steel and stainless steel
- Extra thin, quick cutting action; minimal low kerf loss




NORTON

Model No.	Mfg. No.	Size			Max RPM	Price /Each
		D" x	T" x	A"		
TYPE 01						
NS194	66252830730	4 1/2 x	0.045 x	7/8	13 580	5.55
NS195	66252830731	5 x	0.045 x	7/8	12 225	6.30
NS196	66252842008	6 x	0.045 x	7/8	10 185	6.82
TYPE 27						
NS197	66252843320	4 1/2 x	0.045 x	7/8	13 580	6.47
NS198	66252843329	5 x	0.045 x	7/8	12 225	7.01
NS199	66252842009	6 x	0.045 x	7/8	10 185	7.23

HIGH SPEED REINFORCED CUT-OFF WHEELS

- **Universal arbor:** 1"/20-mm knock out arbor fits all gas and electric high speed saws, 20-mm bushing is pre-mounted into the 1" hole use as is for a 20-mm arbor or remove bushing for a 1" arbor (once bushing is removed, cannot be replaced)
- **Asphalt:** Special blend of extra coarse silicon carbide ideal for cutting asphalt, green concrete, wide range of aggregates and abrasive materials
- **Concrete:** Coarse grit silicon carbide for cutting brick, block, concrete and other masonry products
- **Ductile:** Special blend of silicon carbide and aluminum oxide ideal for cutting ductile, cast iron pipe, concrete lined water pipes, sewer construction and heavy-duty PVC
- **Metalworking:** High performance aluminum oxide ideal for general purpose cutting of steel and stainless steel parts (rebar, steel pipe, structural steel, sheet metal, etc)



NORTON

Model No.	Mfg. No.	Size			Max RPM	Price /Each
		D" x	T" x	A"		
FOR ASPHALT						
NR146	70184670243	12 x	1/8 x	1 1/2" 20 mm	6360	9.35
NR147	70184672877	14 x	1/8 x	1 1/2" 20 mm	5400	13.50
FOR CONCRETE						
NR865	66252837839	12 x	1/8 x	1 1/2" 20 mm	6360	7.07
NR868	66252837842	14 x	1/8 x	1 1/2" 20 mm	5400	10.70
NS234	70184623029	16 x	1/8 x	1 1/2" 20 mm	4800	19.60
FOR DUCTILE						
NR866	66252837840	12 x	1/8 x	1 1/2" 20 mm	6360	7.53
NR869	66252837843	14 x	1/8 x	1 1/2" 20 mm	5400	11.40
FOR METALWORKING						
NR864	66252837838	12 x	1/8 x	1 1/2" 20 mm	6360	7.07
NR867	66252837841	14 x	1/8 x	1 1/2" 20 mm	5400	10.70

LARGE DIAMETER REINFORCED CUT-OFF WHEELS FOR STATIONARY SAWS



GEMINI LARGE DIAMETER TYPE 01

- Quality aluminum; sets the aluminum oxide industry standard for cutting all oxide abrasive material in metal fabrication applications



NORTON

Model No.	Mfg. No.	Size			Max RPM	Price /Each
		D" x	T" x	A"		
GEMINI FREE CUT						
NS242	C01418GFC	14 x	1/8 x	1	4365	23.40
NS244	C016532GFC	16 x	5/32 x	1	3820	32.00
NS246	C018532G	18 x	5/32 x	1	3015	54.20
NS247	C020532GFC	20 x	5/32 x	1	2710	53.40
NS249	C020316GFC	20 x	3/16 x	1	2710	58.80
GEMINI LONG LIFE						
NS241	C01218GLL	12 x	1/8 x	1	5095	15.60
NS243	C01418GLL	14 x	1/8 x	1	4365	23.40
NS245	C016532GLL	16 x	5/32 x	1	3820	32.00
NS248	C020532GLL	20 x	5/32 x	1	2710	53.40
NS250	C020316GLL	20 x	3/16 x	1	2710	58.80

D x T x A: Diameter x Thickness x Arbor Size

OFFICE PRODUCTS

INSTRUMENTS, SCALES & ELECTRICAL

SHIPPING & PACKAGING

TOOLS & EQUIPMENT

WELDING & METALWORKING

SAFETY EQUIPMENT & SUPPLIES

JANITORIAL & MAINTENANCE

MATERIAL HANDLING & STORAGE

CIRCULAR SAW REINFORCED CUT-OFF WHEELS



MASONRY & METAL TYPE 01

- Versatile, ideal for slotting and cutting when initial cost is a main consideration
- Gemini all purpose:** Quality aluminum oxide abrasive, sets the aluminum oxide general purpose industry standard for cutting rough sides all material in metal fabrication applications
- Norton masonry:** Sharp, silicon carbide grain, engineered for all masonry materials such as concrete, brick and asphalt
- Norton metal:** Quality aluminum oxide abrasive, designed for cutting alloys, steels and ferrous metals



NORTON

Model No.	Mfg. No.	D" x T" x A"	Description	Max RPM	Price /Each
NS216	C0716G	7 x 1/16 x 5/8	Metal	8730	5.42
NS217	C0718M	7 x 1/8 x DM*	Metal	8730	3.41
NS218	C0718MA	7 x 1/8 x DM*	Masonry	8730	3.58
NS220	C0816G	8 x 1/16 x 5/8	Metal	7640	6.42
NS221	C0818M	8 x 1/8 x DM*	Metal	7640	4.10
NS222	C0818MA	8 x 1/8 x DM*	Masonry	7640	4.62

* DM: denotes diamond mount; 5/8" hole bushing included

CHOP SAW REINFORCED CUT-OFF WHEELS



BLUEFIRE CHOP SAW WHEELS

- Upgraded zirconia alumina grain chemistry and shape, blended with premium aluminum oxide grain provides 2-3 times the life of aluminum oxide wheel.
- Broad utility: from light to heavy pressure applications, on a wide range of materials: stainless steel, carbon steel and alloys, to gray iron
- Excellent performance-to-price ratio lowers total grinding costs
- Long Life:** Side reinforced; ideal for small cross-section work pieces, resist breakage and provide straight cuts
- Rapid Cut:** Centrally reinforced, non-binding, free-cutting, rough sides, burr- and burr-free cuts



NORTON

Model No.	Mfg. No.	Additional Description	Size D" x T" x A"	Max RPM	Price /Each
NR0021	66252843250		12 x 3/32 x 1	5095	15.70
NR996	66252843253	Long Life	14 x 3/32 x 1	4365	20.90
NR0010	66252843254	Rapid Cut	14 x 3/32 x 1	4365	20.90
NR987	66252843257	Long Life	16 x 3/32 x 1	3820	30.60

14" ABRASIVE CHOP SAWS

- Powerful 15 Amp, 4.0 max. HP motor: Delivers maximum cutting performance in a wide variety of materials
- Large cutting capacity: Provides versatility for a wide range of cutting applications, up to 5" pipe
- 45° miter capacity with adjustable fence
- Quick adjust vise clamp: Allows clamp to be adjusted quickly when cutting different material sizes
- All ball bearing construction: Delivers maximum durability
- Includes:** Chop saw, vise, abrasive wheel, hex wrench

Model No. TLV202
Mfg. No. 6177-20
Price/Each \$276.00

SPECIFICATIONS

Amperage:	15.0
Motor Horsepower:	4.0
No Load RPM:	3900
Blade Diameter:	14"
Tool Weight:	40.0 lbs.



Milwaukee

PERFORMANCE PLUS 14" CHOP SAWS

- Ball bearing induction motor
- Spark deflector for safe operation
- Quick release vise for holding workpiece, which allows cuts up to a 45° angle

Model No. WK772
Mfg. No. 8342
Price/Each \$195.00

SPECIFICATIONS

Amperage:	15.0
No Load RPM:	3750
Blade Diameter:	14"
Max. Depth of Cut:	4"
Max. Width of Cut:	7 1/4"
Tool Weight:	45.0 lbs.



KING
SAWS

GEMINI TYPE 01

- Free Cut:** side reinforced; engineered for larger cross-sections and/or hard-to-cut materials, resist breakage and provide straight cuts
- Long Life:** side reinforced; ideal for small cross-section work pieces, resist breakage and provide straight cuts
- Rapid Cut:** centrally reinforced; free cutting, non-binding; burr- and burn-free cuts rough sides
- Aluminum:** specially formulated bond for aluminum and other soft, nonferrous metals, no wax or rubber fillers; free cutting, resists loading, no surface contamination



NORTON

Model No.	Mfg. No.	Size D" x T" x A"	Max RPM	Price /Each
GEMINI LONG LIFE				
NS255	C010764G	10 x 3/32 x 1	6110	10.70
NS256	C012764G	12 x 3/32 x 1	5095	8.58
NS259	C014764GLL	14 x 3/32 x 1	4365	10.70
NS261	C016764G	16 x 3/32 x 1	3820	18.70
GEMINI RAPID CUT				
NS257	C012764GRC	12 x 3/32 x 1	5095	7.53
NS260	C014764GRC	14 x 3/32 x 1	4365	9.46
GEMINI ALUMINUM				
NS258	C014764GALU	14 x 3/32 x 1	4365	13.70

FAST-CUT TYPE 01

- All purpose, thin or heavy gauge cutting
- Fast cutting
- Non glazing on thin or heavy gauges
- For use on steel & stainless steel



TYROLIT

Model No.	Mfg. No.	Size D" x T" x A"	Max RPM	Price /Each
NU402	20041210	14 x 3/32 x 1	4400	8.77

D x T x A: Diameter x Thickness x Arbor Size

DEPRESSED CENTRE GRINDING WHEELS

Typical Applications

- Metal fabrication
- Petrochemical maintenance
- All-weld grinding
- Shipbuilding
- Foundry – notching and removing gates and risers
- Pipeline – root pass grinding, pipe bevelling and repair
- Construction – masonry/concrete fabrication



NORZON PLUS TYPE 27

- Premium, combination of Norton SG (ceramic aluminum oxide) and NorZon (zirconia alumina)
- Up to 10 times the performance of aluminum oxide wheels
- Advanced bond system providing the fastest cutting zirconia wheel on the market; easy on the operator and equipment



Model No.	Mfg. No.	Size D" x T" x A"	Max RPM	Price /Each
FOR STEEL CUTTING/NOTCHING & LIGHT GRINDING				
NS053	DC4518NZP	4 1/2 x 1/8 x 7/8	13 580	10.10
NS054	DC518NZP	5 x 1/8 x 7/8	12 225	11.40
NS055	DC718NZP	7 x 1/8 x 7/8	8600	14.80
NS056	DC918NZP	9 x 1/8 x 7/8	6600	19.10
FOR STEEL GRINDING				
NS044	DC4514NZP	4 1/2 x 1/4 x 7/8	13 580	10.90
NS039	DC514NZP	5 x 1/4 x 7/8	12 225	12.60
NS059	DC614NZP	6 x 1/4 x 7/8	10 185	15.40
NS036	DC714NZP	7 x 1/4 x 7/8	8600	16.20
NS032	DC914NZP	9 x 1/4 x 7/8	6600	21.90

BLUEFIRE TYPE 27

- Upgraded zirconia alumina grain chemistry and shape, blended with premium aluminum oxide grain provide 2-3 times the life of aluminum oxide wheels
- Broad utility: from light- to heavy-pressure applications, on a wide range of materials: stainless steel, carbon steel, and alloys, to gray iron
- Excellent performance-to-price ratio lowers total grinding costs
- Contaminate-free INOX wheels contain <0.1% iron, sulfur, or chlorine for rust-free and corrosion-free results; will not contaminate stainless steel
- Foundry wheels have zirconia alumina/silicon carbide abrasive and an exceptionally strong reinforcement structure



Model No.	Mfg. No.	Size D" x T" x A"	Max RPM	Price /Each
FOR STEEL CUTTING/NOTCHING & LIGHT GRINDING				
NR992	66252843212	4 1/2 x 1/8 x 7/8	13580	5.55
NO016	66252843216	5 x 1/8 x 7/8	12225	6.30
NO014	66252843202	6 x 1/8 x 7/8	10185	8.46
NO031	66252843234	7 x 1/8 x 7/8	8600	9.25
NO020	66252843245	9 x 1/8 x 7/8	6600	14.30
FOR STEEL GRINDING				
NR981	66252843214	4 1/2 x 1/4 x 7/8	13580	5.92
NO017	66252843218	5 x 1/4 x 7/8	12225	6.74
NO005	66252843203	6 x 1/4 x 7/8	10185	8.61
NO032	66252843236	7 x 1/4 x 7/8	8600	9.98
NR985	66252843247	9 x 1/4 x 7/8	6600	15.80

NORTON METAL TYPE 27

- Quality aluminum oxide abrasive, ideal for grinding alloys, metals, steels and ferrous metals
- Ideal for on site and small unit job
- Type 27



NORTON METAL GRINDING WHEELS

Model No.	Mfg. No.	Size D" x T" x A"	Max RPM	Price /Each
FOR STEEL CUTTING/NOTCHING & LIGHT DEBURRING				
NR881	DC4518M	4 1/2 x 1/8 x 7/8	13 580	1.95
NR882	DC518M	5 x 1/8 x 7/8	12 225	3.04
NR883	DC718M	7 x 1/8 x 7/8	8600	4.62
FOR GRINDING				
NS130	DC4514M	4 1/2 x 1/4 x 7/8	13 580	2.10
NS132	DC514M	5 x 1/4 x 7/8	12 225	2.91
NS134	DC714M	7 x 1/4 x 7/8	8600	4.34

BLUEFIRE DEPRESSED CENTER WHEELS

- Upgraded zirconia alumina grain chemistry and shape, blended with premium aluminum oxide grain provides 2-3 times the life of aluminum oxide wheel.
- Broad utility: from light to heavy pressure applications, on a wide range of materials: stainless steel, carbon steel and alloys, to grey iron
- Excellent performance-to-price ratio lowers total grinding costs
- Will not contaminate stainless steel



Model No.	Mfg. No.	Size D" x T" x A"	Max RPM	Price /Each
FOR CUTTING/NOTCHING & LIGHT GRINDING				
NR989	66252843190	4 1/2 x 1/8 x 7/8	13580	5.16
NO027	66252843194	5 x 1/8 x 7/8	12225	5.74
NO030	66252843198	6 x 1/8 x 7/8	10185	7.26
NO025	66252843182	7 x 1/8 x 7/8	8600	8.56
FOR GRINDING				
NR978	66252843192	4 1/2 x 1/4 x 7/8	13580	5.42
NO028	66252843196	5 x 1/4 x 7/8	12225	5.86
NR990	66252843200	6 x 1/4 x 7/8	10185	7.59
NO026	66252843184	7 x 1/4 x 7/8	8600	9.23
NO004	66252843188	9 x 1/4 x 7/8	6600	13.70

CUBITRON™ II TYPE 27

- Produces very high cut rates on a wide variety of metals
- Used for heavy weld removal and many other grinding applications
- 3M precision-shaped grain for ultra fast cut and long life
- Specially formulated for use on stainless and mild steel
- Cool cutting for higher quality and faster cut



Model No.	Mfg. No.	Size D" x T" x A"	Max RPM	Price /Each
NU206	051115-66598	4 x 1/4 x 3/8	15300	8.67
NU207	051115-66597	4 x 1/4 x 5/8	15300	8.67
NU208	051115-66587	4 1/2 x 1/4 x 7/8	13300	8.98
NU205	051115-66588	5 x 1/4 x 7/8	12250	10.37
NU209	051115-66589	6 x 1/4 x 7/8	10000	12.70
NU210	051115-66590	7 x 1/4 x 7/8	8500	13.30
NU211	051115-66591	9 x 1/4 x 7/8	6650	18.00

D x T x A: Diameter x Thickness x Arbor Size

OFFICE PRODUCTS

INSTRUMENTS, SCALES & ELECTRICAL

SHIPPING & PACKAGING

TOOLS & EQUIPMENT

WELDING & METALWORKING

SAFETY EQUIPMENT & SUPPLIES

JANITORIAL & MAINTENANCE

MATERIAL HANDLING & STORAGE

ABRASIVES

GEMINI ALUMINUM OXIDE TYPE 27

- Quality aluminum oxide
- Consistent, maximum performance of aluminum oxide wheels at a competitive price
- Ideal for small job shops on a variety of metalworking applications
- **Gemini Aluminum:** Contains no wax or rubber fillers for grinding aluminum and soft metals without loading



NORTON

Model No.	Mfg. No.	D" x T" x A"	Size	Max RPM	Price /Each
FOR STEEL CUTTING, NOTCHING & LIGHT GRINDING					
NS106	DC4518G	4 1/2 x 1/8 x 7/8		13 580	2.54
NS040	DC518G	5 x 1/8 x 7/8		12 225	4.16
NS107	DC618G	6 x 1/8 x 7/8		10 185	5.57
NS108	DC718G	7 x 1/8 x 7/8		8 600	5.51
NS109	DC918G	9 x 1/8 x 7/8		6 600	7.52
FOR METAL & STEEL GRINDING					
NS042	DC4514G	4 1/2 x 1/4 x 7/8		13 580	2.62
NS037	DC514G	5 x 1/4 x 7/8		12 225	4.41
NS114	DC614G	6 x 1/4 x 7/8		10 185	5.53
NS116	DC714GFC	7 x 1/4 x 7/8		8 600	5.92
NS033	DC914GFC	9 x 1/4 x 7/8		6 600	8.79
GEMINI ALUMINUM					
NS121	DC4514GALU	4 1/2 x 1/4 x 7/8		13 580	7.57
NS122	DC514GALU	5 x 1/4 x 7/8		12 225	8.02
NS123	DC714GALU24	7 x 1/4 x 7/8		8 600	10.60

CUBITRON™ II CUT AND GRIND WHEEL TYPE 27

- 3M precision-shaped grain for ultra fast cut and long life
- Versatile – use as both a grinding wheel and cut-off wheel
- Specially formulated for use on stainless and mild steel
- Cool cutting for a higher quality and faster cut



3M

Model No.	Mfg. No.	D" x T" x A"	Size	Max RPM	Price /Each
NU358	82279	4 1/2 x 1/8 x 7/8		13 300	9.27
NU357	82278	5 x 1/8 x 7/8		12 250	10.68
NU355	28758	6 x 1/8 x 7/8		10 200	13.03
NU356	28760	7 x 1/8 x 7/8		8 500	13.67
NU361	28761	9 x 1/8 x 7/8		6 650	18.48

PREMIUM 2 IN 1 TYPE 27

- Offers comfort, high stock removal and long life
- Fast removal & operator comfort
- Used in various applications
- Exclusive blend of bonding & grain system
- For use on steel & stainless steel



TYROLIT

Model No.	Mfg. No.	D" x T" x A"	Size	Max RPM	Price /Each
NU410	5293	4 1/2 x 9/32 x 7/8		13 300	4.21
NU411	5313	5 x 9/32 x 7/8		12 250	4.60
NU412	5330	6 x 9/32 x 7/8		10 200	5.80

D x T x A: Diameter x Thickness x Arbor Size

916

MATERIAL HANDLIN & STORAGE

JANITORIAL & MAINTENANCE

SAFETY EQUIPMENT & SUPPLIES

WELDING & METALWORKING

TOOLS & EQUIPMENT

SHIPPING & PACKAGING

INSTRUMENTS, SCALES & ELECTRICAL

OFFICE PRODUCTS

LARGE ANGLE GRINDERS TRIGGER GRIP W/LOCK-ON OR NON LOCK-ON

- Debris baffles protect internal components by deflecting damaging debris out of the airflow at the intake vents
- External brush doors reduce service time by providing easy access to brushes
- Soft-grip main handle provides better control and comfort
- **Includes:** Side handle, 7" and 9" type 27 guard and spanner wrench

Model No. TLZ819
Mfg. No. 6088-30
Price/Each \$254.00



SPECIFICATIONS

Wheel Diameter: 7" to 9"
Voltage: 120 V
Amperage: 15 Amp
No Load RPM: 6000
Spindle Size: 5/8"
Tool Weight: 13.7 lbs.
Trigger, Non Lock-On
Model No.: TLZ820

ROTO™ LARGE ANGLE GRINDERS TRIGGER GRIP W/LOCK-ON OR NON LOCK-ON

- 9-position rotating handle allows the user to adjust the main handle for better control
- Debris baffles protect internal components by deflecting damaging debris out of the airflow at the intake vents
- External brush doors - reduces service time by providing easy access to brushes
- **Includes:** Side handle, 7" and 9" type 27 guard and spanner wrench

Model No. TLZ821
Mfg. No. 6089-30
Price/Each \$314.00



SPECIFICATIONS

Wheel Diameter: 7" to 9"
Voltage: 120 V
Amperage: 15 Amp
No Load RPM: 6000
Spindle Size: 5/8"
Tool Weight: 13.7 lbs.
Trigger, Non Lock-On
Model No.: TLZ82

ANGLE GRINDERS

- Rear handle design for greater control
- Trigger lock
- Light weight for high production work with less fatigue
- **Includes:** 5" grinding wheel 24 grit and side handle

Model No. TF719
Mfg. No. 9005B
Price/Each \$156.00



SPECIFICATIONS

Wheel Diameter: 5"
Voltage: 120 V
Amperage: 10 Amp
No Load RPM: 10000
Spindle Size: 5/8"
Tool Weight: 6.6 lbs.

BENCH GRINDING WHEELS

Typical Applications

- Offhand deburring and sharpening of parts and tools



GEMINI

- Quality, grey aluminum oxide for metal general purpose applications and sharp, green silicon carbide for nonferrous applications
- Each wheel contains nested bushings, accommodates a wide variety of standard arbor sizes
- Economical prices; ideal for small job shops and numerous applications
- All wheels supplied with bushings



NORTON

Model No.	Mfg. No.	Size			Grade	Max RPM	Price /Each		
ALUMINUM OXIDE WHEELS FOR STEEL APPLICATION									
NS320	36132	6	x	1/2	x	1	Coarse	4140	24.20
NS321	36131	6	x	1/2	x	1	Medium	4140	24.20
NS322	36133	6	x	1/2	x	1	Fine	4140	24.20
NS323	88245	6	x	3/4	x	1	Coarse	4140	28.20
NS324	88240	6	x	3/4	x	1	Medium	4140	28.20
NS325	88235	6	x	3/4	x	1	Fine	4140	28.20
NS326	88260	6	x	1	x	1	Coarse	3600	32.60
NS327	88255	6	x	1	x	1	Medium	3600	32.60
NS328	88250	6	x	1	x	1	Fine	3600	32.60
NS329	88275	7	x	1	x	1	Coarse	3600	39.90
NS330	88270	7	x	1	x	1	Medium	3600	39.90
NS331	88265	7	x	1	x	1	Fine	3600	39.90
NS332	88278	8	x	3/4	x	1	Coarse	3600	41.50
NS333	88277	8	x	3/4	x	1	Medium	3600	41.50
NS334	42317	8	x	3/4	x	1	Fine	3600	41.50
NS335	44454	8	x	1	x	1	Very coarse	3600	48.90
NS336	88286	8	x	1	x	1	Coarse	3600	48.90
NS337	88285	8	x	1	x	1	Medium	3600	48.90
NS338	88280	8	x	1	x	1	Fine	3600	48.90
NS339	60788	10	x	1	x	1	Very coarse	2485	74.50
NS340	88295	10	x	1	x	1	Coarse	2485	74.50
NS341	88290	10	x	1	x	1	Medium	2485	74.50
NS342	60350	10	x	1	x	1	Fine	2485	74.50
NS343	61250	10	x	1 1/4	x	1 1/4	Coarse	2485	88.50
NS344	61251	10	x	1 1/4	x	1 1/4	Medium	2485	88.50
NS345	61393	10	x	1 1/2	x	1 1/4	Coarse	2485	102.00
NS346	61395	10	x	1 1/2	x	1 1/4	Medium	2485	102.00
NS347	63052	12	x	1 1/2	x	1 1/2	Coarse	2070	141.00
NS348	63053	12	x	1 1/2	x	1 1/2	Medium	2070	141.00
NS349	63054	12	x	2	x	1 1/2	Very coarse	2070	181.00
NS350	63055	12	x	2	x	1 1/2	Coarse	2070	181.00
NS351	63056	12	x	2	x	1 1/2	Medium	2070	181.00

Model No.	Mfg. No.	Size			Grade	Max RPM	Price /Each		
SILICON CARBIDE WHEELS FOR NON-STEEL APPLICATIONS									
NS352	36571	6	x	1/2	x	1	Medium	4140	40.50
NS353	36572	6	x	1/2	x	1	Fine	4140	40.50
NS354	36573	6	x	1/2	x	1	Extra-fine	4140	40.50
NS355	37190	6	x	3/4	x	1	Medium	4140	48.20
NS356	37191	6	x	3/4	x	1	Fine	4140	48.20
NS357	37192	6	x	3/4	x	1	Extra-fine	4140	48.20
NS358	37187	6	x	1	x	1	Medium	3600	55.80
NS359	37193	6	x	1	x	1	Fine	3600	55.80
NS360	37194	6	x	1	x	1	Extra-fine	3600	55.80
NS361	42300	7	x	1	x	1	Medium	3600	71.70
NS362	42301	7	x	1	x	1	Fine	3600	71.70
NS363	42302	7	x	1	x	1	Extra-fine	3600	71.70
NS364	44087	8	x	1	x	1	Medium	3600	83.40
NS365	44534	8	x	1	x	1	Fine	3600	83.40
NS366	44535	8	x	1	x	1	Extra-fine	3600	83.40
NS367	44536	10	x	1	x	1 1/4	Medium	2485	133.00
NS368	60366	10	x	1	x	1 1/4	Fine	2485	133.00
NS369	63359	12	x	2	x	1 1/4	Medium	2070	321.00
NS370	63360	12	x	2	x	1 1/4	Fine	2070	321.00

Arbor bushings

These size bushings shipped free of charge with your Gemini wheel order

Wheel Diameter	Wheel Centre Hole	1/2"	5/8"	3/4"	7/8"	1"	1 1/4"
6", 7"	1"	•	•	•	•		
8"	1"		•	•	•		
10"	1 1/4"			•	•	•	
12" x 1"	1 1/4"			•	•	•	
12" x 2"	1 1/4"					•	
12"	1 1/2"						•

10" BENCH GRINDERS

- 14 A, 110 V, single phase
- Wheel diameter: 10"
- 1720 RPM
- Weight: 80 lbs.
- Includes: Removable wheel covers, plastic eye shields and medium and coarse grinding wheels

Model No. TZ815
Mfg. No. KC-1090
Price/Each \$376.00



See page 386 - 406 for Eye Protection Section



D x T x A: Diameter x Thickness x Arbor Size

OFFICE PRODUCTS

INSTRUMENTS, SCALES & ELECTRICAL

SHIPPING & PACKAGING

TOOLS & EQUIPMENT

WELDING & METALWORKING

SAFETY EQUIPMENT & SUPPLIES

JANITORIAL & MAINTENANCE

MATERIAL HANDLING & STORAGE

FLAP DISCS

Typical Applications

- Stock removal
- Deburring
- Blending welds
- Edge chamfering
- Rust removal
- Cleaning and finishing

NEON R766 ALUMINUM OXIDE

- Great for difficult-to-grind material such as aluminum, brass, bronze, stainless, carbon steel and titanium
- Good-performing, economically priced, general purpose discs
- Longer life and faster cut rate
- High-strength, lightweight & absorbs vibration
- Plastic wears away as disc grinds, allowing for full use of flap
- **Type 27 flat face:** High flap density, flexible plastic back discs
- **Type 29 conical shape:** Standard flap density



Model No.	Mfg. No.	Size D" x A"	Grit	Price /Each
TYPE 27				
N0083	66623399062	4 1/2 x 7/8	36	6.73
N0084	66623399063	4 1/2 x 7/8	40	6.73
N0085	66623399064	4 1/2 x 7/8	60	6.73
N0086	66623399212	5 x 7/8	40	6.78
N0087	66623399213	5 x 7/8	60	6.78
N0088	66623399214	5 x 7/8	80	6.78
N0089	66623399071	7 x 7/8	40	14.30
N0090	66623399072	7 x 7/8	60	14.30
N0091	66623399073	7 x 7/8	80	14.30
TYPE 29				
N0092	66623399032	4 1/2 x 7/8	36	5.61
N0093	66623399033	4 1/2 x 7/8	40	5.61
N0094	66623399034	4 1/2 x 7/8	60	5.61
N0095	66623399035	4 1/2 x 7/8	80	5.61
N0096	66623399175	4 1/2 x 7/8	120	5.61
N0097	66623399036	5 x 7/8	36	5.65
N0098	66623399037	5 x 7/8	40	5.65
N0099	66623399038	5 x 7/8	60	5.65
N0100	66623399039	5 x 7/8	80	5.65
N0101	66623399181	5 x 7/8	120	5.65
N0102	66623399187	7 x 7/8	36	11.90
N0103	66623399046	7 x 7/8	40	11.90
N0104	66623399047	7 x 7/8	60	11.90
N0105	66623399048	7 x 7/8	80	11.90
N0106	66623399188	7 x 7/8	120	11.90

747D (CERAMIC ALUMINUM OXIDE - TYPE 27)

- Premium ceramic mineral provides exceptional cut and life on the hardest metals



Model No.	Mfg. No.	Size D" x A"	Grit	Max RPM	Price /Each
BZ778	49613	4 1/2 x 7/8	36	13 300	5.73
BZ779	49614	4 1/2 x 7/8	50	13 300	5.73
BZ780	49615	4 1/2 x 7/8	60	13 300	5.73
BZ781	49616	4 1/2 x 7/8	80	13 300	5.73
BZ782	49617	4 1/2 x 7/8	120	13 300	5.73

D x A: Diameter x Arbor Size

QUICK TRIM SG BLAZE R980P - TYPE 27

- Latest-generation ceramic alumina abrasive grain and improved supersize grinding aid
- New orange, plastic back plate material
- Easily trimmable, the plastic wears away as the flap discs grind
- Durable Y-wt polyester flaps significantly improve life, grain retention, and fray resistance
- 1-step grinding and finishing
- Ideal for: Stock removal, edge chamfering, weld blending, deburring/deflashing, cleaning/finishing
- Best/highest productivity on stainless steel, titanium, and super alloys



Model No.	Mfg. No.	Size D" x A"	Grit	Max RPM	Price /Each
NR954	66254400253	4 1/2 x 7/8	40	13 300	8.46
NR955	66254400254	4 1/2 x 7/8	60	13 300	8.46
NR956	66254400255	4 1/2 x 7/8	80	13 300	8.46
NR957	66254400256	4 1/2 x 7/8	120	13 300	8.46
NR958	66254400262	5 x 7/8	40	12 000	10.60
NR959	66254400264	5 x 7/8	60	12 000	10.60
NR960	66254400265	5 x 7/8	80	12 000	10.60
NR961	66254400519	5 x 7/8	120	12 000	10.60
NR966	66254461059	7 x 7/8	40	8600	16.30
NR967	66254461060	7 x 7/8	60	8600	16.30
NR968	66254461061	7 x 7/8	80	8600	16.30
NR969	66254461063	7 x 7/8	120	8600	16.30
NR950	66254400257	4 1/2 x 5/8-11	40	13 300	10.50
NR951	66254400258	4 1/2 x 5/8-11	60	13 300	10.50
NR952	66254400259	4 1/2 x 5/8-11	80	13 300	10.50
NR953	66254400261	4 1/2 x 5/8-11	120	13 300	10.50
NR962	66254461066	7 x 5/8-11	40	8600	20.40
NR963	66254461067	7 x 5/8-11	60	8600	20.40
NR964	66254461068	7 x 5/8-11	80	8600	20.40
NR965	66254461069	7 x 5/8-11	120	8600	20.40

CUBITRON™ II 967A

- Ideal for a wide range of low to medium-high pressure applications
- Used for paint prep and stainless steel fabrication where finish and gouge resistance are important
- Safe on stainless steel, carbon steel, aluminum and non-ferrous metals
- Grinding aid helps keep product cool on heat-sensitive metals
- All discs have Y-weight poly-cotton backing



Model No.	Mfg. No.	Size D" x A"	Grit	Max RPM	Price /Each
TYPE 27					
NU325	051141-55605	4 1/2 x 7/8	40+	13 300	6.33
NU326	051141-55606	4 1/2 x 7/8	60+	13 300	6.33
NU327	051141-55607	4 1/2 x 7/8	80+	13 300	6.33
NU345	051125-86715	5 x 7/8	40+	12 000	6.97
NU348	051125-86718	5 x 7/8	60+	12 000	6.97
NU349	051125-86719	5 x 7/8	80+	12 000	6.97
NU328	051141-55611	7 x 7/8	40+	8600	10.80
NU329	051141-55612	7 x 7/8	60+	8600	10.80
NU330	051141-55613	7 x 7/8	80+	8600	10.80
TYPE 29					
NU331	051141-55623	4 1/2 x 7/8	40+	13 300	6.33
NU332	051141-55624	4 1/2 x 7/8	60+	13 300	6.33
NU333	051141-55625	4 1/2 x 7/8	80+	13 300	6.33
NU346	051125-86716	5 x 7/8	40+	12 000	6.97
NU347	051125-86717	5 x 7/8	60+	12 000	6.97
NU350	051125-86720	5 x 7/8	80+	12 000	6.97
NU334	051141-55629	7 x 7/8	40+	8600	10.80
NU335	051141-55630	7 x 7/8	60+	8600	10.80
NU336	051141-55631	7 x 7/8	80+	8600	10.80

NORTON METAL R828

- Quality zirconia alumina abrasive
- Strong engineered blend of X-wt cotton and Y-weight dark blue polyester flaps offers higher cut rate, longer life, and greater wear resistance
- Durable, fibreglass back offers strength, lightweight and absorbs vibration
- Available in both Type 29 conical for hard-to-grind materials and Type 27 flat for softer materials



PREMIUM 2 IN 1 – TYPE 29

- Grinding & finishing in just 1 step
- Offers high removal and an aggressive angle
- Superior combination of life & removal with a trimmable backing
- Lowers your blending & finishing costs
- For use on steel & stainless steel
- Material: Zirconium



Model No.	Mfg. No.	Size D" x A"	Grit	Max RPM	Price /Each
NORTON METAL TYPE 27 - FIBREGLASS PLATE					
NR884	66254472653	4 1/2 x 7/8	36	13 300	4.53
NR885	66254437004	4 1/2 x 7/8	40	13 300	4.53
NR886	66254448989	4 1/2 x 7/8	60	13 300	4.53
NR887	66254448990	4 1/2 x 7/8	80	13 300	4.53
NR888	66254472659	5 x 7/8	36	12 000	4.59
NR889	66254472660	5 x 7/8	40	12 000	4.59
NR890	66254472661	5 x 7/8	60	12 000	4.59
NR891	66254472662	5 x 7/8	80	12 000	4.59
NR892	66254472664	7 x 7/8	36	8600	9.69
NR893	66254472665	7 x 7/8	40	8600	9.69
NR894	66254472666	7 x 7/8	60	8600	9.69
NR895	66254472667	7 x 7/8	80	8600	9.69

Model No.	Mfg. No.	Size D" x A"	Grit	Max RPM	Price /Each
NORTON METAL TYPE 29 - FIBREGLASS PLATE					
NR148	66254419963	4 1/2 x 7/8	36	13 300	4.53
NR149	66254419978	4 1/2 x 7/8	40	13 300	4.53
NR150	66254419984	4 1/2 x 7/8	60	13 300	4.53
NR151	66254419987	4 1/2 x 7/8	80	13 300	4.53
NR152	66254419998	5 x 7/8	36	12 000	4.66
NR153	66254420001	5 x 7/8	40	12 000	4.66
NR154	66254420002	5 x 7/8	60	12 000	4.66
NR155	66254420003	5 x 7/8	80	12 000	4.66
NR156	66254420004	7 x 7/8	36	8600	9.79
NR157	66254420006	7 x 7/8	40	8600	9.79
NR158	66254420007	7 x 7/8	60	8600	9.79
NR159	66254420008	7 x 7/8	80	8600	11.70

Model No.	Mfg. No.	Size D" x A"	Grit	Max RPM	Price /Each
NU413	34043471	4 1/2 x 7/8	40	13 300	6.32
NU414	34043472	4 1/2 x 7/8	60	13 300	6.32
NU415	34043473	4 1/2 x 7/8	80	13 300	6.32
NU416	34043475	5 x 7/8	40	12 250	7.91
NU417	34043476	5 x 7/8	60	12 250	7.91
NU418	34043477	5 x 7/8	80	12 250	7.91

STANDARD 2 IN 1 – TYPE 29

- Standard aggressive fiber backed Zirconium
- High removal rate
- For use on steel & stainless steel
- Material: Zirconium



Model No.	Mfg. No.	Size D" x A"	Grit	Max RPM	Price /Each
NU423	572473	4 1/2 x 7/8	40	13 300	3.96
NU424	454393	4 1/2 x 7/8	60	13 300	3.96
NU425	455312	4 1/2 x 7/8	80	13 300	3.96
NU426	824385	5 x 7/8	40	12 250	4.65
NU427	455303	5 x 7/8	60	12 250	4.65
NU428	458587	5 x 7/8	80	12 250	4.65

FLAP WHEELS

Typical Applications

- Metal fabrication
- Blending welds
- Deburring
- Cleaning and finishing

Conformable to most shapes

Designed to deliver a consistent finish with a uniform rate of cut, Norton flap wheels wear away, continually exposing fresh abrasive. Conformable to most shapes, they are available in coarse to fine grit.

244E FLAP WHEELS

ALUMINUM OXIDE - XE WT. CLOTH

- General purpose flap wheel delivers consistent finish and uniform cut
- Can be shaped to fit any desired contour



Model No.	Size			Grit	Max RPM	Price /Each
	D" x T"	x A"	x A"			
BP577	1 x 1	x 1/4		60	25 000	6.23
BP578	1 x 1	x 1/4		80	25 000	6.23
BP576	1 x 1	x 1/4		120	25 000	6.23
BP580	2 x 1	x 1/4		60	20 000	8.78
BP581	2 x 1	x 1/4		80	20 000	8.30

BENCH MOUNTED FLAP WHEELS

- General purpose flap wheel delivers consistent finish and uniform cut
- Can be shaped to fit any desired contour



244E/241E FLAP WHEELS

Model No.	Size			Grit	Max RPM	Price /Each
	D" x T"	x A"	x A"			
BP595	6 x 1	x 1		50	6100	28.20
BP596	6 x 1	x 1		60	6100	31.90
BP597	6 x 1	x 1		80	6100	34.00
BP592	6 x 1	x 1		120	6100	33.40
BP594	6 x 1	x 1		220	6100	39.30
BP600	6 x 2	x 1		60	5200	48.38
BP599	6 x 2	x 1		150	5200	58.50

D x A: Diameter x Arbor Size

OFFICE PRODUCTS

INSTRUMENTS, SCALES & ELECTRICAL

SHIPPING & PACKAGING

TOOLS & EQUIPMENT

WELDING & METALWORKING

SAFETY EQUIPMENT & SUPPLIES

JANITORIAL & MAINTENANCE

MATERIAL HANDLING & STORAGE

ABRASIVES



MANDREL MOUNTED FLAP WHEELS

- Mandrel mounted high performance
- Designed with the 1/4" mandrel as a integral part of the wheel
- More aggressive and works great in heavy stock removal operations
- A very durable, long lasting mini flap wheel

MERIT

Model No.	Size D" x T" x S"	Grit	Max RPM	Price /Each
BQ700	1 x 5/8 x 1/4	40	30000	5.20
BQ696	1 x 5/8 x 1/4	60	30000	5.20
BQ697	1 x 5/8 x 1/4	80	30000	5.20
BQ698	1 x 5/8 x 1/4	120	30000	5.20
BQ571	1 x 5/8 x 1/4	180	30000	5.20
BQ699	1 x 5/8 x 1/4	240	30000	5.20
BQ747	1 x 5/8 x 1/4	320	30000	5.20
BQ567	1 x 1 x 1/4	40	30000	5.51
NP722	1 x 1 x 1/4	50	30000	5.51
BQ730	1 x 1 x 1/4	60	30000	5.51
BQ731	1 x 1 x 1/4	80	30000	5.51
BQ732	1 x 1 x 1/4	120	30000	5.51
BQ733	1 x 1 x 1/4	180	30000	5.51
BQ701	1 x 1 x 1/4	240	30000	5.51
BQ734	1 x 1 x 1/4	320	30000	5.51
BQ736	1 3/8 x 5/8 x 1/4	60	30000	5.20
BQ737	1 3/8 x 5/8 x 1/4	80	30000	5.20
BQ738	1 3/8 x 5/8 x 1/4	120	30000	5.20
BQ739	1 3/8 x 5/8 x 1/4	180	30000	5.20
BQ740	1 3/8 x 5/8 x 1/4	240	30000	5.20
BQ677	1 1/2 x 1 x 1/4	40	25000	6.96
BQ741	1 1/2 x 1 x 1/4	60	25000	6.96
BQ707	1 1/2 x 1 x 1/4	80	25000	6.96
BQ708	1 1/2 x 1 x 1/4	120	25000	6.96
BQ742	1 1/2 x 1 x 1/4	180	25000	6.96
BQ613	1 1/2 x 1 x 1/4	240	25000	6.96
BQ709	1 1/2 x 1 x 1/4	320	25000	6.96

D x T x S: Diameter x Thickness x Shank

BENCH MOUNTED FLAP WHEELS

- Mounted on bench grinder applies light scratch pattern to stainless steel

MERIT

Model No.	Size D" x T" x A"	Grit	Max RPM	Price /Each
BQ268	5 x 1 1/2 x 5/8	40	12000	31.10
BQ269	5 x 1 1/2 x 5/8	50	12000	31.10
BQ270	5 x 1 1/2 x 5/8	60	12000	31.90
BQ271	5 x 1 1/2 x 5/8	80	12000	34.00
BQ272	5 x 1 1/2 x 5/8	120	12000	36.90
BQ274	5 x 1 1/2 x 5/8	180	12000	40.30
BQ275	5 x 1 1/2 x 5/8	240	12000	40.30
BQ276	5 x 1 1/2 x 5/8	320	12000	40.30
BQ302	6 x 1/2 x 1	40	6000	28.30
BQ303	6 x 1/2 x 1	60	6000	29.00
BQ304	6 x 1/2 x 1	80	6000	31.00
BQ305	6 x 1/2 x 1	120	6000	33.60
BQ280	6 x 1/2 x 1	150	6000	35.80
BQ306	6 x 1/2 x 1	180	6000	36.70
BQ307	6 x 1/2 x 1	240	6000	36.70
BQ279	6 x 1/2 x 1	320	6000	36.70
BQ308	6 x 1 x 1	40	6000	34.50
BQ309	6 x 1 x 1	50	6000	34.50
BQ310	6 x 1 x 1	60	6000	35.40
BQ311	6 x 1 x 1	80	6000	37.80
BQ312	6 x 1 x 1	120	6000	41.00
BQ313	6 x 1 x 1	150	6000	43.60
BQ314	6 x 1 x 1	180	6000	44.80
BQ315	6 x 1 x 1	240	6000	44.80
BQ316	6 x 1 x 1	320	6000	44.80

D x T x A: Diameter x Thickness x Arbor Size



Model No.	Size D" x T" x S"	Grit	Max RPM	Price /Each
BQ710	2 x 3/4 x 1/4	40	25000	7.82
BQ711	2 x 3/4 x 1/4	60	25000	7.82
BQ712	2 x 3/4 x 1/4	80	25000	7.82
BQ713	2 x 3/4 x 1/4	120	25000	7.82
BQ714	2 x 3/4 x 1/4	180	25000	7.82
BQ754	2 x 1 x 1/4	40	25000	8.83
NP723	2 x 1 x 1/4	50	25000	8.83
BQ748	2 x 1 x 1/4	60	25000	8.83
BQ749	2 x 1 x 1/4	80	25000	8.83
BQ750	2 x 1 x 1/4	120	25000	8.83
BQ751	2 x 1 x 1/4	180	25000	8.83
BQ752	2 x 1 x 1/4	240	25000	8.83
BQ753	2 x 1 x 1/4	320	25000	8.83
BQ716	2 x 1 1/2 x 1/4	40	25000	10.10
BQ755	2 x 1 1/2 x 1/4	60	25000	10.10
BQ756	2 x 1 1/2 x 1/4	80	25000	10.10
BQ757	2 x 1 1/2 x 1/4	120	25000	10.10
BQ759	2 x 1 1/2 x 1/4	240	25000	10.10
BQ760	2 1/2 x 1 x 1/4	40	20000	9.96
BQ761	2 1/2 x 1 x 1/4	60	20000	9.96
BQ762	2 1/2 x 1 x 1/4	80	20000	9.96
BQ763	2 1/2 x 1 x 1/4	120	20000	9.96
BQ764	2 1/2 x 1 x 1/4	180	20000	9.96
BQ847	2 1/2 x 1 x 1/4	240	20000	9.96
BQ765	2 1/2 x 1 x 1/4	320	20000	9.96

Model No.	Size D" x T" x S"	Grit	Max RPM	Price /Each
BQ766	2 1/2 x 1 1/2 x 1/4	60	20000	11.40
BQ767	2 1/2 x 1 1/2 x 1/4	80	20000	11.40
BQ768	2 1/2 x 1 1/2 x 1/4	120	20000	11.40
BQ770	3 x 3/4 x 1/4	60	20000	9.96
BQ771	3 x 3/4 x 1/4	80	20000	9.96
BQ775	3 x 1 x 1/4	40	20000	10.90
BQ773	3 x 1 x 1/4	60	20000	10.90
BQ774	3 x 1 x 1/4	80	20000	10.90
BQ722	3 x 1 x 1/4	120	20000	10.90
BQ723	3 x 1 x 1/4	180	20000	10.90
BQ685	3 x 1 x 1/4	240	20000	10.90
BQ686	3 x 1 x 1/4	320	20000	10.90
BQ776	3 x 2 x 1/4	40	12000	18.90
BQ724	3 x 2 x 1/4	60	12000	18.90
BQ725	3 x 2 x 1/4	80	12000	18.90
BQ726	3 x 2 x 1/4	120	12000	18.90
BQ727	3 x 2 x 1/4	180	12000	18.90



Model No.	Size D" x T" x A"	Grit	Max RPM	Price /Each
BQ317	6 x 1 1/2 x 1	40	6000	38.80
BQ318	6 x 1 1/2 x 1	50	6000	38.80
BQ319	6 x 1 1/2 x 1	60	6000	39.80
BQ320	6 x 1 1/2 x 1	80	6000	42.50
BQ321	6 x 1 1/2 x 1	120	6000	46.00
BQ322	6 x 1 1/2 x 1	150	6000	49.00
BQ323	6 x 1 1/2 x 1	180	6000	50.40
BQ324	6 x 1 1/2 x 1	240	6000	50.40
BQ325	6 x 1 1/2 x 1	320	6000	50.40
BQ328	6 x 2 x 1	60	6000	59.30
BQ329	6 x 2 x 1	80	6000	62.90
BQ330	6 x 2 x 1	120	6000	68.80
BQ332	6 x 2 x 1	180	6000	75.10
BQ333	6 x 2 x 1	240	6000	75.10
BQ334	6 x 2 x 1	320	6000	75.10
BQ335	6 x 3 x 1	40	6000	83.50
BQ336	6 x 3 x 1	50	6000	83.50
BQ337	6 x 3 x 1	60	6000	86.10
BQ338	6 x 3 x 1	80	6000	91.50
BQ339	6 x 3 x 1	120	6000	100.00
BQ299	6 x 3 x 1	150	6000	110.00
BQ340	6 x 3 x 1	180	6000	115.00
BQ341	6 x 3 x 1	240	6000	115.00
BQ294	6 x 3 x 1	320	6000	115.00

Model No.	Size D" x T" x A"	Grit	Max RPM	Price /Each
BQ342	8 x 1 x 1	40	4500	62.60
BQ343	8 x 1 x 1	50	4500	62.60
BQ344	8 x 1 x 1	60	4500	64.10
BQ345	8 x 1 x 1	80	4500	69.00
BQ346	8 x 1 x 1	120	4500	75.50
BQ347	8 x 1 x 1	180	4500	81.40
BQ348	8 x 1 x 1	240	4500	81.40
BQ349	8 x 1 x 1	320	4500	81.40
BQ350	8 x 2 x 1	40	4500	95.00
BQ351	8 x 2 x 1	50	4500	95.00
BQ353	8 x 2 x 1	80	4500	102.00
BQ355	8 x 2 x 1	180	4500	127.00
BQ356	8 x 2 x 1	240	4500	130.00
BQ357	8 x 2 x 1	320	4500	130.00
BQ281	10 x 1 x 1 3/4	40	4000	95.20
BQ360	10 x 1 x 1 3/4	80	4000	107.00
BQ361	10 x 1 x 1 3/4	120	4000	119.00
BQ362	10 x 1 x 1 3/4	150	4000	130.00
BQ363	10 x 1 x 1 3/4	180	4000	133.00
BQ364	10 x 1 x 1 3/4	320	4000	133.00

BRISTLE DISCS

Bristle discs are ideal for safely cleaning and stripping a wide variety of substances off of metal. The discs will easily cut through hardened enamel, paint, thick dried adhesives, and layers of corrosion, without destroying the underlying material or compromising safety with dangerous flying wires.

In addition, bristle discs do not clog up with substances being removed, and give consistent finishes throughout the life of the discs.

All bristle discs are colour coded by grade and are made of nylon embedded with abrasive to create an abrasive action. Each disc is flexible and easily conforms to contours and tight corners and angles.

ROLOC™ BRISTLE DISCS

- Uniform concentration of mineral throughout the flexible abrasive filled bristles
- Fast cut rate and long performance life for removal of rust, coatings, and flashing
- Roloc™ attachment method for quick and easy disc changes
- All discs feature a 5/8" trim length and are embedded with Regalite™ abrasive mineral



Model No.	Size"	Trim Type	Grit	Colour	Max. RPM	Price /Each
BP106	1	Straight	50	Green	30 000	5.08
BP107	1	Straight	80	Yellow	30 000	5.08
BP105	1	Straight	120	White	30 000	5.08
BP109	2	Tapered	50	Green	25 000	8.18
BP110	2	Tapered	80	Yellow	25 000	8.18
BP108	2	Tapered	120	White	25 000	8.18
BP112	3	Tapered	50	Green	18 000	12.10
BP113	3	Tapered	80	Yellow	18 000	12.10
BP111	3	Tapered	120	White	18 000	12.10

ROLOC™ RADIAL BRISTLE DISCS

- Same characteristics as the Roloc™ bristle discs, but in a radial format
- Roloc™ radial bristle discs come in 3" diameters and have a maximum operating RPM of 25 000



Model No.	Grit	Colour	Price /Each
BP103	50	Green	8.83
BP104	80	Yellow	8.83
BP102	120	White	8.83

ROLOC™ DISC HOLDERS

- Rubber Roloc™ back-up pads are offered in different sizes and degrees of hardness for varying grinding applications
- All Roloc™ disc holders are threaded and require model BP013 1/4", threaded shaft



Model No.	Size"	Density	Max. RPM	Price /Each
BP007	1	Medium	30 000	16.20
BP011	2	Soft	20 000	19.50
BP008	2	Medium	25 000	21.30
BP005	2	Hard	25 000	19.50
BP003	2	Extra hard	25 000	23.60
BP012	3	Soft	15 000	23.80
BP009	3	Medium	18 000	23.80
BP006	3	Hard	20 000	23.80
BP004	3	Extra hard	20 000	26.20
BP010	4	Medium	12 000	26.20

ROLOC™ THREADED SHAFT

Model No. BP013 Price/Each \$3.77

RADIAL BRISTLE DISCS

- All discs are very flexible for deburring, cleaning, or finishing intricate or tiny areas
- Ideal for hi-tech housings and components, medical products, cleaning marks off of precision parts and creating satin, and higher, finishes on hard and soft metals




Priced per Package

Model No.	Size"	Shank"	Grit	Colour	Max. RPM	Qty /Pkg.	Price /Each
BP096	9/16	1/16	120X	White	30 000	48	54.40
BP097	9/16	1/16	P220X	Red	30 000	48	54.40
BP098	9/16	1/16	P400X	Blue	30 000	48	51.70
BP101	9/16	1/16	Pumice	Pink	30 000	192	207.00
BP100	9/16	1/16	Polish II	Peach	30 000	48	54.40
BP099	9/16	1/16	Polish I	Light Green	30 000	48	51.70
BP091	3/4	1/16	80X	Yellow	30 000	48	59.20
BP089	3/4	1/16	P220X	Red	30 000	48	59.20
BP090	3/4	1/16	P400X	Blue	30 000	192	237.00
BP092	3/4	1/16	Pumice	Pink	30 000	48	59.20
BP083	1	1/8	36X	Dark Brown	30 000	24	33.60
BP084	1	1/8	50X	Green	30 000	24	33.80
BP085	1	1/8	80X	Yellow	30 000	24	33.60
BP082	1	1/8	120X	White	30 000	24	33.60
BP087	3	3/8	50	Green	25 000	10	88.30
BP088	3	3/8	80	Yellow	25 000	10	88.30

RADIAL BRISTLE BRUSHES FOR BENCH GRINDERS

- Radial bristle brushes have the same characteristics as the other 3M bristle brushes, but come in a convenient 6" size bench grinders
- Each brush comes with its own adapter
- Radial bristle brushes take the place of conventional wire wheels, on bench grinders, for general maintenance and production work
- Nylon bristles eliminate dangerous flying wires



Model No.	Size"	Grit	Colour	Max. RPM	Price /Each
BP093	6	36X	Dark brown	10 000	49.30
BP094	6	50X	Green	10 000	49.30
BP095	6	80X	Yellow	10 000	49.30

RADIAL BRISTLE DISCS FOR RIGHT ANGLE GRINDERS

- 4 1/2" bristle discs with 5/8"-11 threaded hub
- Same safety and efficiency benefits as other bristle discs but in a right angle grinder configuration
- Ideal for cleaning, delaminating, removing rust and oxidation, and deburring a variety of hard and soft metals and plastics
- All discs have a maximum operating speed of 12 000 RPM



Model No.	Size"	Grit	Colour	Price /Each
VV392	4 1/2	36	Brown	31.30
BP079	4 1/2	50	Green	31.30
BP080	4 1/2	80	Yellow	31.30
BP078	4 1/2	120	White	31.30

ABRASIVES



FIBRE DISCS

Typical Applications

- Material removal
- Weld grinding and blending
- Light deburring and finishing

ZIRCONIA ALUMINA FIBRE DISCS

- Durable zirconia alumina abrasive with a heavy fibre backing
- Superior product for heavy weld and metal grinding
- Cool grinding action that reduces glazing and loading
- Excellent for stainless steel applications



MERIT CERAMIC DISCS

- High performance ceramic alumina abrasive on heavy fibre backing
- Economical choice for heavy stock removal



MERIT

Model No.	Mfg. No.	Size		Grit	Price /Each
		D"	A"		
BZ560	66623353315	4 1/2	7/8	24	1.64
BZ561	66623353316	4 1/2	7/8	36	1.56
BZ562	66623353318	4 1/2	7/8	50	1.52
BZ563	66623353319	4 1/2	7/8	60	1.39
BZ564	66623353320	4 1/2	7/8	80	1.27
BZ577	66623357290	5	7/8	24	1.98
BZ579	66623357292	5	7/8	50	1.64
BZ580	66623357293	5	7/8	60	1.52
BZ581	66623357294	5	7/8	80	1.45
BZ582	66623357295	7	7/8	24	2.85
BZ583	66623357296	7	7/8	36	2.85
BZ584	66623357297	7	7/8	50	2.64
BZ585	66623357298	7	7/8	60	2.83
BZ586	66623357299	7	7/8	80	2.76

MERIT

Model No.	Mfg. No.	Size		Grit	Price /Each
		D"	A"		
BZ573	66623355601	4 1/2	7/8	24	2.18
BZ574	66623355602	4 1/2	7/8	36	2.10
BZ575	66623355603	4 1/2	7/8	50	2.00
BZ576	66623355604	4 1/2	7/8	60	1.79
NS489	66623365598	4 1/2	7/8	80	1.54
BZ569	66623355597	5	7/8	24	2.58
BZ570	66623355598	5	7/8	36	2.37
BZ571	66623355599	5	7/8	50	2.18
BZ572	66623355600	5	7/8	60	1.93
NS494	66623366015	5	7/8	80	1.77
BZ565	66623355578	7	7/8	24	4.09
BZ566	66623355594	7	7/8	36	3.97
BZ567	66623355595	7	7/8	50	3.80
BZ568	66623355596	7	7/8	60	3.70
NS499	66623365600	7	7/8	80	3.20

NORTON METAL F240 DISCS

- Quality aluminum oxide grain on heavy fibre backing
- Good for small job around the shop and general purpose applications



NORTON

Model No.	Mfg. No.	Size		Grit	Price /Each
		D"	A"		
BQ035	66623353309	4 1/2	7/8	24	1.00
BQ036	66623353306	4 1/2	7/8	36	0.94
BQ037	66623353310	4 1/2	7/8	50	0.81
BQ038	66623353311	4 1/2	7/8	60	0.75
BQ039	66623353312	4 1/2	7/8	80	0.69
BQ040	66623353313	4 1/2	7/8	100	0.66
BQ041	66623353314	4 1/2	7/8	120	0.66
BQ042	66623357276	5	7/8	24	1.12
BQ043	66623357277	5	7/8	36	1.02
BQ044	66623357278	5	7/8	50	0.98
BQ045	66623357279	5	7/8	60	0.87
BQ046	66623357280	5	7/8	80	0.83
BQ047	66623357281	5	7/8	100	0.83
BQ048	66623357282	5	7/8	120	0.81
BQ049	66623357283	7	7/8	24	1.60
BQ050	66623357284	7	7/8	36	1.54
BQ051	66623357285	7	7/8	50	1.45
BQ052	66623357286	7	7/8	60	1.35
BQ053	66623357287	7	7/8	80	1.31
BQ054	66623357288	7	7/8	100	1.25
BQ055	66623357289	7	7/8	120	1.23

AIR COOLED RUBBER BACK UP PADS

- Designed for medium to heavy grinding applications
- Slotted aluminum hub design draws cool air behind the disc
- Curved ribs on the rubber face force heat away from the disc and back-up pad
- Cooler cutting action reduces disc loading and increases grinding life
- All pads have 5/8"-11 threaded female hub for mounting



Model No.	Mfg. No.	Description	Max RPM	Price /Each
BZ056	08834195006	4 1/2" back up pad	11 000	37.30
BZ053	08834195002	5" back up pad	10 000	38.30
BZ054	08834195003	7" back up pad	8500	57.70
BZ052	08834195000	Disc pad nut 5/8"-11	-	8.06
BY731	08834192776	Spanner wrench fits 5/8" and 3/8"	-	20.90

See pages
446 - 453 for
Particulate
Respirators



D x A: Diameter x Arbor Size

785C REGALITE™ POLYCUT™ FIBRE DISCS

- 3M Cubitron™ abrasive grain disc constructed on a fibre backing
- Resin bonded for heat resistance
- Features grinding aid for cooler grinding
- Used primarily for stainless steel grinding and blending



Model No.	Size			Grit	Price /Each
	D"	x	A"		
BP290	4 1/2	x	7/8	36	3.07
BP294	4 1/2	x	7/8	50	2.87
BP298	4 1/2	x	7/8	60	2.87
BP302	4 1/2	x	7/8	80	2.57
BP281	4 1/2	x	7/8	100	2.57
BP285	4 1/2	x	7/8	120	2.57
BP291	5	x	7/8	36	3.13
BP295	5	x	7/8	50	2.93
BP299	5	x	7/8	60	2.93
BB425	5	x	7/8	80	2.62
BP282	5	x	7/8	100	2.62
BP286	5	x	7/8	120	2.62
BP292	7	x	7/8	36	3.97
BP296	7	x	7/8	50	3.70
BP300	7	x	7/8	60	3.52
BP283	7	x	7/8	100	3.32
BP287	7	x	7/8	120	3.14

381C ALUMINUM OXIDE FIBRE DISCS

- General purpose disc for weld removal, grinding and blending
- Aluminum oxide
- Resin bonded for heat resistance



Model No.	Size			Grit	Price /Each
	D"	x	A"		
BP228	4 1/2	x	7/8	24	2.65
BP232	4 1/2	x	7/8	36	2.65
BP240	4 1/2	x	7/8	60	2.47
BP244	4 1/2	x	7/8	80	2.22
BP230	5	x	7/8	24	2.70
BP234	5	x	7/8	36	2.70
BP242	5	x	7/8	60	2.53
BP246	5	x	7/8	80	2.25
BP231	7	x	7/8	24	3.42
BP243	7	x	7/8	60	3.18
BP247	7	x	7/8	80	3.18

ACCESSORIES

- **Disc Pad Hubs:** Plastic hubs with 5/8"-11 metal insert; use with 3M disc pad face plates
- **Disc Retainer Nuts:** For use with all 3M disc pad face plates, disc pads and 3M disc pad hubs; nuts have 5/8"-11 threaded arbor hole in three depths to accommodate grinder shaft lengths
- **Disc Pad Face Plates:** Backup plates for fibre discs 3M disc pad face plates are colour coded by density; ribbed plates result in cooler running discs; use harder face plates for heavier stock removal applications




Model No.	Size"	Price/Each
DISC PAD HUBS		
BP212	2 1/2	53.20
BP213	4 1/2	53.70
DISC RETAINER NUTS		
BP219	5/8	21.90
BP217	1/2	21.90
BP218	3/8	21.90



DISC PAD FACE PLATES

Model No.	Size"	Max. RPM	Hardness - Colour	Price /Each
NS715	4 1/2	13 300	Medium - Grey	24.50
NS716	4 1/2	13 300	Hard - Black	24.70
BP188	5	12 000	Medium - Grey	32.80
BP187	5	12 000	Hard - Black	32.80
BP190	5	12 000	Extra Hard - Red	32.80
BP192	7	8 600	Medium - Grey	47.50
BP191	7	8 600	Hard - Black	47.50
BP194	7	8 600	Extra Hard - Red	47.50



501C ALUMINA ZIRCONIA FIBRE DISCS

- Premium mineral for fast, cool grinding on all metals



Model No.	Size			Grit	Price /Each
	D"	x	A"		
BP419	4 1/2	x	7/8	24	1.28
BP422	4 1/2	x	7/8	36	1.28
BP425	4 1/2	x	7/8	50	1.28
BP428	4 1/2	x	7/8	60	1.15
BP431	4 1/2	x	7/8	80	1.15
BP306	4 1/2	x	7/8	100	1.15
BP307	4 1/2	x	7/8	120	1.28
BP420	5	x	7/8	24	1.28
BP423	5	x	7/8	36	1.28
BP426	5	x	7/8	50	1.28
BP429	5	x	7/8	60	1.28
BP432	5	x	7/8	80	1.28
BP415	5	x	7/8	100	1.28
BP417	5	x	7/8	120	1.20
BP421	7	x	7/8	24	3.22
BP424	7	x	7/8	36	3.17
BP427	7	x	7/8	50	2.97
BP430	7	x	7/8	60	2.47
BP433	7	x	7/8	80	2.60
BP418	7	x	7/8	120	2.60

D x A: Diameter x Arbor Size

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT
& SUPPLIES

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

ABRASIVES



SPEED-LOK TS & TR DISCS

Typical Applications

- Light to medium pressure grinding
- Blending, levelling and finishing applications
- For use on contours or flat surfaces

Features & benefits

Speed-Lok fastener, allows quick, tool-free disc changes allow for more grinding time
Twist on and twist off in 2 1/2 turns, disc locks securely to back-up pad, but is easily removed

NORTON SG BLAZE R980P CLOTH DISCS

- SG ceramic grain, provides coolest cut and significantly faster cut rates
- Improved resin bond system and durable backing offers greater durability and longest life on tough applications and stainless steel, and edge-fray resistance
- Polyester Y-wt backing, 3-ply laminate discs (yellow backing) more aggressive; ideal when durability and long life are required



NORTON

Size"	Grit	TS (Type II) Discs			TR (Type III) Discs		
		Model No.	Mfg. No.	Price /Each	Model No.	Mfg. No.	Price /Each
1 1/2	36	NS547	66261162307	1.31	NS559	66261162308	1.31
1 1/2	50	NS548	66261162309	1.21	NS560	66261162310	1.21
1 1/2	60	NS549	66261162311	1.18	NS561	66261162312	1.18
1 1/2	80	NS550	66261162313	1.18	NS562	66261162314	1.18
2	36	NS551	66261162317	1.87	NS563	66261162318	1.87
2	50	NS552	66261162319	1.83	NS564	66261162320	1.83
2	60	NS553	66261162321	1.72	NS565	66261162322	1.72
2	80	NS554	66261162323	1.72	NS566	66261162324	1.72
3	36	NS555	66261162327	2.51	NS567	66261162328	2.51
3	50	NS556	66261162329	2.33	NS568	66261162330	2.33
3	60	NS557	66261162331	2.24	NS569	66261162332	2.24
3	80	NS558	66261162333	2.24	NS570	66261162334	2.24

MERIT ZIRC PLUS R801 CLOTH DISCS

- Self-sharpening, zirconia alumina abrasive, cooler cut, longer life
- Heavy Y-wt backing, two-ply construction, extended durability and reduced edge-wear
- For grinding and deburring stainless steel



MERIT

Size"	Grit	TS (Type II) Discs			TR (Type III) Discs		
		Model No.	Mfg. No.	Price /Each	Model No.	Mfg. No.	Price /Each
1 1/2	36	BR815	08834167058	0.94	-	-	-
1 1/2	50	BR817	08834167060	0.87	-	-	-
1 1/2	60	BR818	08834167061	0.87	BR842	08834167103	0.87
1 1/2	80	BR819	08834167062	0.87	BR843	08834167104	0.87
2	36	BQ023	08834167065	1.45	BR845	08834167107	1.45
2	50	BQ025	08834165583	1.35	BR847	08834167109	1.35
2	60	BQ026	08834167068	1.25	BR848	08834167110	1.25
2	80	BQ027	08834167069	1.25	BR849	08834167111	1.25
3	36	BQ029	08834167072	1.97	BR851	08834167114	1.97
3	50	BQ031	08834167074	1.89	BR853	08834167116	1.89
3	60	BQ032	08834167075	1.79	BR854	08834167117	1.79
3	80	BQ033	08834167076	1.73	BR855	08834167118	1.73

MERIT ALO RESIN BOND CLOTH DISCS

- Premium aluminum oxide abrasive
- Long life
- Heavy-weight cloth construction
- Excellent durability
- X-wt cotton backing
- Ideal for aggressive stock removal applications
- Resistant to heat




MERIT

Size"	Grit	TS (Type II) Discs			TR (Type III) Discs		
		Model No.	Mfg. No.	Price /Each	Model No.	Mfg. No.	Price /Each
1-1/2	36	N0045	69957399626	0.54	-	-	-
1-1/2	40	N0046	69957399627	0.54	N0066	69957399695	0.54
1-1/2	50	N0047	69957399628	0.54	-	-	-
1-1/2	60	N0048	69957399629	0.54	-	-	-
1-1/2	80	N0049	69957399630	0.54	N0067	69957399698	0.54
1-1/2	100	N0050	69957399631	0.54	-	-	-
1-1/2	120	N0051	69957399632	0.54	N0068	69957399700	0.54
2	36	N0052	69957399638	0.81	N0069	69957399706	0.81
2	40	N0053	69957399639	0.81	N0070	69957399707	0.81
2	50	N0054	69957399640	0.81	N0071	69957399708	0.81
2	60	N0055	69957399641	0.81	N0072	69957399709	0.81
2	80	N0056	69957399642	0.81	N0073	69957399710	0.81
2	100	N0057	69957399643	0.81	N0074	69957399711	0.81
2	120	N0058	69957399644	0.81	N0075	69957399712	0.81
3	36	N0059	69957399650	1.16	N0076	69957399718	1.16
3	40	N0060	69957399651	1.16	N0077	69957399719	1.16
3	50	N0061	69957399652	1.16	N0078	69957399720	1.16
3	60	N0062	69957399653	1.16	N0079	69957399721	1.16
3	80	N0063	69957399654	1.16	N0080	69957399722	1.16
3	100	N0064	69957399655	1.16	N0081	69957399723	1.16
3	120	N0065	69957399656	1.16	N0082	69957399724	1.16



BACK UP PADS

Description	Max RPM	TS (Type II)		Price /Each	TR (Type III)		Price /Each
		Model No.	Mfg. No.		Model No.	Mfg. No.	
1 1/2" Medium	30000	BR283	08834164146	16.40	BR104	08834161174	16.40
1 1/2" Hard	30000	BR434	08834164622	16.40	BR437	08834164640	16.40
2" Medium	30000	BR284	08834164198	18.10	BR469	08834164922	18.10
2" Hard	30000	BR435	08834164624	18.10	BR439	08834164643	18.10
3" Medium	20000	BR281	08834164113	20.00	BR475	08834164949	20.00
3" Hard	20000	BR164	08834161626	20.00	BR272	08834164036	20.00



963G ROLOC™ DISCS

- Premium Cubitron™ abrasive grain
- Water resistant polyester cloth backing
- Resin bonded for heat resistance and it can be run wet or dry
- Used primarily for metal working and woodworking



REGAL™ RESIN BOND CLOTH

Model No.	Size"	Grit	Price /Each
AC435	2	24	1.38
AC436	2	36	1.28
AC437	2	50	1.18
AC438	2	60	1.15
AC439	2	80	1.10
AC440	2	100	1.10
AC441	2	120	1.10

Model No.	Size"	Grit	Price /Each
AC442	3	24	1.78
AC443	3	36	1.65
AC444	3	50	1.52
AC446	3	80	1.43
AC447	3	100	1.36
AC448	3	120	1.43

361F DISCS

- General purpose grinding, blending and deburring on all metals
- Heavy-duty cloth backing



ROLOC™

Model No.	Size"	Grit	Price /Each
BP336	2	24	0.95
BP338	2	36	0.88
BP340	2	50	0.83
BP342	2	60	0.78
BP344	2	80	0.77
BP346	2	P100	0.77
BP348	2	P120	0.77
BP350	2	P150	0.77
BP352	2	P180	0.77
BP353	2	P240	0.77
BP337	3	24	1.22
BP339	3	36	1.13
BP341	3	50	1.05
BP343	3	60	1.02
BP345	3	80	1.00
BP347	3	P100	1.00
BP349	3	P120	1.00
BP351	3	P150	1.00
BP354	3	P240	1.00

ROLOC™ TSM

Model No.	Size"	Grit	Price /Each
BP326	2	36	1.15
BP328	2	60	1.02
BP332	2	P100	0.98
BP329	3	60	1.35
BP331	3	80	1.28
BP333	3	P100	1.42
BP335	3	P120	1.28



ROLOC™ DISC PADS

Rubber back-up pads are available in different diameters and degrees of hardness for varying grinding applications. Pads are internally threaded to receive any standard 1/4"-20 thread shaft.



Model No.	Size"	Hardness	Max. RPM	Price /Each
BP008	2	Medium	25 000	21.30
BP005	2	Hard	25 000	19.50
BP009	3	Medium	18 000	23.80
BP006	3	Hard	20 000	23.80

ROLOC™ TSM DISC PADS

For use with Roloc™ TSM grinding discs and screw on abrasive discs.



Model No.	Size"	Hardness	Max. RPM	Price /Each
BP517	2	Medium	25 000	27.50
BP516	2	Hard	25 000	28.80
BP518	3	Hard	20 000	33.90

1/4" THREADED SHAFTS

Needed with all Roloc™ disc pads.

Model No.	Size"	Hardness	Price /Each
BP013	1/4 x 1/4	Thread	3.77

ALUMINUM OXIDE 2 PLY DISCS


- Best disc for general purpose grinding, deburring and blending on ferrous metals

Features

- Variety of Quick Change fastening systems
- Multiple layers of backing

Benefits


- Instant disc changes
- Disc is centered
- Smooth running
- Works well on flat or contour surfaces
- Aggressive stock removal
- Greater productivity



SOCATT™ DISCS

Model No.	Size"	Grit	Price /Each
VU392	2	24	0.92
VU393	2	36	0.90
VU394	2	40	0.95
VU395	2	50	0.88
VU396	2	60	0.89
VU397	2	80	0.88
VU398	2	100	0.86
VU399	2	120	0.87
VU400	2	150	0.78
VU401	2	180	0.78
VU402	2	240	0.86

Model No.	Size"	Grit	Price /Each
VU403	2	320	0.82
VU405	3	36	1.25
VU406	3	40	1.21
VU407	3	50	1.07
VU408	3	60	1.14
VU409	3	80	1.12
VU410	3	100	1.09
VU411	3	120	1.09
VU413	3	180	1.20
VU414	3	240	1.09
VU415	3	320	1.21



LOCKIT™ DISCS

Model No.	Size"	Grit	Price /Each
VU429	2	36	1.00
VU430	2	40	0.95
VU431	2	50	0.92
VU432	2	60	0.85
VU433	2	80	0.88
VU434	2	100	0.86
VU435	2	120	0.86
VU436	2	150	0.75
VU437	2	180	0.86
VU438	2	240	0.86
VU439	2	320	0.85

Model No.	Size"	Grit	Price /Each
VU442	3	40	1.21
VU443	3	50	1.02
VU444	3	60	0.99
VU445	3	80	1.12
VU446	3	100	1.12
VU447	3	120	1.12

HOLDER PADS

- With mandrel



Model No.	Dia."	Density	Price /Each
FOR SMALL DIAMETER SOCATT™ DISCS			
VU601	2	Soft	17.68
VU602	2	Medium	16.97
VU603	2	Firm	20.20
VU604	3	Soft	21.53
VU605	3	Medium	19.62
VU606	3	Firm	23.37
FOR SMALL DIAMETER LOCKIT™ DISCS			
VU611	2	Medium	16.97
VU612	2	Firm	20.20
VU613	3	Soft	21.53
VU614	3	Medium	19.62

PSA & HOOK AND LOOP PAPER DISCS

Typical Applications

- Preparing primed and painted surfaces for finishing
- Stripping primer and paint
- Sanding of plastic and fibreglass
- Light weld blending and deburring
- Bare wood sanding
- Finishing metal of all types

NO-FIL ADALOX A275 DISCS

- Premium P-graded, heat-treated aluminum oxide abrasive, superior life fast cut rate, consistent finish
- Unique fibre-reinforced, B-wt latex-saturated backing, 50-60% improvement in tears strength and can be used wet
- Water-based stearate, non-pigmented, No-Fil coating, provides maximum load resistance and extended life; no colour transfer to work
- The PSA adhesive is protected from air-borne contaminants
- Hook and loop are reusable discs that reduce waste



PB273 PAPER DISCS

- P-graded aluminum oxide abrasive
- Fast cutting action and extended life with consistent finish
- Flexible latex B-wt backing, with a full resin bond and open coat
- Improved resistance to delamination; no delamination to back-up pad
- Can be used moist or wet
- Water-based stearate, non-pigmented No-Fil coating provides improved load resistance and no color transfer to work



Model No.	Mfg. No.	Size"	Grit	Price /Each
-----------	----------	-------	------	-------------

HOOK AND LOOP PAPER DISCS				
NZ005	66261131549	5	P80	0.82
NZ006	66261131548	5	P100	0.75
NZ007	66261131547	5	P120	0.75
NZ008	66261131546	5	P150	0.75
NZ009	66261131545	5	P180	0.75
NZ010	66261131544	5	P220	0.75
NZ011	66261131543	5	P240	0.75
NZ012	66261131542	5	P280	0.75
NZ013	66261131541	5	P320	0.75
NZ014	66261131539	5	P400	0.75
NZ015	66261131538	5	P500	0.75
NZ016	66261131537	5	P600	0.86
NZ017	66261131536	5	P800	0.86
NZ021	6626113566	6	P80	1.20
NZ022	6626113565	6	P100	1.06
NZ023	6626113564	6	P120	1.06
NZ024	6626113563	6	P150	1.06
NZ025	6626113562	6	P180	1.06
NZ026	6626113561	6	P220	1.06
NZ027	6626113560	6	P240	1.06
NZ028	6626113559	6	P280	1.06
NZ029	6626113558	6	P320	1.06
NZ030	6626113556	6	P400	1.06
NZ031	6626113555	6	P500	1.06
NZ032	6626113554	6	P600	1.06
NZ033	6626113553	6	P800	1.06

STICK AND SAND PAPER DISCS				
NS025	66261131464	5	P80	64.60
NS675	66261131463	5	P100	59.50
NS030	66261131462	5	P120	59.50
NS029	66261131461	5	P150	59.50
NS028	66261131460	5	P180	59.50
NS027	66261131459	5	P220	59.50
NS026	66261131458	5	P240	59.50
NS676	66261131457	5	P280	59.50
NS677	66261131456	5	P320	59.50
NS678	66261131455	5	P400	59.50
NS679	66261131453	5	P500	59.50
NS680	66261131452	5	P600	59.50
NS681	66261131451	5	P800	59.50
NS018	66261131481	6	P80	91.20
NS019	66261131480	6	P100	84.30
NS020	66261131479	6	P120	84.30
NS682	66261131478	6	P150	84.30
NS021	66261131477	6	P180	84.30
NS022	66261131476	6	P220	84.30
NS023	66261131475	6	P240	84.30
NS683	66261131474	6	P280	84.30
NS024	66261131473	6	P320	84.30
NZ001	66261131471	6	P400	84.30
NZ002	66261131470	6	P500	84.30
NZ003	66261131469	6	P600	84.30
NZ004	66261131468	6	P800	84.30

Model No.	Mfg. No.	Size"	Grit	Price /Each
-----------	----------	-------	------	-------------

HOOK AND LOOP DISCS				
NR896	66623362950	5	P80-B	0.57
NR897	66623365788	5	P100-B	0.50
NR898	66623362949	5	P120-B	0.50
NR899	66623362948	5	P150-B	0.50
NR900	66623362947	5	P180-B	0.50
NR901	66623362946	5	P220-B	0.50
NR902	66623362945	5	P240-B	0.50
NR903	66623362944	5	P320-B	0.50
NR904	66623362943	5	P400-B	0.50
NR906	66623362942	5	P600-B	0.50
NR907	66623362941	5	P800-B	0.50
NR908	66623362960	6	P80-B	0.60
NR909	66623365789	6	P100-B	0.53
NR910	66623362959	6	P120-B	0.53
NR911	66623362958	6	P150-B	0.53
NR912	66623362957	6	P180-B	0.53
NR913	66623362956	6	P220-B	0.53
NR914	66623362955	6	P240-B	0.53
NR915	66623362954	6	P320-B	0.53
NR916	66623362953	6	P400-B	0.53
NR917	66623362952	6	P600-B	0.53
NR918	66623362951	6	P800-B	0.53

PSA DISCS				
NR919	66623362930	5	P80-B	43.50
NR921	66623362929	5	P120-B	37.90
NR922	66623362928	5	P150-B	37.90
NR923	66623362927	5	P180-B	37.90
NR924	66623362926	5	P220-B	37.90
NR925	66623362925	5	P240-B	37.90
NR926	66623362924	5	P320-B	37.90
NR927	66623362923	5	P400-B	37.90
NR928	66623362922	5	P600-B	37.90
NR929	66623362921	5	P800-B	37.90
NR930	66623362940	6	P80-B	59.60
NR931	66623362939	6	P120-B	51.80
NR932	66623362938	6	P150-B	51.80
NR933	66623362937	6	P180-B	51.80
NR934	66623362936	6	P220-B	51.80
NR935	66623362935	6	P240-B	51.80
NR936	66623362934	6	P320-B	51.80
NR937	66623362933	6	P400-B	51.80
NR938	66623362932	6	P600-B	51.80
NR939	66623362931	6	P800-B	51.80

NX PSA WHITE GOLD DISC ROLL


- With paper backing
- Excellent for sanding on whitewood, primer, paint sealers and topcoats
- Primary uses are for woodworking and metalworking
- Clear, non-staining stearate coating resists loading
- 100 discs per roll



Model No.	Mfg. No.	Size"	Grade	Price /Each
BP632	051141-31181	5	80A	29.70
BP631	051141-31182	5	P100	29.70
BP633	051141-31183	5	P120	29.70
BP635	051141-31184	5	P150A	29.70
BP637	051141-31185	5	P180A	29.70
BP639	051141-31186	5	P220A	29.70
BP642	051141-27676	5	P400A	28.27
NX244	051141-31189	6	80	39.00
NX237	051141-31190	6	P100	39.00
NX238	051141-31191	6	P120	39.00
NX239	051141-31192	6	P150	39.00
NX240	051141-31193	6	P180	39.00
NX241	051141-31194	6	P220	39.00
NX242	051141-27675	6	P320	39.00

236U STIKIT™ DISC ROLLS

- Aluminum oxide C-wt paper
- Strong paper backing provides durability and increase cut rate
- Open coat minimizes loading
- Discs for paint, primer, wood, metal, plastic and fiberglass
- 100 discs per roll, no holes



Model No.	Mfg. No.	Size"	Grade	Price /Each
NX291	AB86488	5	P80	36.20
NX282	AB86489	5	P100	36.20
NX283	AB88700	5	P120	36.20
NX284	AB86490	5	P150	36.20
NX285	AB86492	5	P180	36.20
NX286	AB86493	5	P220	36.20
NX287	AB86494	5	P240	36.20
NX289	AB86496	5	P400	36.20
NX290	AB86497	5	P500	36.20
NX301	AB86468	6	P80	48.00
NX292	AB86469	6	P100	48.00
NX293	AB86470	6	P120	48.00
NX294	AB86471	6	P150	48.00
NX295	AB86472	6	P180	48.00
NX296	AB86473	6	P220	48.00
NX297	AB86474	6	P240	48.00
NX298	AB86475	6	P320	48.00
NX299	AB86476	6	P400	48.00
NX300	AB86477	6	P500	48.00

BACK UP PADS FOR PSA & HOOK AND LOOP PAPER DISCS

- Available with PSA or hook and loop faces, both are shock resistant and have a fiberglass backing plate with a riveted 5/16"-24 threaded shank for added strength and increased heat resistance
- Low profile pads, soft density utilizes 1/2" thick foam for fine finish sanding and offer moderate conformability and medium density has 1/2" thick urethane foam for intermediate and finish sanding



NORTON

Model No.	Mfg No.	Description	Max RPM	Price /Each
NR940	63642506126	5" PSA Soft Low Profile	15 000	39.50
NR941	63642506131	5" PSA Medium Low Profile	15 000	24.10
NR943	63642506129	5" NorGrip Soft Low Profile	15 000	42.30
NZ049	63642506135	5" NorGrip Medium Low Profile	15 000	26.30
NR945	63642506127	6" PSA Soft Low Profile	15 000	42.10
NR946	63642506133	6" PSA Medium Low Profile	15 000	42.10
NR948	63642506130	6" NorGrip Soft Low Profile	15 000	52.50
NR947	63642506137	6" NorGrip Medium Low Profile	15 000	52.50

STIKIT™ DISC PADS

- Provides excellent disc adhesion yet allows quick, easy removal
- Has medium density foam and a 45° tapered edge for flexibility
- Lightweight and shock-resistant with blue vinyl face
- Use with dual action and random orbital sanders; maximum RPM of 10 000



Model No.	Dimensions	For use with	Price /Each
BP215	5" x 3/4" x 5/16-24 Ext	5" Stikit™ Discs	22.20
BP216	6" x 3/4" x 5/16-24 Ext	6" Stikit™ Discs	43.50

LARGE DIAMETER CLOTH PSA DISCS

Typical Applications

- Used on stationary disc machines
- For dimensioning
- For finishing metal workpieces
- Pressure sensitive adhesive offers fast, convenient mounting
- Made without centre holes for full-face usage

NORTON PLUS R821P DISCS

- Self-sharpening, zirconia alumina abrasive, offers cooler cut and extended life
- Heavy Y-wt backing, is durable, reduced edge wear
- Ideal for grinding and deburring stainless steel



NORTON

Model No.	Mfg. No.	Size"	Grit	Price /Each
NZ057	66261138318	12	24	18.60
NZ058	66261138319	12	36	17.60
NZ059	66261138320	12	40	16.40
NZ060	66261138321	12	50	15.40
NZ061	66261138322	12	60	14.50
NZ062	66261138323	12	80	13.40

METALITE R228 DISCS

- Premium aluminum oxide abrasive
- Long life
- Heavy, X-wt cotton backing
- Durable
- Ideal for aggressive stock removal applications
- Resistant to heat



NORTON

Model No.	Mfg. No.	Size"	Grit	Price /Each
NZ077	66261136635	12	36	10.60
NZ078	66261136630	12	40	10.00
NZ079	66261136625	12	50	9.50
NZ080	66261136620	12	60	8.94
NZ081	66261136615	12	80	8.40
NZ082	66261136614	12	100	7.96
NZ083	66261136613	12	120	7.96

ABRASIVES

FILE BELTS


Typical Applications

- Light weld removal and blending
- Shape and contour sanding
- Surface preparation prior to coating and plating
- Removing cutting tool marks from moulds and dies
- General clean-up and finishing



NORTON SG BLAZE R980P BELTS

- SG ceramic abrasive grain lasts 50% to 200% longer on mild and carbon steel, stainless, cobalt, chrome, inconel and titanium
- Cuts 20% faster than the current generation of grinding belts, longer belt life, better metal integrity
- Improved Y-wt polyester waterproof cloth backing, significantly improved belt life due to better grain adhesion
- Improved resin bond system, improved grain-retention, cooler cutting during the life of the belt



NORTON

Model No.	Mfg. No.	Size			Grit	Price /Each
		W"	x	L"		
NR091	69957398018	1/2	x	12	40	2.37
NR092	69957698019	1/2	x	12	60	2.29
NR093	69957398020	1/2	x	12	80	2.22
NR094	69957398021	1/2	x	18	40	2.54
NR095	69957398022	1/2	x	18	60	2.41
NR096	69957398023	1/2	x	18	80	2.33
NR097	69957398024	1/2	x	24	40	2.81
NR098	69957398025	1/2	x	24	60	2.60
NR099	69957398026	1/2	x	24	80	2.41
NR100	69957398027	3/4	x	18	40	2.85
NR101	69957398028	3/4	x	18	60	2.68
NR102	69957398029	3/4	x	18	80	2.51

NORZON PLUS R823P BELTS

- Premium, self-sharpening zirconia alumina abrasive
- Aggressive, rapid cut rate, strong grain adhesion, longer life
- Waterproof for use on a broad range of materials
- Strong X-wt polyester backing, for moderate to heavy pressure applications
- Ideal on stainless steel



NORTON

Model No.	Mfg. No.	Size			Grit	Price /Each
		W"	x	L"		
NZ178	78072728745	1/2	x	12	60	1.35
NZ179	78072728744	1/2	x	12	80	1.16
NZ180	78072728742	1/2	x	12	120	0.96
NZ181	78072728569	1/2	x	18	60	1.39
NZ182	78072728568	1/2	x	18	80	1.35
NZ183	78072728567	1/2	x	18	120	1.06
NZ184	78072728564	1/2	x	24	60	1.45
NZ185	78072728566	1/2	x	24	80	1.39
NZ187	78072728565	1/2	x	24	120	1.27
NZ188	78072709590	3/4	x	18	60	1.62
NZ189	78072758953	3/4	x	18	80	1.52
NZ194	78072728583	1	x	30	60	2.89
NZ195	78072728582	1	x	30	80	2.66

METALITE R228 BELTS

- Aluminum oxide abrasive
- Aggressive cutting; resistant to heat
- Strong X-wt rayon backing
- For metal and wood



NORTON

Model No.	Mfg. No.	Size			Grit	Price /Each
		W"	x	L"		
NZ410	78072727557	1/2	x	12	40	0.92
NZ411	78072727555	1/2	x	12	60	0.92
NZ412	78072727554	1/2	x	12	80	0.83
NZ414	78072727552	1/2	x	12	120	0.75
NZ415	78072727561	1/2	x	18	40	0.96
NZ416	78072727560	1/2	x	18	60	0.94
NZ417	78072727559	1/2	x	18	80	0.92
NZ418	78072727558	1/2	x	18	120	0.83
NZ419	78072727568	1/2	x	24	40	0.98
NZ421	78072727566	1/2	x	24	60	0.98
NZ422	78072727565	1/2	x	24	80	0.94
NZ423	78072727564	1/2	x	24	120	0.98
NZ429	78072727579	1	x	30	80	1.83
NZ430	78072727577	1	x	30	120	2.02

PORTABLE BELTS


Typical Applications

- Grinding and finishing of all metals
- Blending of welds
- Sanding and finishing of wood
- Glass seaming and polishing



METALITE R228 BELTS

- Aluminum oxide abrasive
- Aggressive cutting; resistant to heat
- Strong X-wt cotton backing
- For metal and wood



NORTON

Model No.	Mfg. No.	Size			Grit	Price /Each
		W"	x	L"		
NZ283	78072727927	3	x	21	40	2.77
NZ284	78072727926	3	x	21	50	2.68
NZ285	78072727925	3	x	21	60	2.60
NZ286	78072727924	3	x	21	80	2.49
NZ287	78072727923	3	x	21	100	2.39
NZ288	78072727922	3	x	21	120	2.39
NZ289	78072781847	3	x	24	36	3.18
NZ290	78072727937	3	x	24	40	2.99
NZ291	78072727936	3	x	24	50	2.83
NZ292	78072727935	3	x	24	60	2.77
NZ293	78072727934	3	x	24	80	2.66
NZ294	78072727933	3	x	24	100	2.54
NZ295	78072727932	3	x	24	120	2.54
NZ302	78072780438	4	x	24	36	5.36
NZ303	78072727947	4	x	24	40	4.82
NZ304	78072727946	4	x	24	50	4.64
NZ305	78072727945	4	x	24	60	4.49
NZ306	78072727944	4	x	24	80	4.26
NZ307	78072727943	4	x	24	100	4.09
NZ308	78072727942	4	x	24	120	4.09

Ask us about volume prices!

In many cases you will benefit from quantity prices.



STATIONARY BELTS

Typical Applications

- Benchstand and backstand belts
- Grinding and deburring of all metals
- Heavy stock removal
- Blending, dimensioning and shaping
- Polishing

NORZON PLUS R823P BELTS

- Premium self-sharpening zirconia alumina abrasive, aggressive, rapid cut rate
- Strong X-wt polyester backing; waterproof, greater flexibility, ideal for heavy pressure applications



NORTON

Model No.	Mfg. No.	Size		Grit	Price /Each
		W"	L"		
NZ196	78072728596	1	x 42	60	2.91
NZ197	78072728594	1	x 42	80	2.76
NZ198	78072728592	1	x 42	100	2.60
NZ199	78072728590	1	x 42	120	2.60
NZ200	78072728586	1	x 42	180	2.60
NZ215	78072728827	4	x 36	60	7.75
NZ216	78072728825	4	x 36	80	7.11
NZ217	78072728821	4	x 36	120	6.80
NZ218	78072728937	6	x 48	60	13.00
NZ219	78072728935	6	x 48	80	11.80
NZ220	78072728933	6	x 48	100	11.40
NZ221	78072728931	6	x 48	120	11.40

SPIRAL BANDS

Typical Applications

- Deburring
- Polishing
- Surface preparation

Features & benefits

- Spiral construction avoids shadow marks and provides smooth cutting action
- Achieve close tolerances when finishing curved or contoured areas

SPIRAL BANDS

- Aluminum oxide resin bond



NORTON

Model No.	Mfg. No.	Size"		Grit	Price /Each
		W"	L"		
BZ251	08834196068	1/2	x 1/2	60	88.60
BZ288	08834196179	1/2	x 1/2	80	88.60
BZ252	08834196069	1/2	x 1/2	120	88.60
BZ307	08834196212	1/2	x 1	60	92.50
BZ309	08834196215	1/2	x 1	80	92.50
BZ305	08834196210	1/2	x 1	120	92.50
BZ401	08834196554	3/4	x 1	60	112.00
BZ328	08834196249	3/4	x 1	80	112.00
BZ244	08834196057	3/4	x 1	120	110.00
BZ257	08834196074	1	x 1	80	104.00
BZ278	08834196167	1	x 1	100	98.30
BZ286	08834196177	1	x 1	120	98.30
BZ247	08834196060	1	x 1 1/2	60	121.00
BZ274	08834196162	1	x 1 1/2	80	118.00
BZ443	08834196677	1	x 1 1/2	120	116.00
BZ289	08834196181	2	x 2	80	183.00
BZ298	08834196193	2	x 2	100	177.00
BZ412	08834196585	2	x 2	120	177.00
BZ296	08834196188	3	x 3	60	330.00
BZ272	08834196159	3	x 3	80	320.00
BZ407	08834196572	3	x 3	120	312.00

METALITE R228 BELTS

- Aluminum oxide abrasive
- For a wide range of metalworking applications
- Strong X-wt cotton backing, aggressive cutting/resistant to heat



NORTON

Model No.	Mfg. No.	Size		Grit	Price /Each
		W"	L"		
NZ309	78072720910	1	x 42	40	2.52
NZ310	78072720905	1	x 42	50	2.49
NZ311	78072720900	1	x 42	60	2.43
NZ312	78072720895	1	x 42	80	2.33
NZ313	78072720890	1	x 42	100	2.29
NZ314	78072720885	1	x 42	120	2.29
NZ315	78072720880	1	x 42	150	2.29
NZ316	78072720875	1	x 42	180	2.29
NZ317	78072720871	1	x 42	220	2.29
NZ318	78072720870	1	x 42	240	2.29
NZ319	78072720865	1	x 42	320	2.29
NZ354	78072722110	4	x 36	36	6.74
NZ355	78072722105	4	x 36	40	8.88
NZ356	78072722100	4	x 36	50	8.56
NZ357	78072722095	4	x 36	60	8.27
NZ358	78072722090	4	x 36	80	7.86
NZ359	78072722085	4	x 36	100	7.65
NZ360	78072722080	4	x 36	120	7.65
NZ361	78072722079	4	x 36	150	5.57
NZ362	78072722075	4	x 36	180	5.57
NZ363	78072722071	4	x 36	320	5.57
NZ371	78072722590	6	x 48	36	16.60
NZ372	78072722585	6	x 48	40	15.90
NZ373	78072722580	6	x 48	50	15.20
NZ374	78072722575	6	x 48	60	14.50
NZ375	78072722570	6	x 48	80	10.60
NZ376	78072722565	6	x 48	100	13.50
NZ377	78072722560	6	x 48	120	13.50
NZ378	78072722555	6	x 48	150	10.20
NZ379	78072722550	6	x 48	180	10.20
NZ380	78072722546	6	x 48	220	10.20
NZ381	78072722545	6	x 48	240	10.20
NZ382	78072722543	6	x 48	320	10.20

CARTRIDGE ROLLS

MERIT

Typical Applications

- Flash removal
- Polishing
- Removing machine tool marks and edge breaking

Features & benefits

- Can reach into corners where larger diameter tools cannot

CARTRIDGE ROLLS TEST KIT CR

- Includes 120 of the most popular sizes, grit and shape with their appropriate mandrels

Model No. BS529
Price/Each \$93.40



ABRASIVES

SHOP CLOTH ROLLS

Typical Applications

- Polishing lathe turnings, rolls and cylinders
- Light deburring
- Blending machine tool marks
- Removing rust and scale
- Fine sanding and polishing

METALITE K225 CLOTH SHOP ROLLS

- For general purpose metalworking applications
- Premium P-graded aluminum oxide abrasive produces greater cut rate
- Flexible J-wt cotton backing offers superior conformability to complex surfaces and better finishes
- Advanced full resin bond system offers exceptional grain adhesion for longer life



NORTON

Model No.	Mfg. No.	Grit	Price /Each
1" X 50 YARD			
NS204	66261058716	40	41.10
NS205	66261127728	50	40.90
NS206	66261127729	60	40.20
NS212	66261126276	80	42.10
NS213	66261126275	100	40.70
NS214	66261126274	120	40.70
NS215	66261126273	150	40.70
NZ846	66261126270	240	40.70
NZ847	66261126268	320	40.70
NZ887	66261126267	400	40.70

Model No.	Mfg. No.	Grit	Price /Each
1 1/2" X 50 YARD			
NZ888	66261058715	40	58.40
NZ890	66261127731	60	56.20
NZ891	66261126288	80	58.90
NZ892	66261126287	100	57.00
NZ893	66261126286	120	57.00

Model No.	Mfg. No.	Grit	Price /Each
1 1/2" X 50 YARD			
NZ894	66261126285	150	57.00
NZ951	66261126284	180	57.00
NZ953	66261126282	240	57.00
NZ955	66261126280	320	57.00
NZ957	66261126279	400	57.00

Model No.	Mfg. No.	Grit	Price /Each
2" X 50 YARD			
NZ959	66261058714	40	75.80
NZ995	66261127732	50	75.10
NZ996	66261127733	60	73.70
NS048	66261126299	80	74.90
NZ997	66261126298	100	72.50
NS049	66261126297	120	72.50
NS050	66261126296	150	72.50
NS051	66261126295	180	72.50
NZ998	66261126293	240	72.50
NZ999	66261126291	320	72.50
NR001	66261126290	400	72.50

METALITE K227 CLOTH SHOP ROLLS

- The choice for quality metal finishing
- P-graded aluminum oxide abrasive grain produces fast cut rate and consistent finish
- Flexible J-wt cotton backing offers superior conformity to complex surfaces and better finishes
- Resin bond system for longer life



NORTON

Model No.	Mfg. No.	Grit	Price /Each
1 1/2" X 50 YDS			
NR132	66261109255	P80-J	49.20
NR133	66261058719	P100-J	47.40
NR134	66261109245	P120-J	47.40
NR135	66261058717	P150-J	47.40
NR136	66261109235	P180-J	47.40
NR137	66261109225	P280-J	47.40
NR138	66261109215	P320-J	47.40

Model No.	Mfg. No.	Grit	Price /Each
2" X 50 YDS			
NR139	66261109335	P80-J	63.00
NR140	66261109330	P100-J	60.70
NR141	66261109325	P120-J	60.70
NR142	66261109320	P150-J	60.70
NR143	66261109315	P180-J	60.70
NR144	66261109305	P280-J	60.70
NR145	66261109295	P320-J	60.70

314D PROFESSIONAL CLOTH SHEETS

- Cleaning metal prior to soldering or welding
- Repairing and blending metal finishes and removing stamping marks
- Fine sanding and polishing
- Removing rust, scale and other contaminants
- Hand or machine deburring



3M

9" X 11" SHEETS

Model No.	Mfg. No.	Grit	Price /Each
BP672	60333	50X	1.00
BP673	60334	60X	0.95
BP671	60342	80J	0.83
BP664	60343	100J	0.80
BP665	60344	120J	0.80
BP666	60345	150J	0.80
BP667	60346	180J	0.80
BP668	60347	220J	0.80
BP669	60348	240J	0.80
BP670	60349	280J	0.80

ROLLS

Model No.	Mfg. No.	Grit	Price /Each
1" X 50 YARD			
BP660	60326	50X	19.60
BP662	60325	60X	18.50
BP657	60686	80J	16.20
BP643	60687	100J	15.30
BP645	60688	120J	15.30
BP647	60689	150J	15.30
BP649	60690	180J	15.30
BP651	60691	220J	15.30
BP653	60692	240J	15.30
BP655	60693	280J	15.30

ROLLS

Model No.	Mfg. No.	Grit	Price /Each
1 1/2" X 50 YARD ROLLS			
BP624	60327	50X	29.40
BP625	60328	60X	27.70
BP623	60697	80J	24.30
BP616	60698	100J	22.80
BP617	60699	120J	22.80
BP618	60700	150J	22.80
BP619	60701	180J	22.80
BP620	60702	220J	22.80
BP621	60703	240J	22.80
BP622	60704	280J	22.80
2" X 50 YARD ROLLS			
BP659	60329	40X	42.10
BP661	60330	50X	39.10
BP663	60331	60X	36.90
BP658	60708	80J	32.40
BP644	60709	100J	30.40
BP646	60710	120J	30.40
BP648	60711	150J	30.40
BP650	60712	180J	30.40
BP652	60713	220J	30.40
BP654	60714	240J	30.40
BP656	60715	280J	30.40

See pages
1356 - 1359
for Scissors
and Snips



SANDPAPER, CLOTH SHEETS

Typical Applications

- Scouring and light deburring
- Scale and rust removal
- Blending machine tool marks
- Fine sanding and polishing

METALITE K225 9" X 11" SHEETS

- Premium P-graded aluminum oxide abrasive
- Advanced full resin bond system offers exceptional grain adhesion for longer life
- Flexible J-wt cotton backing, for superior conformability to complex surfaces and better finishes



NORTON

Model No.	Mfg. No.	Grit	Price /Each
NR103	66261058713	40	2.12
NR104	66261101862	50	1.93
NR105	66261101861	60	1.81
NZ455	66261126340	80	1.56
NZ456	66261126339	100	1.46
NZ457	66261126338	120	1.46
NZ458	66261126337	150	1.46
NZ459	66261126336	180	1.46
NZ460	66261126335	220	1.46
NZ461	66261126334	240	1.46
NZ462	66261126333	280	1.46
NZ463	66261126332	320	1.46
NZ464	66261126331	400	1.46
NZ465	66261126330	600	1.46

SANDPAPER, PAPER SHEETS

Typical Applications

- Light duty, metal sanding
- Primer sanding, defect removal from painted surfaces
- Filler sanding
- Sanding and finishing of composites and fiberglass
- Bare wood sanding
- Sanding between sealer coats

NO-FIL ADALOX A275 9" X 11" SHEETS

- Premium P-graded, heat-treated aluminum oxide abrasive
- Unique fibre-reinforced, B-wt latex-saturated backing, can be used wet
- Water-based serrated, non-pigmented, No-Fil coating, provides maximum load resistance and extended life; no colour transfer to work




NORTON

Model No.	Mfg. No.	Grit	Price /Each
NZ431	66261131634	80	1.12
NZ432	66261131633	100	1.04
NZ433	66261131632	120	1.04
NZ434	66261131631	150	1.04
NZ435	66261131630	180	1.04
NZ436	66261131629	220	1.04
NZ437	66261131628	240	1.04
NZ438	66261131627	280	1.04
NZ439	66261131626	320	1.04
NZ440	66261131624	400	1.04
NZ441	66261131623	500	1.04
NZ442	66261131622	600	1.04
NZ443	66261131621	800	1.04

BLUE-BAK T414 WATERPROOF 9" X 11" SHEETS

- Sharp silicon carbide abrasive, exceptional finishes in wet applications
- Strong resin bond, longer life in wet applications
- High strength B-wt waterproof paper backing, extremely flexible
- Environmentally stable; resists humidity-caused curling



NORTON

Model No.	Mfg. No.	Grit	Price /Each
NZ447	66261139367	220	1.21
NZ448	66261139366	240	1.21
NZ449	66261139365	280	1.21
NZ450	66261139364	320	1.21
NZ451	66261139363	360	1.21
NZ452	66261139362	400	1.21
NZ453	66261139361	500	1.21
NZ454	66261139360	600	1.21

NO-FILL DURITE A475 9" X 11" SHEETS

- P-graded silicone carbide abrasive offers easy penetration of the hardest surfaces
- Water-based stearate, non-pigmented, no-fill coating resists loading for longer usable product life, no color transfer to work
- Fibre-reinforced latex paper backing provides flexibility and resistance to tearing
- Ideal choice for gel coats, hard composite substrates, abrasion-resistant coatings and woodworking application



NORTON

Model No.	Mfg. No.	Grit	Price /Each
NR856	66254487393	P80-B	0.96
NR857	66254487394	P100-B	0.83
NR858	66254487395	P120-B	0.83
NR859	66254487396	P150-B	0.83
NR860	66254487397	P180-B	0.83
NR861	66254487398	P220-B	0.83
NR862	66254487399	P240-B	0.83
NR863	66254487400	P320-B	0.83

GARNET A511 9" X 11" SHEETS

- Natural garnet grain
- Excellent for soft woods, consistent finishes, A-weight paper
- Designed for heavy-duty to light-duty hand and machine sanding



NORTON

Model No.	Mfg. No.	Grit	Price /Each
NR114	66261101505	80	0.79
NR115	66261101500	100	0.67
NR116	66261101495	120	0.67
NR117	66261101490	150	0.67
NR118	66261101489	180	0.67
NR119	66261101488	220	0.67

ABRASIVES

GARNET ABRASIVE PAPER

140N - (D weight paper)

- Open coat for non-loading
- Choice of cabinet makers and woodworkers

110N - (A weight paper)

- Open coat for non-loading
- Traditional choice for woodworkers for producing fine finishes



Model No.	Size"	Grit	Price /Each
140N			
BP539	9 x 11	50	0.88
BP540	9 x 11	60	0.88
BP541	9 x 11	80	0.68
110N			
BP531	9 x 11	100	0.45
BP532	9 x 11	120	0.45
BP533	9 x 11	150	0.45
BP534	9 x 11	180	0.45
BP535	9 x 11	220	0.45

TRI-M-ITE FRE-CUT ABRASIVE PAPER

415U/415N (A weight paper - open coat)

- Silicon carbide mineral cuts fast and smooth
- Ideal for sanding between coats of varnish, paint and other finishes
- Especially suited to wood and sealer sanding



Model No.	Size"	Grit	Price /Each
BP548	9 x 11	100	0.77
BP549	9 x 11	120	0.77
BP550	9 x 11	150	0.77
BP552	9 x 11	180	0.77
BP554	9 x 11	220	0.77
BP555	9 x 11	240	0.77
BP556	9 x 11	280	0.77
BP557	9 x 11	320	0.77

WETORDRY™ ABRASIVE PAPER


- Reduces clogging, eliminates dust, extends abrasive life and improves finish

431Q - (Silicon carbide - C weight paper)

- Heavyweight paper backing for increased durability

413Q - (Silicon carbide - A weight paper)

- Excellent conformability



Model No.	Size"	Grit	Price /Each
431Q			
BP572	9 x 11	80	1.80
BP565	9 x 11	100	1.57
BP566	9 x 11	120	1.35
BP567	9 x 11	150	1.28
BP568	9 x 11	180	1.20
413Q			
BP559	9 x 11	220	1.15
BP560	9 x 11	240	1.15
BP561	9 x 11	280	2.30
BP562	9 x 11	320	1.15
BP563	9 x 11	360	1.07
BP564	9 x 11	400	1.16

For Sheet Sanders
see page 1180



HAND PADS

Typical Applications

- Light to heavy duty cleaning
- Deburring
- Blending
- Polishing
- Finishing

Features & benefits

- Made of a nonwoven nylon web impregnated with abrasive grain and resin
- A variety of abrasives, grit sizes and backing materials provides an extensive and superior product offering
- Can be used instead of steel wool
- Non-loading, non-rusting, waterproof and solvent resistant

SCOTCH-BRITE™ HAND PADS

- Excellent products for hand finishing, polishing, cleaning, blending, deburring of wood, metals and composites
- Ideal for wood finishing, paint preparation and general cleaning
- 6" x 9" sheets (model BP493 is 4" x 6")
- Can be used dry or with water or solvents



SCOTCH-BRITE™ SHEET ROLLS

- Tough, highly flexible, sharp cutting abrasive
- High flexibility makes for easy cleaning and finishing surfaces by hand
- 8" x 4" sheets come packaged in rolls of 60 sheets
- Purple colour sheets provide a Very Fine finish, and grey sheets provide an Ultra Fine finish

Model No. BP001
Very Fine Roll
Price/Each \$54.00

Model No. BP002
Ultra Fine Roll
Price/Each \$54.00



Model No.	Type of Pad	Colour	Finish	Price /Each
BP486	Heavy-duty	Tan	Coarse	3.43
BP482	Blending	Grey	Medium	2.30
BP484	General purpose	Maroon	Very Fine	1.11
BP492	Ultra fine	Light Grey	Ultra fine	1.11
BP488	Cleaning	White	Cleaning	1.50
NC871	General purpose #96	Green	Scouring	1.06

SCOTCH-BRITE™ PRODUCTION HAND PADS


- Higher rate of cut, longer life and better finish
- Use on aluminum, stainless steel, plastics, wood and fibreglass
- Ideal for paint preparations, surface blending and scuffing
- Comes in 6" x 9" pads which tear easily into 4 1/2" x 6" sheets

Model No. BP490
Price/Each \$1.31



SANDING SPONGES

- Sponges form perfectly to corners, contours and flat surfaces
- Can be used on all surfaces, from wood, metal and plastic, to coated or painted surfaces
- Sponges are all 4 1/2" x 5 1/2" in size and have a soft sponge in the centre



Model No.	Grit	Price /Each
BP629	Medium	3.35
BP628	Fine	3.35
BP630	Super Fine	3.35

HAND PAD HOLDERS


- Used with Scotch-Brite™ hand pads and roll material cut to 4" x 6" size

Model No. BP500
Price/Each \$8.68



BEAR-TEX HAND PADS


- Flexible, gentle action and resilient construction
- Conform to work surface and easily remove flashing or burrs without affecting dimension of work piece
- Non-loading, non-rusting, constant supply of new cutting edges, no workpiece contamination



Model No.	Colour	Description	Abrasive	Grit	Qty /Pkg.	Price /Each
NZ811	White	Light-Duty Cleaning Pad	Non-Abrasive	-	60	1.62
NZ812	Grey	Clean and Finish Pad	Silicon Carbide	Ultra Fine	60	1.46
NZ813	Light Green	Food Pro Pad	Aluminum Oxide	Very Fine	60	0.60
NS046	Dark Tan	Heavy-Duty Pad	Aluminum Oxide	Medium	40	3.76
NZ814	Grey	Metal Blend Pad	Silicon Carbide	Medium	40	2.43
NS045	Maroon	General Purpose Pad	Aluminum Oxide	Very Fine	60	1.46
NZ815	Grey	Final Shine Pad	Silicon Carbide	Micro Fine	60	1.46
NZ816	Maroon	Long Life Pad	Aluminum Oxide	Very Fine	60	1.46
NZ817	Green	Scouring Pad	Aluminum Oxide	Very Fine	60	1.46
NZ818	Maroon	General Purpose Perforated Pad	Aluminum Oxide	Very Fine	60	1.50
NZ819	Grey	General Purpose Pad	Silicon Carbide	Very Fine	40	2.25
NZ820	-	Hand Pad Holder	-	-	10	6.92

AURORA HAND PADS

- Non-woven, synthetic fibres, bonded together with specially formulated resins and impregnated throughout the web with mineral grain creating an open, three dimensional structure
- Designed for light duty cleaning, polishing, scuffing, finishing and for heavy duty paint, rust and corrosion removal
- Can be used for dry scuffing and finishing or may be used with water or chemical solvents
- Flexible and strong
- 6" x 9"



aurora tools®

Model No.	Description	Finish	Price /Each
NU022	Tan heavy duty	Coarse	1.86
NU023	Green industrial	Scouring	0.83
NU024	Maroon GP	Medium	0.83
NU025	Grey ultra fine	Ultra-fine	0.96
NU026	White non-abrasive	Non-abrasive	1.15

ROLLS

Typical Applications

- Light deburring
- Cleaning
- Finishing
- Applying decorative finishes

Features & benefits

- Rolls may be cut for use in jitterbug sanding or on hand sanding applications
- Rolls have the durability for indexing machine applications

CLEAN & STRIP

Typical Applications


- Removal of paint and epoxy coating, surface rust and residue, corrosion, light weld splatter, dirt, mill scale and other similar surface contaminants
- Surface prep before coatings are applied
- Surface prep before welding; cleaning and conditioning afterwards
- Applying fine finishes

Features & benefits

- A web of strong synthetic fibres and quality abrasive, bonded together by a smear-resistant adhesive for cleaning, conditioning, and finishing a multitude of materials, quickly and easily with little loading

SCOTCH-BRITE™ CLEAN & FINISH ROLLS

- Used for final hand cleaning, blending and finishing
- Can be cut to desired length for oscillating sanders



Model No.	Mfg. No.	Size	Colour	Finish	Price /Each
BP604	00264	4" x 30'	Maroon	Medium	104.00
BP612	00274	6" x 30'	Maroon	Medium	154.00
BP603	00265	4" x 30'	Maroon	Fine	78.70
BP611	00275	6" x 30'	Maroon	Fine	113.00
BP605	00266	4" x 30'	Maroon	Very fine	65.10
BP609	00270	4" x 30'	Grey	Very fine	65.10
BP613	00276	6" x 30'	Maroon	Very fine	96.10
BP608	69006	4" x 30'	Grey	Ultra fine	65.10
BP607	69009	4" x 30'	Grey	Super fine	65.10
BP606	69010	4" x 30'	White	Cleaning	65.10

MINI-MANDRELS

- Use with 1" x 1 1/2" Scotch-Brite™ material to fit tight areas
- Mandrel is 2 7/8" long with a 1/4" shank

Model No. BP504
Price/Each \$18.50



CUT 'N POLISH ROLLS

- Outlast and outperform emery cloth and utility rolls around angles, corners, odd shapes, and inside/outside diameters
- Used for general cleaning, deburring odd shapes and stropping pipe prior to soldering or welding
- Tan colour and medium finish

Model No. BP614 1" x 30' Roll
Price/Each \$41.20

Model No. BP615 2" x 30' Roll
Price/Each \$79.00



BEAR-TEX FAST CUT ROLLS

- Premium aluminum oxide grain provides clean cutting and long lasting
- Fast initial cut, less pressure needed
- Improved base adhesion, improved cut rate



Model No.	Colour	Grit	Size	Price /Each
NZ821	Tan	Medium	4" x 30'	168.00
NZ822	Maroon	Very Fine	4" x 30'	67.70
NZ823	Grey	Very Fine	4" x 30'	64.50

BEAR-TEX

Rapid strip discs and depressed center wheels

- Open web constructions provides fast cutting action with very little loading
- Follow difficult part profiles, easy cleaning of uneven surfaces
- Thick, strong, synthetic fibres and extra coarse grit
- Quick cleaning and conditioning of surfaces
- Silicon carbide abrasive, extra coarse
- Ideal for surface preparation, conditioning and cleaning, removal of rust, paint, weld spatter, etc.



Model No.	Size"	Max RPM	Qty /Pkg.	Price /Each
TYPE 1 - BEAR-TEX RAPID STRIP WHEELS				
NZ842	4 x 1/4	8000	25	15.10
NZ843	4 x 1/2	8000	25	15.10
NZ844	6 x 1/2	5500	15	24.40
TYPE 27 - BEAR-TEX RAPID STRIP CLEANING DISCS				
NS047	4 1/2 x 7/8	11000	10	17.30
NS136	7 x 7/8	8000	10	27.60

SCOTCH-BRITE™ CLEAN & STRIP DISCS (SILICON CARBIDE - EXTRA COARSE)

- Tough open web ideal for weld cleaning, paint and coatings removal
- Faster and safer than wire brushes



Model No.	Dia."	Max. RPM	Price /Each
BP252	4 x 1/2	6000	10.00
BP254	6 x 1/2	4000	16.50
BP255	8 x 1/2	3000	25.10

MANDRELS

- Furnished complete with washers to fit available disc sizes

Model No.	Mfg. No.	Size"	Price /Each
BP502	933	2	8.43
BP503	934	3 1/16	28.10

BP502



BP503

SURFACE BLENDING

Typical Applications

- Removing surface defects
- Removing light edge burrs, parting lines or flashing
- Removing rust, oxides, corrosion, paints and scale
- Cleaning molds
- Blending mill marks, tool marks, uneven edges and coated abrasive finish

Features & benefits

- Discs and belts perform well under a wide range of applications: from removing engine gaskets, and deburring of aluminum and steel, to finishing nickel alloy turbine blades

SCOTCH-BRITE™ COATING REMOVAL DISCS

Made for right angle tools from aggressive clean and strip web. Non-loading design ideal for removing rust and coatings.

- Hook and loop backing easily attaches to 3M disc pad holder
- Silicon carbide - extra coarse



Model No.	Dia."	Grit	Max. RPM	Price /Each
BP272	4 1/2	Extra coarse	12000	13.30
BP274	5	Extra coarse	10000	14.60
BP275	7	Extra coarse	6000	24.60

HOOK & LOOP SCOTCH-BRITE™ SURFACE CONDITIONING DISCS

Scotch-Brite™ surface conditioning discs are best for finishing, cleaning and light deburring on flat metal surfaces. Attach and remove easily to 3M hook & loop back up pads.

Used with the

following hand tools:

- Right angle
- Random orbital
- Dual action



Model No.	Dia."	Grit	Colour	Max. RPM	Price /Each
BP357	2	Coarse	Brown	23 000	1.52
BP359	2	Medium	Maroon	23 000	1.32
BP362	2	Very Fine	Blue	23 000	1.32
BP363	3	Coarse	Brown	20 000	2.70
BP365	3	Medium	Maroon	20 000	2.98
BP367	3	Very Fine	Blue	20 000	2.70
BP376	4	Coarse	Brown	13 000	3.45
BP380	4	Very Fine	Blue	13 000	3.37
BP369	4 1/2	Coarse	Brown	13 000	4.08
BP371	4 1/2	Medium	Maroon	13 000	3.65
BP381	5	Coarse	Brown	10 000	4.72
BP383	5	Medium	Maroon	10 000	3.92
BP386	5	Very Fine	Blue	10 000	3.92
BP388	7	Coarse	Brown	6000	8.13
BP390	7	Medium	Maroon	6000	5.95
BP392	7	Very Fine	Blue	6000	6.62

HOOK & LOOP DISC PAD HOLDERS

For use with 3M Scotch-Brite™ surface conditioning and coating removal discs.

Model No.	Size"	Shank	Max. RPM	Price /Each
SHANK MOUNTED DISC PAD HOLDERS				
BP207	2	1/4"	23 000	9.13
BP208	3	1/4"	20 000	11.60
BP209	4	1/4"	13 000	12.90
BP206	5	5/16"-24	10 000	37.30

HUB MOUNTED DISC PAD HOLDERS				
BP199	4	5/8"-11	13 000	36.50
BP201	4 1/2	5/8"-11	13 000	36.50
BP202	5	5/8"-11	10 000	36.50
BP204	7	5/8"-11	6000	36.50



BP206



BP199

SCOTCH-BRITE™ DISCS

Premium Scotch-Brite™ surface conditioning non-woven web provides a burr-free decorative finish.

Removes grind marks, rust and coatings.



Model No.	Dia."	Grit	Colour	Price /Each
ROLOCTM				
BP396	2	Coarse	Brown	1.23
BP397	2	Medium	Maroon	1.23
BP398	2	Very Fine	Blue	1.23
BP400	3	Coarse	Brown	2.48
BP401	3	Medium	Maroon	2.48
BP403	3	Very Fine	Blue	2.48
ROLOCTM TSM				
BP404	2	Coarse	Brown	1.53
BP405	2	Medium	Maroon	1.53
BP406	2	Very Fine	Blue	1.53
BP407	3	Coarse	Brown	3.07
BP408	3	Medium	Maroon	3.07
BP409	3	Very Fine	Blue	3.07

ROLOCTM DISC PADS

Rubber back-up pads are available in different diameters and degrees of hardness for varying grinding applications. Pads are internally threaded to receive any standard 1/4"-20 thread shaft.



Model No.	Size"	Max. RPM	Hardness	Price /Each
BP008	2	25 000	Medium	21.30
BP005	2	25 000	Hard	19.50
BP009	3	18 000	Medium	23.80
BP006	3	20 000	Hard	23.80

ROLOCTM TSM DISC PADS

For use with Roloctm TSM grinding discs and screw on abrasive discs.



Model No.	Size"	Max. RPM	Hardness	Price /Each
BP517	2	25 000	Medium	27.50
BP516	2	25 000	Hard	28.80
BP518	3	20 000	Hard	33.90

1/4" THREADED SHAFTS

- Needed with all Roloctm disc pads

Model No. BP013 Price/Each \$3.77

ABRASIVES

BUFF & BLEND® PRODUCTS

These products are made from an open structure of non-woven fibres impregnated with abrasive particles held together by resin to form a loose webbing. Buff & Blend® products are designed for light duty removal of rust, oxidation and coatings (including paint), without affecting the base material. They are not intended for use on sharp edges or burrs.

GP MATERIAL

- Flexible and conformable
- GP provides a high rate of cut

SOCATT® DISCS

Model No.	Size"	Grit	Price /Each
VU676	2	Medium	1.43
VU677	2	Fine	1.34
VU678	2	Very Fine	1.34
VU679	3	Medium	2.32
VU680	3	Fine	2.09
VU681	3	Very Fine	2.09


HP MATERIAL

- Durable and aggressive
- Recommended starting point for deburring applications

Model No.	Size"	Grit	Price /Each
VU697	6 x 1/2	Very Fine	3.68
VU705	8 x 1/2	Very Fine	6.10

SCOTCH-BRITE EXL™ ROLOC™ UNITIZED WHEELS

- Strong, efficient products for edge deburring and finishing
- Used with 3M Roloc+ holder pads on a straight shaft or right angle tool



Model No.	Grit	Finish	Size"	Max. RPM	Price /Each
NW069	6A	Medium	2	22100	5.18
NW070	2A	Medium	2	22100	4.32
NW071	2S	Fine	2	22100	4.32
NW072	6A	Medium	3	15100	9.13
NW073	2A	Medium	3	15100	7.60
NW074	2S	Fine	3	15100	7.62



SURFACE CONDITIONING DISCS

These products provide a more compact structure of non-woven fibres than Buff & Blend® products. Surface conditioning products have a woven fabric (Scrim) imbedded in the nylon structure to provide additional strength and durability for edge work, deburring and efficient blending of all metal types.

FE MATERIAL

- High initial and extended rate of cut
- Very flexible with high edge durability
- Effective on both flat and contoured surfaces



SOCATT® DISCS

Model No.	Size"	Grit	Price /Each
NP136	2	Coarse	1.45
NW105	2	Medium	1.45
NP137	2	Very Fine	1.45
NW104	3	Coarse	2.73
NP131	3	Medium	2.73
NP132	3	Very Fine	1.43



LOCKIT® DISCS

Model No.	Size"	Grit	Price /Each
NP138	2	Coarse	1.45
NP139	2	Medium	1.45
NP140	2	Very Fine	1.45
NP133	3	Coarse	2.73
NP134	3	Medium	2.73
NP135	3	Very Fine	2.73

HOLDER PADS

- With mandrel



FOR SMALL DIAMETER SOCATT® DISCS

Model No.	Dia."	Density	Price /Each
VU601	2	Soft	17.68
VU602	2	Medium	16.97
VU603	2	Firm	20.20
VU604	3	Soft	21.53
VU605	3	Medium	19.62
VU606	3	Firm	23.37

FOR SMALL DIAMETER LOCKIT® DISCS

Model No.	Dia."	Density	Price /Each
NU294	2	Soft	19.50
VU611	2	Medium	16.97
VU612	2	Firm	20.20
VU613	3	Soft	21.53
VU614	3	Medium	19.62

THE INDESTRUCTIBLE!

Model TYB497
See page 1365

- ✓ Will not break, bend or split even after repeated overstrikes
- ✓ Ergonomic rubber grip absorbs impact, reducing user fatigue

SCOTCH-BRITE™ SURFACE CONDITIONING FILE BELTS

Premium Scotch-Brite™ surface conditioning non-woven web.

Designed for:

- Cleaning
- Finishing
- Light deburring



Recommended Operating Speeds:

Generally, low speeds are recommended for generating very uniform satin finishes, finishing aluminum alloys without lubricants, and woodworking applications. Higher speeds are recommended when removing imperfections prior to buffing. High belt speed will result in faster cut along with finer finishes.

Application	Recommended SFPM*
Decorative finishing	500-3000
Wood sanding	1200-2700
Deburring	5000-6500

Application	Recommended SFPM*
Cleaning and conditioning	2000-5000
Oxide removal	4500-6500

*Surface feet per minute

Model No.	Size"	Colour	Finish	Price /Each
BP069	1/4 x 24	Blue	Very fine	4.93
BP068	1/4 x 24	Maroon	Medium	4.93
BP067	1/4 x 24	Brown	Coarse	4.93
BP063	1/2 x 18	Blue	Very fine	7.22
BP062	1/2 x 18	Maroon	Medium	7.22
BP061	1/2 x 18	Brown	Coarse	7.22
BP066	1/2 x 24	Blue	Very fine	7.62
BP065	1/2 x 24	Maroon	Medium	7.62
BP064	1/2 x 24	Brown	Coarse	7.62
BP076	3/4 x 18	Blue	Very fine	10.00
BP075	3/4 x 18	Maroon	Medium	10.00
BP074	3/4 x 18	Brown	Coarse	10.00
BP060	1 x 48	Blue	Very fine	17.00
BP073	3 x 24	Maroon	Medium	27.90
BP071	3 1/2 x 15	Maroon	Medium	31.50
BP070	3 1/2 x 15	Brown	Coarse	31.50

BUFFING WHEELS

#60 Soft Cotton Wheels: 100% cotton 60/60 threads per square inch unbleached. For finishing stainless steel, brass, aluminum, gold, silver, chrome and wood.


#80 Cotton Buffing Wheels: 100% unbleached cotton 86/80 threads per square inch. For finishing brass, stainless steel, aluminum, bronze and cast iron.

Sisal Buffing Wheels: Made of sisal cloth #64 and cotton. 6 ply sisal/4 ply cotton. For aggressive buffing and polishing of steel, cast aluminum, iron, brass and bronze. Also excellent for deburring, breaking sharp edges in casting and removing stains, abrasive belt lines and light die marks.



Model No.	Dia."	Arbor"	Ply	Stitching	Price/Each
#60 SOFT COTTON WHEELS					
TD164	6	1/2	20	1/4" Spiral Sewn	34.80
TD167	6	1/2	25	Loose Style	20.90
TT161	6	1/2	36	1/2" Square Sewn	35.60
TD165	8	5/8	20	1/4" Spiral Sewn	36.20
TD168	8	5/8	25	Loose Style	20.20
TT150	10	5/8	20	1/4" Spiral Sewn	40.80
TT151	10	5/8	25	Loose Style	28.40
#80 COTTON BUFFING WHEELS					
TT152	6	1/2	20	1/4" Spiral Sewn	29.70
TT153	6	1/2	25	Loose Style	19.80
TT154	8	5/8	20	1/4" Spiral Sewn	35.20
TT155	8	5/8	25	Loose Style	25.60
TT156	10	5/8	20	1/4" Spiral Sewn	41.20
SISAL BUFFING WHEELS					
TT158	6	1/2	6 Sisal/4 Cotton	1/4" Spiral Sewn	38.70
TT159	8	5/8	6 Sisal/4 Cotton	1/4" Spiral Sewn	50.20
TT160	10	5/8	6 Sisal/4 Cotton	1/4" Spiral Sewn	52.90

SCOTCH-BRITE™ FLAP BRUSHES



- Heavy duty brush excellent for removing handling marks and surface imperfections
- Available on 1/4" shaft (CPFB-S) or Roloc+ attachment system (CPFB-R)

CPFB-R & CPFB-S

Model No.	Size"	Max. RPM	Grit	Price /Each
NW061	2 x 1 x 1/4	12000	Medium	18.20
BP446	3 x 1 3/4 x 1/4	8500	Medium	32.80

CFFB-R & CFFB-S

- Ideal for decorative finishes and light deburring applications
- Available on 1/4" shaft (CFFB-S) or Roloc+ attachment system (CFFB-R)

Model No.	Size"	Max. RPM	Grit	Price /Each
NS702	3 x 1 3/8	8000	Coarse	30.70
BP442	3 x 1 3/4 x 1/4	8500	Coarse	33.70
NS701	3 x 1 3/4 x 1/4	8500	Fine	33.70

COMBI WHEELS

- Made of alternating flaps of coated abrasive and Scotch-Brite™ web
- Aggressive cuts and fine finishes



Model No.	Grit	Size"	Max. RPM	Price /Each
NW066	80	3 x 1 3/4 x 1/4	8000	35.10
NW067	P120	3 x 1 3/4 x 1/4	8000	35.10
NW068	P180	3 x 1 3/4 x 1/4	8500	35.10

POLISHING & BUFFING WHEEL COMPOUNDS

For use with buffing wheels. All bars are: 2" x 2" x 10" except jewelers rouge: 1 1/4" x 1 1/4" x 6".



Model No.	Bar Type	Description	Price /Each
TT143	Black	Coarse, fast cutting bar for removal of rust and scale from iron and steel	24.80
TT144	Brown Tripoli	General purpose bar for buffing brass and aluminum	13.00
TT149	Green	For fine stainless steel and other metals, general purpose	30.20
TT218	White Rouge	Provides a bright luster to stainless steel, aluminum, iron, chrome and nickel surfaces	24.80
TT219	Red Jewelers Rouge	Enhances luster of buffed precious metals, gold, sterling, silver, platinum etc.	22.90
TT220	General Purpose	All round general purpose buffing compound	18.40

DEBURRING & MULTI-FINISHING WHEELS

Typical Applications

- Burr and flashing removal
- Surface roughness reduction
- Blending weld areas on stainless steel
- Blending scratch patterns
- Weld polishing
- Removing rust and oxides
- Applying decorative finishes including antique patterns

Features & benefits

- Formed by wrapping and bonding web material impregnated with abrasive grain and resin around a center core
- Offers a wide range of uses from heavy burr removal to cleaning rust and oxides

SCOTCH-BRITE™ MULTI-FINISHING WHEELS

Produces uniform grain finishes on stainless steel and other metals.

- Highly conformable
- Tough enough to finish edges and welds



Model No.	Grit	Finish	Size"	Max. RPM	Price /Each
BP715	2S	Coarse	6 x 1 x 1	6000	60.50
BP717	2S	Medium	6 x 1 x 1	6000	60.50
BP718	2S	Coarse	6 x 2 x 1	6000	94.20
BP720	2S	Medium	6 x 2 x 1	6000	94.20
BP721	2S	Coarse	8 x 1 x 3	4500	85.90
BP723	2S	Medium	8 x 1 x 3	4500	85.90

SCOTCH-BRITE™ EXL DEBURRING WHEELS

Use to clean, finish, blend, deburr or polish all types of metals, composites and glass.



Model No.	Grit	Finish	Size"	Max. RPM	Price /Each
BP694	8A	Medium	6 x 1/2 x 1	6000	65.27
BP695	8S	Fine	6 x 1/2 x 1	6000	65.30
BP696	9S	Fine	6 x 1/2 x 1	6000	65.30
BP690	8A	Medium	6 x 1 x 1	6000	86.60
BP692	8S	Fine	6 x 1 x 1	6000	86.60
BP693	9S	Fine	6 x 1 x 1	6000	86.60
BP697	8A	Medium	8 x 1 x 3	4500	111.00
BP698	8S	Fine	8 x 1 x 3	4500	111.00
BP700	9S	Fine	8 x 1 x 3	4500	111.00
BP704	8A	Medium	8 x 2 x 3	4500	188.00
BP705	8S	Fine	8 x 2 x 3	4500	188.00
BP706	9S	Fine	8 x 2 x 3	4500	188.00

SCOTCH-BRITE™ EXL UNITIZED DEBURRING WHEELS



Excellent for deburring and polishing a wide range of metals, plastics and composites.

- Cool running allows more pressure to be applied
- Cleaner than buffs and compounds
- Eliminate danger of loose-flying wires

Model No.	Grit	Finish	Size"	Max RPM	Price /Each
BP737	2A	Medium	1 x 1 x 3/16	25 100	4.58
BP738	2S	Fine	1 x 1 x 3/16	30 100	4.58
BP739	6A	Medium	1 x 1 x 3/16	35 100	4.78
BP740	6S	Fine	1 x 1 x 3/16	35 100	4.79
BP741	8A	Coarse	1 x 1 x 3/16	35 100	5.50
BP742	8A	Medium	1 x 1 x 3/16	35 100	5.50
BP743	2A	Medium	3 x 1/4 x 3/8	12 100	8.12
BP744	2S	Fine	3 x 1/4 x 3/8	12 100	7.37
BP745	4A	Fine	3 x 1/4 x 3/8	18 100	7.98
BP746	6A	Medium	3 x 1/4 x 3/8	18 100	8.82
BP747	6S	Fine	3 x 1/4 x 3/8	18 100	8.82
BP748	8A	Coarse	3 x 1/4 x 3/8	18 100	9.72
BP749	8A	Medium	3 x 1/4 x 3/8	18 100	9.72

SCOTCH-BRITE™ HIGH STRENGTH DISCS (ALUMINUM OXIDE)

- Very conformable discs
- Ideal for light deburring, cleaning and finishing



Model No.	Dia."	Grade	Max. RPM	Price /Each
NW051	6 x 1/4	Very Fine	4000	3.08
NW052	6 x 1/2	Medium	4000	6.10
NW053	6 x 1/2	Very Fine	4000	3.12
NW054	8 x 1/2	Medium	3000	8.92
NW055	8 x 1/2	Very Fine	3000	4.85

SCOTCH-BRITE™ CUT & POLISH WHEELS

Heavy-duty wheels for aggressive blending and finishing.

- Produce uniform results quickly and easily
- Replace rubber bonded wheels, set-up wheels and lap wheels



Model No.	Grit	Finish	Size"	Max. RPM	Price /Each
BP680	7A	Coarse	6 x 1 x 1	6000	135.00
BP682	7A	Medium	6 x 1 x 1	6000	135.00
BP681	7A	Fine	6 x 1 x 1	6000	135.00

WHEEL ACCESSORIES

Flange Adaptor No. 5: For use with 6" wheels. Telescoping wheel adaptors 1" and 1/2" wide to reduce 1" wheel cores to fit 5/8". Must be used with side flanges.



Model No.	Size"	Price /Each
FLANGE ADAPTOR NO. 5		
NW080	1 x 1/2 x 1/2	8.43
NW081	1 x 1 x 1/2	2.20

MANDRELS

Designed for use with Scotch-Brite™ unitized wheels.

Model No.	Size"	Max RPM	Price /Each
BP505	2 1/16 x 1/4 x 3/4	22200	8.88
NW076	1 3/4 x 1/4 x 1/2	35200	9.30
BP508	1 3/4 x 1/4	18200	17.90



ECONOMY BRUSHES

- An economic alternative to the high-value Osborn® brand
- Geared toward light industrial and DIY users
- Selected from the fastest movers in the Osborn® line to provide a complete selection of quick-turning products
- Standard arbor sizes or shanks
- Power brushes with plain arbor holes come packaged with adapters for common drive sizes
- High-speed thread adapters are included in the Osborn® economy line to fit most threaded drives
- All power brushes are display packaged



CRIMPED WIRE WHEEL BRUSHES - NARROW FACE
INCLUDES 1/2" AND 5/8" ADAPTERS

Model No.	Mfg. No.	Brush Dia."	Arbor Hole"	Fill Dia."	Type	Face Width"	Max. RPM	Price /Each
NU096	99009	6	2	0.014	Steel	5/8	6000	13.20
NU097	99010	8	2	0.014	Steel	5/8	4500	19.70



CRIMPED WIRE WHEEL BRUSHES - WIDE FACE
INCLUDES 1/2" AND 5/8" ADAPTERS

Model No.	Mfg. No.	Brush Dia."	Arbor Hole"	Fill Dia."	Type	Face Width"	Max. RPM	Price /Each
NU103	99022	6	2	0.014	Steel	1 1/4	6000	28.50
NU104	99023	8	2	0.014	Steel	1 1/2	4500	47.80



CRIMPED WIRE WHEEL BRUSHES - MEDIUM FACE
INCLUDES 1/2" AND 5/8" ADAPTERS

Model No.	Mfg. No.	Brush Dia."	Arbor Hole"	Fill Dia."	Type	Face Width"	Max. RPM	Price /Each
NU098	99012	6	2	0.008	Steel	3/4	6000	25.20
NU099	99015	6	2	0.014	Steel	3/4	6000	19.90
NU100	99016	7	2	0.014	Steel	3/4	6000	26.60
NU101	99013	8	2	0.008	Steel	3/4	6000	36.10
NU102	99017	8	2	0.014	Steel	3/4	4500	32.90



HIGH SPEED STRINGER BEAD KNOT WIRE WHEEL BRUSH

Model No.	Mfg. No.	Brush Dia."	Arbor Hole"	Fill Dia."	Type	Face Width"	Max. RPM	Price /Each
NU105	99083	5	5/8-11	0.02	Steel	3/16	12000	18.10
NU106	99089	6	5/8-11	0.02	Stainless	1/4	12000	43.30
NU107	99084	6	5/8-11	0.02	Steel	1/4	12000	16.30
NU108	99086	6 1/2"	5/8-11	0.02	Steel	3/16	12000	16.70



KNOT WIRE END BRUSH

Model No.	Mfg. No.	Brush Dia."	Fill Dia."	Stem Dia."	Type	Max. RPM	Price /Each
NU109	99098	3/4	0.014	1/4	Steel	20000	9.22
NU110	99099	3/4	0.02	1/4	Steel	20000	6.70
NU111	99100	1	0.012	1/4	Steel	20000	10.60
NU112	99101	1	0.014	1/4	Steel	20000	8.63
NU113	99102	1	0.02	1/4	Steel	20000	8.26
NU114	99103	1	0.014	1/4	Stainless	20000	17.40

ATB™ NYLON ABRASIVE COMPOSITE FLEXIBLE WHEEL BRUSHES

- Brushes with long trim and moderate density offer long brush life, less filament breakage and uniform distribution of filaments
- Maximum RPM: 3600
- Ideal for applications requiring a high degree of conformability
- **Applications:** Turbine blades, indexable cutting tool inserts, cam shafts, machined parts, and edge radiusing



Brush Dia."	Grit	Filament Diameter (mm)	Arbor Hole"	Face Width"	Trim Length"	Model No.	Price /Each
6	80	0.04	2	1	1 1/4	NT733	86.40
6	80	1.14 x 2.28	2	1	1 1/4	NT734	118.00
6	120	0.028	2	1	1 1/4	NT735	86.40
6	120	0.04	2	1	1 1/4	NT736	86.40
6	180	0.035	2	1	1 1/4	NT737	89.90
6	320	0.022	2	1	1 1/4	NT738	89.90
8	80	1.14 x 2.28	1 1/4	1	2 1/4	NT739	173.00
8	80	0.04	1 1/4	1	2 1/4	NT740	128.00
8	120	0.04	1 1/4	1	2 1/4	NT741	128.00
8	180	0.035	1 1/4	1	2 1/4	NT742	128.00
8	320	0.022	1 1/4	1	2 1/4	NT743	128.00

BRUSHES



END BRUSHES

Especially suited for use on portable air and electric tools, CNC and robotic equipment, the end brush is designed for work where space limitations are a factor. In most applications, higher speeds (up to 25 000 RPM) are required for effective brushing action. Osborn® end brush fill materials include carbon and stainless steels, brass, natural fibre, abrasive nylon, and TY® elastomer encapsulated wire.

OD - OUTSIDE DIAMETER

Standard Osborn® end brushes are made with outside diameters from 3/16" through 3". For larger surfaces or "surround" applications, multiple brushes may be clustered. As a guide, add 1/8" to brush O.D. to get overall O.D.

T - TRIM LENGTH

Shorter brush section provides stiffness and faster cutting. Longer filaments have more flexibility for irregular surfaces.

OAL - OVERALL LENGTH

Distance from end of brush part to end of shank.

S - SHANK DIAMETER

All standard end brushes have 1/4" diameter shank. Miniature end brushes have 1/8" diameter shank.



CRIMPED WIRE END BRUSHES

- Engineered to operate at high speeds
- **Applications:** Rubber and Plastic Mold Cleaning/Cleaning Pipe I.D./Removing Rust, Weld Scale and Spatter/Cleaning Castings/Burr Removal/Rubber Flash Removal/Carbon Removal/Spot Facing/Cleaning and Finishing Recessed Areas



WITH 1/4" SHANK

Brush Dia."	O.A. Length"	Wire Gauge"	Trim Length"	Max RPM	Model No.	Price /Each
STEEL						
1/2	2 3/4	0.0104	1	25 000	BX374	7.92
1/2	2 3/4	0.02	1	25 000	BX375	7.62
3/4	2 3/4	0.02	1	20 000	BX378	11.60
STAINLESS						
1/2	2 3/4	0.0104	1	25 000	BX359	13.10
1/2	2 3/4	0.014	1	25 000	BX360	11.80

CRIMPED WIRE END BRUSHES

- Ideal for flash, scale, rust, corrosion and paint removal
- Softer impact and more flexible than knotted brushes
- Great tool for polishing, edge blending and surface preparation
- Efficient, light cleaning of small hard-to-reach surface areas



Brush Dia."	Fill Dia."	Shank Size"	Fill Length"	Max RPM	Model No.	Price /Each
STEEL						
1/2	0.005	1/4	1	20 000	NU447	9.45
1/2	0.014	1/4	1	20 000	TT316	9.30
3/4	0.005	1/4	1	20 000	NU449	10.30
1	0.005	1/4	1	20 000	NU451	13.70
1	0.014	1/4	1	20 000	TT317	9.94
STAINLESS						
1/2	0.005	1/4	1	20 000	NU448	15.60
3/4	0.014	1/4	1	20 000	TC135	10.00
3/4	0.006	1/4	1	20 000	NU450	20.20
1	0.005	1/4	1	20 000	NU452	25.20

KNOT WIRE END BRUSHES

- Ideal for flash, scale, rust, corrosion and paint removal
- Great tool to reach into holes and hard to reach areas
- More aggressive brushing action than crimped brushes
- Low flexibility knotted wire for high impact brushing



Brush Dia."	Fill Dia."	Shank Size"	Fill Length"	Max RPM	Model No.	Price /Each
STEEL						
1/2	0.014	1/4	1	22 000	NU456	20.50
3/4	0.014	1/4	1	22 000	NU457	14.40
1	0.012	1/4	1	25 000	MLP989	16.50
1	0.014	1/4	1	25 000	TT300	15.00
1	0.020	1/4	1	25 000	TC134	14.50
STAINLESS						
1	0.012	1/4	1	25 000	NU453	25.70
1	0.014	1/4	1	25 000	NU454	28.30
1	0.020	1/4	1	25 000	NU455	28.10

KNOT WIRE END BRUSHES

Rugged brushing tools designed with the finest wire to offer efficient usage for a wide variety of tough cleaning and maintenance applications; can be used on CNC equipment. Available with steel, stainless steel and brass wire. Certain styles are available in clamshell packaging.

- **Applications:** Spot Cleaning or Facing/Removal of Slag, Rust or Scale/Cleaning Pipe I.D./Deburring or Flash Removal/Cleaning of Dies, Moulds and Tooling/Pipeline Cleaning



WITH 1/4" SHANK

Brush Dia."	O.A. Length"	Wire Gauge"	Trim Length"	Max RPM	Model No.	Price /Each
STEEL						
1/2	2 3/4	0.014	1 1/8	22 000	BX350	17.60
3/4	2 3/4	0.014	1 1/8	20 000	BX353	17.40
1	2 3/4	0.014	1	20 000	BX357	19.50
STAINLESS						
1/2	2 3/4	0.014	1 1/8	22 000	BX481	17.60
3/4	2 3/4	0.014	1 1/8	20 000	BX484	19.60
1	2 3/4	0.014	1	20 000	BX487	23.80

SCUF-GUARD COATED BRUSHES

- Made with a durable elastomer layer on the cup to help prevent accidental scratches or markings on the work surface during operation
- Stainless steel wire



Dia."	Brush Length"	O.A. Length"	Fill Dia."	Trim Length"	Max RPM	Model No.	Price /Each
1/2	1 1/8	2 3/4	0.006	1 1/8	22 000	BX364	31.00
1/2	1 1/8	2 3/4	0.014	1 1/8	22 000	BX366	25.30
3/4	1 1/8	2 3/4	0.006	1 1/8	20 000	BX367	35.10
3/4	1 1/8	2 3/4	0.014	1 1/8	20 000	BX369	26.30
1	1	2 3/4	0.006	1 1/8	20 000	BX370	43.30
1	1	2 3/4	0.014	1	20 000	BX372	34.80

AH - ARBOR HOLE

Osborn® brushes are made with a variety of standard sizes which can easily be adapted to fit any standard spindle.

OD - OUTSIDE DIAMETER

Standard Osborn® wheel brushes are made with outside diameters from about one inch to almost two feet. Generally, the largest diameter that suits your work space and machine speed will be most efficient.

ID - INSIDE DIAMETER


Assuming a fixed O.D., increasing the I.D. produces a stiffer, less flexible brush.

T - TRIM LENGTH

Shorter trim makes a stiff, fast cutting brush. Longer trim makes a more flexible brush for irregular surfaces.

F - FACE WIDTH

Standard face widths range from extremely narrow to several inches wide. Many styles can be mounted in multiple.



CRIMPED WIRE WHEEL BRUSHES

- Can be mounted horizontally or vertically
- Highly flexible, ideal for light to medium duty surface preparation on irregular surface
- Offered a variety of style from aggressive material removal to surface conditioning and polishing

NARROW FACE

- More flexible than the wide and medium style
- Can be mounted in multiples
- To be used with a straight grinder, a bench/pedestal grinder or a right angle grinder
- **Application:** Deburring and cleaning narrow areas, producing antique finishes, rust and paint removal



Brush Dia."	Arbor Hole"	Wire Gauge"	Trim Length"	Face Width"	Max RPM	Model No.	Price /Each
STEEL							
6	1 1/4	0.014	1 1/8	5/8	6000	BW882	23.40
8	1 1/4	0.014	1 1/2	5/8	4500	BW886	39.10
10	1 1/4	0.014	2 1/2	5/8	3600	BW888	51.20
STAINLESS							
6	1 1/4	0.014	1 1/8	5/8	6000	BW899	58.20
8	1 1/4	0.014	3/4	1/2	4500	BW900	70.10

WIDE FACE

- Maximum wire density and aggression, providing fast, efficient brushing on production work and general maintenance job
- To be used with a bench/pedestal grinder
- **Application:** Deburring, rust removal, surface finishing and cleaning



Brush Dia."	Arbor Hole"	Wire Gauge"	Trim Length"	Face Width"	Max RPM	Model No.	Price /Each
STEEL							
4 1/4	2	0.0118	3/4	1	6000	BW964	65.30
6	2	0.0118	1	1 1/4	6000	BW968	89.90
8	2	0.0118	1 1/2	1 1/2	4500	BW980	119.00
10	2	0.0118	2 1/8	2	3600	BW983	219.00
STAINLESS							
8	2	0.0118	1 1/2	1 1/2	4500	BX017	196.00

CRIMPED WIRE WHEEL BRUSH WITH 1/4" SHANK

- Uniform dense fill
- Can be used of hand or on a drill press for internal and external cleaning and deburring
- **Application:** Rust, scale, paint, dirt and weld spatter removal



Brush Dia."	Shank Dia."	Wire Gauge"	Trim Length"	Max RPM	Model No.	Price /Each
STEEL						
1 1/2	1/4	0.008	0.281	25 000	BW737	12.10
2	1/4	0.014	0.438	25 000	BW743	13.80
3	1/4	0.014	0.75	25 000	BW753	13.80
STAINLESS						
1 1/2	1/4	0.012	0.281	25 000	BW741	15.60
2	1/4	0.014	0.438	25 000	BW746	21.90
3	1/4	0.014	0.75	25 000	BW756	26.40

MEDIUM FACE

- Greater fill density and more aggressive brushing action
- Can be adaptable to multiple mounting for brushing wider areas
- To be used with a bench/pedestal grinder
- **Application:** Edge blending, deburring, rust removal, surface finishing and cleaning



Brush Dia."	Arbor Hole"	Wire Gauge"	Trim Length"	Face Width"	Max RPM	Model No.	Price /Each
STEEL							
6	2	0.0118	1	7/8	6000	BW996	45.70
8	2	0.0118	1 1/2	5/8	4500	BX006	64.70
10	2	0.0118	2	1 1/4	3600	BX022	107.00
STAINLESS							
6	2	0.0118	1	7/8	6000	BX040	78.80
8	2	0.0118	1 1/2	5/8	4500	BX038	105.00

CENTERING BUSHINGS

- Use only one
- For use with Osborn® brushes only



Model No.	Fits AH"	Reduces to"	Price /Each
BY231	1/2	1/4	0.63
BY232	1/2	3/8	0.63
BY235	5/8	1/4	0.63
BY234	5/8	3/8	0.63
BY233	5/8	1/2	0.63

SMALL DIAMETER CRIMPED WIRE WHEEL BRUSH

- Specially designed for effective brushing operations on internal surfaces and other hard to reach areas
- Can be mounted singly or in multiples, directly onto the shaft of a portable tool
- To be used with: straight grinder, right angle air die grinder, die grinder, drill.
- **Applications:** Deburring, ID cleaning, rust, scale, carbon and corrosion removal



Brush Dia."	Arbor Hole"	Wire Gauge"	Trim Length"	Face Width"	Max RPM	Model No.	Price /Each
STEEL							
1 1/2	3/8	0.014	3/8	7/32	20 000	BB458	6.83
2	1/2	0.014	1/2	1/4	20 000	BB470	8.25
3	1/2	0.014	1	1/4	20 000	BW680	10.50
STAINLESS							
1 1/2	3/8	0.014	3/8	7/32	20 000	BB437	9.31
2	1/2	0.014	1/2	1/4	20 000	BB440	11.10
3	1/2	0.014	1	1/4	20 000	BW700	16.20



BRUSHES

MAJOR WIRE WHEEL BRUSHES

- Top grade wire for long service life and reduced wire breakage
- Efficient, light cleaning of off-hand work pieces
- Good for edge blending and surface preparation

FELTON BRUSHES



Brush Dia."	Fill Dia."	Arbor Size"	Face Width"	Max RPM	Model No.	Price /Each
STEEL						
4	0.014	1 1/8	7/8	6000	NU474	30.80
6	0.012	2	7/8	6000	NU475	32.70
6	0.014	2	1	6000	NU477	45.40
6	0.020	2	1	6000	NU478	45.40
8	0.005	2	7/8	4500	NU479	55.30
8	0.012	2	7/8	4500	NU480	45.40
8	0.012	2	1 1/4	4500	NU482	65.20
8	0.014	2	1 1/4	4500	NU483	63.20
6	0.014	2	7/8	6000	QM346	34.60
8	0.014	2	7/8	4500	QM404	43.30

COPPER CENTRE CRIMPED WIRE WHEELS

- Filled with high quality steel wire
- Used for deburring, stripping wire, removing rust, scale and corrosion or blending tool marks
- Can be used in singles or in multiples

FELTON BRUSHES



Brush Dia."	Fill Dia."	Arbor Size"	Face Width"	Max RPM	Model No.	Price /Each
STEEL						
1 1/2	0.005	3/8	1/4	20 000	NU486	12.90
2	0.005	3/8	3/8	20 000	NU487	11.50
2	0.012	3/8	3/8	20 000	NU488	11.40
2	0.014	1/2	3/8	20 000	NU489	10.90
2 1/2	0.012	1/2	1/2	20 000	NU490	8.86
3	0.014	3/8	5/8	20 000	NU491	10.70
3	0.012	1/2	5/8	20 000	NU492	9.98
3	0.014	1/2	5/8	20 000	NU493	11.50
3	0.020	1/2	5/8	20 000	NU494	13.60
4	0.012	1/2	5/8	20 000	NU495	16.60

CIRCULAR CRIMPED WIRE END BRUSHES

- Ideal for burr, weld scale, corrosion and paint removal
- Softer impact and more flexible than knotted brushes
- Efficient, light cleaning of small surfaces areas
- Great for cleaning pipes and grooves

FELTON BRUSHES



Brush Dia."	Fill Dia."	Shank Size"	Face Width"	Max RPM	Model No.	Price /Each
STEEL						
1 1/2	0.005	1/4	1/4	20 000	NU458	14.90
1 1/2	0.014	1/4	-	20 000	QM452	11.00
2	0.012	1/4	3/8	20 000	NU460	13.00
2	0.014	1/4	3/8	20 000	NU461	10.10
3	0.014	1/4	-	20 000	QM458	14.70
STAINLESS						
1 1/2	0.014	1/4	1/4	20 000	NU459	16.00
3	0.006	1/4	5/8	20 000	NU462	21.60
3	0.014	1/4	5/8	20 000	NU463	17.50
4	0.008	1/4	5/8	20 000	NU464	16.90

CIRCULAR KNOTTED WIRE END BRUSHES

- Ideal for burr, weld scale, corrosion and paint removal
- More aggressive brushing action than crimped brushes
- Reaches into corners and inside edges

FELTON BRUSHES



Brush Dia."	Fill Dia."	Shank Size"	Max RPM	Model No.	Price /Each
STEEL					
3 1/2	0.014	1/4	25 000	NU467	23.90
STAINLESS					
3 1/2	0.014	1/4	25 000	NU468	53.80

CRIMPED WIRE CONCAVE END BRUSHES

- Crimped wire wheel has a concave face to reach into corners
- Acts as an off-hand sweeping tool
- For use on drill presses for internal or external cleaning

FELTON BRUSHES



Brush Dia."	Fill Dia."	Shank Size"	Max RPM	Application Type	Model No.	Price /Each
1 1/2	0.012	1/4	20 000	Steel	NU469	10.40

METAL ADAPTOR FOR 1 1/4" & 2" ARBOR HOLE

- Slip fit adaptor
- Comes in pair



OSBORN

JACKSONLEA

Fits Arbor Hole"	Reduces to Arbor Hole"	Model No.	Price /Each
1 1/4	1/2	BY224	4.05
1 1/4	5/8	BY225	4.02
1 1/4	3/4	BY226	4.05
2	1/2	BY204	4.05
2	5/8	BY205	4.02
2	3/4	BY206	4.05
2	7/8	BY207	4.05
2	1	BY208	4.05
2	1 1/4	BY210	4.05
2	1 1/2	BY211	4.05

BRUSH DRIVE ARBOR

- For brushes up to 3" in diameter
- Design for use with a single brush only
- Not for use with non-brush perishable tool

OSBORN

JACKSONLEA



Diameter"	Overall Length"	Shank Dia."	Model No.	Price /Each
1/4	1 1/2	3/16	BY198	9.06
3/8	1 3/4	1/4	BY199	8.80
1/2	1 3/4	1/4	BY200	9.45
5/8	1 3/4	1/4	BY201	9.45

KNOT WIRE WHEEL BRUSHES

- The individual knot wire tufts of a knot wheel provide minimal flexibility for more aggressive brushing action
- Rugged knot-type construction provides high brush flexibility, more uniform results, maximum safety and efficient operation at high speeds
- Brushes larger than 6" should be mounted on stationary tables; those 6" and smaller can be mounted to stationary installations or attached to portable tools

STANDARD TWIST KNOT

- Aggressive, high impact action for severe application,
- To be used with straight grinders, bench and pedestal grinder or right angle grinder



STRINGER BEAD

- Tighter knot, fit into more recessed area
- To be used with straight grinders or right angle grinder



There are other wheel sizes, wire sizes & arbor sizes available for all brush types.

Different materials are also available.

STRINGER BEAD

- Small width allows this brush to be used in recessed area such as welding junctions
- **Application:** Cleaning stringer bead welds



Brush Dia."	Arbor Hole"	Wire Gauge"	Trim Length"	Face Width"	Max RPM	Model No.	Price /Each
STEEL							
4 7/8	5/8-11NC	0.02	1	3/16	12 000	BX338	24.60
6 1/2	5/8-11NC	0.02	1 1/4	3/16	12 000	BX161	38.20
STAINLESS							
4 7/8	5/8-11NC	0.02	1	3/16	12 000	BX270	45.40
6 1/2	5/8-11NC	0.02	1 1/4	3/16	12 000	BX273	58.40

HIGH SPEED STEEL SMALL GRINDER, STRINGER BEAD

- Works aggressively, smoothly and efficiently on air or portable power tools
- **Application:** Bead scale removal



Brush Dia."	Arbor Hole"	Colour	Wire Gauge"	Trim Length"	Max RPM	Model No.	Price /Each
STEEL							
4	5/8-11NC	Steel	0.02	7/8	20 000	BX288	22.30
4	M-14 x 2.0	Red	0.02	7/8	20 000	BX284	24.20
STAINLESS STEEL							
4	5/8-11NC	Steel	0.02	7/8	20 000	BX311	38.10
4	M-14 x 2.0	Red	0.02	7/8	20 000	BX307	40.20

STANDARD TWIST KNOT WITH 1/4" SHANK

- Designed to operate at high speeds
- **Applications:** Maintenance and metal surface cleaning



Brush Dia."	Wire Gauge"	Trim Length"	Max RPM	Model No.	Price /Each
STEEL					
3	0.014	5/8	25 000	BX193	26.80
4	0.014	7/8	20 000	BX196	28.40
STAINLESS					
3	0.014	5/8	25 000	BX195	47.60
4	0.014	7/8	20 000	BX198	49.90

STANDARD TWIST KNOT

- **Application:** Removal of rubber flash, paint slag, scale, rust, surface contamination, weld cleaning, blending, finishing, deburring, descaling, pipeline cleaning and general cleaning



Brush Dia."	Arbor Hole"	Wire Gauge"	Trim Length"	Face Width"	Max RPM	Model No.	Price /Each
STEEL							
4	3/8	0.014	7/8	5/16	20 000	BX125	33.80
6	5/8-11NC	0.025	1 1/2	1/2	9 000	BX137	32.40
8	5/8	0.025	1 11/16	5/8	8 500	BX144	63.90
STAINLESS							
4	3/8	0.014	7/8	5/16	20 000	BX202	49.90
6	5/8-11NC	0.025	1 1/2	1/2	9 000	BX272	58.80

STANDARD TWIST KNOT HIGH SPEED STEEL SMALL GRINDER

- Works aggressively, smoothly and efficiently on air or portable power tools
- **Applications:** Cleans grooves, T-connections, weld beads and surface prep



Brush Dia."	Arbor Hole"	Colour	Wire Gauge"	Trim Length"	Max RPM	Model No.	Price /Each
STEEL							
4	5/8-11NC	Steel	0.02	7/8	20 000	BX305	26.60
4	M-14 x 2.0	Red	0.02	7/8	20 000	BX301	27.70
5	5/8-11NC	Steel	0.02	1	12 000	BX206	30.70
STAINLESS							
4	5/8-11NC	Steel	0.02	7/8	20 000	BX299	46.00
4	M-14 x 2.0	Red	0.02	7/8	20 000	BX295	43.20
5	5/8-11NC	Steel	0.02	1	12 000	BX207	75.90

WIRE WHEEL BRUSHES

- Narrow face for confined and hard to reach contact areas
- Low flex high impact aggressive brush action
- Perfect for expansion joints and filler welds
- For root and hot pass weld cleaning
- Customization available



Brush Dia."	Face Width"	Fill Dia."	Arbor Size"	Knot Type	No. of Knots	RPM	Model No.	Price /Each
STEEL								
4	3/16	0.020	5/8-11	Stringer	32	20 000	TT265	17.70
4-7/8	3/16	0.020	5/8-11	Stringer	48	12 500	TT271	22.20
5-7/8	3/16	0.020	5/8-11	Stringer	48	12 500	TC019	27.40
4	1/4	0.020	5/8-11	Cable	20	20 000	NU432	20.30
5	3/8	0.020	5/8-11	Cable	24	20 000	NU434	29.00
6	3/8	0.014	5/8-11	Cable	28	9 000	NU436	43.10
4	1/2	0.020	5/8-11	Standard	20	20 000	NU438	20.00
6	1/2	0.014	5/8-11	Standard	28	9 000	NU440	34.30
8	5/8	0.014	5/8-11	Standard	40	6 000	NU442	42.30
STAINLESS								
4	3/16	0.020	5/8-11	Stringer	32	20 000	TT270	28.20
4-7/8	3/16	0.020	5/8-11	Stringer	48	12 500	TT272	34.90
5-7/8	3/16	0.020	5/8-11	Stringer	48	12 500	TT273	42.00
4	1/4	0.020	5/8-11	Cable	20	20 000	NU433	36.20
5	3/8	0.020	5/8-11	Cable	24	20 000	NU435	30.80
6	3/8	0.014	5/8-11	Cable	28	9 000	NU437	51.80
4	1/2	0.020	5/8-11	Standard	20	20 000	NU439	34.30
6	1/2	0.014	5/8-11	Standard	28	9 000	NU441	54.60
8	5/8	0.014	5/8-11	Standard	40	6 000	NU443	71.50

BRUSHES

KNOTTED WIRE WHEEL SAUCER BRUSHES

- More aggressive brushing action than crimped brushes
- Ideal for burr, weld scale, corrosion and paint removal
- Reaches into corners and inside edges for a more effective clean



Brush Dia.™	Face Width™	Fill Dia.™	Arbor Size™	RPM	Model No.	Price /Each
STEEL						
4	1/2	0.020	5/8-11	20000	NU470	19.60
5	7/8	0.020	5/8-11	15000	NU472	34.30
STAINLESS						
S4	1/2	0.020	5/8-11	20000	NU471	30.30
S5	7/8	0.020	5/8-11	15000	NU473	46.60

AH - ARBOR HOLE

Most cup brushes are available with either plain or 5/8-11NC threaded arbor holes, while a few styles feature a hexagonal opening, and smaller sizes are fitted with a 1/4" shank.

OD - OUTSIDE DIAMETER

Standard Osborn® cup brushes are made in a range of outside diameters from 2" to 9". Generally, the largest diameter that suits your work space and machine speed will be most efficient.

T - TRIM LENGTH

The length of the fill material that extends beyond the metal cup or bridle. A short trim length provides a stiff, fast-cutting brush, while a longer trim length offers flexibility for dressing irregular surfaces.

R - ROW COUNT & ALIGNMENT

Cup brushes are available with one, two, or three rows of filaments or knots. Unless otherwise identified as "Stagger Row," multiple rows are parallel. Stagger row brushes provide more aggressive action.



CRIMPED WIRE CUP BRUSHES

Designed for light and medium-duty applications on a variety of high speed air and electric tools. Offers smooth, responsive cutting action at all speeds on a variety of jobs.

WITH 1/4" SHANK - LIGHT DUTY

- Offers light duty cleaning action on air tools or electric high-speed portable tools
- All brushes have a 1/4" shank



HIGH SPEED SMALL GRINDER

- Flat brushing
- Surface prep
- Medium duty cleaning of flat surfaces and edges
- Removal of burrs
- Cleaning flat or curved surfaces
- Cleaning edges or angles
- Welding cleanup



Brush Dia.™	Arbor Hole™	Trim Length™	Max RPM	Model No.	Price /Each
STEEL					
1 3/4	0.0118	1/2	13000	BX593	12.00
2 1/2	0.0104	5/8	4500	BX530	37.80
STAINLESS					
1 3/4	0.0118	1/2	13000	BX595	21.50
2 1/2	0.0104	5/8	4500	BX572	48.20

Brush Dia.™	Arbor Hole™	Wire Gauge™	Trim Length™	Max RPM	Model No.	Price /Each
STEEL						
2 3/4	5/8-11NC	0.014	1	14000	BX547	20.80
2 3/4	M-10 x 1.25	0.014	1	14000	BX544	21.60
2 3/4	M-14 x 2.0	0.014	1	14000	BX543	21.60
STAINLESS						
2 3/4	5/8-11NC	0.014	1	14000	BX574	34.40

3" BRIDLED CUP BRUSHES

- Aggressive tools for fast, heavy-duty cleaning and brushing of metal surfaces
- Removes carbon build up, paint, rust, scale and other contaminants
- Knot twisted with safety control bridle, removable bridle keep the knot oriented and extends brush life



CRIMPED WIRE CUP END BRUSHES

- Removes rust, paint and scale in hard-to-reach areas
- Crimped wire for light to medium-duty applications



Brush Dia.™	Fill Dia.™	Shank Size™	Max RPM	Model No.	Price /Each
STEEL					
1 3/4	0.012	1/4	25000	NU465	9.96
2 3/4	0.014	1/4	25000	NU466	14.60



Brush Dia.™	Arbor Hole™	Wire Gauge™	Trim Length™	Max RPM	Model No.	Price /Each
STEEL						
3	5/8-11NC	0.020	5/8	12000	NT969	15.30
STAINLESS						
3	5/8-11NC	0.020	5/8	12000	NT970	29.80

KNOT WIRE CUP BRUSHES

Osborn® knot wire cup brushes are rugged, efficient tools for fast, heavy-duty cleaning of large metal surfaces. They are specially designed for use on portable tools and are filled with special analysis Osborn® steel wire. Knot type brushes are recommended for extremely rigorous jobs.

- Removal of weld scale, rust, old paint and corrosion
- Cleaning and surface prep of metals



OSBORN
JACKSONLEA

STEEL

Brush Dia."	Arbor Hole"	Wire Gauge"	Row Wide	Trim Length"	Max RPM	Model No.	Price /Each
4	5/8-11NC	0.02	2	1	6000	BX635	47.90
6	5/8-11NC	0.035	2	1 3/4	6000	BX622	124.00

HIGH SPEED SMALL GRINDER

- Use on portable power tools operating at high speeds, or where uniform cleaning is desired
- Designed for high productivity and long life
- Knot style offers aggressive action
- Available in crimped, knotted and heavy-duty knotted styles
- Designed for 4 1/2" and 5" grinders



OSBORN
JACKSONLEA

Brush Dia."	Arbor Hole"	Colour	Wire Gauge"	Trim Length"	Max RPM	Model No.	Price /Each
STEEL							
2 3/4	1/2-13NC	Black	0.014	7/8	14 000	BX652	26.30
2 3/4	5/8-11NC	Steel	0.014	7/8	14 000	BX653	19.90
2 3/4	M-10 x 1.25	Gold	0.014	7/8	14 000	BX650	26.40
2 3/4	M-10 x 1.5	Silver	0.014	7/8	14 000	BX651	26.40
STAINLESS							
2 3/4	1/2-13NC	Black	0.014	7/8	14 000	BX658	41.70
2 3/4	5/8-11NC	Steel	0.014	7/8	14 000	BX659	31.70
2 3/4	M-10 x 1.25	Gold	0.014	7/8	14 000	BX656	41.60
2 3/4	M-10 x 1.5	Silver	0.014	7/8	14 000	BX657	41.60

TUBE/CRANKSHAFT BRUSHES

- For cleaning out small tubes, drill holes or any other small spaces



Brush Dia."	Brush Length"	O.A. Length"	Fill Dia."	Model No.	Price /Each
STEEL					
1/4	1 1/2	7	0.003	NU511	5.58
3/8	2	8	0.005	NU512	5.25
1/2	2	8	0.005	NU513	5.07
3/4	2 1/2	9	0.005	NU514	6.13
1	3	10	0.008	NU515	5.51
STAINLESS					
1/4	1 1/2	7	0.003	NU516	4.45
3/8	2	8	0.005	NU517	4.45
1/2	2	8	0.005	NU518	6.54
3/4	2 1/2	9	0.005	NU519	5.40
1	3	10	0.008	NU520	6.32
BRASS					
1/4	1 1/2	7	0.003	NU521	5.75
3/8	2	8	0.005	NU522	2.65
1/2	2	8	0.005	NU523	7.32
3/4	2 1/2	9	0.005	NU524	3.22
1	3	10	0.008	NU525	7.65
NYLON					
1/4	4 1/2	12	0.010	NU526	4.38
3/8	4 1/2	12	0.014	NU527	2.65
1/2	4 1/2	12	0.014	NU528	5.58
3/4	4 1/2	12	0.012	NU529	6.02
1	4 1/2	12	0.014	NU530	6.10
HAIR					
1/4	3 1/4	12	0.003	NU531	6.10
3/8	3 1/4	12	0.003	NU532	5.55
1/2	3 1/4	12	0.003	NU533	6.10
3/4	3 1/4	12	0.003	NU534	6.43
1	3 1/4	12	0.003	NU535	6.61

KNOTTED WIRE WHEEL CUP BRUSHES

- Strong and effective for heavy duty cleaning
- Top-quality USA steel
- Removes weld scale, rust, old paint and corrosion
- Designed for the most rugged jobs



Brush Dia."	Fill Length"	Fill Dia."	Arbor Size"	Flared Dia.	RPM	Model No.	Price /Each
STEEL							
2 3/4	1	0.014	5/8-11	3	14 000	TC030	17.40
2 3/4	1	0.020	5/8-11	3	14 000	NU445	16.80
3 1/2	1	0.020	5/8-11	3 3/4	12 500	TT306	22.80
4	1 1/4	0.014	5/8-11	4 1/4	9 000	TT286	25.90
4	1 1/4	0.020	5/8-11	4 1/4	9 000	TT287	24.90
4	1 1/4	0.035	5/8-11	4 1/4	9 000	TT288	31.60
5	1 3/8	0.020	5/8-11	5 1/4	7 000	NU446	53.30
STAINLESS							
2 3/4	1	0.014	5/8-11	3	14 000	NU444	27.40
2 3/4	1	0.020	5/8-11	3	14 000	TT279	27.90
4	1 1/4	0.020	5/8-11	4 1/4	9 000	TT290	36.10

FLUE BRUSHES

- Mainly used for pipe, boiler tube and flue cleaning
- Filled with round carbon steel wires
- Comes with a 1/4" NPT fitting



Brush Dia."	Brush Length"	O.A. Length"	Flue Dia."	Fill Dia."	Model No.	Price /Each
1/2	4	7 1/2	3/4	0.012	NU496	13.20
5/8	4	7 1/2	7/8	0.012	NU497	16.30
3/4	4	7 1/2	1	0.012	NU498	12.30
7/8	4	7 1/2	1 1/8	0.012	NU499	12.60
1	4	7 1/2	1 1/4	0.012	NU500	12.20
1 1/4	4	7 1/2	1 1/2	0.012	NU501	12.40
1 1/2	4	7 1/2	1 3/4	0.012	NU502	11.10
1 3/4	4	7 1/2	2 1/4	0.012	NU503	13.40
2	4	7 1/2	2 1/4	0.012	NU393	13.10
2 1/4	4	7 1/2	2 1/2	0.012	NU504	13.00
2 1/2	4	7 1/2	2 3/4	0.012	NU505	12.10
2 3/4	4	7 1/2	3	0.012	NU506	13.90
3	4	7 1/2	3 1/4	0.012	NU507	15.20
3 1/4	4	7 1/2	3 1/2	0.012	NU508	15.00
3 1/2	4	7 1/2	3 3/4	0.012	NU509	13.40
3 3/4	4	7 1/2	4	0.012	NU510	20.60

ABRASIVES

STEEL WOOL

UTILITY PADS

- 16 large pads of steel wool per package



Model No.	Grit	Price /Each
VS118	0000 (finest)	12.50
VS119	000 (extra fine)	10.90
VS120	00 (very fine)	8.61
VS121	0 (fine)	7.03
VS122	1 (medium)	7.03
VS123	2 (coarse)	7.03
VS124	3 (very coarse)	7.03

UTILITY ROLLS

- 6 large rolls per package



Model No.	Grit	Price /Each
VS133	0 (fine)	1.89
VS134	1 (medium)	1.89
VS135	2 (coarse)	1.89

ONE POUND TUBES

- One pound of continuous ribbon per package



Model No.	Grit	Price /Each
VS127	00 (very fine)	8.61
VS128	0 (fine)	7.03
VS129	1 (medium)	7.03

PRO COUNTER DUSTERS

- Sturdy, light-weight brushing tools
- Recommended for dusting and chip removal
- Can be used wet or dry, will not load



Model No.	Length of brush"	Description	Trim Length"	Price /Each
BZ986	8	Black Tampico	2 1/2	8.41
NP243	8	Light Blue Polypro	2 1/2	8.02

STRAIGHT HANDLE SCRATCH BRUSHES W/SCRAPER



Model No.	Length of brush"	O.A. Length"	Wire Rows	Trim Length"	Price /Each
BZ979	5 1/2	11 3/8	4 x 11	1 5/8	10.80

V-TRIM SMALL HANDLE SCRATCH BRUSHES



Model No.	Description	Length of brush"	O.A. Length"	Wire Rows	Trim Length"	Price /Each
NP246	Steel	1 1/2	7 7/8	3 x 7	1/2	6.83
NP244	Stainless Steel	1 1/2	7 7/8	3 x 7	1/2	7.62
BZ982	Brass	1 1/2	7 7/8	3 x 7	1/2	7.00

ABRASIVE CORDS & TAPE

- Debur, grind and polish hard-to-reach areas which are inaccessible to most standard tools
- Ideal for narrow slots, grooves, small holes, and curved surfaces
- Impregnated on both sides with aluminum oxide, silicon carbide or crocus, suitable for use on metal, plastic, and wood
- Cords and tapes are supplied on an adhesive tape-like spool in 50 foot lengths



Dia."	Grain	Alum. oxide		Crocus		S. Carbide	
		Model No.	Price /Each	Model No.	Price /Each	Model No.	Price /Each
0.150	120	-	-	-	-	VS101	158.00
0.125	120	-	-	-	-	VS102	152.00
0.093	150	VS078	74.30	-	-	-	-
0.082	120	VS079	45.40	VS090	51.50	VS103	60.60
0.070	180	VS080	41.40	VS091	48.70	VS104	59.60
0.055	120	VS081	34.00	-	-	VS105	48.80
0.055	150	VS082	34.00	VS092	39.30	VS106	48.80
0.040	180	VS083	34.00	VS093	39.30	VS107	48.80
0.030	200	VS084	34.00	VS094	39.30	VS108	52.70
0.025	200	-	-	VS095	43.70	VS109	35.20
0.018	200	-	-	VS096	43.70	VS110	35.20
0.015	200	-	-	VS097	43.70	VS111	36.80
0.012	280	-	-	VS098	70.90	VS112	70.30
1/16	180	VS085*	39.40	-	-	VS113	52.90
3/32	180	VS086*	34.90	VS099*	39.90	VS114*	49.10
1/8	180	VS087*	36.50	-	-	VS115*	49.90
6/32	150	VS088*	39.90	-	-	VS116*	53.20
1/4	150	VS089*	44.20	VS100*	53.80	VS117*	58.10

*Tapes

V-GROOVE LONG HANDLE SCRATCH BRUSHES

- Designed for use in hard-to-reach areas that require a narrow face



Model No.	Description	Wire Rows	Trim Length"	Price /Each
BZ985	Stainless Steel	3 x 14	1 1/2	11.00
NP245	Steel	3 x 14	1 1/2	7.01

SMALL CLEANING SCRATCH BRUSHES

- Fill Diameter: 0.006"
- Brush Width: 3/4"



Model No.	Brush Length"	O.A. Length"	Fill Material	Wire Rows	Trim Length"	Price /Each
WOOD						
TC070	1 1/2	7 3/4	Stainless Steel	3 x 7	1/2	2.80
TC073	1 1/2	7 3/4	Brass	3 x 7	1/2	2.98
NU537	1 1/2	7 3/4	Nylon	3 x 7	1/2	2.82
PLASTIC						
NU538	1 1/2	7 3/4	Stainless Steel	3 x 7	1/2	2.82
NU539	1 1/2	7 3/4	Brass	3 x 7	1/2	2.91
NT947	1 1/2	7 3/4	Nylon	3 x 7	1/2	3.20
ANGLED BACK						
NP247	17/16	7 3/4	Brass	3 x 7	7/16	5.43
NP250	17/16	7 3/4	Polypro	3 x 7	7/16	4.66
BZ976	17/16	7 3/4	Stainless Steel	3 x 7	7/16	4.78
NP249	17/16	7 3/4	Steel	3 x 7	7/16	5.07
CURVED BACK						
NP255	2 1/2	8 5/8	Brass	2 x 9	5/8	3.61
NP256	2 1/2	8 5/8	Stainless	2 x 9	5/8	3.62

CURVED HANDLE SCRATCH BRUSHES



BZ606

Model No.	Length of brush"	O.A. Length"	Description	Wire Rows	Trim Length"	Price /Each
BZ970	6	13 11/16	Stainless Steel	3 x 19	1 1/8	10.90
BZ606	6	13 11/16	Steel	3 x 19	1 1/8	5.04
NP248*	6	13 11/16	Steel	3 x 19	1 1/8	6.55
BZ607**	6	13 11/16	Steel	4 x 19	1 1/8	6.10

*With scraper ** Heavy-duty

CURVED-HANDLE SCRATCH BRUSHES

- Durable hardwood handles that have a smooth finish for extra comfort



TC065



Model No.	Brush Width"	Brush Length"	O.A. Length"	Fill Material	Wire Rows	Trim Length"	Price /Each
TC065	15/16	6	14	Steel	3 x 19	1 1/8	2.84
TC068	15/16	6	14	Stainless Steel	3 x 19	1 1/8	6.85
TT167	15/16	6	14	Brass	3 x 19	1 1/8	6.41
TC066	1 1/8	6	14	Steel	4 x 19	1 1/8	4.21
TT170	1 1/8	6	14	Stainless Steel	4 x 19	1 1/8	7.80
TT169	1 1/8	6	14	Brass	4 x 19	1 1/8	8.07

SHOE HANDLE SCRATCH BRUSHES

- Durable hardwood handles that have a smooth finish for extra comfort
- Brush Width: 1 1/16"



TC067



Model No.	Brush Length"	O.A. Length"	Fill Material	Wire Rows	Trim Length"	Price /Each
TC067	5 1/4	10	Steel	5 x 13	1 1/8	3.33
TC074	5 1/4	10	Stainless Steel	5 x 13	1 1/8	7.93
TT168	5 1/4	10	Brass	5 x 13	1 1/8	7.29

SCRATCH BRUSHES WITH SCRAPER

- Durable hardwood handles that have a smooth finish for extra comfort
- Hang-up hole for easy storage



NU540



Model No.	Brush Width"	Brush Length"	O.A. Length"	Fill Material	Wire Rows	Trim Length"	Price /Each
STRAIGHT HANDLE							
TT171	1 1/2	5 1/2	11 3/8	Steel	5 x 13	1 1/8	7.71
CURVED HANDLE							
NU540	15/16	5 3/4	13	Steel	3 x 19	1	2.65
NU541	2	4	20	Steel	3 x 10	1	16.10
NU542	2	4	20	Stainless Steel	3 x 10	1	20.10

FLAT WIRE BUTCHER BLOCK BRUSHES

- Flat wire butcher block that offers a more aggressive scrub than round wire counterparts
- Durable hardwood block



NU548



Model No.	Brush Width"	Brush Length"	O.A. Length"	Fill Material	Wire Rows	Trim Length"	Price /Each
NU545	4	8 1/2	9	Flat Steel Wire	8 x 12	1 1/8	14.00
NU547**	4	8 1/2	9	Flat Steel Wire	8 x 12	1 1/8	18.50
NU546**	4	8 1/2	9	Flat Steel Wire	8 x 12	1 1/8	16.90
NU548	2 5/8	7	7 5/8	Flat Steel Wire	5 x 10	1	17.10
NU549	2 5/8	7	7 5/8	Flat Steel Wire	5 x 10	1 1/4	9.21
NU550	2 5/8	7	7 5/8	Flat Steel Wire	5 x 10	1 1/2	18.10

* Comes with a plastic handle
** Comes with a wood handle

ROUND WIRE BUTCHER BLOCK BRUSHES

- Round wire butcher block that offers a gentler scrub than flat wire counterparts
- Durable hardwood block
- Brush Width: 2 1/2"



NW102



Model No.	Brush Length"	O.A. Length"	Fill Material	Wire Rows	Trim Length"	Price /Each
NW102	7	7 1/4	Steel	6 x 19	1 1/8	6.35
NU543	7	7 1/4	Stainless Steel	6 x 19	1 1/8	7.74
NU544	7	7 1/4	Brass	6 x 19	1 1/8	6.35

INDUSTRIAL-DUTY SCRATCH BRUSHES

- Wood handle
- Choice of carbon or stainless steel bristles



NT607

NT609

NT615



Model No.	Length of Brush"	O.A. Length"	Wire Bristles	Rows	Trim Length"	Price /Each
LONG HANDLE BRUSHES						
NT607	5 3/4	13 3/4	Carbon Steel	3 x 19	1	2.50
NT608	5 3/4	13 3/4	Carbon Steel	4 x 19	1	3.15
NT611	5 3/4	13 3/4	Stainless Steel	3 x 19	1	3.85
NT612	6	10 1/4	Stainless Steel	4 x 19	1	4.75
SHOE HANDLE BRUSHES						
NT609	5 1/4	10 1/2	Carbon Steel	3 x 16	1	2.60
NT610	5 1/4	10 1/2	Carbon Steel	4 x 16	1	2.70
NT613	5	10 1/2	Stainless Steel	3 x 16	1	4.85
NT614	5	10 1/4	Stainless Steel	4 x 16	1	5.15
"TOOTHBRUSH" CLEANING BRUSH						
NT615	1 1/2"	7 3/4	Stainless Steel	3 x 7	1/2	1.20


CUTTING TOOLS



JOBBER DRILLS 118°

A012 SERIES

- Low thrust design with self centering split point makes for easier penetration
- TiN coated tip increases surface hardness and improves tool life
- Material: High Speed Steel
- Point Angle: 118°
- Manufacturing Standards: ANSI
- Finish: TiN Tip and Bright Body
- Cutting Direction: Right Hand



A012 SERIES - FRACTIONAL SIZE

Fractional Size	Decimal Size	L2	L1	Model No.	Price /Each
1/64"	0.0156"	3/16"	3/4"	TC0714*	3.29
1/32"	0.0313"	1/2"	1-3/8"	TC0726*	2.29
3/64"	0.0469"	3/4"	1-3/4"	TC0739*	2.29
1/16"	0.0625"	7/8"	1-7/8"	TC0743*	2.00
5/64"	0.0781"	1"	2"	TC0749*	2.00
3/32"	0.0938"	1-1/4"	2-1/4"	TC0756	2.11
7/64"	0.1094"	1-1/2"	2-5/8"	TC0763	2.26
1/8"	0.125"	1-5/8"	2-3/4"	TC0769	2.26
9/64"	0.1406"	1-3/4"	2-7/8"	TC0773	2.46
5/32"	0.1563"	2"	3-1/8"	TC0779	2.49
11/64"	0.1719"	2-1/8"	3-1/4"	TC0785	2.62
3/16"	0.1875"	2-5/16"	3-1/2"	TC0791	3.00
13/64"	0.2031"	2-7/16"	3-5/8"	TC0798	3.35
7/32"	0.2188"	2-1/2"	3-3/4"	TC0803	3.71
15/64"	0.2344"	2-5/8"	3-7/8"	TC0807	4.00
1/4"	0.25"	2-3/4"	4"	TC0811	4.27
17/64"	0.2656"	2-7/8"	4-1/8"	TC0815	5.13
9/32"	0.2813"	2-15/16"	4-1/4"	TC0820	5.33
19/64"	0.2968"	3-1/16"	4-3/8"	TC0823	6.15
5/16"	0.3125"	3-3/16"	4-1/2"	TC0825	6.82
21/64"	0.3281"	3-5/16"	4-5/8"	TC0828	7.55
11/32"	0.3437"	3-7/16"	4-3/4"	TC0831	8.40
23/64"	0.3594"	3-1/2"	4-7/8"	TC0834	9.51

*No split point or TiN tip

A012 SERIES - WIRE GAUGE SIZE

Wire Gauge Size	Decimal Size	L2	L1	Model No.	Price /Each
#80	0.0135"	1/8"	3/4"	TC0712*	4.24
#79	0.0145"	1/8"	3/4"	TC0713*	4.24
#78	0.016"	3/16"	7/8"	TC0715*	4.24
#77	0.018"	3/16"	7/8"	TC0716*	3.06
#76	0.02"	3/16"	7/8"	TC0717*	3.06
#75	0.021"	1/4"	1"	TC0718*	3.06
#74	0.0225"	1/4"	1"	TC0719*	3.06
#73	0.024"	5/16"	1-1/8"	TC0720*	3.06
#72	0.025"	5/16"	1-1/8"	TC0721*	3.06
#71	0.026"	3/8"	1-1/4"	TC0722*	3.06
#70	0.028"	3/8"	1-1/4"	TC0723*	2.56
#69	0.0292"	1/2"	1-3/8"	TC0724*	2.56
#68	0.031"	1/2"	1-3/8"	TC0725*	2.33
#67	0.032"	1/2"	1-3/8"	TC0727*	2.33
#66	0.033"	1/2"	1-3/8"	TC0728*	2.33
#65	0.035"	5/8"	1-1/2"	TC0729*	2.33
#64	0.036"	5/8"	1-1/2"	TC0730*	2.33
#63	0.037"	5/8"	1-1/2"	TC0731*	2.33
#62	0.038"	5/8"	1-1/2"	TC0732*	2.33
#61	0.039"	11/16"	1-5/8"	TC0733*	2.33
#60	0.04"	11/16"	1-5/8"	TC0734*	2.29
#59	0.041"	11/16"	1-5/8"	TC0735*	2.29
#58	0.042"	11/16"	1-5/8"	TC0736*	2.29
#57	0.043"	3/4"	1-3/4"	TC0737*	2.29
#56	0.0465"	3/4"	1-3/4"	TC0738*	2.29
#55	0.052"	7/8"	1-7/8"	TC0740*	2.29
#54	0.055"	7/8"	1-7/8"	TC0741*	2.29
#53	0.0595"	7/8"	1-7/8"	TC0742*	2.29
#52	0.0635"	7/8"	1-7/8"	TC0744*	2.06
#51	0.0669"	1"	2"	TC0745*	2.06
#50	0.07"	1"	2"	TC0746*	2.06
#49	0.073"	1"	2"	TC0747*	2.06
#48	0.076"	1"	2"	TC0748*	2.06
#47	0.0785"	1"	2"	TC0750*	2.06
#46	0.081"	1-1/8"	2-1/8"	TC0751	2.11
#45	0.082"	1-1/8"	2-1/8"	TC0752	2.11
#44	0.086"	1-1/8"	2-1/8"	TC0753	2.11
#43	0.089"	1-1/4"	2-1/4"	TC0754	2.11
#42	0.0935"	1-1/4"	2-1/4"	TC0755	2.11
#41	0.096"	1-3/8"	2-3/8"	TC0757	2.11

*No split point or TiN tip

Fractional Size	Decimal Size	L2	L1	Model No.	Price /Each
3/8"	0.375"	3-5/8"	5"	TC0836	9.77
25/64"	0.3906"	3-3/4"	5-1/8"	TC0839	11.10
13/32"	0.4063"	3-7/8"	5-1/4"	TC0842	11.40
27/64"	0.4219"	3-15/16"	5-3/8"	TC0844	12.70
7/16"	0.4375"	4-1/16"	5-1/2"	TC0845	13.20
29/64"	0.4531"	4-3/16"	5-5/8"	TC0846	14.70
15/32"	0.4687"	4-5/16"	5-3/4"	TC0847	15.70
31/64"	0.4844"	4-3/8"	5-7/8"	TC0848	16.40
1/2"	0.5"	4-1/2"	6"	TC0849	16.60
33/64"	0.5156"	4-13/16"	6-5/8"	TC0850	30.70
17/32"	0.5313"	4-13/16"	6-5/8"	TC0851	32.20
35/64"	0.5469"	4-13/16"	6-5/8"	TC0852	34.80
9/16"	0.5625"	4-13/16"	6-5/8"	TC0853	36.50
37/64"	0.5781"	4-13/16"	6-5/8"	TC0854	36.70
19/32"	0.5937"	5-3/16"	7-1/8"	TC0855	37.50
39/64"	0.6094"	5-3/16"	7-1/8"	TC0856	41.10
5/8"	0.625"	5-3/16"	7-1/8"	TC0857	40.30
21/32"	0.6563"	5-3/16"	7-1/8"	TC0858	42.70
11/16"	0.6875"	5-5/8"	7-5/8"	TC0859	48.70
45/64"	0.7031"	5-5/8"	7-5/8"	TC0860	69.40
23/32"	0.7188"	5-5/8"	7-5/8"	TC0861	73.20
47/64"	0.7344"	6"	8"	TC0862	77.70
3/4"	0.75"	6"	8"	TC0863	82.10

JOBBER DRILLS (CONT'D)

A012 SERIES - LETTER SIZE

Letter Size	Decimal Size	L2	L1	Model No.	Price /Each
A	0.234"	2-5/8"	3-7/8"	TC0806	4.98
B	0.238"	2-3/4"	4"	TC0808	4.98
C	0.242"	2-3/4"	4"	TC0809	4.98
D	0.246"	2-3/4"	4"	TC0810	4.98
E	0.25"	2-3/4"	4"	TC0812	4.27
F	0.257"	2-7/8"	4-1/8"	TC0813	5.35
G	0.261"	2-7/8"	4-1/8"	TC0814	5.98
H	0.266"	2-7/8"	4-1/8"	TC0816	5.98
I	0.272"	2-7/8"	4-1/8"	TC0817	5.98
J	0.277"	2-7/8"	4-1/8"	TC0818	6.44
K	0.281"	2-15/16"	4-1/4"	TC0819	7.08
L	0.29"	2-15/16"	4-1/4"	TC0821	7.08
M	0.295"	3-1/16"	4-3/8"	TC0822	7.51

Letter Size	Decimal Size	L2	L1	Model No.	Price /Each
N	0.302"	3-1/16"	4-3/8"	TC0824	7.64
O	0.316"	3-3/16"	4-1/2"	TC0826	7.64
P	0.323"	3-5/16"	4-5/8"	TC0827	8.60
Q	0.332"	3-7/16"	4-3/4"	TC0829	8.60
R	0.339"	3-7/16"	4-3/4"	TC0830	9.17
S	0.348"	3-1/2"	4-7/8"	TC0832	9.75
T	0.358"	3-1/2"	4-7/8"	TC0833	11.10
U	0.368"	3-5/8"	5"	TC0835	11.10
V	0.377"	3-5/8"	5"	TC0837	11.40
W	0.386"	4-1/8"	5-1/8"	TC0838	11.80
X	0.397"	3-3/4"	5-1/8"	TC0840	14.20
Y	0.404"	3-7/8"	5-1/4"	TC0841	16.10
Z	0.413"	3-7/8"	5-1/4"	TC0843	17.10

JOBBER DRILLS 118°

- Material: High Speed Steel
- Point Angle: 118°
- Manufacturing Standards: ANSI
- Cutting Direction: Right Hand



R10 SERIES - FRACTIONAL SIZE

- Steam oxide finish reduces wear and chip welding in harder ferrous materials for increased wear resistance and lubricity


Fractional Size	Decimal Size	L2	L1	Model No.	Price /Each
1/64"	0.0156"	3/16"	3/4"	TC0864	2.66
1/32"	0.0313"	1/2"	1-3/8"	TC0865	1.62
3/64"	0.0469"	3/4"	1-3/4"	TC0866	1.62
1/16"	0.0625"	7/8"	1-7/8"	TC0867	1.49
5/64"	0.0781"	1"	2"	TC0868	1.51
3/32"	0.0938"	1-1/4"	2-1/4"	TC0869	1.51
7/64"	0.1094"	1-1/2"	2-5/8"	TC0870	1.58
1/8"	0.125"	1-5/8"	2-3/4"	TC0871	1.53
9/64"	0.1406"	1-3/4"	2-7/8"	TC0872	1.69
5/32"	0.1563"	2"	3-1/8"	TC0873	1.73
11/64"	0.1719"	2-1/8"	3-1/4"	TC0874	1.87
3/16"	0.1875"	2-5/16"	3-1/2"	TC0875	2.09
13/64"	0.2031"	2-7/16"	3-5/8"	TC0876	2.31
7/32"	0.2188"	2-1/2"	3-3/4"	TC0877	2.56
15/64"	0.2344"	2-5/8"	3-7/8"	TC0878	2.78
1/4"	0.25"	2-3/4"	4"	TC0879	2.91
17/64"	0.2656"	2-7/8"	4-1/8"	TC0880	3.55
9/32"	0.2813"	2-15/16"	4-1/4"	TC0881	3.66
19/64"	0.2969"	3-1/16"	4-3/8"	TC0882	4.24
5/16"	0.3125"	3-3/16"	4-1/2"	TC0883	4.69
21/64"	0.3281"	3-5/16"	4-5/8"	TC0884	5.18
11/32"	0.3437"	3-7/16"	4-3/4"	TC0885	5.80

Fractional Size	Decimal Size	L1	L2	Model No.	Price /Each
23/64"	0.3594"	3-1/2"	4-7/8"	TC0886	6.53
3/8"	0.375"	3-5/8"	5"	TC0887	6.60
25/64"	0.3906"	3-3/4"	5-1/8"	TC0888	7.62
13/32"	0.4063"	3-7/8"	5-1/4"	TC0889	7.80
27/64"	0.4219"	3-15/16"	5-3/8"	TC0890	8.71
7/16"	0.4375"	4-1/16"	5-1/2"	TC0891	9.06
29/64"	0.4531"	4-3/16"	5-5/8"	TC0892	10.10
15/32"	0.4687"	4-5/16"	5-3/4"	TC0893	10.80
31/64"	0.4844"	4-3/8"	5-7/8"	TC0894	11.30
1/2"	0.5"	4-1/2"	6"	TC0895	11.30
33/64"	0.5156"	4-13/16"	6-5/8"	TC0896	20.40
17/32"	0.5313"	4-13/16"	6-5/8"	TC0897	21.10
35/64"	0.5469"	4-13/16"	6-5/8"	TC0898	23.20
9/16"	0.5625"	4-13/16"	6-5/8"	TC0899	23.80
37/64"	0.5781"	4-13/16"	6-5/8"	TC0900	25.00
19/32"	0.5937"	5-3/16"	7-1/8"	TC0901	25.00
39/64"	0.6094"	5-3/16"	7-1/8"	TC0902	26.80
5/8"	0.625"	5-3/16"	7-1/8"	TC0903	26.30
41/64"	0.6406"	5-3/16"	7-1/8"	TC0904	29.60
21/32"	0.6563"	5-3/16"	7-1/8"	TC0905	31.10
43/64"	0.6719"	5-5/8"	7-5/8"	TC0906	33.60
11/16"	0.6875"	5-5/8"	7-5/8"	TC0907	33.60

R10P SERIES - FRACTIONAL SIZE

- Bright finish improves chip flow in soft or non-ferrous materials

Fractional Size	Decimal Size	L2	L1	Model No.	Price /Each
1/64"	0.0156"	3/16"	3/4"	TC0908	3.71
1/32"	0.0313"	1/2"	1-3/8"	TC0909	2.26
3/64"	0.0469"	3/4"	1-3/4"	TC0910	2.26
1/16"	0.0625"	7/8"	1-7/8"	TC0911	2.07
5/64"	0.0781"	1"	2"	TC0912	2.11
3/32"	0.0938"	1-1/4"	2-1/4"	TC0913	2.11
7/64"	0.1094"	1-1/2"	2-5/8"	TC0914	2.20
1/8"	0.125"	1-5/8"	2-3/4"	TC0915	2.13
9/64"	0.1406"	1-3/4"	2-7/8"	TC0916	2.38
5/32"	0.1563"	2"	3-1/8"	TC0917	2.42
11/64"	0.1719"	2-1/8"	3-1/4"	TC0918	2.64
3/16"	0.1875"	2-5/16"	3-1/2"	TC0919	2.91
13/64"	0.2031"	2-7/16"	3-5/8"	TC0920	3.22
7/32"	0.2188"	2-1/2"	3-3/4"	TC0921	3.58
15/64"	0.2344"	2-5/8"	3-7/8"	TC0922	3.89
1/4"	0.25"	2-3/4"	4"	TC0923	4.06
17/64"	0.2656"	2-7/8"	4-1/8"	TC0924	4.95
9/32"	0.2813"	2-15/16"	4-1/4"	TC0925	5.11
19/64"	0.2969"	3-1/16"	4-3/8"	TC0926	5.93
5/16"	0.3125"	3-3/16"	4-1/2"	TC0927	6.57
21/64"	0.3281"	3-5/16"	4-5/8"	TC0928	7.26
11/32"	0.3437"	3-7/16"	4-3/4"	TC0929	8.11




Fraction Size	Decimal Size	L2	L1	Model No.	Price /Each
23/64"	0.3594"	3-1/2"	4-7/8"	TC0930	9.13
3/8"	0.375"	3-5/8"	5"	TC0931	9.24
25/64"	0.3906"	3-3/4"	5-1/8"	TC0932	10.70
13/32"	0.4063"	3-7/8"	5-1/4"	TC0933	10.90
27/64"	0.4219"	3-15/16"	5-3/8"	TC0934	12.20
7/16"	0.4375"	4-1/16"	5-1/2"	TC0935	12.70
29/64"	0.4531"	4-3/16"	5-5/8"	TC0936	14.10
15/32"	0.4687"	4-5/16"	5-3/4"	TC0937	15.10
31/64"	0.4844"	4-3/8"	5-7/8"	TC0938	15.80
1/2"	0.5"	4-1/2"	6"	TC0939	15.80
33/64"	0.5156"	4-13/16"	6-5/8"	TC0940	28.60
17/32"	0.5313"	4-13/16"	6-5/8"	TC0941	29.50
35/64"	0.5469"	4-13/16"	6-5/8"	TC0942	32.50
9/16"	0.5625"	4-13/16"	6-5/8"	TC0943	33.40
37/64"	0.5781"	4-13/16"	6-5/8"	TC0944	34.10
19/32"	0.5937"	5-3/16"	7-1/8"	TC0945	35.00
39/64"	0.6094"	5-3/16"	7-1/8"	TC0946	37.60
5/8"	0.625"	5-3/16"	7-1/8"	TC0947	36.90
41/64"	0.6406"	5-3/16"	7-1/8"	TC0948	41.50
21/32"	0.6563"	5-3/16"	7-1/8"	TC0949	43.50
43/64"	0.6719"	5-5/8"	7-5/8"	TC0950	47.00
11/16"	0.6875"	5-5/8"	7-5/8"	TC0951	47.00

CUTTING TOOLS

JOBBER DRILLS 118° (CONT.)


R18 SERIES - WIRE GAUGE SIZE

- Steam oxide finish reduces wear and chip welding in harder ferrous materials for increased wear resistance and lubricity



Wire Gauge Size	Decimal Size	L2	L1	Model No.	Price /Each
#80	0.0135"	1/8"	3/4"	TCP004	2.67
#79	0.0145"	1/8"	3/4"	TCP005	2.67
#78	0.016"	3/16"	7/8"	TCP006	2.22
#77	0.018"	3/16"	7/8"	TCP007	2.22
#76	0.02"	3/16"	7/8"	TCP008	2.22
#75	0.021"	1/4"	1"	TCP009	2.22
#74	0.0225"	1/4"	1"	TCP010	2.22
#73	0.024"	5/16"	1-1/8"	TCP011	2.22
#72	0.025"	5/16"	1-1/8"	TCP012	2.22
#71	0.026"	3/8"	1-1/4"	TCP013	2.22
#70	0.028"	3/8"	1-1/4"	TCP014	1.78
#69	0.0292"	1/2"	1-3/8"	TCP015	1.78
#68	0.031"	1/2"	1-3/8"	TCP016	1.64
#67	0.032"	1/2"	1-3/8"	TCP017	1.64
#66	0.033"	1/2"	1-3/8"	TCP018	1.64
#65	0.035"	5/8"	1-1/2"	TCP019	1.64
#64	0.036"	5/8"	1-1/2"	TCP020	1.64
#63	0.037"	5/8"	1-1/2"	TCP021	1.64
#62	0.038"	5/8"	1-1/2"	TCP022	1.64
#61	0.039"	11/16"	1-5/8"	TCP023	1.64
#60	0.04"	11/16"	1-5/8"	TCP024	1.58
#59	0.041"	11/16"	1-5/8"	TCP025	1.58
#58	0.042"	11/16"	1-5/8"	TCP026	1.58
#57	0.043"	3/4"	1-3/4"	TCP027	1.58
#56	0.0465"	3/4"	1-3/4"	TCP028	1.58
#55	0.052"	7/8"	1-7/8"	TCP029	1.58
#54	0.055"	7/8"	1-7/8"	TCP030	1.58
#53	0.0595"	7/8"	1-7/8"	TCP031	1.58
#52	0.0635"	7/8"	1-7/8"	TCP032	1.51
#51	0.067"	1"	2"	TCP033	1.51
#50	0.07"	1"	2"	TCP034	1.51
#49	0.073"	1"	2"	TCP035	1.51
#48	0.076"	1"	2"	TCP036	1.51
#47	0.0785"	1"	2"	TCP037	1.51
#46	0.081"	1-1/8"	2-1/8"	TCP038	1.51
#45	0.082"	1-1/8"	2-1/8"	TCP039	1.51
#44	0.086"	1-1/8"	2-1/8"	TCP040	1.51
#43	0.089"	1-1/4"	2-1/4"	TCP041	1.51
#42	0.0935"	1-1/4"	2-1/4"	TCP042	1.51
#41	0.096"	1-3/8"	2-3/8"	TCP043	1.49

Wire Gauge Size	Decimal Size	L2	L1	Model No.	Price /Each
#40	0.098"	1-3/8"	2-3/8"	TCP044	1.49
#39	0.0995"	1-3/8"	2-3/8"	TCP045	1.51
#38	0.1015"	1-7/16"	2-1/2"	TCP046	1.51
#37	0.104"	1-7/16"	2-1/2"	TCP047	1.51
#36	0.1065"	1-7/16"	2-1/2"	TCP048	1.49
#35	0.11"	1-1/2"	2-5/8"	TCP049	1.51
#34	0.111"	1-1/2"	2-5/8"	TCP050	1.51
#33	0.113"	1-1/2"	2-5/8"	TCP051	1.51
#32	0.116"	1-5/8"	2-3/4"	TCP052	1.51
#31	0.12"	1-5/8"	2-3/4"	TCP053	1.51
#30	0.1285"	1-5/8"	2-3/4"	TCP054	1.51
#29	0.136"	1-3/4"	2-7/8"	TCP055	1.51
#28	0.1405"	1-3/4"	2-7/8"	TCP056	1.55
#27	0.144"	1-7/8"	3"	TCP057	1.66
#26	0.147"	1-7/8"	3"	TCP058	1.66
#25	0.1495"	1-7/8"	3"	TCP059	1.66
#24	0.152"	2"	3-1/8"	TCP060	1.75
#23	0.154"	2"	3-1/8"	TCP061	1.75
#22	0.157"	2"	3-1/8"	TCP062	1.75
#21	0.159"	2-1/8"	3-1/4"	TCP063	1.73
#20	0.161"	2-1/8"	3-1/4"	TCP064	1.87
#19	0.166"	2-1/8"	3-1/4"	TCP065	1.87
#18	0.1695"	2-1/8"	3-1/4"	TCP066	1.89
#17	0.173"	2-3/16"	3-3/8"	TCP067	2.27
#16	0.177"	2-3/16"	3-3/8"	TCP068	2.27
#15	0.18"	2-3/16"	3-3/8"	TCP069	2.27
#14	0.182"	2-3/16"	3-3/8"	TCP070	2.27
#13	0.185"	2-5/16"	3-1/2"	TCP071	2.27
#12	0.189"	2-5/16"	3-1/2"	TCP072	2.33
#11	0.191"	2-5/16"	3-1/2"	TCP073	2.31
#10	0.1935"	2-7/16"	3-5/8"	TCP074	2.49
#9	0.196"	2-7/16"	3-5/8"	TCP075	2.51
#8	0.199"	2-7/16"	3-5/8"	TCP076	2.51
#7	0.201"	2-7/16"	3-5/8"	TCP077	2.46
#6	0.204"	2-1/2"	3-3/4"	TCP078	2.84
#5	0.2055"	2-1/2"	3-3/4"	TCP079	2.84
#4	0.209"	2-1/2"	3-3/4"	TCP080	2.84
#3	0.213"	2-1/2"	3-3/4"	TCP081	2.82
#2	0.221"	2-5/8"	3-7/8"	TCP082	3.13
#1	0.228"	2-5/8"	3-7/8"	TCP083	3.11



R18P SERIES - WIRE GAUGE SIZE

- Bright finish improves chip flow in soft or non-ferrous materials

Wire Gauge Size	Decimal Size	L2	L1	Model No.	Price /Each
#97	0.0059"	1/16"	3/4"	TCP084	19.40
#96	0.0063"	1/16"	3/4"	TCP085	19.40
#95	0.0067"	1/16"	3/4"	TCP086	17.60
#94	0.0071"	1/16"	3/4"	TCP087	17.60
#93	0.0075"	1/16"	3/4"	TCP088	12.20
#92	0.0079"	1/16"	3/4"	TCP089	12.20
#91	0.0083"	5/64"	3/4"	TCP090	12.20
#90	0.0087"	5/64"	3/4"	TCP091	12.20
#89	0.0091"	5/64"	3/4"	TCP092	12.20
#88	0.0095"	5/64"	3/4"	TCP093	12.20
#87	0.01"	5/64"	3/4"	TCP094	9.68
#86	0.0105"	3/32"	3/4"	TCP095	9.68
#85	0.011"	3/32"	3/4"	TCP096	8.73
#84	0.0115"	3/32"	3/4"	TCP097	8.73
#83	0.012"	3/32"	3/4"	TCP098	8.73
#82	0.0125"	3/32"	3/4"	TCP099	7.58
#81	0.013"	3/32"	3/4"	TCP100	7.58
#80	0.0135"	1/8"	3/4"	TCP101	3.75
#79	0.0145"	1/8"	3/4"	TCP102	3.75
#78	0.016"	3/16"	7/8"	TCP103	3.11
#77	0.018"	3/16"	7/8"	TCP104	3.11
#76	0.02"	3/16"	7/8"	TCP105	3.11
#75	0.021"	1/4"	1"	TCP106	3.11
#74	0.0225"	1/4"	1"	TCP107	3.11
#73	0.024"	5/16"	1-1/8"	TCP108	3.11
#72	0.025"	5/16"	1-1/8"	TCP109	3.11
#71	0.026"	3/8"	1-1/4"	TCP110	3.11
#70	0.028"	3/8"	1-1/4"	TCP111	2.51

Wire Gauge Size	Decimal Size	L2	L1	Model No.	Price /Each
#69	0.0292"	1/2"	1-3/8"	TCP112	2.51
#68	0.031"	1/2"	1-3/8"	TCP113	2.29
#67	0.032"	1/2"	1-3/8"	TCP114	2.29
#66	0.033"	1/2"	1-3/8"	TCP115	2.29
#65	0.035"	5/8"	1-1/2"	TCP116	2.29
#64	0.036"	5/8"	1-1/2"	TCP117	2.29
#63	0.037"	5/8"	1-1/2"	TCP118	2.29
#62	0.038"	5/8"	1-1/2"	TCP119	2.29
#61	0.039"	11/16"	1-5/8"	TCP120	2.29
#60	0.04"	11/16"	1-5/8"	TCP121	2.15
#59	0.041"	11/16"	1-5/8"	TCP122	2.15
#58	0.042"	11/16"	1-5/8"	TCP123	2.15
#57	0.043"	3/4"	1-3/4"	TCP124	2.11
#56	0.0465"	3/4"	1-3/4"	TCP125	2.11
#55	0.052"	7/8"	1-7/8"	TCP126	2.11
#54	0.055"	7/8"	1-7/8"	TCP127	2.11
#53	0.0595"	7/8"	1-7/8"	TCP128	2.11
#52	0.0635"	7/8"	1-7/8"	TCP129	2.11
#51	0.067"	1"	2"	TCP130	2.11
#50	0.07"	1"	2"	TCP131	2.11
#49	0.073"	1"	2"	TCP132	2.11
#48	0.076"	1"	2"	TCP133	2.11
#47	0.0785"	1"	2"	TCP134	2.11
#46	0.081"	1-1/8"	2-1/8"	TCP135	2.11
#45	0.082"	1-1/8"	2-1/8"	TCP136	2.11
#44	0.086"	1-1/8"	2-1/8"	TCP137	2.07
#43	0.089"	1-1/4"	2-1/4"	TCP138	2.07
#42	0.0935"	1-1/4"	2-1/4"	TCP139	2.11

R18P SERIES - WIRE GAUGE SIZE (CONT.)

Wire Gauge Size	Decimal Size	L2	L1	Model No.	Price /Each
#41	0.096"	1-3/8"	2-3/8"	TCP140	2.11
#40	0.098"	1-3/8"	2-3/8"	TCP141	2.07
#39	0.0995"	1-3/8"	2-3/8"	TCP142	2.11
#38	0.1015"	1-7/16"	2-1/2"	TCP143	2.11
#37	0.104"	1-7/16"	2-1/2"	TCP144	2.11
#36	0.1065"	1-7/16"	2-1/2"	TCP145	2.07
#35	0.11"	1-1/2"	2-5/8"	TCP146	2.11
#34	0.111"	1-1/2"	2-5/8"	TCP147	2.11
#33	0.113"	1-1/2"	2-5/8"	TCP148	2.11
#32	0.116"	1-5/8"	2-3/4"	TCP149	2.11
#31	0.12"	1-5/8"	2-3/4"	TCP150	2.11
#30	0.1285"	1-5/8"	2-3/4"	TCP151	2.11
#29	0.136"	1-3/4"	2-7/8"	TCP152	2.11
#28	0.1405"	1-3/4"	2-7/8"	TCP153	2.15
#27	0.144"	1-7/8"	3"	TCP154	2.31
#26	0.147"	1-7/8"	3"	TCP155	2.33
#25	0.1495"	1-7/8"	3"	TCP156	2.31
#24	0.152"	2"	3-1/8"	TCP157	2.44
#23	0.154"	2"	3-1/8"	TCP158	2.44
#22	0.157"	2"	3-1/8"	TCP159	2.44
#21	0.159"	2-1/8"	3-1/4"	TCP160	2.42

R15 SERIES - LETTER SIZE

- Steam oxide finish reduces wear and chip welding in harder ferrous materials for increased wear resistance and lubricity

Letter Size	Decimal Size	L2	L1	Model No.	Price /Each
A	0.234"	2-5/8"	3-7/8"	TCO952	3.53
B	0.2374"	2-3/4"	4"	TCO953	3.53
C	0.2421"	2-3/4"	4"	TCO954	3.53
D	0.2461"	2-3/4"	4"	TCO955	3.53
E	0.25"	2-3/4"	4"	TCO956	3.27
F	0.2571"	2-7/8"	4-1/8"	TCO957	3.77
G	0.261"	2-7/8"	4-1/8"	TCO958	4.22
H	0.2661"	2-7/8"	4-1/8"	TCO959	4.22
I	0.272"	2-7/8"	4-1/8"	TCO960	4.22
J	0.2772"	2-7/8"	4-1/8"	TCO961	4.53
K	0.2811"	2-15/16"	4-1/4"	TCO962	4.98
L	0.2902"	2-15/16"	4-1/4"	TCO963	4.98
M	0.2949"	3-1/16"	4-3/8"	TCO964	5.27
N	0.302"	3-1/16"	4-3/8"	TCO965	5.27
O	0.3161"	3-3/16"	4-1/2"	TCO966	5.35
P	0.3228"	3-5/16"	4-5/8"	TCO967	6.06
Q	0.3319"	3-7/16"	4-3/4"	TCO968	6.06
R	0.339"	3-7/16"	4-3/4"	TCO969	6.44
S	0.348"	3-1/2"	4-7/8"	TCO970	6.84
T	0.358"	3-1/2"	4-7/8"	TCO971	7.78
U	0.368"	3-5/8"	5"	TCO972	7.78
V	0.3772"	3-5/8"	5"	TCO973	7.98
W	0.3858"	3-3/4"	5-1/8"	TCO974	8.26
X	0.3969"	3-3/4"	5-1/8"	TCO975	10.00
Y	0.4039"	3-7/8"	5-1/4"	TCO976	11.20
Z	0.413"	3-7/8"	5-1/4"	TCO977	12.00

JOBBER DRILLS 135°

- Low thrust design and self-centering split point makes for easier penetration
- Unique surface treatment for improved wear resistance in hard ferrous alloys
- Material: High Speed Steel • Point Angle: 135°
- Manufacturing Standards: ANSI
- Finish: Purple and Bronze • Cutting Direction: Right Hand

HX10 SERIES - FRACTIONAL SIZE


Fractional Size	Decimal Size	L2	L1	Model No.	Price /Each
1/16"	0.0625"	7/8"	1-7/8"	TCP182	2.18
5/64"	0.0781"	1"	2"	TCP183	2.18
3/32"	0.0938"	1-1/4"	2-1/4"	TCP184	2.18
7/64"	0.1094"	1-1/2"	2-5/8"	TCP185	2.31
1/8"	0.125"	1-5/8"	2-3/4"	TCP186	2.31
9/64"	0.1406"	1-3/4"	2-7/8"	TCP187	2.51
5/32"	0.1563"	2"	3-1/8"	TCP188	2.55
11/64"	0.1719"	2-1/8"	3.25"	TCP189	2.78
3/16"	0.1875"	2-5/16"	3-1/2"	TCP190	3.09
13/64"	0.2031"	2-7/16"	3-5/8"	TCP191	3.38
7/32"	0.2188"	2-1/2"	3-3/4"	TCP192	3.77
15/64"	0.2344"	2-5/8"	3-7/8"	TCP193	4.09
1/4"	0.25"	2-3/4"	4"	TCP194	4.35
17/64"	0.2656"	2-7/8"	4-1/8"	TCP195	5.22
9/32"	0.2813"	2-15/16"	4-1/4"	TCP196	5.37

Wire Gauge Size	Decimal Size	L2	L1	Model No.	Price /Each
#20	0.161"	2-1/8"	3-1/4"	TCP161	2.62
#19	0.166"	2-1/8"	3-1/4"	TCP162	2.62
#18	0.1695"	2-1/8"	3-1/4"	TCP163	2.66
#17	0.173"	2-3/16"	3-3/8"	TCP164	3.18
#16	0.177"	2-3/16"	3-3/8"	TCP165	3.18
#15	0.18"	2-3/16"	3-3/8"	TCP166	3.18
#14	0.182"	2-3/16"	3-3/8"	TCP167	3.18
#13	0.185"	2-5/16"	3-1/2"	TCP168	3.18
#12	0.189"	2-5/16"	3-1/2"	TCP169	3.26
#11	0.191"	2-5/16"	3-1/2"	TCP170	3.22
#10	0.1935"	2-7/16"	3-5/8"	TCP171	3.46
#9	0.196"	2-7/16"	3-5/8"	TCP172	3.51
#8	0.199"	2-7/16"	3-5/8"	TCP173	3.51
#7	0.201"	2-7/16"	3-5/8"	TCP174	3.44
#6	0.204"	2-1/2"	3-3/4"	TCP175	3.98
#5	0.2055"	2-1/2"	3-3/4"	TCP176	3.98
#4	0.209"	2-1/2"	3-3/4"	TCP177	3.98
#3	0.213"	2-1/2"	3-3/4"	TCP178	3.93
#2	0.221"	2-5/8"	3-7/8"	TCP179	4.37
#1	0.228"	2-5/8"	3-7/8"	TCP180	4.35

R15P SERIES - LETTER SIZE

- Bright finish improves chip flow in soft or non-ferrous materials

Letter Size	Decimal Size	L2	L1	Model No.	Price /Each
A	0.234"	2-5/8"	3-7/8"	TCO978	4.93
B	0.2374"	2-3/4"	4"	TCO979	4.93
C	0.2421"	2-3/4"	4"	TCO980	4.93
D	0.2461"	2-3/4"	4"	TCO981	4.93
E	0.25"	2-3/4"	4"	TCO982	4.58
F	0.2571"	2-7/8"	4-1/8"	TCO983	5.26
G	0.261"	2-7/8"	4-1/8"	TCO984	5.91
H	0.2661"	2-7/8"	4-1/8"	TCO985	5.91
I	0.272"	2-7/8"	4-1/8"	TCO986	5.91
J	0.2772"	2-7/8"	4-1/8"	TCO987	6.33
K	0.2811"	2-15/16"	4-1/4"	TCO988	6.97
L	0.2902"	2-15/16"	4-1/4"	TCO989	6.97
M	0.2949"	3-1/16"	4-3/8"	TCO990	7.38
N	0.302"	3-1/16"	4-3/8"	TCO991	7.38
O	0.3161"	3-3/16"	4-1/2"	TCO992	7.48
P	0.3228"	3-5/16"	4-5/8"	TCO993	8.48
Q	0.3319"	3-7/16"	4-3/4"	TCO994	8.48
R	0.339"	3-7/16"	4-3/4"	TCO995	9.00
S	0.348"	3-1/2"	4-7/8"	TCO996	9.59
T	0.358"	3-1/2"	4-7/8"	TCO997	10.90
U	0.368"	3-5/8"	5"	TCO998	10.90
V	0.3772"	3-5/8"	5"	TCO999	11.20
W	0.3858"	3-3/4"	5-1/8"	TCP000	11.50
X	0.3969"	3-3/4"	5-1/8"	TCP001	14.00
Y	0.4039"	3-7/8"	5-1/4"	TCP002	15.70
Z	0.413"	3-7/8"	5-1/4"	TCP003	16.80



CUTTING TOOLS

JOBBER DRILLS 135° (CONT.)

HX18 SERIES - WIRE GAUGE SIZE

Wire Gauge Size	Decimal Size	L2	L1	Model No.	Price /Each
#52	0.0635"	7/8"	1-7/8"	TCP237	2.20
#51	0.067"	1"	2"	TCP238	2.20
#50	0.07"	1"	2"	TCP239	2.20
#49	0.073"	1"	2"	TCP240	2.20
#48	0.076"	1"	2"	TCP241	2.20
#47	0.0785"	1"	2"	TCP242	2.20
#46	0.081"	1-1/8"	2-1/8"	TCP243	2.20
#45	0.082"	1-1/8"	2-1/8"	TCP244	2.20
#44	0.086"	1-1/8"	2-1/8"	TCP245	2.18
#43	0.089"	1-1/4"	2-1/4"	TCP246	2.18
#42	0.0935"	1-1/4"	2-1/4"	TCP247	2.20
#41	0.096"	1-3/8"	2-3/8"	TCP248	2.18
#40	0.098"	1-3/8"	2-3/8"	TCP249	2.20
#39	0.0995"	1-3/8"	2-3/8"	TCP250	2.20
#38	0.1015"	1-7/16"	2-1/2"	TCP251	2.20
#37	0.104"	1-7/16"	2-1/2"	TCP252	2.20
#36	0.1065"	1-7/16"	2-1/2"	TCP253	2.18
#35	0.11"	1-1/2"	2-5/8"	TCP254	2.20
#34	0.111"	1-1/2"	2-5/8"	TCP255	2.20
#33	0.113"	1-1/2"	2-5/8"	TCP256	2.20
#32	0.116"	1-5/8"	2-3/4"	TCP257	2.20
#31	0.12"	1-5/8"	2-3/4"	TCP258	2.20
#30	0.1285"	1-5/8"	2-3/4"	TCP259	2.22
#29	0.136"	1-3/4"	2-7/8"	TCP260	2.22
#28	0.1405"	1-3/4"	2-7/8"	TCP261	2.24
#27	0.144"	1-7/8"	3"	TCP262	2.42

HX15 SERIES - LETTER SIZE

Letter Size	Decimal Size	L2	L1	Model No.	Price /Each
A	0.234"	2-5/8"	3-7/8"	TCP211	5.24
B	0.2374"	2-3/4"	4"	TCP212	5.24
C	0.2421"	2-3/4"	4"	TCP213	5.24
D	0.2461"	2-3/4"	4"	TCP214	5.24
E	0.25"	2-3/4"	4"	TCP215	4.84
F	0.2571"	2-7/8"	4-1/8"	TCP216	5.55
G	0.261"	2-7/8"	4-1/8"	TCP217	6.26
H	0.2661"	2-7/8"	4-1/8"	TCP218	6.26
I	0.272"	2-7/8"	4-1/8"	TCP219	6.26
J	0.2772"	2-7/8"	4-1/8"	TCP220	6.71
K	0.2811"	2-15/16"	4-1/4"	TCP221	7.42
L	0.2902"	2-15/16"	4-1/4"	TCP222	7.42
M	0.2949"	3-1/16"	4-3/8"	TCP223	7.84

JOBBER DRILL SETS

A097 SERIES

- TiN coated tip that increases surface hardness and improves tool life
- Low thrust design with self centering split point that makes for easier penetration
- Material: High Speed Steel
- Manufacturing Standards: ANSI
- Point Angle: 118°
- Cutting Direction: Right Hand
- Case Included

Note: Sizes 47 to 60 and 1/16" to 5/64" have no split point or TiN tip



TCP405

No. of Pieces	Sizes	Model No.	Price /Each
29	1/16" to 1/2" by 1/64"	TCP405	222.00
15	1/16" to 1/2" by 1/32"	TCP406	127.00
13	1/16" to 1/4" by 1/64"	TCP407	46.20
60	1 to 60	TCP408	171.00
26	A to Z	TCP409	241.00
115	A to Z, 1 to 60, 1/16" to 1/2" by 1/64"	TCP410	683.00

Wire Gauge Size	Decimal Size	L2	L1	Model No.	Price /Each
#26	0.147"	1-7/8"	3"	TCP263	2.46
#25	0.1495"	1-7/8"	3"	TCP264	2.42
#24	0.152"	2"	3-1/8"	TCP265	2.51
#23	0.154"	2"	3-1/8"	TCP266	2.51
#22	0.157"	2"	3-1/8"	TCP267	2.56
#21	0.159"	2-1/8"	3-1/4"	TCP268	2.53
#20	0.161"	2-1/8"	3-1/4"	TCP269	2.75
#19	0.166"	2-1/8"	3-1/4"	TCP270	2.75
#18	0.1695"	2-1/8"	3-1/4"	TCP271	2.78
#17	0.173"	2-3/16"	3-3/8"	TCP272	3.35
#16	0.177"	2-3/16"	3-3/8"	TCP273	3.35
#15	0.18"	2-3/16"	3-3/8"	TCP274	3.35
#14	0.182"	2-3/16"	3-3/8"	TCP275	3.35
#13	0.185"	2-5/16"	3-1/2"	TCP276	3.35
#12	0.189"	2-5/16"	3-1/2"	TCP277	3.44
#11	0.191"	2-5/16"	3-1/2"	TCP278	3.42
#10	0.1935"	2-7/16"	3-5/8"	TCP279	3.69
#9	0.196"	2-7/16"	3-5/8"	TCP280	3.71
#8	0.199"	2-7/16"	3-5/8"	TCP281	3.71
#7	0.201"	2-7/16"	3-5/8"	TCP282	3.69
#6	0.204"	2-1/2"	3-3/4"	TCP283	4.22
#5	0.2055"	2-1/2"	3-3/4"	TCP284	4.22
#4	0.209"	2-1/2"	3-3/4"	TCP285	4.22
#3	0.213"	2-1/2"	3-3/4"	TCP286	4.17
#2	0.221"	2-5/8"	3-7/8"	TCP287	4.64
#1	0.228"	2-5/8"	3-7/8"	TCP288	4.58

Letter Size	Decimal Size	L2	L1	Model No.	Price /Each
N	0.302"	3-1/16"	4-3/8"	TCP224	7.84
O	0.3161"	3-3/16"	4-1/2"	TCP225	7.93
P	0.3228"	3-5/16"	4-5/8"	TCP226	8.95
Q	0.3319"	3-7/16"	4-3/4"	TCP227	8.95
R	0.339"	3-7/16"	4-3/4"	TCP228	9.59
S	0.348"	3-1/2"	4-7/8"	TCP229	10.10
T	0.358"	3-1/2"	4-7/8"	TCP230	11.50
U	0.368"	3-5/8"	5"	TCP231	11.50
V	0.3772"	3-5/8"	5"	TCP232	11.90
W	0.3858"	3-3/4"	5-1/8"	TCP233	12.20
X	0.3969"	3-3/4"	5-1/8"	TCP234	14.90
Y	0.4039"	3-7/8"	5-1/4"	TCP235	16.70
Z	0.413"	3-7/8"	5-1/4"	TCP236	17.80

JOBBER DRILL SETS

C29HX10 SERIES

- Unique surface treatment for improved wear resistance in hard ferrous alloys
- Low thrust design and self-centering split point makes for easier penetration
- Material: High Speed Steel
- Manufacturing Standards: ANSI
- Point Angle: 135°
- Finish: Purple and Gold
- Cutting Direction: Right Hand
- Case Included



No. of Pieces	Sizes	Model No.	Price /Each
29	1/16" to 1/2" by 1/64"	TCP404	233.00

JOBBER DRILL SETS

- Material: High Speed Steel
- Manufacturing Standards: ANSI
- Point Angle: 118°
- Cutting Direction: Right Hand
- Case Included

STEAM OXIDE FINISH


- Steam oxide finish reduces wear and chip welding in harder ferrous materials for increased wear resistance and lubricity

BRIGHT FINISH

- Bright finish improves chip flow in soft or non-ferrous materials



TCP412




TCP918

No of Pieces	Sizes	Manufacturer Series	Finish	Model No.	Price /Each
15	1/16" to 1/2" by 1/32"	C15R10	Steam Oxide	TCP411	115.00
29	1/16" to 1/2" by 1/64"	C29R10	Steam Oxide	TCP413	211.00
15	1/16" to 1/2" by 1/32"	C15R10P	Bright	TCP412	113.00
29	1/16" to 1/2" by 1/64"	C29R10P	Bright	TCP414	211.00

No. of Pieces	Sizes	Manufacturer Series	Model No.	Price /Each
13	1/16" to 1/4" by 1/64"	C13R10CO	TCP915	79.30
15	1/16" to 1/2" by 1/32"	C15R10CO	TCP916	226.00
21	1/16" to 3/8" by 1/64"	C21R10CO	TCP917	207.00
29	1/16" to 1/2" by 1/64"	C29R10CO	TCP918	431.00
26	A to Z	C26R15CO	TCP919	437.00
60	#1 to #60	C60R18CO	TCP920	323.00

SCREW MACHINE DRILLS 135°

- Steam oxide finish for increased wear resistance and lubricity
- Low thrust design and self-centering split point makes for easier penetration
- Material: High Speed Steel
- Point Angle: 135°
- Manufacturing Standards: ANSI
- Cutting Direction: Right Hand



R40C SERIES - FRACTIONAL SIZE

Fractional Size	Decimal Size	L2	L1	Model No.	Price /Each
1/16"	0.0625"	5/8"	1-5/8"	TCP289	2.66
5/64"	0.0781"	11/16"	1-11/16"	TCP290	2.69
3/32"	0.0938"	3/4"	1-3/4"	TCP291	2.64
7/64"	0.1094"	13/16"	1-13/16"	TCP292	2.69
1/8"	0.125"	7/8"	1-7/8"	TCP293	2.58
9/64"	0.1406"	15/16"	1-15/16"	TCP294	2.75
5/32"	0.1563"	1"	2-1/16"	TCP295	2.96
11/64"	0.1719"	1-1/16"	2-1/8"	TCP296	3.13
3/16"	0.1875"	1-1/8"	2-3/16"	TCP297	3.38
13/64"	0.2031"	1-3/16"	2-1/4"	TCP298	3.58
7/32"	0.2188"	1-1/4"	2-3/8"	TCP299	4.29
15/64"	0.2344"	1-5/16"	2-7/16"	TCP300	4.38
1/4"	0.25"	1-3/8"	2-1/2"	TCP301	4.84
17/64"	0.2656"	1-7/16"	2-5/8"	TCP302	5.57
9/32"	0.2813"	1-1/2"	2-11/16"	TCP303	5.95

Fractional Size	Decimal Size	L2	L1	Model No.	Price /Each
19/64"	0.2969"	1-9/16"	2-3/4"	TCP304	6.58
5/16"	0.3125"	1-5/8"	2-13/16"	TCP305	7.04
21/64"	0.3281"	1-11/16"	2-15/16"	TCP306	7.82
11/32"	0.3437"	1-11/16"	3"	TCP307	8.77
23/64"	0.3594"	1-3/4"	3-1/16"	TCP308	10.10
3/8"	0.375"	1-13/16"	3-1/8"	TCP309	10.50
25/64"	0.3906"	1-7/8"	3-1/4"	TCP310	12.00
13/32"	0.4063"	1-15/16"	3-5/16"	TCP311	12.30
27/64"	0.4219"	2"	3-3/8"	TCP312	13.70
7/16"	0.4375"	2-1/16"	3-7/16"	TCP313	13.80
29/64"	0.4531"	2-1/8"	3-9/16"	TCP314	16.50
15/32"	0.4687"	2-1/8"	3-5/8"	TCP315	17.60
31/64"	0.4844"	2-3/16"	3-11/16"	TCP316	18.00
1/2"	0.5"	2-1/4"	3-3/4"	TCP317	17.60

R41C SERIES - WIRE GAUGE SIZE

Wire Gauge Size	Decimal Size	L2	L1	Model No.	Price /Each
#60	0.04"	1/2"	1-3/8"	TCP318*	2.60
#59	0.041"	1/2"	1-3/8"	TCP319*	2.60
#58	0.042"	1/2"	1-3/8"	TCP320*	2.60
#57	0.043"	1/2"	1-3/8"	TCP321*	2.60
#56	0.0465"	1/2"	1-3/8"	TCP322*	2.60
#55	0.052"	5/8"	1-5/8"	TCP323*	2.60
#54	0.055"	5/8"	1-5/8"	TCP324*	2.60
#53	0.0595"	5/8"	1-5/8"	TCP325*	2.60
#52	0.0635"	11/16"	1-11/16"	TCP326	2.60
#51	0.067"	11/16"	1-11/16"	TCP327	2.60
#50	0.07"	11/16"	1-11/16"	TCP328	2.60
#49	0.073"	11/16"	1-11/16"	TCP329	2.60
#48	0.076"	11/16"	1-11/16"	TCP330	2.60
#47	0.0785"	11/16"	1-11/16"	TCP331	2.60
#46	0.081"	3/4"	1-3/4"	TCP332	2.60

Wire Gauge Size	Decimal Size	L2	L1	Model No.	Price /Each
#45	0.082"	3/4"	1-3/4"	TCP333	2.60
#44	0.086"	3/4"	1-3/4"	TCP334	2.60
#43	0.089"	3/4"	1-3/4"	TCP335	2.60
#42	0.0935"	3/4"	1-3/4"	TCP336	2.60
#41	0.096"	13/16"	1-13/16"	TCP337	2.60
#40	0.098"	13/16"	1-13/16"	TCP338	2.60
#39	0.0995"	13/16"	1-13/16"	TCP339	2.60
#38	0.1015"	13/16"	1-13/16"	TCP340	2.60
#37	0.104"	13/16"	1-13/16"	TCP341	2.60
#36	0.1065"	13/16"	1-13/16"	TCP342	2.60
#35	0.11"	7/8"	1-7/8"	TCP343	2.60
#34	0.111"	7/8"	1-7/8"	TCP344	2.60
#33	0.113"	7/8"	1-7/8"	TCP345	2.60
#32	0.116"	7/8"	1-7/8"	TCP346	2.60
#31	0.12"	7/8"	1-7/8"	TCP347	2.60

*No split point

CUTTING TOOLS

R41C SERIES - WIRE GAUGE SIZE (CONT.)

Wire Gauge Size	Decimal Size	L2	L1	Model No.	Price /Each
#30	0.1285"	15/16"	1-15/16"	TCP348	2.60
#29	0.136"	15/16"	1-15/16"	TCP349	2.60
#28	0.1405"	15/16"	1-15/16"	TCP350	2.60
#27	0.144"	1"	2-1/16"	TCP351	2.87
#26	0.147"	1"	2-1/16"	TCP352	2.87
#25	0.1495"	1"	2-1/16"	TCP353	2.87
#24	0.152"	1"	2-1/16"	TCP354	2.93
#23	0.154"	1"	2-1/16"	TCP355	2.93
#22	0.157"	1-1/16"	2-1/8"	TCP356	2.93
#21	0.159"	1-1/16"	2-1/8"	TCP357	2.93
#20	0.161"	1-1/16"	2-1/8"	TCP358	3.04
#19	0.166"	1-1/16"	2-1/8"	TCP359	3.04
#18	0.1695"	1-1/16"	2-1/8"	TCP360	3.04
#17	0.173"	1-1/8"	2-3/16"	TCP361	3.62
#16	0.177"	1-1/8"	2-3/16"	TCP362	3.62

Wire Gauge Size	Decimal Size	L2	L1	Model No.	Price /Each
#15	0.18"	1-1/8"	2-3/16"	TCP363	3.62
#14	0.182"	1-1/8"	2-3/16"	TCP364	3.62
#13	0.185"	1-1/8"	2-3/16"	TCP365	3.62
#12	0.189"	1-3/16"	2-1/4"	TCP366	3.62
#11	0.191"	1-3/16"	2-1/4"	TCP367	3.62
#10	0.1935"	1-3/16"	2-1/4"	TCP368	3.62
#9	0.196"	1-3/16"	2-1/4"	TCP369	3.62
#8	0.199"	1-3/16"	2-1/4"	TCP370	3.62
#7	0.201"	1-3/16"	2-1/4"	TCP371	3.62
#6	0.204"	1-1/4"	2-3/8"	TCP372	4.33
#5	0.2055"	1-1/4"	2-3/8"	TCP373	4.33
#4	0.209"	1-1/4"	2-3/8"	TCP374	4.33
#3	0.213"	1-1/4"	2-3/8"	TCP375	4.33
#2	0.221"	1-5/16"	2-7/16"	TCP376	4.64
#1	0.228"	1-5/16"	2-7/16"	TCP377	4.64

R42C SERIES - LETTER SIZE


Letter Size	Decimal Size	L2	L1	Model No.	Price /Each
A	0.234"	1-5/16"	2-7/16"	TCP378	5.47
B	0.2374"	1-3/8"	2-1/2"	TCP379	5.47
C	0.2421"	1-3/8"	2-1/2"	TCP380	5.47
D	0.2461"	1-3/8"	2-1/2"	TCP381	5.47
E	0.25"	1-3/8"	2-1/2"	TCP382	5.84
F	0.2571"	1-7/16"	2-5/8"	TCP383	6.06
G	0.261"	1-7/16"	2-5/8"	TCP384	6.42
H	0.2661"	1-1/2"	2-11/16"	TCP385	6.42
I	0.272"	1-1/2"	2-11/16"	TCP386	6.42
J	0.2772"	1-1/2"	2-11/16"	TCP387	6.88
K	0.2811"	1-1/2"	2-11/16"	TCP388	7.42
L	0.2992"	1-9/16"	2-3/4"	TCP389	7.42
M	0.2949"	1-9/16"	2-3/4"	TCP390	8.08

Letter Size	Decimal Size	L2	L1	Model No.	Price /Each
N	0.302"	1-5/8"	2-13/16"	TCP391	8.08
O	0.3161"	1-11/16"	2-15/16"	TCP392	8.15
P	0.3228"	1-11/16"	2-15/16"	TCP393	9.13
Q	0.3319"	1-11/16"	3"	TCP394	9.13
R	0.339"	1-11/16"	3"	TCP395	9.28
S	0.348"	1-3/4"	3-1/16"	TCP396	10.50
T	0.358"	1-3/4"	3-1/16"	TCP397	12.20
U	0.368"	1-13/16"	3-1/8"	TCP398	12.20
V	0.3772"	1-7/8"	3-1/4"	TCP399	13.00
W	0.3858"	1-7/8"	3-1/4"	TCP400	13.70
X	0.3969"	1-15/16"	3-5/16"	TCP401	15.90
Y	0.4039"	1-15/16"	3-5/16"	TCP402	18.80
Z	0.413"	2"	3-3/8"	TCP403	18.80

SILVER & DEMING DRILLS 118°

R56 SERIES

- Steam oxide finish for increased wear resistance and lubricity
- Material: High Speed Steel
- Point Angle: 118°
- Manufacturing Standards: ANSI
- Shank Size: 1/2"
- Cutting Direction: Right Hand



Fractional Size	Decimal Size	L2	L1	Model No.	Price /Each
33/64"	0.5156"	3"	6"	TCQ496	38.40
17/32"	0.5313"	3"	6"	TCQ497	37.40
35/64"	0.5469"	3"	6"	TCQ498	40.90
9/16"	0.5625"	3"	6"	TCQ499	39.80
37/64"	0.5781"	3"	6"	TCQ500	43.90
19/32"	0.5937"	3"	6"	TCQ501	42.80
5/8"	0.625"	3"	6"	TCQ502	44.80
41/64"	0.6406"	3"	6"	TCQ503	49.20
21/32"	0.6563"	3"	6"	TCQ504	47.80
43/64"	0.6719"	3"	6"	TCQ505	51.10
11/16"	0.6875"	3"	6"	TCQ506	49.70
45/64"	0.7031"	3"	6"	TCQ507	51.70
23/32"	0.7188"	3"	6"	TCQ508	50.40
47/64"	0.7344"	3"	6"	TCQ509	56.40
3/4"	0.75"	3"	6"	TCQ510	54.80
49/64"	0.7656"	3"	6"	TCQ511	60.10
25/32"	0.7813"	3"	6"	TCQ512	58.50
51/64"	0.7969"	3"	6"	TCQ513	70.00
13/16"	0.8125"	3"	6"	TCQ514	61.50
53/64"	0.8281"	3"	6"	TCQ515	72.60
27/32"	0.8438"	3"	6"	TCQ516	63.60
55/64"	0.8594"	3"	6"	TCQ517	75.10
7/8"	0.875"	3"	6"	TCQ518	66.20
57/64"	0.8906"	3"	6"	TCQ519	78.90
29/32"	0.9063"	3"	6"	TCQ520	68.80
59/64"	0.9219"	3"	6"	TCQ521	84.70
15/16"	0.9375"	3"	6"	TCQ522	73.20
61/64"	0.9531"	3"	6"	TCQ523	89.10

Fractional Size	Decimal Size	L2	L1	Model No.	Price /Each
31/32"	0.9688"	3"	6"	TCQ524	77.70
63/64"	0.9844"	3"	6"	TCQ525	99.90
1"	1"	3"	6"	TCQ526	86.60
1-1/64"	1.0156"	3"	6"	TCQ527	120.00
1-1/32"	1.0312"	3"	6"	TCQ528	106.00
1-3/64"	1.0469"	3"	6"	TCQ529	109.00
1-1/16"	1.0625"	3"	6"	TCQ530	102.00
1-5/64"	1.0781"	3"	6"	TCQ531	112.00
1-3/32"	1.0937"	3"	6"	TCQ532	113.00
1-7/64"	1.1094"	3"	6"	TCQ533	121.00
1-1/8"	1.125"	3"	6"	TCQ534	115.00
1-9/64"	1.1406"	3"	6"	TCQ535	124.00
1-5/32"	1.1563"	3"	6"	TCQ536	120.00
1-11/64"	1.1719"	3"	6"	TCQ537	132.00
1-3/16"	1.1875"	3"	6"	TCQ538	127.00
1-13/64"	1.2031"	3"	6"	TCQ539	142.00
1-7/32"	1.2187"	3"	6"	TCQ540	141.00
1-15/64"	1.2344"	3"	6"	TCQ541	146.00
1-1/4"	1.25"	3"	6"	TCQ542	140.00
1-9/32"	1.2813"	3"	6"	TCQ543	164.00
1-5/16"	1.3125"	3"	6"	TCQ544	174.00
1-11/32"	1.3437"	3"	6"	TCQ545	190.00
1-3/8"	1.375"	3"	6"	TCQ546	200.00
1-13/32"	1.4063"	3"	6"	TCQ547	234.00
1-7/16"	1.4375"	3"	6"	TCQ548	220.00
1-15/32"	1.4687"	3"	6"	TCQ549	257.00
1-1/2"	1.5"	3"	6"	TCQ550	243.00

TAPER SHANK DRILL 118°

209 SERIES

- Steam oxide finish increases tool life and lubricity
- Material: High Speed Steel
- Point Angle: 118°
- Manufacturing Standards: ANSI
- Cutting Direction: Right Hand



Fractional Size	Decimal Size	L2	L1	Morse Taper Shank No.	Model No.	Price /Each
1/8"	0.125"	1-7/8"	5-1/8"	#1	TCP415	20.60
9/64"	0.1406"	2-1/8"	5-3/8"	#1	TCP416	21.60
5/32"	0.1562"	2-1/8"	5-3/8"	#1	TCP417	20.80
11/64"	0.1718"	2-1/2"	5-3/4"	#1	TCP418	21.60
3/16"	0.1875"	2-1/2"	5-3/4"	#1	TCP419	14.60
13/64"	0.2031"	2-3/4"	6"	#1	TCP420	16.40
7/32"	0.2187"	2-3/4"	6"	#1	TCP421	15.80
15/64"	0.2343"	2-7/8"	6-1/8"	#1	TCP422	18.80
1/4"	0.25"	2-7/8"	6-1/8"	#1	TCP423	16.30
17/64"	0.2656"	3"	6-1/4"	#1	TCP424	18.20
9/32"	0.2812"	3"	6-1/4"	#1	TCP425	17.40
19/64"	0.2968"	3-1/8"	6-3/8"	#1	TCP426	22.50
5/16"	0.3125"	3-1/8"	6-3/8"	#1	TCP427	17.40
21/64"	0.3281"	3-1/4"	6-1/2"	#1	TCP428	24.10
11/32"	0.3437"	3-1/4"	6-1/2"	#1	TCP429	25.20
23/64"	0.3593"	3-1/2"	6-3/4"	#1	TCP430	27.90
3/8"	0.375"	3-1/2"	6-3/4"	#1	TCP431	26.60
25/64"	0.3906"	3-5/8"	7"	#1	TCP432	28.90
13/32"	0.4062"	3-5/8"	7"	#1	TCP433	26.90
27/64"	0.4218"	3-7/8"	7-1/4"	#1	TCP434	30.90
7/16"	0.4375"	3-7/8"	7-1/4"	#1	TCP435	29.70
29/64"	0.4531"	4-1/8"	7-1/2"	#1	TCP436	33.90
15/32"	0.4687"	4-1/8"	7-1/2"	#1	TCP437	34.10
31/64"	0.4843"	4-3/8"	8-1/4"	#2	TCP438	38.40
1/2"	0.5"	4-3/8"	8-1/4"	#2	TCP439	33.90
33/64"	0.5156"	4-5/8"	8-1/2"	#2	TCP440	40.60
17/32"	0.5312"	4-5/8"	8-1/2"	#2	TCP441	37.90
35/64"	0.5468"	4-7/8"	8-3/4"	#2	TCP442	44.20
9/16"	0.5625"	4-7/8"	8-3/4"	#2	TCP443	41.40
37/64"	0.5781"	4-7/8"	8-3/4"	#2	TCP444	47.00
19/32"	0.5937"	4-7/8"	8-3/4"	#2	TCP445	44.50
39/64"	0.6093"	4-7/8"	8-3/4"	#2	TCP446	49.10
5/8"	0.625"	4-7/8"	8-3/4"	#2	TCP447	45.20
41/64"	0.6406"	5-1/8"	9"	#2	TCP448	54.20
21/32"	0.6562"	5-1/8"	9"	#2	TCP449	50.40
43/64"	0.6718"	5-3/8"	9-1/4"	#2	TCP450	57.80
11/16"	0.6875"	5-3/8"	9-1/4"	#2	TCP451	52.50
45/64"	0.7031"	5-5/8"	9-1/2"	#2	TCP452	60.00
23/32"	0.7187"	5-5/8"	9-1/2"	#2	TCP453	56.20
47/64"	0.7343"	5-7/8"	9-3/4"	#2	TCP454	63.80
3/4"	0.75"	5-7/8"	9-3/4"	#2	TCP455	61.10
49/64"	0.7656"	6"	9-7/8"	#2	TCP456	76.90
25/32"	0.7812"	6"	9-7/8"	#2	TCP457	74.20
51/64"	0.7968"	6-1/8"	10-3/4"	#3	TCP458	84.60
13/16"	0.8125"	6-1/8"	10-3/4"	#3	TCP459	75.80
53/64"	0.8281"	6-1/8"	10-3/4"	#3	TCP460	88.40
27/32"	0.8437"	6-1/8"	10-3/4"	#3	TCP461	81.80
55/64"	0.8593"	6-1/8"	10-3/4"	#3	TCP462	91.70
7/8"	0.875"	6-1/8"	10-3/4"	#3	TCP463	84.00
57/64"	0.8906"	6-1/8"	10-3/4"	#3	TCP464	93.30
29/32"	0.9062"	6-1/8"	10-3/4"	#3	TCP465	90.00
59/64"	0.9218"	6-1/8"	10-3/4"	#3	TCP466	94.40
15/16"	0.9375"	6-1/8"	10-3/4"	#3	TCP467	84.60

Fractional Size	Decimal Size	L2	L1	Morse Taper Shank No.	Model No.	Price /Each
61/64"	0.9531"	6-3/8"	11"	#3	TCP468	97.10
31/32"	0.9687"	6-3/8"	11"	#3	TCP469	92.80
63/64"	0.9843"	6-3/8"	11"	#3	TCP470	103.00
1"	1"	6-3/8"	11"	#3	TCP471	94.40
1-1/64"	1.0156"	6-1/2"	11-1/8"	#3	TCP472	117.00
1-1/32"	1.0312"	6-1/2"	11-1/8"	#3	TCP473	104.00
1-3/64"	1.0468"	6-5/8"	11-1/4"	#3	TCP474	123.00
1-1/16"	1.0625"	6-5/8"	11-1/4"	#3	TCP475	109.00
1-5/64"	1.0781"	6-7/8"	12-1/2"	#4	TCP476	142.00
1-3/32"	1.0937"	6-7/8"	12-1/2"	#4	TCP477	128.00
1-7/64"	1.1093"	7-1/8"	12-3/4"	#4	TCP478	148.00
1-1/8"	1.125"	7-1/8"	12-3/4"	#4	TCP479	133.00
1-9/64"	1.1406"	7-1/4"	12-7/8"	#4	TCP480	156.00
1-5/32"	1.1562"	7-1/4"	12-7/8"	#4	TCP481	139.00
1-11/64"	1.1718"	7-3/8"	13"	#4	TCP482	158.00
1-3/16"	1.1875"	7-3/8"	13"	#4	TCP483	145.00
1-13/64"	1.2031"	7-1/2"	13-1/8"	#4	TCP484	170.00
1-7/32"	1.2187"	7-1/2"	13-1/8"	#4	TCP485	156.00
1-15/64"	1.2343"	7-7/8"	13-1/2"	#4	TCP486	184.00
1-1/4"	1.25"	7-7/8"	13-1/2"	#4	TCP487	164.00
1-17/64"	1.2656"	8-1/2"	14-1/8"	#4	TCP488	213.00
1-9/32"	1.2812"	8-1/2"	14-1/8"	#4	TCP489	204.00
1-19/64"	1.2968"	8-5/8"	14-1/4"	#4	TCP490	227.00
1-5/16"	1.3125"	8-5/8"	14-1/4"	#4	TCP491	205.00
1-21/64"	1.3281"	8-3/4"	14-3/8"	#4	TCP492	234.00
1-11/32"	1.3437"	8-3/4"	14-3/8"	#4	TCP493	219.00
1-23/64"	1.3593"	8-7/8"	14-1/2"	#4	TCP494	240.00
1-3/8"	0.375"	8-7/8"	14-1/2"	#4	TCP495	220.00
1-25/64"	1.3906"	9"	14-5/8"	#4	TCP496	247.00
1-13/32"	1.4062"	9"	14-5/8"	#4	TCP497	237.00
1-27/64"	1.4218"	9-1/8"	14-3/4"	#4	TCP498	255.00
1-7/16"	1.4375"	9-1/8"	14-3/4"	#4	TCP499	237.00
1-29/64"	1.4531"	9-1/4"	14-7/8"	#4	TCP500	265.00
1-15/32"	1.4687"	9-1/4"	14-7/8"	#4	TCP501	256.00
1-31/64"	1.4843"	9-3/8"	15"	#4	TCP502	276.00
1-1/2"	1.5"	9-3/8"	15"	#4	TCP503	253.00
1-17/32"	1.5312"	9-3/8"	16-3/8"	#5	TCP504	295.00
1-9/16"	1.5625"	9-5/8"	16-5/8"	#5	TCP505	306.00
1-19/32"	1.5937"	9-7/8"	16-7/8"	#5	TCP506	334.00
1-5/8"	1.625"	10"	17"	#5	TCP507	330.00
1-11/16"	1.6875"	10-1/8"	17-1/8"	#5	TCP509	364.00
1-23/32"	1.7187"	10-1/8"	17-1/8"	#5	TCP510	385.00
1-3/4"	1.75"	10-1/8"	17-1/8"	#5	TCP511	390.00
1-25/32"	1.7812"	10-1/8"	17-1/8"	#5	TCP512	409.00
1-13/16"	1.8125"	10-1/8"	17-1/8"	#5	TCP513	415.00
1-27/32"	1.8437"	10-1/8"	17-1/8"	#5	TCP514	438.00
1-7/8"	1.875"	10-3/8"	17-3/8"	#5	TCP515	435.00
1-29/32"	1.9062"	10-3/8"	17-3/8"	#5	TCP516	458.00
1-15/16"	1.9375"	10-3/8"	17-3/8"	#5	TCP517	468.00
1-31/32"	1.9687"	10-3/8"	17-3/8"	#5	TCP518	483.00
2"	2"	10-3/8"	17-3/8"	#5	TCP519	486.00


See pages 1148 & 1149
for Cutting Fluids



CUTTING TOOLS

HAND TAPS

- Versatile tap that can be used for both hand or machine tapping in a wide variety of materials
- Bright finish improves chip flow in soft or non-ferrous materials
- Material: High Speed Steel
- Manufacturing Standards: ANSI
- Cutting Direction: Right Hand
- **1500-1500S series:** Fractional sizes
- **1528-1528S series:** Machine screw sizes



Note: Sizes 0-80 through 3/8"-24 have a male centre on the thread end
 Sizes 7/16"-14 through 1-1/2"-12 have a female centre/flat end

UNION BUTTERFIELD®

Thread Size	Thread Form	No. of Flutes	L2	L1	Limits	Taper Model No.	Plug Model No.	Bottoming Model No.	Price /Each	Sets	Price /Each
0-80	Unified Fine	2	5/16"	1-5/8"	H1	TCQ219	TCQ277	TCQ361	21.40	TCQ441	64.40
0-80	Unified Fine	2	5/16"	1-5/8"	H2	-	TCQ278	TCQ362	21.40	-	-
1-64	Unified Coarse	2	3/8"	1-11/16"	H1	TCQ220	TCQ279	TCQ363	20.00	TCQ442	60.10
1-72	Unified Fine	2	3/8"	1-11/16"	H1	TCQ221	TCQ280	TCQ364	20.00	TCQ443	60.10
2-56	Unified Coarse	2	7/16"	1-3/4"	H2	-	TCQ281	TCQ365	18.70	-	-
2-56	Unified Coarse	3	7/16"	1-3/4"	H1	TCQ222	TCQ282	TCQ366	18.70	-	-
2-56	Unified Coarse	3	7/16"	1-3/4"	H2	TCQ223	TCQ283	TCQ367	17.60	TCQ444	52.70
2-64	Unified Fine	3	7/16"	1-3/4"	H2	-	-	-	-	TCQ445	56.10
3-48	Unified Coarse	2	1/2"	1-13/16"	H2	-	TCQ284	-	14.80	-	-
3-48	Unified Coarse	3	1/2"	1-13/16"	H2	TCQ224	TCQ285	TCQ368	13.20	TCQ446	39.60
3-56	Unified Fine	3	1/2"	1-13/16"	H2	TCQ225	TCQ286	TCQ369	14.80	TCQ447	44.50
4-40	Unified Coarse	2	9/16"	1-7/8"	H2	-	TCQ287	TCQ370	11.70	-	-
4-40	Unified Coarse	3	9/16"	1-7/8"	H1	TCQ226	TCQ288	TCQ371	11.70	-	-
4-40	Unified Coarse	3	9/16"	1-7/8"	H2	TCQ227	TCQ289	TCQ372	11.00	TCQ448	32.90
4-48	Unified Fine	3	9/16"	1-7/8"	H2	TCQ228	TCQ290	TCQ373	11.70	TCQ449	35.20
4-36	Unified Special	3	9/16"	1-7/8"	H2	-	-	-	-	TCQ450	35.20
5-40	Unified Coarse	3	5/8"	1-15/16"	H2	TCQ229	TCQ291	TCQ374	11.00	TCQ451	32.90
5-44	Unified Fine	3	5/8"	1-15/16"	H2	TCQ230	TCQ292	TCQ375	11.70	TCQ452	35.20
6-32	Unified Coarse	2	11/16"	2"	H2	-	TCQ293	TCQ376	10.30	-	-
6-32	Unified Coarse	2	11/16"	2"	H3	-	TCQ294	TCQ377	8.80	-	-
6-32	Unified Coarse	3	11/16"	2"	H1	TCQ231	TCQ295	TCQ378	10.30	-	-
6-32	Unified Coarse	3	11/16"	2"	H2	TCQ232	TCQ296	TCQ379	8.80	TCQ453	26.40
6-32	Unified Coarse	3	11/16"	2"	H3	TCQ233	TCQ297	TCQ380	8.37	TCQ454	25.10
6-40	Unified Fine	3	11/16"	2"	H2	TCQ234	TCQ298	TCQ381	8.80	TCQ455	26.40
8-32	Unified Coarse	2	3/4"	2-1/8"	H2	-	TCQ299	TCQ382	10.30	-	-
8-32	Unified Coarse	2	3/4"	2-1/8"	H3	-	TCQ300	TCQ383	8.80	-	-
8-32	Unified Coarse	3	3/4"	2-1/8"	H2	-	TCQ301	TCQ384	10.30	-	-
8-32	Unified Coarse	3	3/4"	2-1/8"	H3	-	TCQ302	TCQ385	8.80	-	-
8-32	Unified Coarse	4	3/4"	2-1/8"	H1	-	TCQ303	-	10.30	-	-
8-32	Unified Coarse	4	3/4"	2-1/8"	H2	TCQ235	TCQ304	TCQ386	8.80	TCQ456	26.40
8-32	Unified Coarse	4	3/4"	2-1/8"	H3	TCQ236	TCQ305	TCQ387	8.55	TCQ457	25.70
8-36	Unified Fine	4	3/4"	2-1/8"	H2	TCQ237	TCQ306	TCQ388	8.80	TCQ458	26.40
10-24	Unified Coarse	2	7/8"	2-3/8"	H2	-	TCQ307	TCQ389	10.30	-	-
10-24	Unified Coarse	2	7/8"	2-3/8"	H3	-	TCQ308	TCQ390	9.06	-	-
10-24	Unified Coarse	3	7/8"	2-3/8"	H2	-	TCQ309	-	10.30	-	-
10-24	Unified Coarse	3	7/8"	2-3/8"	H3	-	TCQ310	TCQ391	9.06	-	-
10-24	Unified Coarse	4	7/8"	2-3/8"	H1	-	TCQ311	-	9.06	-	-
10-24	Unified Coarse	4	7/8"	2-3/8"	H2	TCQ238	TCQ312	TCQ392	9.06	TCQ459	27.20
10-24	Unified Coarse	4	7/8"	2-3/8"	H3	TCQ239	TCQ313	TCQ393	9.06	TCQ460	27.20
10-32	Unified Fine	2	7/8"	2-3/8"	H2	-	TCQ314	TCQ394	10.30	-	-
10-32	Unified Fine	2	7/8"	2-3/8"	H3	-	TCQ315	TCQ395	9.06	-	-
10-32	Unified Fine	3	7/8"	2-3/8"	H2	-	TCQ316	TCQ396	10.30	-	-
10-32	Unified Fine	3	7/8"	2-3/8"	H3	-	TCQ317	TCQ397	9.06	-	-
10-32	Unified Fine	4	7/8"	2-3/8"	H2	TCQ240	TCQ318	TCQ398	9.06	TCQ461	27.20
10-32	Unified Fine	4	7/8"	2-3/8"	H3	TCQ241	TCQ319	TCQ399	9.06	TCQ462	27.20
12-24	Unified Coarse	4	15/16"	2-3/8"	H3	TCQ242	TCQ320	TCQ400	9.31	TCQ463	27.90
12-28	Unified Fine	4	15/16"	2-3/8"	H3	TCQ243	TCQ321	TCQ401	10.30	TCQ464	30.80
1/4"-20	Unified Coarse	4	1"	2-1/2"	H1	TCQ244	TCQ322	TCQ402	11.90	-	-
1/4"-20	Unified Coarse	4	1"	2-1/2"	H2	TCQ245	TCQ323	TCQ403	11.30	-	-
1/4"-20	Unified Coarse	4	1"	2-1/2"	H3	TCQ246	TCQ324	TCQ404	9.57	TCQ465	28.60
1/4"-20	Unified Coarse	4	1"	2-1/2"	H5	-	TCQ325	TCQ405	11.30	-	-
1/4"-28	Unified Fine	4	1"	2-1/2"	H2	-	TCQ326	TCQ406	11.90	-	-
1/4"-28	Unified Fine	4	1"	2-1/2"	H3	TCQ247	TCQ327	TCQ407	9.57	TCQ466	28.60
1/4"-28	Unified Fine	4	1"	2-1/2"	H5	-	TCQ328	TCQ408	11.90	-	-
5/16"-18	Unified Coarse	4	1-1/8"	2-23/32"	H2	TCQ248	TCQ329	TCQ409	13.10	-	-
5/16"-18	Unified Coarse	4	1-1/8"	2-23/32"	H3	TCQ249	TCQ330	TCQ410	11.50	TCQ467	34.60
5/16"-24	Unified Fine	4	1-1/8"	2-23/32"	H3	TCQ250	TCQ331	TCQ411	11.50	TCQ468	34.60
3/8"-16	Unified Coarse	4	1-1/4"	2-15/16"	H2	TCQ251	TCQ332	TCQ412	14.80	-	-
3/8"-16	Unified Coarse	4	1-1/4"	2-15/16"	H3	TCQ252	TCQ333	TCQ413	13.10	TCQ469	39.30
3/8"-16	Unified Coarse	4	1-1/4"	2-15/16"	H5	-	TCQ334	TCQ414	14.80	-	-
3/8"-24	Unified Fine	4	1-1/4"	2-15/16"	H3	TCQ253	TCQ335	TCQ415	13.10	TCQ470	39.30
7/16"-14	Unified Coarse	4	1-7/16"	3-5/32"	H3	TCQ254	TCQ336	TCQ416	22.60	TCQ471	67.70
7/16"-20	Unified Fine	4	1-7/16"	3-5/32"	H3	TCQ255	TCQ337	TCQ417	22.60	TCQ472	67.70
1/2"-13	Unified Coarse	4	1-21/32"	3-3/8"	H2	-	TCQ338	TCQ418	29.20	-	-
1/2"-13	Unified Coarse	4	1-21/32"	3-3/8"	H3	TCQ256	TCQ339	TCQ419	23.60	TCQ473	70.60
1/2"-13	Unified Coarse	4	1-21/32"	3-3/8"	H5	-	TCQ340	TCQ420	29.20	-	-
1/2"-20	Unified Fine	4	1-21/32"	3-3/8"	H3	TCQ257	TCQ341	TCQ421	27.00	TCQ474	80.80
9/16"-12	Unified Coarse	4	1-21/32"	3-19/32"	H3	TCQ258	TCQ342	TCQ422	39.70	TCQ475	119.00


HAND TAPS (CONT.)

Thread Size	Thread Form	No. of Flutes	L2	L1	Limits	Taper Model No.	Plug Model No.	Bottoming Model No.	Price /Each	Sets	Price /Each
9/16"-18	Unified Fine	4	1-21/32"	3-19/32"	H3	TCQ259	TCQ343	TCQ423	39.70	TCQ476	119.00
5/8"-11	Unified Coarse	4	1-13/16"	3-13/16"	H3	TCQ260	TCQ344	TCQ424	47.90	TCQ477	144.00
5/8"-18	Unified Fine	4	1-13/16"	3-13/16"	H3	TCQ261	TCQ345	TCQ425	47.90	TCQ478	144.00
11/16"-11	Unified Special	4	1-13/16"	4-1/32"	H3	-	-	-	-	TCQ479	179.00
11/16"-16	Unified Special	4	1-13/16"	4-1/32"	H3	-	-	-	-	TCQ480	179.00
3/4"-10	Unified Coarse	4	2"	4-1/4"	H3	TCQ262	TCQ346	TCQ426	67.70	TCQ481	203.00
3/4"-16	Unified Fine	4	2"	4-1/4"	H3	TCQ263	TCQ347	TCQ427	67.70	TCQ482	203.00
7/8"-9	Unified Coarse	4	2-7/32"	4-11/16"	H4	TCQ264	TCQ348	TCQ428	93.10	TCQ483	279.00
7/8"-14	Unified Fine	4	2-7/32"	4-11/16"	H4	TCQ265	TCQ349	TCQ429	93.10	TCQ484	279.00
1"-8	Unified Coarse	4	2-1/2"	5-1/8"	H4	TCQ266	TCQ350	TCQ430	124.00	TCQ485	372.00
1"-12	Unified Fine	4	2-1/2"	5-1/8"	H4	TCQ267	TCQ351	TCQ431	126.00	TCQ486	377.00
1"-14	Unified Special	4	2-1/2"	5-1/8"	H4	TCQ268	TCQ352	TCQ432	124.00	TCQ487	372.00
1-1/8"-7	Unified Coarse	4	2-9/16"	5-7/16"	H4	TCQ269	TCQ353	TCQ433	199.00	TCQ488	597.00
1-1/8"-12	Unified Fine	4	2-9/16"	5-7/16"	H4	TCQ270	TCQ354	TCQ434	215.00	TCQ489	645.00
1-1/4"-7	Unified Coarse	4	2-9/16"	5-3/4"	H4	TCQ271	TCQ355	TCQ435	263.00	TCQ490	787.00
1-1/4"-12	Unified Fine	6	2-9/16"	5-3/4"	H4	TCQ272	TCQ356	TCQ436	267.00	TCQ491	800.00
1-3/8"-6	Unified Coarse	4	3"	6-1/16"	H4	TCQ273	TCQ357	TCQ437	331.00	TCQ492	990.00
1-3/8"-12	Unified Fine	6	3"	6-1/16"	H4	TCQ274	TCQ358	TCQ438	335.00	TCQ493	1003.00
1-1/2"-6	Unified Coarse	4	3"	6-3/8"	H4	TCQ275	TCQ359	TCQ439	382.00	TCQ494	1146.00
1-1/2"-12	Unified Fine	6	3"	6-3/8"	H4	TCQ276	TCQ360	TCQ440	389.00	TCQ495	1169.00

HAND TAPS

E500 SERIES

- Versatile tap that can be used for both hand or machine tapping in a wide variety of materials
- Bright finish improves chip flow in soft or non-ferrous materials
- Material: High Speed Steel
- Manufacturing Standards: ISO 529
- Tolerance: 6H
- Cutting Direction: Right Hand



Note: ISO shank and square dimensions require metric holders

Thread Size	Thread Form	No. of Flutes	L2	L1	Taper Model No.	Plug Model No.	Bottoming Model No.	Price /Each	Sets	Price /Each
M1x0.25	Metric Coarse	2	4.5 mm	38 mm	TCQ069	TCQ111	TCQ153	85.50	-	-
M1.2x0.25	Metric Coarse	2	4.5 mm	38 mm	TCQ070	TCQ112	TCQ154	74.00	-	-
M1.4x0.3	Metric Coarse	2	6 mm	40 mm	TCQ071	TCQ113	TCQ155	57.90	-	-
M1.6x0.35	Metric Coarse	2	8 mm	41 mm	TCQ072	TCQ114	TCQ156	33.20	TCQ197	98.90
M1.7x0.35	Metric Coarse	2	8 mm	41 mm	TCQ073	TCQ115	TCQ157	39.40	TCQ198	118.00
M1.8x0.35	Metric Coarse	2	8 mm	41 mm	TCQ074	TCQ116	TCQ158	39.00	-	-
M2x0.4	Metric Coarse	3	8 mm	41 mm	TCQ078	TCQ120	TCQ162	25.40	TCQ202	76.00
M2x0.45	Metric Coarse	3	8 mm	41 mm	TCQ079	TCQ121	TCQ163	67.10	-	-
M2.2x0.45	Metric Coarse	3	9.5 mm	44.5 mm	TCQ080	TCQ122	TCQ164	32.70	-	-
M2.3x0.45	Metric Coarse	3	9.5 mm	44.5 mm	TCQ081	TCQ123	TCQ165	30.50	-	-
M2.5x0.45	Metric Coarse	3	9.5 mm	44.5 mm	TCQ082	TCQ124	TCQ166	24.60	TCQ203	73.40
M2.6x0.45	Metric Coarse	3	9.5 mm	44.5 mm	TCQ083	TCQ125	TCQ167	32.30	-	-
M3x0.5	Metric Coarse	3	12.5 mm	48 mm	TCQ084	TCQ126	TCQ168	11.90	TCQ204	35.60
M3x0.6	Metric Coarse	3	12.5 mm	48 mm	TCQ085	TCQ127	TCQ169	22.60	-	-
M3.5x0.6	Metric Coarse	3	14 mm	50 mm	TCQ086	TCQ128	TCQ170	10.80	TCQ205	32.30
M4x0.7	Metric Coarse	3	14 mm	53 mm	TCQ087	TCQ129	TCQ171	10.80	TCQ206	32.30
M4x0.75	Metric Coarse	3	14 mm	53 mm	TCQ088	TCQ130	TCQ172	22.10	-	-
M4.5x0.75	Metric Coarse	3	9.5 mm	53 mm	TCQ089	TCQ131	TCQ173	10.80	TCQ207	32.30
M5x0.8	Metric Coarse	3	11 mm	58 mm	TCQ090	TCQ132	TCQ174	10.80	TCQ208	32.30
M5x0.9	Metric Coarse	3	11 mm	58 mm	TCQ091	TCQ133	TCQ175	23.70	-	-
M5.5x0.9	Metric Coarse	3	12 mm	62 mm	TCQ092	TCQ134	TCQ176	11.60	-	-
M6x1	Metric Coarse	3	13 mm	66 mm	TCQ093	TCQ135	TCQ177	11.40	TCQ209	34.20
M7x1	Metric Coarse	3	13 mm	66 mm	TCQ094	TCQ136	TCQ178	12.40	TCQ210	37.10
M8x1.25	Metric Coarse	3	16 mm	72 mm	TCQ095	TCQ137	TCQ179	12.40	TCQ211	37.10
M9x1.25	Metric Coarse	3	16 mm	72 mm	TCQ096	TCQ138	TCQ180	16.10	TCQ212	48.40
M10x1.5	Metric Coarse	3	18 mm	80 mm	TCQ075	TCQ117	TCQ159	23.30	TCQ199	70.00
M11x1.5	Metric Coarse	3	19 mm	85 mm	TCQ076	TCQ118	TCQ160	23.30	TCQ200	70.00
M12x1.75	Metric Coarse	3	22 mm	89 mm	TCQ077	TCQ119	TCQ161	27.50	TCQ201	82.10
M14x2	Metric Coarse	4	24 mm	95 mm	TCQ097	TCQ139	TCQ181	40.90	TCQ213	122.00
M16x2	Metric Coarse	4	24 mm	102 mm	TCQ098	TCQ140	TCQ182	50.10	TCQ214	150.00
M18x2.5	Metric Coarse	4	29 mm	112 mm	TCQ099	TCQ141	TCQ183	67.30	TCQ215	203.00
M20x2.5	Metric Coarse	4	29 mm	112 mm	TCQ100	TCQ142	TCQ184	91.50	TCQ216	275.00
M22x2.5	Metric Coarse	4	29 mm	118 mm	TCQ101	TCQ143	TCQ185	100.00	TCQ217	301.00
M24x3	Metric Coarse	4	35 mm	130 mm	TCQ102	TCQ144	TCQ186	122.00	TCQ218	367.00
M27x3	Metric Coarse	4	35 mm	135 mm	TCQ103	TCQ145	TCQ187	216.00	-	-
M30x3.5	Metric Coarse	4	41 mm	138 mm	TCQ104	TCQ146	TCQ188	284.00	-	-
M33x3.5	Metric Coarse	4	41 mm	151 mm	TCQ105	TCQ147	TCQ189	371.00	-	-
M36x4	Metric Coarse	4	47 mm	162 mm	TCQ106	TCQ148	TCQ190	415.00	-	-
M39x4	Metric Coarse	4	47 mm	170 mm	TCQ107	TCQ149	TCQ191	457.00	-	-
M42x4.5	Metric Coarse	6	53 mm	170 mm	TCQ108	TCQ150	TCQ192	581.00	-	-
M45x4.5	Metric Coarse	6	54 mm	187 mm	TCQ109	TCQ151	TCQ193	795.00	-	-
M48x5	Metric Coarse	6	60 mm	187 mm	TCQ110	TCQ152	TCQ194	848.00	-	-
M52x5	Metric Coarse	6	60 mm	200 mm	-	-	TCQ195	967.00	-	-
M56x5.5	Metric Coarse	6	60 mm	200 mm	-	-	TCQ196	1059.00	-	-

CUTTING TOOLS




SPIRAL POINT TAPS

- Material: High Speed Cobalt
- Manufacturing Standards: ANSI
- Cutting Direction: Right Hand
- Chamfer Type: Plug
- Tolerance: 3B

EO25 & EO35 SERIES - BRIGHT FLUTE & BRONZE BODY FINISH

- Premium substrate for through hole tapping in tough or abrasive materials
- Bronze oxide body and shank reduces rust and corrosion
- Bright finish flutes improve chip flow in soft or non-ferrous materials

Note: Reinforced shanks: Sizes 6-32 to 3/8"-24
Reduced shanks: Sizes 7/16"-14 to 1"-14



Thread Size	Thread Form	No. of Flutes	L2	L1	Limits	Model No.	Price /Each
6-32	Unified Coarse	2	0.2610"	2"	H2	TCP825	13.40
6-40	Unified Fine	2	0.261"	2"	H2	TCP868	15.10
8-32	Unified Coarse	2	0.2484"	2-1/8"	H2	TCP826	13.40
8-36	Unified Fine	2	0.2484"	2-1/8"	H2	TCP869	15.10
10-24	Unified Coarse	2	0.4303"	2-3/8"	H3	TCP827	13.40
10-32	Unified Fine	3	0.4303"	2-3/8"	H2	TCP870	13.40
12-24	Unified Coarse	3	0.4173"	2-3/8"	H3	TCP828	15.10
1/4"-20	Unified Coarse	2	0.5075"	2-1/2"	H3	TCP829	13.40
1/4"-20	Unified Coarse	3	0.5075"	2-1/2"	H3	TCP830	13.40
1/4"-28	Unified Fine	2	0.5075"	2-1/2"	H3	TCP871	13.40
1/4"-28	Unified Fine	3	0.5075"	2-1/2"	H3	TCP872	13.40
5/16"-18	Unified Coarse	2	0.5939"	2-23/32"	H3	TCP831	14.60
5/16"-18	Unified Coarse	3	0.5939"	2-23/32"	H3	TCP832	14.60
5/16"-24	Unified Fine	2	0.5939"	2-23/32"	H3	TCP873	14.60
5/16"-24	Unified Fine	3	0.5939"	2-23/32"	H3	TCP874	14.60
3/8"-16	Unified Coarse	2	0.602"	2-15/16"	H3	TCP833	17.30
3/8"-16	Unified Coarse	3	0.602"	2-15/16"	H3	TCP834	17.30
3/8"-24	Unified Fine	3	0.602"	2-15/16"	H3	TCP875	17.30

Thread Size	Thread Form	No. of Flutes	L2	L1	Limits	Model No.	Price /Each
3/8"-24	Unified Fine	2	0.602"	2-15/16"	H3	TCP876	17.30
7/16"-14	Unified Coarse	3	0.9055"	3-5/32"	H3	TCP835	29.10
7/16"-20	Unified Fine	3	0.9055"	3-5/32"	H3	TCP877	29.10
1/2"-13	Unified Coarse	3	0.9055"	3-3/8"	H3	TCP836	29.80
1/2"-13	Unified Coarse	3	0.9055"	3-3/8"	H3	TCP837	29.80
1/2"-20	Unified Fine	3	0.9055"	3-3/8"	H3	TCP878	34.20
1/2"-20	Unified Fine	3	0.9055"	3-3/8"	H3	TCP879	34.20
9/16"-12	Unified Coarse	3	0.9843"	3-19/32"	H3	TCP838	58.40
9/16"-18	Unified Fine	3	0.9843"	3-19/32"	H3	TCP880	58.40
5/8"-11	Unified Coarse	3	0.9843"	3-13/16"	H3	TCP839	66.00
5/8"-18	Unified Fine	3	0.9843"	3-13/16"	H3	TCP881	70.30
3/4"-10	Unified Coarse	3	1.1614"	4-1/4"	H4	TCP840	93.90
3/4"-16	Unified Fine	3	1.1614"	4-1/4"	H3	TCP882	98.20
7/8"-9	Unified Coarse	2	1.1614"	4-11/16"	H4	TCP841	129.00
7/8"-14	Unified Fine	3	1.1614"	4-11/16"	H4	TCP883	129.00
1"-8	Unified Coarse	2	1.3976"	5-1/8"	H4	TCP842	159.00
1"-14	Unified Fine	2	1.3976"	5-1/8"	H4	TCP884	164.00

EO26 & EO36 SERIES - STEAM OXIDE FINISH

- Premium substrate with steam oxide surface treatment reduces wear and prevents chip welding in abrasive or harder ferrous materials

Note: Reinforced Shanks: Sizes 2-56 to 3/8"-24
Reduced Shanks: Sizes 7/16"-14 to 1"-14



Thread Size	Thread Form	No. of Flutes	L2	L1	Limits	Model No.	Price /Each
2-56	Unified Coarse	2	0.314"	1-3/4"	H2	TCP843	26.30
4-40	Unified Coarse	2	0.6091"	1-7/8"	H2	TCP844	16.40
5-40	Unified Coarse	2	0.7404"	1-15/16"	H2	TCP845	16.40
6-32	Unified Coarse	2	0.261"	2"	H2	TCP846	13.40
8-32	Unified Coarse	2	0.2484"	2-1/8"	H2	TCP847	13.40
10-24	Unified Coarse	2	0.4303"	2-3/8"	H3	TCP848	13.40
10-32	Unified Fine	2	0.4303"	2-3/8"	H2	TCP885	13.40
12-24	Unified Coarse	3	0.4173"	2-3/8"	H3	TCP849	15.10
12-28	Unified Fine	2	0.4173"	2-3/8"	H3	TCP886	14.50
1/4"-20	Unified Coarse	3	0.5075"	2-1/2"	H3	TCP850	13.40
1/4"-20	Unified Coarse	2	0.5075"	2-1/2"	H11	TCP851*	13.40
1/4"-20	Unified Coarse	3	0.5075"	2-1/2"	H3	TCP852	13.40
1/4"-28	Unified Fine	2	0.5075"	2-1/2"	H3	TCP887	13.40
1/4"-28	Unified Fine	3	0.5075"	2-1/2"	H3	TCP888	13.40
5/16"-18	Unified Coarse	3	0.5939"	2-23/32"	H3	TCP853	14.60
5/16"-18	Unified Coarse	2	0.5939"	2-23/32"	H11	TCP854*	14.60
5/16"-18	Unified Coarse	3	0.5939"	2-23/32"	H3	TCP855	14.60
5/16"-24	Unified Fine	2	0.5939"	2-23/32"	H3	TCP889	14.00
5/16"-24	Unified Fine	3	0.5939"	2-23/32"	H3	TCP890	14.00
3/8"-16	Unified Coarse	3	0.602"	2-15/16"	H3	TCP856	17.30
3/8"-16	Unified Coarse	3	0.602"	2-15/16"	H11	TCP857*	17.30

* Tolerance: Oversize +0.005", not 3B

Thread Size	Thread Form	No. of Flutes	L2	L1	Limits	Model No.	Price /Each
3/8"-16	Unified Coarse	2	0.602"	2-15/16"	H3	TCP858	17.30
3/8"-24	Unified Fine	2	0.602"	2-15/16"	H3	TCP891	17.30
7/16"-14	Unified Coarse	3	0.9055"	3-5/32"	H3	TCP859	29.10
7/16"-20	Unified Fine	3	0.9055"	3-5/32"	H3	TCP892	29.10
1/2"-13	Unified Coarse	3	0.9055"	3-3/8"	H3	TCP860	29.80
1/2"-13	Unified Coarse	3	0.9055"	3-3/8"	H11	TCP861*	29.80
1/2"-13	Unified Coarse	3	0.9055"	3-3/8"	H3	TCP862	29.80
1/2"-20	Unified Fine	3	0.9055"	3-3/8"	H3	TCP893	34.20
1/2"-20	Unified Fine	2	0.9055"	3-3/8"	H3	TCP894	34.20
9/16"-12	Unified Coarse	3	0.9843"	3-19/32"	H3	TCP863	58.40
9/16"-18	Unified Fine	3	0.9843"	3-19/32"	H3	TCP895	58.40
5/8"-11	Unified Coarse	3	0.9843"	3-13/16"	H11	TCP864*	66.00
5/8"-11	Unified Coarse	3	0.9843"	3-13/16"	H3	TCP865	66.00
5/8"-18	Unified Fine	3	0.9843"	3-13/16"	H3	TCP896	70.30
3/4"-10	Unified Coarse	2	1.1614"	4-1/4"	H4	TCP866	93.90
3/4"-16	Unified Fine	3	1.1614"	4-1/4"	H3	TCP897	98.20
7/8"-9	Unified Coarse	2	1.1614"	4-11/16"	H4	TCP867	129.00
7/8"-14	Unified Fine	3	1.1614"	4-11/16"	H4	TCP898	129.00
1"-12	Unified Fine	3	1.3976"	5-1/8"	H4	TCP899	159.00
1"-14	Unified Fine	3	1.3976"	5-1/8"	H4	TCP900	164.00



SPIRAL FLUTE TAPS 45°

- Material: High Speed Cobalt
- Manufacturing Standards: ANSI
- Chamfer Type: Semi-Bottoming
- Tolerance: 3B
- Cutting Direction: Right Hand

EO27 & EO37 SERIES - BRIGHT FLUTES & BRONZE OXIDE BODY FINISH

- Premium substrate for blind hole tapping in tough or abrasive materials
- Bronze oxide body and shank reduces rust and corrosion
- Bright finish flutes improve chip flow in soft and non-ferrous materials

Thread Size	Thread Form	No. of Flutes	L2	L1	Limits	Model No.	Price /Each
6-32	Unified Coarse	3	0.261"	2"	H2	TCQ017	25.20
8-32	Unified Coarse	3	0.2484"	2-1/8"	H2	TCQ018	25.20
10-24	Unified Coarse	3	0.265"	2-3/8"	H3	TCQ019	25.20
10-32	Unified Fine	3	0.265"	2-3/8"	H2	TCQ047	25.20
12-24	Unified Coarse	3	0.252"	2-3/8"	H3	TCQ020	27.40
1/4"-20	Unified Coarse	3	0.3937"	2-1/2"	H3	TCQ021	28.70
1/4"-28	Unified Fine	3	0.3937"	2-1/2"	H3	TCQ048	28.70
5/16"-18	Unified Coarse	3	0.4567"	2-23/32"	H3	TCQ022	35.40
5/16"-24	Unified Fine	3	0.4567"	2-23/32"	H3	TCQ049	35.40
3/8"-16	Unified Coarse	3	0.5315"	2-15/16"	H3	TCQ023	40.90
3/8"-24	Unified Fine	3	0.5315"	2-15/16"	H3	TCQ050	40.90
7/16"-14	Unified Coarse	3	0.6299"	3-5/32"	H3	TCQ024	60.70
7/16"-20	Unified Fine	3	0.6299"	3-5/32"	H3	TCQ051	60.70

EO28 & EO38 SERIES - STEAM OXIDE FINISH

- Premium substrate with steam oxide surface treatment reduces wear and prevents chip welding in abrasive or harder ferrous materials

Note: Reinforced shanks: Sizes 4-40 to 3/8"-24
Reduced shanks: Sizes 7/16"-14 to 1"-14

Thread Size	Thread Form	No. of Flutes	L2	L1	Limits	Model No.	Price /Each
4-40	Unified Coarse	3	0.6091"	1-7/8"	H2	TCQ031	26.90
5-40	Unified Coarse	3	0.7404"	1-15/16"	H2	TCQ032	26.90
6-32	Unified Coarse	3	0.261"	2"	H2	TCQ033	25.20
8-32	Unified Coarse	3	0.2484"	2-1/8"	H2	TCQ034	25.20
10-24	Unified Coarse	3	0.265"	2-3/8"	H3	TCQ035	25.20
10-32	Unified Fine	3	0.265"	2-3/8"	H2	TCQ058	25.20
12-24	Unified Coarse	3	0.252"	2-3/8"	H3	TCQ036	27.40
1/4"-20	Unified Coarse	3	0.3937"	2-1/2"	H3	TCQ037	28.70
1/4"-28	Unified Fine	3	0.3937"	2-1/2"	H3	TCQ059	28.70
5/16"-18	Unified Coarse	3	0.4567"	2-23/32"	H3	TCQ038	35.40
5/16"-24	Unified Fine	3	0.4567"	2-23/32"	H3	TCQ060	35.40
3/8"-16	Unified Coarse	3	0.5315"	2-15/16"	H3	TCQ039	40.90
3/8"-24	Unified Fine	3	0.5315"	2-15/16"	H3	TCQ061	40.90
7/16"-14	Unified Coarse	3	0.6299"	3-5/32"	H3	TCQ040	60.70

SPIRAL FLUTE TAP 45°

- Material: High Speed Cobalt
- Manufacturing Standards: ISO 529
- Helix Angle: 45°
- Cutting Direction: Right Hand
- Chamfer Type: Semi-Bottoming
- Tolerance: 6H


Note: ISO shank and square dimensions require metric holders

EO02 SERIES - BRIGHT FLUTE & BRONZE OXIDE BODY FINISH


- Premium substrate for blind hole tapping in tough or abrasive materials
- Bronze oxide body and shank reduces rust and corrosion
- Bright finish flutes improve chip flow in soft and non-ferrous materials

Note: Reinforced shanks: Sizes M2x0.4 to M10x1.5
Reduced shanks: Sizes M12x1.75 to M24x3


Thread Size	Thread Form	No. of Flutes	L2	L1	Limits	Model No.	Price /Each
M2x0.4	Metric Coarse	2	8 mm	41 mm	D3	TCP968	48.00
M2.5x0.45	Metric Coarse	2	9.5 mm	44.5 mm	D3	TCP969	32.40
M3x0.5	Metric Coarse	3	6 mm	48 mm	D3	TCP970	21.50
M4x0.7	Metric Coarse	3	7 mm	53 mm	D4	TCP971	19.00
M5x0.8	Metric Coarse	3	8 mm	58 mm	D4	TCP972	21.10
M6x1	Metric Coarse	3	10 mm	66 mm	D5	TCP973	21.40
M8x1.25	Metric Coarse	3	12 mm	72 mm	D5	TCP974	23.80
M10x1.5	Metric Coarse	3	15 mm	80 mm	D6	TCP975	29.40



Thread Size	Thread Form	No. of Flutes	L2	L1	Limits	Model No.	Price /Each
1/2"-13	Unified Coarse	3	0.689"	3-3/8"	H3	TCQ025	72.80
1/2"-20	Unified Fine	3	0.689"	3-3/8"	H3	TCQ052	72.80
9/16"-12	Unified Coarse	3	0.7087"	3-19/32"	H3	TCQ026	121.00
9/16"-18	Unified Fine	3	0.7087"	3-19/32"	H3	TCQ053	121.00
5/8"-11	Unified Coarse	3	0.7087"	3-13/16"	H3	TCQ027	121.00
5/8"-18	Unified Fine	3	0.7087"	3-13/16"	H3	TCQ054	121.00
3/4"-10	Unified Coarse	3	0.8858"	4-1/4"	H4	TCQ028	165.00
3/4"-16	Unified Fine	3	0.8858"	4-1/4"	H3	TCQ055	165.00
7/8"-9	Unified Coarse	3	0.9843"	4-11/16"	H4	TCQ029	208.00
7/8"-14	Unified Fine	3	0.9843"	4-11/16"	H4	TCQ056	208.00
1"-8	Unified Coarse	3	1.1811"	5-1/8"	H4	TCQ030	274.00
1"-14	Unified Fine	3	1.1811"	5-1/8"	H4	TCQ057	274.00



Thread Size	Thread Form	No. of Flutes	L2	L1	Limits	Model No.	Price /Each
7/16"-20	Unified Fine	3	0.6299"	3-5/32"	H3	TCQ062	60.70
1/2"-13	Unified Coarse	3	0.689"	3-3/8"	H3	TCQ041	72.80
1/2"-20	Unified Fine	3	0.689"	3-3/8"	H3	TCQ063	72.80
9/16"-12	Unified Coarse	3	0.7087"	3-19/32"	H3	TCQ042	121.00
9/16"-18	Unified Fine	3	0.7087"	3-19/32"	H3	TCQ064	121.00
5/8"-11	Unified Coarse	3	0.7087"	3-13/16"	H3	TCQ043	121.00
5/8"-18	Unified Fine	3	0.7087"	3-13/16"	H3	TCQ065	121.00
3/4"-10	Unified Coarse	3	0.8858"	4-1/4"	H4	TCQ044	165.00
3/4"-16	Unified Fine	3	0.8858"	4-1/4"	H3	TCQ066	165.00
7/8"-9	Unified Coarse	3	0.9843"	4-11/16"	H4	TCQ045	208.00
7/8"-14	Unified Fine	3	0.9843"	4-11/16"	H4	TCQ067	208.00
1"-8	Unified Coarse	3	1.1811"	5-1/8"	H4	TCQ046	274.00
1"-14	Unified Fine	3	1.1811"	5-1/8"	H4	TCQ068	274.00



Thread Size	Thread Form	No. of Flutes	L2	L1	Limits	Model No.	Price /Each
M12x1.75	Metric Coarse	3	16 mm	89 mm	D6	TCP976	42.20
M14x2	Metric Coarse	3	18 mm	95 mm	D7	TCP977	65.40
M16x2	Metric Coarse	4	18 mm	102 mm	D7	TCP978	64.80
M18x2.5	Metric Coarse	4	29 mm	112 mm	D7	TCP979	104.00
M20x2.5	Metric Coarse	4	29 mm	112 mm	D7	TCP980	114.00
M22x2.5	Metric Coarse	4	29 mm	118 mm	D8	TCP981	134.00
M24x3	Metric Coarse	4	35 mm	130 mm	D8	TCP982	155.00

CUTTING TOOLS


SPIRAL FLUTE TAP 45° (CONT.)

E003 & EO13 SERIES - STEAM OXIDE FINISH

- Premium substrate with steam oxide surface treatment reduces wear and prevents chip welding in abrasive or harder ferrous materials

Note: Reinforced shanks: sizes M2x0.4 to M10X1.25
Reduced shanks: sizes M12X1 to M24x3

Thread Size	Thread Form	No. of Flutes	L2	L1	Limits	Model No.	Price /Each
M2x0.4	Metric Coarse	2	8 mm	41 mm	D3	TCP983	48.00
M2.5x0.45	Metric Coarse	2	9.5 mm	44.5 mm	D3	TCP984	32.40
M3x0.5	Metric Coarse	3	6 mm	48 mm	D3	TCP985	21.50
M4x0.5	Metric Fine	3	7 mm	53 mm	D4	TCP998	44.60
M4x0.7	Metric Coarse	3	7 mm	53 mm	D4	TCP986	19.00
M5x0.5	Metric Fine	3	8 mm	58 mm	D4	TCP999	39.30
M5x0.8	Metric Coarse	3	8 mm	58 mm	D4	TCP987	21.10
M6x0.5	Metric Fine	3	10 mm	66 mm	D5	TQC000	49.10
M6x0.75	Metric Fine	3	10 mm	66 mm	D5	TQC001	49.10
M6x1	Metric Coarse	3	10 mm	66 mm	D5	TCP988	21.40
M8x0.75	Metric Fine	3	12 mm	72 mm	D5	TQC002	57.00
M8x1	Metric Fine	3	12 mm	72 mm	D5	TQC003	57.00
M8x1.25	Metric Coarse	3	12 mm	72 mm	D5	TCP989	23.80
M10x1	Metric Fine	3	15 mm	80 mm	D6	TQC004	66.90
M10x1.25	Metric Fine	3	15 mm	80 mm	D6	TQC005	66.90
M10x1.5	Metric Coarse	3	15 mm	80 mm	D6	TCP990	29.40




Thread Size	Thread Form	No. of Flutes	L2	L1	Limits	Model No.	Price /Each
M12X1	Metric Fine	3	16 mm	89 mm	D6	TCQ006	90.90
M12X1.25	Metric Fine	3	16 mm	89 mm	D6	TCQ007	90.90
M12X1.5	Metric Fine	3	16 mm	89 mm	D6	TCQ008	90.90
M12x1.75	Metric Coarse	3	16 mm	89 mm	D6	TCP991	42.20
M14X1.5	Metric Fine	3	18 mm	95 mm	D7	TCQ009	120.00
M14x2	Metric Coarse	3	18 mm	95 mm	D7	TCP992	65.40
M16x1	Metric Fine	4	18 mm	102 mm	D7	TCQ010	138.00
M16X1.5	Metric Fine	4	18 mm	102 mm	D7	TCQ011	138.00
M16x2	Metric Coarse	4	18 mm	102 mm	D7	TCP993	64.80
M18x1.5	Metric Fine	4	29 mm	112 mm	D7	TCQ012	199.00
M18x2.5	Metric Coarse	4	29 mm	112 mm	D7	TCP994	104.00
M20X1.5	Metric Fine	4	29 mm	112 mm	D7	TCQ013	218.00
M20x2.5	Metric Coarse	4	29 mm	112 mm	D7	TCP995	114.00
M22X1.5	Metric Fine	4	29 mm	112 mm	D8	TCQ014	256.00
M22x2.5	Metric Coarse	4	29 mm	118 mm	D8	TCP996	134.00
M24x3	Metric Coarse	4	35 mm	130 mm	D8	TCP997	155.00

MEDIUM HOOK PIPE TAPS

E710 SERIES

- Generally used for pipe fittings and couplings in most ferrous and non-ferrous materials
- Medium hook for multi-material tapping
- Straight flute
- Material: High Speed Steel
- Thread Form: National Taper Pipe
- Manufacturing Standards: ANSI B94.9
- Finish: Bright
- Cutting Direction: Right Hand

Note: NPT threads require the use of a sealant such as teflon tape or pipe compound to ensure a tight joint



Pipe Size	No. of Flutes	L2	L1	Model No.	Price /Each
1/16"-27	4	17 mm	65 mm	TCP958	36.90
1/8"-27	4	19 mm	70 mm	TCP959	36.90
1/4"-18	4	27 mm	75 mm	TCP960	40.00
3/8"-18	4	27 mm	80 mm	TCP961	52.70
1/2"-14	4	35 mm	100 mm	TCP962	82.90
3/4"-14	5	35 mm	105 mm	TCP963	119.00
1"-11.5	5	43 mm	115 mm	TCP964	178.00
1-1/4"-11.5	5	43 mm	125 mm	TCP965	253.00
1-1/2"-11.5	7	43 mm	135 mm	TCP966	347.00
2"-11.5	7	43 mm	145 mm	TCP967	466.00

SCREW EXTRACTORS

- Left hand rotation screw extractors
- Material: Chromium Steel

1800 SERIES

Extractor Size	For Screw/Bolt Sizes	For Pipe Sizes	Overall Length	Small End Diameter	Shank Size	Model No.	Price /Each
#1	3/16" - 1/4"	-	2"	0.054"	5/32"	TCP901	7.17
#2	1/4" - 5/16"	-	2-3/8"	0.086"	3/16"	TCP902	7.55
#3	5/16" - 7/16"	-	2-3/4"	1/8"	1/4"	TCP903	9.29
#4	7/16" - 9/16"	-	3"	11/64"	5/16"	TCP904	9.69
#5	9/16" - 3/4"	1/8" - 1/4"	3-3/8"	1/4"	7/16"	TCP905	12.50
#6	3/4" - 1"	3/8"	3-3/4"	3/8"	5/8"	TCP906	26.70
#7	1" - 1-3/8"	1/2"	4-1/8"	31/64"	3/4"	TCP907	43.40
#8	1-3/8" - 1-3/4"	3/4"	4-3/8"	47/64"	1"	TCP908	58.70
#9	1-3/4" - 2-1/8"	1"	4-5/8"	31/32"	1-1/4"	TCP909	101.00
#10	2-1/8" - 2-1/2"	1-1/4"	5"	1-7/32"	1-17/32"	TCP910	142.00
#11	2-1/2" - 3"	1-1/2"	5-5/8"	1-15/32"	1-27/32"	TCP911	210.00
#12	3" - 3-1/2"	2"	6-1/4"	1-27/32"	2-9/32"	TCP912	339.00

1815 & 1816 SERIES

Extractor Size	For Screw/Bolt Sizes	For Pipe Sizes	Model No.	Price /Each
#1 to #5	3/16" - 3/4"	1/8" - 1/4"	TCP913	56.00
#1 to #6	3/16" - 1"	1/8" - 3/8"	TCP914	83.50



STRAIGHT HANDLE TAP WRENCHES

3850 SERIES

- Ideal for hand tapping
- Hardened steel jaws are opened and closed by simply twisting one hand which is knurled for side gripping



UNION BUTTERFIELD®

Imperial Hand Tap Capacity	Metric Hand Tap Capacity	Hand Reamer Capacity	Size	Model No.	Price /Each
1/16" - 5/16"	M1 - M8	1/8" - 5/16"	#8	TCP921	202.00
3/16" - 1/2"	M4 - M12	3/16" - 3/8"	#9	TCP922	247.00
1/4" - 3/4"	M3 - M18	1/4" - 9/16"	#10	TCP923	294.00
3/8" - 1"	M10 - M25	3/8" - 3/4"	#11	TCP924	390.00
3/8" - 1-1/8"	M10 - M27	3/8" - 7/8"	#12	TCP925	458.00
7/8" - 1-7/8"	M22 - M42	5/8" - 1-1/2"	#14	TCP926	685.00



COMBINED DRILLS & COUNTERSINKS 60°

76HA SERIES

- Bright finish improves chip flow in soft or non-ferrous materials
- 60° countersink
- Material: High Speed Steel
- Manufacturing Standards: ANSI
- Cutting Direction: Right Hand



No. Size	Size	Decimal Size	Body Diameter	Overall Length	Model No.	Price /Each
#000	0.02"	0.02"	1/8"	1-1/4"	TCQ551	25.90
#00	0.025"	0.025"	1/8"	1-1/8"	TCQ552	9.75
#0	1/32"	0.0312"	1/8"	1-1/8"	TCQ553	9.75
#1	3/64"	0.0468"	1/8"	1-1/4"	TCQ554	7.93
#2	5/64"	0.0781"	3/16"	1-7/8"	TCQ555	8.08
#3	7/64"	0.1093"	1/4"	2"	TCQ556	8.55
#4	1/8"	0.125"	5/16"	2-1/8"	TCQ557	8.66
#5	3/16"	0.1875"	7/16"	2-3/4"	TCQ558	14.10
#6	7/32"	0.2187"	1/2"	3"	TCQ559	22.30
#7	1/4"	0.25"	5/8"	3-1/4"	TCQ560	30.30
#8	5/16"	0.3125"	3/4"	3-1/2"	TCQ561	42.30

COMBINED DRILLS & COUNTERSINKS 82°

A217 SERIES

- Bright finish improves chip flow in soft or non-ferrous materials
- 82° countersink
- Material: High Speed Steel
- Manufacturing Standards: ANSI
- Cutting Direction: Right Hand



No. Size	Size	Decimal Size	Body Diameter	Overall Length	Model No.	Price /Each
#1	3/64"	0.0469"	1/8"	1-1/4"	TCQ617	9.20
#2	5/64"	0.0781"	3/16"	1-7/8"	TCQ618	9.39
#3	7/64"	0.1094"	1/4"	2"	TCQ619	9.93
#4	1/8"	0.125"	5/16"	2-1/8"	TCQ620	10.10
#5	3/16"	0.1875"	7/16"	2-3/4"	TCQ621	16.30
#6	7/32"	0.2188"	1/2"	3"	TCQ622	26.20
#7	1/4"	0.25"	5/8"	3-1/4"	TCQ623	35.80
#8	5/16"	0.3125"	3/4"	3-1/2"	TCQ624	49.80

COMBINED DRILL & COUNTERSINK 60°

A225 SERIES

- Bright finish improves chip flow in soft or non-ferrous materials
- 60° countersink
- Material: High Speed Steel
- Manufacturing Standards: BS 328
- Cutting Direction: Right Hand



No. Size	Size	Decimal Size	Body Diameter	Overall Length	Model No.	Price /Each
BS1	3/64"	0.0469"	1/8"	1-1/2"	TCQ626	6.80
BS2	1/16"	0.0625"	3/16"	1-3/4"	TCQ627	7.49
BS3	3/32"	0.0938"	1/4"	2"	TCQ628	9.31
BS4	1/8"	0.125"	5/16"	2-1/4"	TCQ629	12.00
BS5	3/16"	0.1875"	7/16"	2-1/2"	TCQ630	17.40
BS5A	7/32"	0.2188"	1/2"	2-3/4"	TCQ631	31.10
BS6	1/4"	0.25"	5/8"	3"	TCQ632	52.80
BS7	5/16"	0.3125"	3/4"	3-1/2"	TCQ633	76.40

COMBINED DRILL & COUNTERSINK SETS

A217SET SERIES

- Bright finish improves chip flow in soft or non-ferrous materials
- 82° countersink
- 5-Piece set
- Material: High Speed Steel
- Manufacturing Standards: ANSI
- Cutting Direction: Right Hand



Wire Gauge	Size	Model No.	Price /Each
#1 to #5	3/64" to 3/16"	TCQ625	78.60

**Afraid of Heights...
We've Got You Covered!**

KLETON

**Canada's Leading
Material Handling Supplier**




CUTTING TOOLS

3-FLUTE STRAIGHT SHANK COUNTERSINKS

G154 SERIES

- Bright finish improves chip flow in soft ferrous or non-ferrous materials
- Material: High Speed Steel
- Countersink Angle: 82°
- Number Of Flutes: 3
- Manufacturing Standards: DIN 335C
- Cutting Direction: Right Hand




DORMER

Head Dia.	L2	L1	Shank Dia.	Min. Head Dia.	Model No.	Price /Each
6.3 mm	5.5 mm	45 mm	5 mm	1.5 mm	TCP951	24.00
8.3 mm	6.5 mm	50 mm	6 mm	2 mm	TCP952	24.10
10.4 mm	7.6 mm	50 mm	6 mm	2.5 mm	TCP953	27.00
12.4 mm	8.5 mm	56 mm	8 mm	2.8 mm	TCP954	39.60
16.5 mm	10.5 mm	60 mm	10 mm	3.2 mm	TCP955	53.40
20.5 mm	13 mm	63 mm	10 mm	3.5 mm	TCP956	71.30
25 mm	15.5 mm	67 mm	10 mm	3.8 mm	TCP957	129.00

3-FLUTE STRAIGHT SHANK COUNTERSINKS

4608 SERIES

- Widely used to countersink screw and rivet heads and to countersink holes for lathe centers
- The odd number of flutes eliminates chatter in most applications while providing better accuracy than a single-flute countersink
- Material: High Speed Steel
- Manufacturing Standards: ANSI
- Finish: Bright
- Cutting Direction: Right Hand
- No. of Flutes: 3



UNION BUTTERFIELD®

Head Dia.	Countersink Angle	L2	L1	Model No.	Price /Each
1/4"	60°	3/4"	1-1/2"	TCP927	17.30
1/4"	82°	3/4"	1-1/2"	TCP932	17.30
1/4"	90°	3/4"	1-1/2"	TCP937	17.30
1/4"	100°	3/4"	1-1/2"	TCP942	17.30
3/8"	60°	7/8"	1-3/4"	TCP928	20.40
3/8"	82°	7/8"	1-3/4"	TCP933	20.40
3/8"	90°	7/8"	1-3/4"	TCP938	20.40
3/8"	100°	7/8"	1-3/4"	TCP943	20.40
1/2"	60°	1"	2"	TCP929	26.40
1/2"	82°	1"	2"	TCP934	26.40
1/2"	90°	1"	2"	TCP939	26.40
1/2"	100°	1"	2"	TCP944	26.40
5/8"	60°	1"	2-1/4"	TCP930	38.10
5/8"	82°	1"	2-1/4"	TCP935	38.10
5/8"	90°	1"	2-1/4"	TCP940	38.10
5/8"	100°	1"	2-1/4"	TCP945	38.10
3/4"	60°	1-1/4"	2-5/8"	TCP931	50.40
3/4"	82°	1-1/4"	2-5/8"	TCP936	50.40
3/4"	90°	1-1/4"	2-5/8"	TCP941	50.40
3/4"	100°	1-1/4"	2-5/8"	TCP946	50.40
1"	60°	1"	3"	TCP947	94.90
1"	82°	1"	3"	TCP948	94.90
1"	90°	1"	3"	TCP949	94.90
1"	100°	1"	3"	TCP950	94.90

Can't find what you're looking for?



Call us today!

EYEWEAR
SPILL CONTROL
TRAFFIC CONTROL
SAFETY
GLOVES

ZENITH®
 Safety Products

JOBBER LENGTH" HIGH SPEED STEEL SETS



WJ188

BLACK & GOLD MULTI APPLICATION

- Industrial duty
- Right hand 135° split point eliminates walking
- General purpose used on steels, cast iron and most non-ferrous metals
- Machine and portable drilling applications
- Two-tone black oxide and bronze finish provides ideal chip flow and resistance to abrasion
- Steel case

FRACTIONAL SETS

Model No.	Description	Sizes	Price/Each
QR040	13-piece set	1/16" to 1/4" by 64ths	39.50
BG060	15-piece set	1/16" to 1/2" by 32nds	115.00
BG063	21-piece set	1/16 to 3/8" by 64ths	102.00
WJ188	29-piece set	1/16" to 1/2" by 64ths	197.00


METRIC SETS

Model No.	Description	Sizes	Price/Each
BG057	13-piece set	1.5 mm to 6.5 mm by 0.5 mm	51.00
BG061	19-piece set	1.0 mm to 10.0 mm by 0.5 mm	99.50
BG064	25-piece set	1.0 mm to 13.0 mm by 0.5 mm	145.00
BG058	50-piece set	1.0 mm to 5.9 mm by 0.1 mm	93.10
BG059	41-piece set	6.0 mm to 10.0 mm by 0.1 mm	252.00

WIRE GAUGE & LETTER SETS

Model No.	Description	Sizes	Price/Each
BG066	60-piece set	#1 to #60	164.00
BG062	20-piece set	#61 to #80	73.50
BG065	26-piece set	Letter A to Z	223.00

CLARKSON OSBORN



QF420

HYPER

- Maintenance duty
- Right hand, 118° point
- General purpose used on steels, cast iron and most non-ferrous metals
- Machine and portable drilling applications
- Black oxide finish
- Steel case

FRACTIONAL SETS

Model No.	Description	Sizes	Price/Each
BM889	13-piece set	1/16" to 1/4" by 64ths	28.50
BM890	15-piece set	1/16" to 1/2" by 32nds	60.90
BM891	21-piece set	1/16 to 3/8" by 64ths	50.80
QF420	29-piece set	1/16" to 1/2" by 64ths	89.50

WIRE GAUGE & LETTER SETS


Model No.	Description	Sizes	Price/Each
BM897	60-piece set	#1 to #60	87.50
BM892	26-piece set	Letter A to Z	123.00

JOBBER LENGTH" – COBALT

- M42 cobalt provides wear and heat resistance
- Straight shank, 2 flute design
- Right hand cutting direction
- 135° split point, self-centring eliminates walking
- Bright finish

Applications

For general purpose drilling to heavy-duty operations in high tensile strength steel and alloys, stainless steels and other ferrous metals



CLARKSON OSBORN

FRACTIONAL SETS

Model No.	Description	Sizes	Price/Each
BG067	15-piece set	1/16" to 1/2" by 32nds	195.00
BG069	21-piece set	1/16" to 3/8" by 64ths	183.00
BG071	29-piece set	1/16" to 1/2" by 64ths	374.00

METRIC SETS

Model No.	Description	Sizes	Price/Each
BG068	19-piece set	1.0 mm to 10.0 mm by 0.5 mm	254.00
BG070	25-piece set	1.0 mm to 13.0 mm by 0.5 mm	559.00

DRILL DOCTOR®



Designed for durability and flexibility required to sharpen the largest range and most popular sizes of dull or broken bits-including split points and masonry bits.

- Sharpens 118° to 135° drill point angles
- For all standard twist drills
- Sharpens high speed steel, cobalt, tin-coated and carbide tipped masonry drills
- Includes diamond sharpening wheel and moulded plastic case
- 110 V power supply

Model No.	Description	Price/Each
TZ961	Sharpens 3/32" to 1/2"	217.00

Model No.	Description	Price/Each
BC896	Sharpens 3/32" to 3/4"	258.00

CUTTING TOOLS

JOBBER LENGTH – HIGH SPEED STEEL

HYPER

- Hyper series - maintenance duty
- Straight shank, 2 flute design
- Right hand cutting direction
- 118° point
- Black oxide finish

Applications:

General purpose machine and hand drilling in a variety of steels, alloys and other non-ferrous materials.

CLARKSON OSBORN



Fractional Size"	Decimal"	L2"	L1"	Model No.	Price /Each
3/64	0.0469	7/8	1 7/8	QR954	1.22
1/16	0.0625	7/8	1 7/8	QR955	0.82
5/64	0.0781	1	2	QR927	0.82
3/32	0.0938	1 1/4	2 1/4	QR925	0.82
7/64	0.1094	1 1/2	2 5/8	QR919	0.82
1/8	0.1250	1 5/8	2 3/4	QR953	0.96
9/64	0.1406	1 3/4	2 7/8	QR920	1.06
5/32	0.1562	2	3 1/8	QR921	1.16
11/64	0.1719	2 1/8	3 1/4	QR922	1.30
3/16	0.1875	2 5/16	3 1/2	QR923	1.50
13/64	0.2031	2 7/16	3 5/8	QR924	1.62
7/32	0.2188	2 1/2	3 3/4	QR936	1.92
15/64	0.2344	2 5/8	3 7/8	QR926	2.06
1/4	0.2500	2 3/4	4	QR917	2.18
17/64	0.2656	2 7/8	4 1/8	QR928	2.68

Letter Size	Decimal"	L2"	L1"	Model No.	Price /Each
A	0.2340	2 5/8	3 7/8	BM802	2.34
B	0.2380	2 3/4	4	BM803	2.34
C	0.2420	2 3/4	4	BM804	2.34
D	0.2460	2 3/4	4	BM805	2.34
E	0.2500	2 3/4	4	BM806	2.34
F	0.2570	2 7/8	4 1/8	BM807	3.14
G	0.2610	2 7/8	4 1/8	BM808	3.14
H	0.2660	2 7/8	4 1/8	BM809	3.14
I	0.2720	2 7/8	4 1/8	BM810	3.14
J	0.2770	2 7/8	4 1/8	BM811	3.14
K	0.2810	2 15/16	4 1/4	BM812	3.42
L	0.2900	2 15/16	4 1/4	BM813	3.42
M	0.2950	3 1/16	4 3/8	BM814	3.84

Wire Ga. Size	Decimal"	L2"	L1"	Model No.	Price /Each
60	0.0400	11/16	1 5/8	BM887	1.22
59	0.0410	11/16	1 5/8	BM886	1.22
58	0.0420	11/16	1 5/8	BM885	1.22
57	0.0430	3/4	1 3/4	BM884	1.22
56	0.0465	3/4	1 3/4	BM883	1.22
55	0.0520	7/8	1 7/8	BM882	0.82
54	0.0550	7/8	1 7/8	BM881	0.82
53	0.0595	7/8	1 7/8	BM880	0.82
52	0.0635	7/8	1 7/8	BM879	0.82
51	0.0670	1	2	BM878	0.82
50	0.0700	1	2	BM877	0.82
49	0.0730	1	2	BM876	0.82
48	0.0760	1	2	BM875	0.82
47	0.0785	1	2	BM874	0.82
46	0.0810	1 1/8	2 1/8	BM873	0.82
45	0.0820	1 1/8	2 1/8	BM872	0.82
44	0.0860	1 1/8	2 1/8	BM871	0.82
43	0.0890	1 1/4	2 1/4	BM870	0.82
42	0.0935	1 1/4	2 1/4	BM869	0.82
41	0.0960	1 3/8	2 3/8	BM868	0.82
40	0.0980	1 3/8	2 3/8	BM867	0.94
39	0.0995	1 3/8	2 3/8	BM866	0.94
38	0.1015	1 7/16	2 1/2	BM865	0.94
37	0.1040	1 7/16	2 1/2	BM864	0.94
36	0.1065	1 7/16	2 1/2	BM863	0.94
35	0.1100	1 1/2	2 5/8	BM862	1.22
34	0.1110	1 1/2	2 5/8	BM861	1.22
33	0.1130	1 1/2	2 5/8	BM860	1.22
32	0.1160	1 5/8	2 3/4	BM859	1.22
31	0.1200	1 5/8	2 3/4	BM858	1.22

Fractional Size"	Decimal"	L2"	L1"	Model No.	Price /Each
9/32	0.2812	2 15/16	4 1/4	QR929	2.86
19/64	0.2969	3 1/16	4 3/8	QR930	3.28
5/16	0.3125	3 3/16	4 1/2	QR948	3.44
21/64	0.3281	3 5/16	4 5/8	QR083	3.84
11/32	0.3438	3 7/16	4 3/4	QR082	4.32
23/64	0.3594	3 1/2	4 7/8	QR071	5.16
3/8	0.3750	3 5/8	5	QR080	5.16
25/64	0.3906	3 3/4	5 1/8	QR090	5.76
13/32	0.4062	3 7/8	5 1/4	QR078	6.74
27/64	0.4219	3 15/16	5 3/8	QR077	6.92
7/16	0.4375	4 1/16	5 1/2	QR076	8.24
29/64	0.4531	4 3/16	5 5/8	QR104	8.40
15/32	0.4688	4 5/16	5 3/4	QR074	9.02
31/64	0.4844	4 3/8	5 7/8	QR084	9.78
1/2	0.5000	4 1/2	6	QR099	10.00

Letter Size	Decimal"	L2"	L1"	Model No.	Price /Each
N	0.3020	3 1/16	4 3/8	BM815	3.84
O	0.3160	3 3/16	4 1/2	BM816	4.18
P	0.3230	3 5/16	4 5/8	BM817	4.48
Q	0.3320	3 7/16	4 3/4	BM818	5.10
R	0.3390	3 7/16	4 3/4	BM819	5.10
S	0.3480	3 1/2	4 7/8	BM820	6.26
T	0.3580	3 1/2	4 7/8	BM821	6.26
U	0.3680	3 5/8	5	BM822	6.26
V	0.3770	3 5/8	5	BM823	6.26
W	0.3860	3 3/4	5 1/8	BM824	7.04
X	0.3970	3 3/4	5 1/8	BM825	7.04
Y	0.4040	3 7/8	5 1/4	BM826	7.04
Z	0.4130	3 7/8	5 1/4	BM827	7.04

Wire Ga. Size	Decimal"	L2"	L1"	Model No.	Price /Each
30	0.1285	1 5/8	2 3/4	BM857	1.22
29	0.1360	1 3/4	2 7/8	BM856	1.22
28	0.1405	1 3/4	2 7/8	BM855	1.22
27	0.1440	1 7/8	3	BM854	1.34
26	0.1470	1 7/8	3	BM853	1.34
25	0.1495	1 7/8	3	BM852	1.34
24	0.1520	2	3 1/8	BM851	1.34
23	0.1540	2	3 1/8	BM850	1.34
22	0.1570	2	3 1/8	BM849	1.34
21	0.1590	2 1/8	3 1/4	BM848	1.50
20	0.1610	2 1/8	3 1/4	BM847	1.50
19	0.1660	2 1/8	3 1/4	BM846	1.50
18	0.1695	2 1/8	3 1/4	BM845	1.50
17	0.1730	2 3/16	3 3/8	BM844	1.72
16	0.1770	2 3/16	3 3/8	BM843	1.72
15	0.1800	2 3/16	3 3/8	BM842	1.72
14	0.1820	2 3/16	3 3/8	BM841	1.72
13	0.1850	2 5/16	3 1/2	BM840	1.72
12	0.1890	2 5/16	3 1/2	BM839	1.92
11	0.1910	2 5/16	3 1/2	BM838	1.92
10	0.1935	2 7/16	3 5/8	BM837	1.92
9	0.1960	2 7/16	3 5/8	BM836	1.92
8	0.1990	2 7/16	3 5/8	BM835	1.92
7	0.2010	2 7/16	3 5/8	BM834	1.92
6	0.2040	2 1/2	3 3/4	BM833	2.12
5	0.2055	2 1/2	3 3/4	BM832	2.12
4	0.2090	2 1/2	3 3/4	BM831	2.12
3	0.2130	2 1/2	3 3/4	BM830	2.12
2	0.2210	2 5/8	3 7/8	BM829	2.34
1	0.2280	2 5/8	3 7/8	BM828	2.34

CUTTING TOOLS

JOBBER LENGTH – COBALT


- M42 cobalt provides wear and heat resistance
- Straight shank, 2 flute design
- Right hand cutting direction
- 135° split point, self-centring eliminates walking
- Bright finish

Applications

For general purpose drilling to heavy-duty operations in high tensile strength steel and alloys, stainless steels and other ferrous metals.



CLARKSON  **OSBORN**



Fractional Size"	Decimal"	L2"	L1"	Model No.	Price /Each
1/64	0.0156	3/16	13/16	BG098	6.72
1/32	0.0312	13/32	1 3/16	BG099	5.32
3/64	0.0469	5/8	1 1/2	BG100	4.17
1/16	0.0625	25/32	1 11/16	BG101	4.00
5/64	0.0781	15/16	1 15/16	BG102	5.49
3/32	0.0938	13/16	2 1/4	BG103	3.55
7/64	0.1094	1 5/16	2 13/32	BG104	3.68
1/8	0.1250	1 7/16	2 9/16	BG105	3.81
9/64	0.1406	1 17/32	2 3/4	QD740	4.83
5/32	0.1562	1 11/16	2 15/16	BG106	4.83
11/64	0.1719	1 27/32	3 5/32	BG107	5.60
3/16	0.1875	2 1/16	3 3/8	BG108	6.02
13/64	0.2031	2 1/16	3 3/8	BG109	6.34
7/32	0.2188	2 1/4	3 21/32	BG110	6.57
15/64	0.2344	2 1/4	3 21/32	BG111	7.36
1/4	0.2500	2 1/2	3 31/32	BG112	8.17

Letter Size	Decimal"	L2"	L1"	Model No.	Price /Each
A	0.2340	2 5/8	3 7/8	BG127	9.47
B	0.2380	2 3/4	4	BG128	10.90
C	0.2420	2 3/4	4	BG129	10.90
D	0.2460	2 3/4	4	BG130	12.20
E	0.2500	2 1/2	3 31/32	BG112	8.17
F	0.2570	2 7/8	4 1/8	BG131	10.90
G	0.2610	2 7/8	4 1/8	BG132	10.90
H	0.2660	2 7/8	4 1/8	BG133	12.20
I	0.2720	2 7/8	4 1/8	BG134	11.50
J	0.2770	2 7/8	4 1/8	BG135	12.20
K	0.2810	2 15/16	4 1/4	BG136	12.20
L	0.2900	2 15/16	4 1/4	BG137	13.90
M	0.2950	3 1/16	4 3/8	BG138	14.70

Wire Gauge Size	Decimal"	L2"	L1"	Model No.	Price /Each
60	0.0400	15/32	1 5/16	BG211	4.53
59	0.0410	15/32	1 5/16	BG210	4.53
58	0.0420	9/16	1 7/16	BG209	4.53
57	0.0430	9/16	1 7/16	BG208	4.53
56	0.0465	5/8	1 1/2	BG207	4.53
55	0.0520	5/8	1 1/2	BG206	3.98
54	0.0550	11/16	1 9/16	BG205	3.98
53	0.0595	25/32	1 11/16	BG204	3.98
52	0.0635	25/32	1 11/16	BG203	3.66
51	0.0670	7/8	1 13/16	BG202	3.66
50	0.0700	7/8	1 13/16	BG201	3.66
49	0.0730	7/8	1 13/16	BG200	3.66
48	0.0760	15/16	1 15/16	BG199	3.66
47	0.0785	15/16	1 15/16	BG198	3.66
46	0.0810	15/16	1 15/16	BG197	3.66
45	0.0820	15/16	1 15/16	BG196	3.66
44	0.0860	1 1/16	2 3/32	BG195	3.66
43	0.0890	1 1/16	2 3/32	BG194	3.66
42	0.0935	1 3/16	2 1/4	BG193	3.66
41	0.0960	1 3/16	2 1/4	BG192	3.77
40	0.0980	1 3/16	2 1/4	BG191	3.77
39	0.0995	1 3/16	2 1/4	BG190	3.77
38	0.1015	1 3/16	2 1/4	BG189	3.77
37	0.1040	1 3/16	2 1/4	BG188	4.09
36	0.1065	1 5/16	2 13/32	BG187	4.09
35	0.1100	1 5/16	2 13/32	BG186	4.09
34	0.1110	1 5/16	2 13/32	BG185	4.09
33	0.1130	1 5/16	2 13/32	BG184	4.09
32	0.1160	1 5/16	2 13/32	BG183	4.32
31	0.1200	1 7/16	2 9/16	BG182	4.32

Fractional Size"	Decimal"	L2"	L1"	Model No.	Price /Each
17/64	0.2656	2 23/32	4 9/32	BG113	9.40
9/32	0.2812	2 23/32	4 9/32	BG114	10.70
19/64	0.2969	2 15/16	4 19/32	BG115	12.00
5/16	0.3125	2 15/16	4 19/32	BG116	13.30
21/64	0.3281	2 15/16	4 19/32	BG117	14.80
11/32	0.3438	3 3/16	4 29/32	QD741	16.40
23/64	0.3594	3 3/16	4 29/32	BG118	17.90
3/8	0.3750	3 7/16	5 1/4	BG119	19.40
25/64	0.3906	3 7/16	5 1/4	BG120	20.30
13/32	0.4062	3 7/16	5 1/4	BG121	21.10
27/64	0.4219	3 11/16	5 9/32	BG122	22.90
7/16	0.4375	3 11/16	5 9/32	QD742	24.70
29/64	0.4531	3 11/16	5 9/32	BG123	35.30
15/32	0.4688	3 31/32	5 15/16	BG124	28.70
31/64	0.4844	3 31/32	5 15/16	BG125	30.70
1/2	0.5000	3 31/32	5 15/16	BG126	32.70

Letter Size	Decimal"	L2"	L1"	Model No.	Price /Each
N	0.3020	3 1/16	4 3/8	BG139	14.70
O	0.3160	3 3/16	4 1/2	BG140	16.20
P	0.3230	3 5/16	4 5/8	BG141	17.30
Q	0.3320	3 7/16	4 3/4	BG142	18.00
R	0.3390	3 7/16	4 3/4	BG143	18.00
S	0.3480	3 1/2	4 7/8	BG144	21.90
T	0.3580	3 1/2	4 7/8	BG145	21.90
U	0.3680	3 5/8	5	BG146	21.90
V	0.3770	3 5/8	5	BG147	24.10
W	0.3860	3 3/4	5 1/8	BG148	24.10
X	0.3970	3 3/4	5 1/8	BG149	24.10
Y	0.4040	3 7/8	5 1/4	BG150	25.70
Z	0.4130	3 7/8	5 1/4	BG151	27.90

Wire Gauge Size	Decimal"	L2"	L1"	Model No.	Price /Each
30	0.1285	1 7/16	2 9/16	BG181	4.43
29	0.1360	1 17/32	2 3/4	BG180	4.62
28	0.1405	1 17/32	2 3/4	BG179	4.85
27	0.1440	1 17/32	2 3/4	BG178	5.19
26	0.1470	1 17/32	2 3/4	BG177	5.19
25	0.1495	1 11/16	2 15/16	BG176	5.19
24	0.1520	1 11/16	2 15/16	BG175	5.74
23	0.1540	1 11/16	2 15/16	BG174	5.74
22	0.1570	1 11/16	2 15/16	BG173	5.74
21	0.1590	1 11/16	2 15/16	BG172	5.74
20	0.1610	1 11/16	2 15/16	BG171	5.74
19	0.1660	1 11/16	2 15/16	BG170	5.74
18	0.1695	1 27/32	3 5/32	BG169	5.85
17	0.1730	1 27/32	3 5/32	BG168	6.40
16	0.1770	1 27/32	3 5/32	BG167	6.60
15	0.1800	1 27/32	3 5/32	BG166	7.06
14	0.1820	1 27/32	3 5/32	BG165	7.06
13	0.1850	1 27/32	3 5/32	BG164	7.06
12	0.1890	2 1/16	3 3/8	BG163	7.43
11	0.1910	2 1/16	3 3/8	BG162	7.43
10	0.1935	2 1/16	3 3/8	BG161	7.43
9	0.1960	2 1/16	3 3/8	BG160	7.43
8	0.1990	2 1/16	3 3/8	BG159	7.43
7	0.2010	2 1/16	3 3/8	BG158	7.43
6	0.2040	2 1/16	3 3/8	BG157	9.47
5	0.2055	2 1/16	3 3/8	BG156	9.47
4	0.2090	2 1/4	3 21/32	BG155	9.47
3	0.2130	2 1/4	3 21/32	BG154	9.47
2	0.2210	2 1/4	3 21/32	BG153	10.10
1	0.2280	2 1/4	3 21/32	BG152	10.10

JOBBER LENGTH – COBALT (CONT'D)

Size mm	DEC	L2mm	L1mm	Model No.	Price /Each
1.00	0.0394	12.0	34.0	BI021	7.11
1.50	0.0591	18.0	40.0	BI022	5.45
1.60	0.0630	20.0	43.0	BI023	7.85
1.70	0.0669	20.0	43.0	BI024	7.64
1.80	0.0709	22.0	46.0	BI025	7.45
1.90	0.0748	22.0	46.0	BI026	7.32
2.00	0.0787	24.0	49.0	BI027	4.81
2.10	0.0827	24.0	49.0	BI028	7.17
2.20	0.0866	27.0	53.0	BI029	7.11
2.25	0.0886	27.0	53.0	BI030	7.11
2.30	0.0906	27.0	53.0	BI031	7.11
2.40	0.0945	30.0	57.0	BI032	7.02
2.50	0.0984	30.0	57.0	BI033	4.72
2.60	0.1024	30.0	57.0	BI034	7.13
2.70	0.1063	33.0	61.0	BI035	7.17
2.80	0.1102	33.0	61.0	BI036	7.17
2.90	0.1142	33.0	61.0	BI037	7.28
3.00	0.1181	33.0	61.0	BI038	4.94
3.10	0.1220	36.0	65.0	BI039	7.53
3.20	0.1260	36.0	65.0	BI040	7.64
3.30	0.1299	36.0	65.0	BI041	5.19
3.40	0.1339	39.0	70.0	BI042	7.89
3.50	0.1378	39.0	70.0	BI043	5.38
3.60	0.1417	39.0	70.0	BI044	8.28
3.70	0.1457	39.0	70.0	BI045	8.43
3.75	0.1476	39.0	70.0	BI046	10.20
3.80	0.1496	43.0	75.0	BI047	8.57
3.90	0.1535	43.0	75.0	BI048	8.83
4.00	0.1575	43.0	75.0	BI049	6.00
4.10	0.1614	43.0	75.0	BI050	9.23
4.20	0.1654	43.0	75.0	BI051	9.45
4.25	0.1673	43.0	75.0	BI052	9.77
4.30	0.1693	47.0	80.0	BI053	9.64
4.40	0.1732	47.0	80.0	BI054	9.96
4.50	0.1772	47.0	80.0	BI055	6.77
4.60	0.1811	47.0	80.0	BI056	10.40
4.70	0.1850	47.0	80.0	BI057	10.70
4.80	0.1890	52.0	86.0	BI058	11.00
4.90	0.1929	52.0	86.0	BI059	11.30
5.00	0.1969	52.0	86.0	BI060	7.68

Size mm	DEC	L2mm	L1mm	Model No.	Price /Each
5.10	0.2008	52.0	86.0	BI061	11.90
5.20	0.2047	52.0	86.0	BI062	12.30
5.30	0.2087	52.0	86.0	BI063	12.60
5.40	0.2126	57.0	93.0	BI064	12.90
5.50	0.2165	57.0	93.0	BI065	8.89
5.60	0.2205	57.0	93.0	BI066	13.60
5.70	0.2244	57.0	93.0	BI067	14.00
5.80	0.2283	57.0	93.0	TBL002	14.50
5.90	0.2323	57.0	93.0	TBL003	14.70
6.00	0.2362	57.0	93.0	BI068	10.10
6.10	0.2402	63.0	101.0	BI069	15.60
6.20	0.2441	63.0	101.0	BI070	16.10
6.30	0.2480	63.0	101.0	BI071	16.70
6.40	0.2520	63.0	101.0	BI072	17.00
6.50	0.2559	63.0	101.0	BI073	11.60
6.60	0.2598	63.0	101.0	BI074	17.90
6.70	0.2638	63.0	101.0	TBL004	18.10
6.80	0.2677	69.0	109.0	BI075	18.70
6.90	0.2717	69.0	109.0	BI076	19.00
7.00	0.2756	69.0	109.0	BI077	13.10
7.10	0.2795	69.0	109.0	TBL005	20.40
7.20	0.2835	69.0	109.0	BI078	21.00
7.30	0.2874	69.0	109.0	BI079	21.60
7.40	0.2913	69.0	109.0	BI080	22.10
7.50	0.2953	69.0	109.0	BI081	15.00
7.60	0.2992	75.0	117.0	BI082	23.00
7.70	0.3031	75.0	117.0	BI083	23.60
7.80	0.3071	75.0	117.0	BI084	24.10
7.90	0.3110	75.0	117.0	BI085	24.90
8.00	0.3150	75.0	117.0	BI086	17.00
8.10	0.3189	75.0	117.0	BI087	26.10
8.20	0.3228	75.0	117.0	BI088	26.90
8.30	0.3268	75.0	117.0	BI089	27.50
8.40	0.3307	75.0	117.0	BI090	28.10
8.50	0.3346	75.0	117.0	BI091	19.00
8.60	0.3386	81.0	125.0	BI092	29.50
8.70	0.3425	81.0	125.0	BI093	30.30
8.80	0.3465	81.0	125.0	BI094	30.90
8.90	0.3504	81.0	125.0	BI095	31.40
9.00	0.3543	81.0	125.0	BI096	21.90

Size mm	DEC	L2mm	L1mm	Model No.	Price /Each
9.10	0.3583	81.0	125.0	BI097	33.20
9.20	0.3622	81.0	125.0	BI098	34.00
9.30	0.3661	81.0	125.0	BI099	34.90
9.40	0.3701	81.0	125.0	BI100	35.50
9.50	0.3740	81.0	125.0	BI101	24.10
9.60	0.3780	87.0	133.0	TBL006	37.10
9.70	0.3819	87.0	133.0	BI102	37.70
9.80	0.3858	87.0	133.0	BI103	39.10
9.90	0.3898	87.0	133.0	BI104	40.00
10.00	0.3937	87.0	133.0	BI105	27.20
10.10	0.3976	87.0	133.0	BI106	44.80
10.20	0.4016	87.0	133.0	BI107	42.80
10.30	0.4055	87.0	133.0	BI108	44.80
10.40	0.4094	87.0	133.0	BI109	46.80
10.50	0.4134	87.0	133.0	BI110	45.70
10.60	0.4173	87.0	133.0	BI111	53.00
10.70	0.4213	94.0	142.0	BI112	55.30
10.80	0.4252	94.0	142.0	BI113	57.30
10.90	0.4291	94.0	142.0	BI114	59.50
11.00	0.4331	94.0	142.0	BI115	33.40
11.10	0.4370	94.0	142.0	BI116	60.40
11.20	0.4409	94.0	142.0	BI117	62.10
11.30	0.4449	94.0	142.0	BI118	62.90
11.40	0.4488	94.0	142.0	BI119	63.50
11.50	0.4528	94.0	142.0	BI120	56.10
11.60	0.4567	94.0	142.0	BI121	64.90
11.70	0.4606	94.0	142.0	BI122	65.80
11.80	0.4646	94.0	142.0	BI123	65.80
11.90	0.4685	101.0	151.0	BI124	66.30
12.00	0.4724	101.0	151.0	BI125	41.10
12.10	0.4764	101.0	151.0	BI126	70.00
12.20	0.4803	101.0	151.0	BI127	81.10
12.30	0.4843	101.0	151.0	BI128	82.20
12.40	0.4882	101.0	151.0	BI129	84.20
12.50	0.4921	101.0	151.0	BI130	68.60
13.00	0.5118	101.0	151.0	BI131	66.10
13.50	0.5315	101.0	151.0	BI132	83.10
14.00	0.5512	101.0	151.0	BI133	90.70
14.50	0.5709	114.0	169.0	BI134	94.10

Can't find what you're looking for?
Call us today!



CUTTING TOOLS

AIRCRAFT EXTENSION DRILLS

- NAS907B (National Aerospace Standard)
- M7 high speed steel
- Right hand cutting direction, standard spiral
- 135° split point, self-centring eliminates walking
- Black oxide finish

Application

Portable or machine drilling in hard steels, stainless steel and other hard materials.

CLARKSON OSBORN



FRACTIONAL SIZES

Fractional Size"	L2"	6" Model No.	Price /Each	12" Model No.	Price /Each
3/64	3/4	BH521	12.00	TBL179	22.70
1/16	7/8	BH522	5.26	BH584	17.10
5/64	1	BH523	5.26	BH585	17.10
3/32	1 1/4	BH524	4.32	BH586	17.10
7/64	1 1/2	BH525	4.36	BH587	13.60
1/8	1 5/8	BH526	4.36	BH588	13.60
9/64	1 3/4	BH527	5.60	TBL180	13.60
5/32	2	BH528	5.60	BH589	13.60
11/64	2 1/8	BH529	6.15	BH590	15.20
3/16	2 5/16	BH530	6.15	BH591	15.20
13/64	2 7/16	BH531	7.53	TBL181	19.50
7/32	2 1/2	BH532	7.53	BH592	17.50
15/64	2 5/8	BH533	7.62	TBL182	18.80
1/4	2 3/4	BH534	7.62	BH593	18.80
17/64	2 7/8	BH535	18.10	TBL183	22.40

Fractional Size"	L2"	6" Model No.	Price /Each	12" Model No.	Price /Each
9/32	2 15/16	BH536	19.40	BH594	23.70
19/64	3 1/16	BH537	22.00	TBL184	26.80
5/16	3 3/16	BH538	24.70	BH595	30.20
21/64	3 5/16	TBL160	25.80	TBL185	31.50
11/32	3 7/16	BH539	25.80	BH596	31.70
23/64	3 1/2	TBL161	28.40	TBL186	35.00
3/8	3 5/8	BH540	30.00	BH597	37.00
25/64	3 3/4	TBL162	32.20	BH598	39.10
13/32	3 7/8	TBL163	32.20	BH599	39.10
27/64	3 15/16	BH541	34.40	TBL187	42.00
7/16	4 1/16	TBL164	36.10	BH600	44.10
29/64	4 3/16	TBL165	38.40	BH601	46.60
15/32	4 5/16	TBL166	41.30	BH602	50.00
31/64	4 3/8	TBL167	41.30	BH603	50.00
1/2	4 1/2	TBL168	43.00	BH604	52.70

NUMBER GAUGE SIZES

Number Size	L2"	6" Model No.	Price /Each	12" Model No.	Price /Each
#1	2 5/8	BH549	8.74	TBL188	20.50
#2	2 5/8	BH550	8.74	TBL189	20.50
#3	2 1/2	BH551	7.81	BH631	19.20
#4	2 1/2	TBL169	7.81	BH632	19.40
#5	2 1/2	BH552	7.81	BH633	19.20
#6	2 1/2	TBL170	7.81	BH634	19.20
#7	2 7/16	BH553	7.81	BH635	19.20
#8	2 7/16	BH554	7.66	BH636	19.20
#9	2 7/16	BH555	7.53	BH637	17.10
#10	2 7/16	BH556	7.09	BH638	17.10
#11	2 5/16	BH557	6.51	BH639	17.10
#12	2 5/16	BH558	6.51	BH640	17.10
#13	2 5/16	BH559	6.51	BH641	17.10
#14	2 3/16	BH560	6.51	BH642	17.10
#15	2 3/16	TBL171	6.51	BH643	17.10
#16	2 3/16	TBL172	6.51	BH644	17.10
#17	2 3/16	TBL173	6.51	BH645	17.10
#18	2 1/8	BH561	6.51	BH646	17.10
#19	2 1/8	TBL174	6.51	BH647	17.10
#20	2 1/8	BH562	5.91	BH648	15.60
#21	2 1/8	BH563	5.91	BH649	15.60
#22	2	BH565	5.91	BH650	15.60
#23	2	TBL175	5.91	BH651	15.60
#24	2	TBL176	5.91	BH652	15.60
#25	1 7/8	BH566	5.91	BH653	15.60
#26	1 7/8	TBL177	5.91	BH654	15.60
#27	1 7/8	BH567	5.91	BH655	15.60
#28	1 3/4	TBL178	5.91	BH656	15.60
#29	1 3/4	BH568	5.91	BH657	15.60
#30	1 5/8	BH569	4.89	BH658	15.60

Number Size	L2"	6" Model No.	Price /Each	12" Model No.	Price /Each
#31	1 5/8	BH570	4.89	BH659	15.60
#32	1 5/8	TBL190	4.89	BH660	15.60
#33	1 1/2	TBL191	4.89	BH661	16.10
#34	1 1/2	TBL192	4.89	BH662	16.10
#35	1 1/2	TBL193	4.89	BH663	16.10
#36	1 7/16	BH571	5.00	BH664	16.10
#37	1 7/16	TBL194	5.00	BH665	16.10
#38	1 7/16	TBL195	5.00	BH666	16.10
#39	1 3/8	BH572	5.17	BH667	16.10
#40	1 3/8	BH573	4.43	BH668	15.40
#41	1 3/8	TBL196	4.43	TBL225	15.40
#42	1 1/4	BH574	4.43	TBL226	15.40
#43	1 1/4	BH575	5.62	TBL227	19.60
#44	1 1/8	TBL197	5.62	TBL228	19.60
#45	1 1/8	TBL198	5.62	TBL229	19.60
#46	1 1/8	BH576	5.62	TBL230	19.60
#47	1	BH577	5.62	TBL231	19.60
#48	1	TBL199	5.62	TBL232	19.60
#49	1	TBL200	5.62	BH669	19.60
#50	1	TBL201	5.62	TBL233	19.60
#51	1	BH578	5.62	TBL234	20.90
#52	7/8	BH579	5.62	BH670	20.90
#53	7/8	BH580	11.10	TBL235	20.10
#54	7/8	BH581	11.10	TBL236	20.10
#55	7/8	BH582	11.10	TBL237	20.10
#56	3/4	TBL202	11.10	TBL238	20.10
#57	3/4	TBL203	13.40	TBL239	20.10
#58	11/16	BH583	13.40	BH671	22.60
#59	11/16	TBL204	13.40	TBL240	22.60
#60	11/16	TBL205	13.40	TBL241	22.60

LETTER GAUGE SIZES

Letter Size	L2"	6" Model No.	Price /Each	12" Model No.	Price /Each
A	2 5/8	TBL206	11.50	BH605	22.40
B	2 3/4	BH542	11.50	BH606	22.40
C	2 3/4	TBL207	11.50	BH607	22.40
D	2 3/4	BH543	11.50	BH608	22.40
E	2 3/4	BH534	7.62	BH593	18.80
F	2 7/8	BH544	12.70	BH610	26.60
G	2 7/8	TBL209	19.90	BH611	26.60
H	2 7/8	BH545	20.90	BH612	26.60
I	2 7/8	TBL210	20.90	BH613	26.60
J	2 7/8	TBL211	20.90	BH614	26.60
K	2 15/16	TBL212	20.90	BH615	26.60
L	2 15/16	TBL213	24.20	BH616	28.10
M	3 1/16	TBL214	24.20	BH617	28.10

Letter Size	L2"	6" Model No.	Price /Each	12" Model No.	Price /Each
N	3 1/16	BH546	27.20	BH618	30.70
O	3 3/16	BH547	28.40	BH619	32.90
P	3 5/16	TBL215	28.40	BH620	32.90
Q	3 7/16	TBL216	28.40	BH621	34.40
R	3 7/16	TBL217	28.40	BH622	35.90
S	3 1/2	TBL218	31.70	BH623	37.60
T	3 1/2	TBL219	31.70	BH624	37.60
U	3 5/8	BH548	33.40	BH625	37.60
V	3 5/8	TBL220	35.20	BH626	39.90
W	3 3/4	TBL221	35.20	BH627	39.90
X	3 3/4	TBL222	35.20	BH628	42.20
Y	3 7/8	TBL223	35.20	BH629	42.20
Z	3 7/8	TBL224	37.50	BH630	44.50

TAPER LENGTH DRILLS

- High speed steel
- 118° angle point
- 2-flute design
- Black oxide finish

Applications

Taper length drills are general purpose drills with increased cutting length. They are manufactured with straight shanks of the same diameter as that of the flute diameter.



Fractional Size"	Decimal" Equiv	L2"	L1"	Model No.	Price /Each
1/16	0.0625	1 3/4	3	BG665	4.98
3/32	0.0938	2 1/4	4 1/4	BG667	6.60
7/64	0.1094	2 1/2	4 5/8	BG668	8.30
1/8	0.1250	2 3/4	5 1/8	BG669	8.64
9/64	0.1406	3	5 3/8	BG670	10.90
5/32	0.1562	3	5 3/8	BG671	10.30
11/64	0.1719	3 3/8	5 3/4	BG672	12.10
3/16	0.1875	3 3/8	5 3/4	BG673	10.50
13/64	0.2031	3 5/8	6	BG674	13.60
7/32	0.2188	3 5/8	6	BG675	14.40
15/64	0.2344	3 3/4	6 1/8	BG676	14.40
1/4	0.2500	3 3/4	6 1/8	BG677	12.20
17/64	0.2656	3 7/8	6 1/4	BG678	15.20
9/32	0.2812	3 7/8	6 1/4	BG679	14.90
19/64	0.2969	4	6 3/8	BG680	16.50
5/16	0.3125	4	6 3/8	BG681	15.10

Fractional Size"	Decimal" Equiv	Flute Length"	Overall Length"	Model No.	Price /Each
21/64	0.3281	4 1/8	6 1/2	BG682	17.60
11/32	0.3438	4 1/8	6 1/2	BG683	16.70
23/64	0.3594	4 1/4	6 3/4	BG684	19.40
3/8	0.3750	4 1/4	6 3/4	BG685	19.40
25/64	0.3906	4 3/8	7	BG686	21.00
13/32	0.4062	4 3/8	7	BG687	20.70
27/64	0.4219	4 5/8	7 1/4	BG688	22.30
7/16	0.4375	4 5/8	7 1/4	BG689	22.80
29/64	0.4531	4 3/4	7 1/2	BG690	25.30
15/32	0.4688	4 3/4	7 1/2	BG691	26.40
31/64	0.4844	4 3/4	7 3/4	BG692	28.70
1/2	0.5000	4 3/4	7 3/4	BG693	27.50
33/64	0.5156	4 3/4	8	BG694	33.80
17/32	0.5312	4 3/4	8	BG695	33.10
35/64	0.5469	4 7/8	8 1/4	BG696	37.80
9/16	0.5625	4 7/8	8 1/4	BG697	35.10
37/64	0.5781	4 7/8	8 3/4	BG698	41.60
19/32	0.5938	4 7/8	8 3/4	BG699	41.60
39/64	0.6094	4 7/8	8 3/4	BG700	43.60
5/8	0.6250	4 7/8	8 3/4	BG701	42.60

REDUCED SHANK DRILL BITS – HIGH SPEED STEEL


- Hyper series - maintenance duty
- 1/2" shank
- Right hand cutting direction
- 118° point, 2-flute design
- Black oxide finish

Applications:

General purpose machine drilling of larger diameter holes in steels, cast iron, alloys and other ferrous and non-ferrous materials.

Model No. BN052 5 pc set; 9/16, 5/8, 3/4, 7/8, 1

Model No. BN053 8 pc set; 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1



Fractional Size"	L2"	L1"	Model No.	Price /Each
33/64	3	6	BN029	21.70
17/32	3	6	QR069	21.70
35/64	3	6	BN030	25.40
9/16	3	6	QR189	25.40
37/64	3	6	BN031	27.50
19/32	3	6	QR062	27.50
39/64	3	6	BN032	29.90
5/8	3	6	QR041	29.90
41/64	3	6	BN033	30.10
21/32	3	6	QR039	30.50
43/64	3	6	BN034	30.60
11/16	3	6	QR059	31.00
45/64	3	6	BN035	31.30
23/32	3	6	QR063	31.50
47/64	3	6	BN036	31.80
3/4	3	6	QR033	31.90
49/64	3	6	BN037	32.00
25/32	3	6	QR037	32.70
51/64	3	6	BN038	32.70
13/16	3	6	QR034	32.70



Fractional Size"	L2"	L1"	Model No.	Price /Each
53/64	3	6	BN045	34.30
27/32	3	6	BN039	33.60
55/64	3	6	BN046	35.60
7/8	3	6	QR035	34.90
57/64	3	6	BN047	37.20
29/32	3	6	BN040	35.50
59/64	3	6	BN048	39.70
15/16	3	6	QR065	38.10
61/64	3	6	BN049	41.90
31/32	3	6	BN041	42.40
63/64	3	6	BN050	46.40
1	3	6	QR036	46.90
11/16	3	6	QR053	56.80
1 1/8	3	6	QR067	62.50
1 3/16	3	6	QR068	73.10
1 1/4	3	6	QR056	81.60
1 5/16	3	6	BN051	86.00
1 3/8	3	6	BN042	99.10
1 7/16	3	6	BN043	106.00
1 1/2	3	6	BN044	116.00

CUTTING TOOLS

REDUCED SHANK DRILL BITS – HIGH SPEED STEEL

- Industrial duty
- 1/2" shank
- Right hand cutting direction
- 118° point, 2-flute design
- Black oxide & bright finish

Applications:

General purpose machine drilling of larger diameter holes in steels, cast iron, alloys and other ferrous and non-ferrous materials.

FRACTIONAL SIZES

Fractional Size"	Decimal" Equiv	L2	L1	Model No.	Price /Each
17/32	0.5313	3"	6"	BH387	33.80
9/16	0.5625	3"	6"	BH388	35.60
19/32	0.5938	3"	6"	BH389	38.60
5/8	0.6250	3"	6"	BH390	40.20
21/32	0.6563	3"	6"	BH391	42.90
11/16	0.6875	3"	6"	BH392	44.80
23/32	0.7188	3"	6"	BH393	47.60
3/4	0.7500	3"	6"	BH394	49.50
25/32	0.7813	3"	6"	BH395	51.70
13/16	0.8125	3"	6"	BH396	53.70
27/32	0.8438	3"	6"	BH397	57.20
7/8	0.8750	3"	6"	BH398	58.70
29/32	0.9063	3"	6"	BH399	61.40

METRIC SIZES

Metric mm	Decimal" Equiv	L2	L1	Model No.	Price /Each
13.00	0.5118	75.0mm	150.0mm	BH413	39.50
13.50	0.5315	75.0mm	150.0mm	BH414	62.40
14.00	0.5512	75.0mm	150.0mm	BH415	43.90
14.50	0.5709	75.0mm	150.0mm	BH416	69.30
15.00	0.5906	75.0mm	150.0mm	BH417	48.30
15.50	0.6102	75.0mm	150.0mm	BH418	76.40
16.00	0.6299	75.0mm	150.0mm	BH419	53.60
16.50	0.6496	75.0mm	150.0mm	BH420	84.50
17.00	0.6693	75.0mm	150.0mm	BH421	58.80
17.50	0.6890	75.0mm	150.0mm	BH422	92.80

REDUCED SHANK DRILL BITS – COBALT


- M42 cobalt
- 1/2" shank
- Right hand cutting direction
- 118° point, 2-flute design
- Bright finish

Applications:

General purpose to heavy –duty operations in high tensile strength steels and alloys, stainless steels and other ferrous and non-ferrous materials.

Fractional Size"	Decimal" Equiv	L2	L1	Model No.	Price /Each
33/64	0.5156	3"	6"	BH435	42.80
17/32	0.5313	3"	6"	BH436	44.40
35/64	0.5469	3"	6"	BH437	46.00
9/16	0.5625	3"	6"	BH438	42.50
37/64	0.5781	3"	6"	BH439	54.20
19/32	0.5938	3"	6"	BH440	50.10
39/64	0.6094	3"	6"	BH441	51.90
5/8	0.6250	3"	6"	BH442	48.00
41/64	0.6406	3"	6"	BH443	60.90
21/32	0.6563	3"	6"	BH444	58.30
43/64	0.6719	3"	6"	BH445	60.90
11/16	0.6875	3"	6"	BH446	56.30
45/64	0.7031	3"	6"	BH447	66.70
23/32	0.7188	3"	6"	BH448	61.70
47/64	0.7344	3"	6"	BH449	70.10
3/4	0.7500	3"	6"	BH450	64.90
49/64	0.7656	3"	6"	BH451	71.20
25/32	0.7813	3"	6"	BH452	65.90

CLARKSON OSBORN



Fractional Size"	Decimal" Equiv	L2	L1	Model No.	Price /Each
15/16	0.9375	3"	6"	BH400	65.50
31/32	0.9688	3"	6"	BH401	70.20
1	1.0000	3"	6"	BH402	77.60
1 1/32	1.0313	3"	6"	BH403	93.80
1 1/16	1.0625	3"	6"	BH404	97.50
1 3/32	1.0938	3"	6"	BH405	102.00
1 1/8	1.1250	3"	6"	BH406	109.00
1 5/32	1.1563	3"	6"	BH407	109.00
1 3/16	1.1875	3"	6"	BH408	121.00
1 1/4	1.2500	3"	6"	BH409	133.00
1 3/8	1.3750	3"	6"	BH411	182.00
1 1/2	1.5000	3"	6"	BH412	219.00

Metric mm	Decimal" Equiv	L2	L1	Model No.	Price /Each
18.00	0.7087	75.0 mm	150.0 mm	BH423	64.60
18.50	0.7283	75.0 mm	150.0 mm	BH424	102.00
19.00	0.7480	75.0 mm	150.0 mm	BH425	71.00
19.50	0.7677	75.0 mm	150.0 mm	BH426	112.00
20.00	0.7874	75.0 mm	150.0 mm	BH427	77.60
21.00	0.8268	75.0 mm	150.0 mm	BH428	85.00
22.00	0.8661	75.0 mm	150.0 mm	BH429	92.50
23.00	0.9055	75.0 mm	150.0 mm	BH430	101.00
24.00	0.9449	75.0 mm	150.0 mm	BH431	109.00
25.00	0.9843	75.0 mm	150.0 mm	BH432	118.00

CLARKSON OSBORN

Fractional Size"	Decimal" Equiv	L2	L1	Model No.	Price /Each
51/64	0.7969	3"	6"	BH453	72.30
13/16	0.8125	3"	6"	BH454	66.90
53/64	0.8281	3"	6"	BH455	73.30
27/32	0.8438	3"	6"	BH456	67.80
55/64	0.8594	3"	6"	BH457	86.80
7/8	0.8750	3"	6"	BH458	80.30
57/64	0.8906	3"	6"	BH459	90.70
29/32	0.9063	3"	6"	BH460	83.90
59/64	0.9219	3"	6"	BH461	96.40
15/16	0.9375	3"	6"	BH462	89.20
61/64	0.9531	3"	6"	BH463	102.00
31/32	0.9688	3"	6"	BH464	94.70
63/64	0.9844	3"	6"	BH465	110.00
1	1.0000	3"	6"	BH466	94.70
1 5/32	1.1563	3"	6"	BH471	217.00
1 1/4	1.2500	3"	6"	BH473	251.00
1 5/16	1.3125	3"	6"	BH474	354.00

CUTTING TOOLS

ANNULAR CUTTERS

- M2 quality high speed steel
- Right-hand cutting direction
- 3/4" Weldon shank

Applications:

- For general purpose cutting of steel plate, structural steel, steel pipe, etc
- 3 to 5 X faster cutting than conventional drills
- Produces quality burr-free hole in a single pass
- Ideal for magnetic base drill, drill presses and milling machines

CLARKSON  OSBORN



1" DEPTH OF CUT

2" DEPTH OF CUT

3" DEPTH OF CUT

Fractional Size"	Model No.	Price /Each	Fractional Size"	Model No.	Price /Each	Fractional Size"	Model No.	Price /Each
1/2	TFX101	42.40	1/2	TFX129	68.90	3/4	TFX156	185.00
9/16	TFX102	47.30	9/16	TFX130	75.00	13/16	TFX157	195.00
5/8	TFX103	49.20	5/8	TFX131	81.10	7/8	TFX158	204.00
11/16	TFX104	52.90	11/16	TFX132	89.80	15/16	TFX159	211.00
3/4	TFX105	54.00	3/4	TFX133	93.50	1	TFX160	223.00
13/16	TFX106	60.20	13/16	TFX134	103.00	1 1/16	TFX161	241.00
7/8	TFX107	62.70	7/8	TFX135	106.00	1 1/8	TFX162	255.00
15/16	TFX108	67.60	15/16	TFX136	112.00	1 3/16	TFX163	274.00
1	TFX109	70.10	1	TFX137	114.00	1 1/4	TFX164	301.00
1 1/16	TFX110	73.20	1 1/16	TFX138	123.00	1 5/16	TFX165	332.00
1 1/8	TFX111	80.00	1 1/8	TFX139	135.00	1 3/8	TFX166	362.00
1 3/16	TFX112	82.30	1 3/16	TFX140	140.00	1 7/16	TFX167	369.00
1 1/4	TFX113	111.00	1 1/4	TFX141	160.00	1 1/2	TFX168	383.00
1 5/16	TFX114	116.00	1 5/16	TFX142	165.00	1 9/16	TFX169	403.00
1 3/8	TFX115	150.00	1 3/8	TFX143	186.00	1 5/8	TFX170	436.00
1 7/16	TFX116	165.00	1 7/16	TFX144	196.00	1 11/16	TFX171	445.00
1 1/2	TFX117	167.00	1 1/2	TFX145	199.00	1 3/4	TFX172	464.00
1 9/16	TFX118	180.00	1 9/16	TFX146	214.00	1 13/16	TFX173	501.00
1 5/8	TFX119	184.00	1 5/8	TFX147	224.00	1 7/8	TFX174	538.00
1 11/16	TFX120	199.00	1 11/16	TFX148	236.00	1 15/16	TFX175	547.00
1 3/4	TFX121	211.00	1 3/4	TFX149	246.00	2	TFX176	566.00
1 13/16	TFX122	234.00	1 13/16	TFX150	266.00	2 1/16	TFX177	640.00
1 7/8	TFX123	246.00	1 7/8	TFX151	285.00	-	-	-
1 15/16	TFX124	256.00	1 15/16	TFX152	290.00	-	-	-
2	TFX125	271.00	2	TFX153	300.00	-	-	-
2 1/16	TFX126	290.00	2 1/16	TFX154	330.00	-	-	-
2 1/4	TFX127	374.00	2 1/4	TFX155	389.00	-	-	-

Cut pin required TFX178
Price/Each \$8.34

Cut pin required TFX179
Price/Each \$9.72

Cut pin required TFX180
Price/Each \$17.40

COMBINED DRILLS & COUNTERSINKS

- Solid carbide 10% cobalt
- Right-hand cut
- Each drill has 2 hole diameters
- 118° angle point
- 60° countersink angle
- Bright finish

CLARKSON  OSBORN



Applications:

Designed to produce accurate centre holes in components which require machining between centres.

Size No.	Small Dia."	Large Dia."	Overall Length"	Model No.	Price /Each
00	1/32	1/8	1 1/2	BK813	22.80
0	0.025	1/8	1 1/2	BK820	25.30
1	3/64	1/8	1 1/2	BK814	21.40
2	5/64	3/16	1 7/8	BK815	32.70
3	7/64	1/4	2	BK816	37.20
4	1/8	5/16	2 1/8	BK817	50.70
5	3/16	7/16	2 3/4	BK818	75.70
6	7/32	1/2	3"	BK819	109.00


STEP DRILLS

- High speed steel
- Bright finish

Applications:

Stepped cone design provides better control of hole sizes in materials up to 1/8" thick. One step drill does job of up to 13 different size drills. Holes are automatically deburred by cutting edge of next larger size. Ideal for sheet metal and hole-enlarging work.

CLARKSON  OSBORN



Size No.	# of holes	Range from - to	Increments	Model No.	Price /Each
#1	13	1/8 to 1/2	1/32	TJZ795	25.50
#2	6	3/16 to 1/2	1/16	TJZ796	23.90
#3	9	1/4 to 3/4	1/16	TJZ797	42.60
#4	12	3/16 to 7/8	1/16	TJZ798	29.20
#5	10	1/4 to 1 3/8	1/8	TJZ799	50.10

Step drill 3-piece set – contains #1, #2 and #3 step drills in plastic case

Model No. TJZ800 Price/Each \$92.00

STEP DRILLS

- Multiple steps eliminate the need for a tool box of drill bits
- Holds firmly in place with 3 flat sided shank
- SpeedPoint™ tip eliminates skidding and need for centre-punching
- Industrial grade high speed steel
- Easily resharpenable

IRWIN 
Industrial Tools



Size	Number of holes	Cutting Ø"	Increments"	Shank Ø	Model No.	Price /Each
#1	13	1/8 to 1/2	1/32	1/4	TQ651	35.10
#2	6	3/16 to 1/2	1/16	1/4	TH080	35.10
#3	9	1/4 to 3/4	1/16	3/8	TH094	63.30
#4	12	3/16 to 7/8	1/16	3/8	TH113	74.80


For Magnetic Base Drills
see page 1189



TAP & DRILL SETS

18 PC BLUE WIZARD

- Premium high speed steel
- Metal case




CLARKSON OSBORN

NC (National Coarse) Model No. BG080 contains		NF (National Fine) Model No. BG078 contains		Metric Model No. BG079 contains	
Tap	Drill	Tap	Drill	Tap mm	Drill mm
#6-32	#36	#6-40	#33	2.5 x .45	2.05
#8-32	#29	#8-36	#29	3.0 x .5	2.5
#10-32	#21	#10-32	#21	3.5 x .6	2.9
#12-24	#16	#12-28	#15	4.0 x .7	3.3
1/4-20	#7	1/4-28	#3	5.0 x .8	4.2
5/16-18	F	5/16-24	#1	6.0 x 1	5
3/8-16	5/16	3/8"-24	Q	8.0 x 1.25	6.7
7/16-14	U	7/16	25/64	10.0 x 1.5	8.5
1/2-13	27/64	1/2-20	29/64	12 x 1.75	10
Price/Each \$192.00		Price/Each \$192.00		Price/Each \$222.00	

PIPE TAPS

- High speed steel, ground threads
- Square drive shank
- Right hand cutting direction



CLARKSON OSBORN

WARWICK NPT (NATIONAL PIPE THREAD) TAPS

Applications:

For tapping tapered pipe threads. This is the most common of all pipe tap styles. The tapered thread form creates a pressure-tight joint when used with a sealant.

NPT Size	L2 "	L1 "	L3 "	A "	Flutes	Model No.	Price /Each
1/16-27	11/16	2 1/8	3/8	0.234	3	BD944	26.10
1/8-27	3/4	2 1/8	3/8	0.328	3	QD610	26.10
1/4-18	1 1/16	2 7/16	7/16	0.421	5	QD611	31.90
3/8-18	1 1/16	2 9/16	1/2	0.531	5	QD612	40.60
1/2-14	1 3/8	3 1/8	5/8	0.515	5	BD946	60.90
3/4-14	1 3/8	3 1/4	11/16	0.679	5	BD947	89.90
1-11.5	1 3/4	3 3/4	13/16	0.843	5	BD948	135.00
1 1/4-11.5	1 3/4	4	15/16	0.984	7	BD949	213.00
1 1/2-11.5	1 3/4	4 1/4	1	1.125	7	BD950	255.00
2-11.5	1 3/4	4 1/2	1 1/8	1.406	7	BD951	319.00

WARWICK NPTF (DRYSEAL NATIONAL PIPE THREAD) TAPS

HSS taper pipe taps are designed for tapping ferrous and non-ferrous fittings used to connect pipes carrying fluids or gases and other places where very tight fits are needed. NPTF taper thread pipe taps do not require sealants. Dryseal is attained by metal to metal contact.

NPTF Size	L2 "	L1 "	L3 "	A "	Flutes	Model No.	Price /Each
1/16-27	11/16	2 1/8	3/8	0.234	3	BD961	63.70
1/8-27	3/4	2 1/8	3/8	0.328	3	BD962	63.00
1/4-18	1 1/16	2 7/16	7/16	0.421	5	BD963	67.30
3/8-18	1 1/16	2 9/16	1/2	0.531	5	BD964	99.40
1/2-14	1 3/8	3 1/8	5/8	0.515	5	BD965	116.00
3/4-14	1 3/8	3 1/4	11/16	0.679	5	BD966	146.00
1-11.5	1 3/4	3 3/4	13/16	0.843	5	BD967	255.00
1 1/4-11.5	1 3/4	4	15/16	0.984	7	BD968	400.00

WARWICK NPTI (INTERRUPTED NATIONAL PIPE THREAD) TAPS

Application:

HSS interrupted thread pipe taps are designed for tapping soft or tough stringy metals that tend to load threads with chips. Interrupted thread pipe taps start with a few full threads and then have every other thread removed along the thread helix to provide more chip space, better lubrication, and to reduce drag.

NPTI Size	L2 "	L1 "	L3 "	A "	Flutes	Model No.	Price /Each
1/8-27	3/4	2 1/8	3/8	0.328	3	BD952	58.00
1/4-18	1 1/16	2 7/16	7/16	0.421	5	BD953	63.80
3/8-18	1 1/16	2 9/16	1/2	0.531	5	BD954	81.20
1/2-14	1 3/8	3 1/8	5/8	0.515	5	BD955	129.00
3/4-14	1 3/8	3 1/4	11/16	0.679	5	BD956	142.00
1-11.5	1 3/4	3 3/4	13/16	0.843	5	BD957	281.00
1 1/4-11.5	1 3/4	4	15/16	0.984	7	BD958	377.00
1 1/2-11.5	1 3/4	4 1/4	1	1.125	7	BD959	464.00
2-11.5	1 3/4	4 1/2	1 1/8	1.406	7	BD960	667.00

WARWICK NPTS (STRAIGHT NATIONAL PIPE THREAD) TAPS

Application:

HSS straight thread pipe taps (NPTS) are designed for tapping holes or couplings for low pressure work that will adjust at assembly to the taper of external threads. A sealant must be used to secure a pressure-tight joint.

NPTS Size	L2 "	L1 "	L3 "	A "	Flutes	Model No.	Price /Each
1/8-27	3/4	2 1/8	3/8	0.328	4	BD969	41.30
1/4-18	1 1/16	2 7/16	7/16	0.421	4	BD970	57.20
3/8-18	1 1/16	2 9/16	1/2	0.531	4	BD971	87.40
1/2-14	1 3/8	3 1/8	5/8	0.515	4	BD972	120.00
3/4-14	1 3/8	3 1/4	11/16	0.679	4	BD973	167.00
1-11.5	1 3/4	3 3/4	13/16	0.843	6	BD974	315.00

CUTTING TOOLS

HAND TAPS

- High speed steel ground thread
- Square drive shank
- Right hand cutting direction, straight flute
- Available in taper, plug, bottoming and sets
- Bright finish

Applications:

Taps cut a thread on the inside surface of a hole, creating a female surface which functions like a nut. Well suited for a variety of ferrous & non-ferrous materials.



Taper

Used in through-holes and for starting threads.

Used in through-holes and in blind holes with space at the bottom for chip accumulation.

Used in blind holes where threads must come as close to the hole's bottom as possible

Plug

Bottoming

MACHINE SCREW SIZES - NC NATIONAL COARSE NF NATIONAL FINE

Fractional Size	Taper Model No.	Plug Model No.	Bottoming Model No.	Price /Each	L2 "	L1 "	L3 "	A"	Flutes	Set of 3 taps		
										Model No.	Price /Each	
0-80	NF	BL964	BL965	BL966	22.90	3/8	1 5/8	3/16	0.110	3	BL963	68.60
1-64	NC	BL968	BL969	BL970	22.20	7/16	1 11/16	3/16	0.110	2	BL967	66.50
1-72	NF	BM005	BM006	BM007	22.20	7/16	1 11/16	3/16	0.110	3	BM004	66.50
2-56	NC	BL972	BL973	BL974	18.80	1/2	1 3/4	3/16	0.110	3	BL971	56.60
2-64	NF	BM009	BM010	BM011	18.80	1/2	1 3/4	3/16	0.110	3	BM008	56.60
3-48	NC	BL976	BL977	BL978	13.90	9/16	1 13/16	3/16	0.110	3	BL975	41.70
3-56	NF	BM013	BM014	BM015	13.90	9/16	1 13/16	3/16	0.110	3	BM012	41.70
4-40	NC	BL980	BL981	BL982	11.50	5/8	1 7/8	3/16	0.110	3	BL979	34.40
4-48	NF	BM017	BM018	BM019	11.50	5/8	1 7/8	3/16	0.110	3	BM016	34.40
5-40	NC	BL984	BL985	BL986	11.50	11/16	1 15/16	3/16	0.110	3	BL983	34.40
5-44	NF	BM021	BM022	BM023	11.50	11/16	1 15/16	3/16	0.110	3	BM020	34.40
6-32	NC	BL988	BL989	BL990	8.72	11/16	2	3/16	0.110	3	BL987	26.10
6-40	NF	BM025	BM026	BM027	8.72	11/16	2	3/16	0.110	3	BM024	26.10
8-32	NC	BL992	BL993	BL994	8.72	3/4	2 1/8	1/4	0.131	4	BL991	26.10
8-36	NF	BM029	BM030	BM031	8.72	3/4	2 1/8	1/4	0.131	4	BM028	26.10
10-24	NC	BL996	BL997	BL998	9.44	7/8	2 3/8	1/4	0.152	4	BL995	28.30
10-32	NF	BM033	BM034	BM035	9.44	7/8	2 3/8	1/4	0.152	4	BM032	28.30
12-24	NC	BM001	BM002	BM003	9.74	15/16	2 3/8	9/32	0.165	4	BL999	29.20
12-28	NF	BM037	BM038	BM039	9.74	15/16	2 3/8	9/32	0.165	4	BM036	29.20

FRACTIONAL SIZES - NC NATIONAL COARSE NF NATIONAL FINE

Fractional Size	Taper Model No.	Plug Model No.	Bottoming Model No.	Price /Each	L2 "	L1 "	L3 "	A"	Flutes	Set of all 3 taps		
										Model No.	Price /Each	
1/4-20	NC	BL843	BL844	BL845	9.28	1	2 1/2	5/16	0.191	4	BL842	27.80
1/4-28	NF	BL905	BL906	BL907	9.28	1	2 1/2	5/16	0.191	4	BL904	27.80
5/1-18	NC	BL847	BL848	BL849	11.50	1 1/8	2 23/32	3/8	0.238	4	QE252	34.60
5/16-24	NF	BL909	BL910	BL911	11.50	1 1/8	2 23/32	3/8	0.238	4	BL908	34.60
3/8-16	NC	BL851	BL852	BL853	13.00	1 1/4	2 15/16	7/16	0.286	4	BL850	39.10
3/8-24	NF	BL912	BL913	BL914	13.00	1 1/4	2 15/16	7/16	0.286	4	VE890	39.10
7/16-14	NC	BL855	BL856	BL857	22.50	1 7/16	3 5/32	13/32	0.242	4	BL854	67.50
7/16-20	NF	BL916	BL917	BL918	22.50	1 7/16	3 5/32	13/32	0.242	4	BL915	67.50
1/2-13	NC	BL859	BL860	BL861	23.20	1 21/32	3 3/8	7/16	0.275	4	BL858	69.60
1/2-20	NF	BL920	BL921	BL922	23.20	1 21/32	3 3/8	7/16	0.275	4	BL919	69.60
9/16-12	NC	BL863	BL864	BL865	38.80	1 21/32	3 19/32	1/2	0.322	4	BL862	117.00
9/16-18	NF	BL924	BL925	BL926	38.80	1 21/32	3 19/32	1/2	0.322	4	BL923	117.00
5/8-11	NC	QE253	BL867	BL868	47.10	1 13/16	3 13/16	9/16	0.360	4	BL866	141.00
5/8-18	NF	BL928	BL929	BL930	47.10	1 13/16	3 13/16	9/16	0.360	4	BL927	141.00
3/4-10	NC	VE860	BL870	BL871	65.30	2	4 1/4	11/16	0.442	4	BL869	196.00
3/4-16	NF	BL932	BL933	BL934	65.30	2	4 1/4	11/16	0.442	4	BL931	196.00
7/8-9	NC	BL873	BL874	BL875	90.70	2 7/32	4 11/16	3/4	0.523	4	BL872	272.00
7/8-14	NF	BL936	BL937	BL938	90.70	2 7/32	4 11/16	3/4	0.523	4	BL935	272.00
1-8	NC	BL877	BL878	BL879	121.00	2 1/2	5 1/8	13/16	0.6000	4	BL876	363.00
1-12	NF	BL940	BL941	BL942	121.00	2 1/2	5 1/8	13/16	0.6000	4	BL939	363.00
1-14	NS	BL960	BL961	BL962	121.00	2 1/2	5 1/8	13/16	0.6000	4	BL959	363.00
1 1/8-7	NC	QE254	BL882	BL883	157.00	2 9/16	5 7/16	7/8	0.6720	4	BL880	472.00
1 1/8-12	NF	BL944	BL945	BL946	157.00	2 9/16	5 7/16	7/8	0.6720	4	BL943	472.00
1 1/4-7	NC	BL885	BL886	BL887	209.00	2 9/16	5 3/4	1	0.7660	4	BL884	626.00
1 1/4-12	NF	BL948	BL949	BL950	209.00	2 9/16	5 3/4	1	0.7660	4	BL947	626.00
1 3/8-6	NC	BL889	BL890	BL891	263.00	3	6 1/16	1 1/16	0.8310	4	BL888	787.00
1 3/8-12	NF	BL952	BL953	BL954	263.00	3	6 1/16	1 1/16	0.8310	4	BL951	787.00
1 1/2-6	NC	BL893	BL894	BL895	303.00	3	6 3/8	1 1/8	0.9250	4	BL892	909.00
1 1/2-12	NE	BL956	BL957	BL958	303.00	3	6 3/8	1 1/8	0.9250	4	BL955	909.00
1 3/4-5	NC	BL897	BL898	BL899	447.00	3 3/16	7	1 1/4	1.0720	6	BL896	1340.00
2-4.5	NC	BL901	BL902	BL903	496.00	3 9/16	7 5/8	1 3/8	1.2330	6	BL900	1488.00

HAND TAPS (CONT'D)

METRIC COARSE SIZES


Size	Taper Model No.	Plug Model No.	Bottoming Model No.	Price /Each	L2 mm	L1 mm	L3 mm	A mm	Flutes	Set of 3 taps	
										Model No.	Price /Each
M1.6 X 0.35	BM175	BM176	BM177	51.40	8.0	41.0	4.0	2.00	3	BM174	154.00
M2 X 0.4	BM185	BM186	BM187	20.50	8.0	41.0	4.0	2.00	3	BM184	61.40
M2.2 X 0.45	BM182	BM183	TBM075	21.20	9.5	44.5	5.0	2.24	3	BM181	63.60
M2.5 X 0.45	BM189	BM190	BM191	14.80	9.5	44.5	5.0	2.24	3	BM188	44.40
M3 X 0.5	BM193	BM194	BM195	12.00	15.0	48.0	5.0	2.50	3	BM192	36.10
M3.5 X 0.6	BM197	BM198	BM199	9.44	17.0	50.0	5.0	2.80	3	BM196	28.30
M4 X 0.7	BM201	BM202	BM203	9.44	17.0	53.0	6.0	3.15	3	BM200	28.30
M4.5 X 0.75	BM205	BM206	BM207	9.44	17.0	53.0	6.0	3.55	3	BM204	28.30
M5 X 0.8	BM209	BM210	BM211	10.40	16.0	58.0	7.0	4.00	3	BM208	31.30
M6 X 1	BM213	BM214	BM215	10.90	19.0	66.0	8.0	5.00	3	BM212	32.70
M7 X 1	BM217	BM218	BM219	11.60	19.0	66.0	8.0	5.60	4	BM216	34.80
M8 X 1.25	BM221	BM222	BM223	11.60	22.0	72.0	9.0	6.30	4	BM220	34.80
M9 X 1.25	BM225	BM226	BM227	14.50	22.0	72.0	10.0	7.10	4	BM224	43.50
M10 X 1.5	BM229	BM230	BM231	21.80	24.0	80.0	11.0	8.00	4	BM228	65.30
M11 X 1.5	BM233	BM234	BM235	21.80	25.0	85.0	9.0	6.30	4	BM232	65.30
M12 X 1.75	BM237	BM238	BM239	24.60	19.0	89.0	10.0	7.10	4	BM236	74.00
M14 X 2	BM241	BM242	BM243	37.70	30.0	95.0	12.0	9.00	4	BM240	113.00
M16 X 2	BM245	BM246	BM247	46.40	32.0	102.0	13.0	10.00	4	BM244	139.00
M18 X 2.5	BM249	BM250	BM251	63.80	37.0	112.0	14.0	11.20	4	BM248	191.00
M20 X 2.5	BM253	BM254	BM255	87.70	37.0	112.0	14.0	11.20	4	BM252	263.00
M22 X 2.5	BM257	BM258	BM259	102.00	38.0	118.0	16.0	12.50	4	BM256	307.00
M24 X 3	BM261	BM262	BM263	117.00	45.0	130.0	18.0	14.00	4	BM260	352.00
M27 X 3	BM265	BM266	BM267	158.00	45.0	135.0	20.0	16.00	4	BM264	474.00
M30 X 3.5	BM269	BM270	BM271	170.00	48.0	138.0	20.0	16.00	4	BM268	511.00
M33 X 3.5	BM273	BM274	BM275	230.00	51.0	151.0	22.0	18.00	4	BM272	689.00
M36 X 4	BM277	BM278	BM279	256.00	57.0	162.0	24.0	20.00	4	BM276	767.00
M39 X 4	BM280	BM281	BM282	309.00	60.0	170.0	26.0	22.40	4	TBM083	927.00
M42 X 4.5	BM284	BM285	BM286	359.00	60.0	170.0	26.0	22.40	6	BM283	1077.00
M45 X 4.5	TBM067	BM287	BM288	483.00	67.0	187.0	28.0	25.00	6	TBM084	1450.00
M48 X 5	TBM068	BM289	BM290	538.00	67.0	187.0	28.0	25.00	6	TBM085	1615.00
M52 X 5	TBM069	BM291	BM292	677.00	70.0	200.0	31.0	28.00	6	TBM086	2030.00
M56 X 5.5	TBM070	BM293	BM294	918.00	70.0	200.0	31.0	28.00	6	TBM087	2755.00

METRIC FINE SIZES

Size	Taper Model No.	Plug Model No.	Bottoming Model No.	Price /Each	L2 mm	L1 mm	L3 mm	A mm	Flutes	Set of 3 taps	
										Model No.	Price/Each
MF3 X 0.35	BM296	BM297	BM298	24.90	15.0	48.0	5.0	2.50	3	BM295	74.60
MF3.5 X 0.35	BM299	BM300	BM301	25.90	17.0	50.0	5.0	2.80	3	TBM088	77.70
MF4 X 0.5	BM303	BM304	BM305	24.90	17.0	53.0	6.0	3.15	3	BM302	74.60
MF4.5 X 0.5	BM307	BM308	BM309	27.60	17.0	53.0	6.0	3.55	3	BM306	82.90
MF5 X 0.5	BM311	BM312	BM313	24.90	16.0	58.0	7.0	4.00	3	BM310	74.60
MF6 X 0.5	BM315	BM316	BM317	60.70	19.0	66.0	8.0	5.00	3	BM314	190.00
MF6 X 0.75	BM319	BM320	BM321	24.90	19.0	66.0	8.0	5.00	3	BM318	74.60
MF7 X 0.75	BM323	BM324	BM325	27.60	19.0	66.0	8.0	5.60	4	BM322	82.90
MF8 X 0.5	BM328	BM329	BM330	66.00	19.0	69.0	9.0	6.30	4	BM327	198.00
MF8 X 0.75	BM332	BM333	BM334	30.40	22.0	72.0	9.0	6.30	4	BM331	91.20
MF8 X 1	BM335	BM336	BM337	25.90	22.0	72.0	9.0	6.30	4	BM326	77.70
MF9 X 1	BM338	BM339	BM340	60.80	22.0	72.0	10.0	7.10	4	BM341	182.00
MF10 X 0.75	BM345	BM346	BM347	60.80	24.0	80.0	11.0	8.00	4	BM344	182.00
MF10 X 1	BM348	BM349	BM350	37.60	24.0	80.0	11.0	8.00	4	BM342	113.00
MF10 X 1.25	BM351	BM352	BM353	36.30	24.0	80.0	11.0	8.00	4	BM343	109.00
MF11 X 0.75	BM355	BM356	BM357	75.00	22.0	82.0	9.0	6.30	4	BM354	225.00
MF11 X 1	BM359	BM360	BM361	75.00	22.0	82.0	9.0	6.30	4	BM358	225.00
MF12 X 1	BM363	BM364	BM365	72.60	29.0	89.0	10.0	7.10	4	BM362	218.00
MF12 X 1.25	BM367	BM368	BM369	47.70	29.0	89.0	10.0	7.10	4	BM366	143.00
MF12 X 1.5	BM371	BM372	BM373	47.70	29.0	89.0	10.0	7.10	4	BM370	143.00
MF14 X 1	BM375	BM376	BM377	80.50	30.0	95.0	12.0	9.00	4	BM374	242.00
MF14 X 1.25	BM379	BM380	BM381	54.20	30.0	95.0	12.0	9.00	4	BM378	163.00
MF14 X 1.5	BM383	BM384	BM385	52.50	30.0	95.0	12.0	9.00	4	BM382	157.00
MF16 X 1	BM387	BM388	BM389	87.40	32.0	102.0	13.0	10.00	4	BM386	262.00
MF16 X 1.5	BM391	BM392	BM393	59.10	32.0	102.0	13.0	10.00	4	BM390	177.00
MF18.0 X 1	BM395	BM396	BM397	112.00	37.0	112.0	14.0	11.20	4	BM394	337.00
MF18 X 1.5	BM399	BM400	BM401	81.80	37.0	112.0	14.0	11.20	4	BM398	246.00
MF18 X 2	BM403	BM404	BM405	112.00	37.0	112.0	14.0	11.20	4	BM402	337.00
MF20 X 1	BM407	BM408	BM409	128.00	37.0	112.0	14.0	11.20	4	BM406	385.00
MF20 X 1.5	BM411	BM412	BM413	99.40	37.0	112.0	14.0	11.20	4	BM410	298.00
MF20 X 2	BM415	BM416	BM417	128.00	37.0	112.0	14.0	11.20	4	BM414	385.00
MF22 X 1.5	BM419	BM420	BM421	112.00	38.0	118.0	16.0	12.50	4	BM418	337.00
MF22 X 2	BM423	BM424	BM425	124.00	38.0	118.0	16.0	12.50	4	BM422	373.00
MF24 X 1.5	BM427	BM428	BM429	163.00	45.0	130.0	18.0	14.00	4	BM426	488.00
MF24 X 2	BM431	BM432	BM433	141.00	45.0	130.0	18.0	14.00	4	BM430	422.00
MF25 X 1.5	BM435	BM436	BM437	135.00	35.0	120.0	18.0	14.00	4	BM434	405.00
MF27 X 2	BM439	BM440	BM441	207.00	37.0	127.0	20.0	16.00	4	BM438	622.00
MF30 X 1.5	BM443	BM444	BM445	268.00	37.0	127.0	20.0	16.00	4	BM442	803.00
MF30 X 2	BM447	BM448	BM449	230.00	37.0	127.0	20.0	16.00	4	BM446	689.00
MF32 X 1.5	TBM076	BM451	TBM079	268.00	37.0	137.0	22.0	18.00	4	BM450	803.00
MF40 X 1.5	TBM077	TBM078	TBM080	425.00	39.0	149.0	26.0	22.40	4	TBM089	1274.00

CUTTING TOOLS


WIZARD SPIRAL POINT MACHINE TAPS - NC & NF



CLARKSON  OSBORN

Size	L2 "	L1 "	L3 "	A "	Flutes	Blue Wizard Model No.	Mfg. No.	Price /Each	White Wizard Model No.	Mfg. No.	Price /Each	Gold Wizard Model No.	Mfg. No.	Price /Each	
0-80	NF	3/8	1 5/8	3/16	0.110	2	BF370	CT72100	32.40	-	-	TBM048	CT79100	43.20	
1-64	NC	7/16	1 11/16	3/16	0.110	2	BF367	CT72001	32.40	-	-	TBM049	CT79001	43.20	
1-72	NF	7/16	1 11/16	3/16	0.110	2	BF371	CT72101	32.40	-	-	TBM050	CT79101	43.20	
2-56	NC	1/2	1 3/4	3/16	0.110	2	BF368	CT72002	19.10	-	-	BF544	CT79002	29.40	
2-64	NF	1/2	1 3/4	3/16	0.110	2	BF372	CT72102	19.10	-	-	TBM051	CT79102	29.40	
3-48	NC	9/16	1 13/16	3/16	0.110	2	BF369	CT72003	19.10	-	-	TBM052	CT79003	29.40	
3-56	NF	9/16	1 13/16	3/16	0.110	2	BF373	CT72103	19.10	-	-	TBM053	CT79103	29.40	
4-40	NC	5/8	1 7/8	3/16	0.110	2	QD614	CT72004	17.20	BF390	CT73004	20.60	TBM054	CT79004	27.40
4-48	NF	5/8	1 7/8	3/16	0.110	2	BF374	CT72104	17.20	BF400	CT73104	20.60	BF550	CT79104	27.40
5-40	NC	11/16	1 15/16	3/16	0.110	2	QD615	CT72005	17.20	BF391	CT73005	20.60	BF545	CT79005	27.40
5-44	NF	11/16	1 15/16	3/16	0.110	2	BF375	CT72105	17.20	BF401	CT73105	20.60	BF551	CT79105	27.40
6-32	NC	11/16	2	3/16	0.110	2	QD616	CT72006	11.30	BF392	CT73006	13.60	BF546	CT79006	21.30
6-40	NF	11/16	2	3/16	0.110	2	BF376	CT72106	11.30	BF402	CT73106	13.60	TBM055	CT79106	21.30
8-32	NC	3/4	2 1/8	1/4	0.131	2	QD617	CT72008	11.30	BF393	CT73008	13.60	BF547	CT79008	21.30
8-36	NF	3/4	2 1/8	1/4	0.131	2	BF377	CT72108	11.30	BF403	CT73108	13.60	TBM056	CT79108	21.30
10-24	NC	11/16	2 3/8	1/4	0.152	2	QD618	CT72010	11.30	BF394	CT73010	13.60	BF548	CT79010	21.30
10-32	NF	11/16	2 3/8	1/4	0.152	2	-	-	-	BF404	CT73110	13.60	BF552	CT79110	21.30
12-24	NC	11/16	2 3/8	9/32	0.165	2	QD619	CT72012	15.00	BF395	CT73012	18.00	BF549	CT79012	25.10
12-28	NF	11/16	2 3/8	9/32	0.165	2	QD621	CT72120	15.00	BF405	CT73120	18.00	TBM057	CT79120	25.10
1/4-20	NC	13/16	2 1/2	5/16	0.191	2	QD622	CT72404	12.20	BF406	CT73404	14.60	BF553	CT79404	22.20
1/4-28	NF	13/16	2 1/2	5/16	0.191	2	QD631	CT72504	12.20	BF416	CT73504	14.60	BF561	CT79504	22.20
5/16-18	NC	7/8	2 23/32	3/8	0.238	3	QD623	CT72405	13.20	BF407	CT73405	15.80	BF554	CT79405	29.10
5/16-24	NF	7/8	2 23/32	3/8	0.238	3	QD632	CT72505	13.20	BF417	CT73505	15.80	BF562	CT79505	29.10
3/8-16	NC	1	2 15/16	7/16	0.286	3	QD624	CT72406	17.80	BF408	CT73406	21.30	BF555	CT79406	33.70
3/8-24	NF	1	2 15/16	7/16	0.286	3	QD633	CT72506	17.80	BF418	CT73506	21.30	BF563	CT79506	33.70
7/16-14	NC	1 1/16	3 5/32	13/32	0.242	3	QD625	CT72407	23.80	BF409	CT73407	28.60	BF556	CT79407	44.00
7/16-20	NF	1 1/16	3 5/32	13/32	0.242	3	QD634	CT72507	23.80	BF419	CT73507	28.60	BF564	CT79507	44.00
1/2-13	NC	1 3/16	3 3/8	7/16	0.275	3	QD626	CT72408	26.10	BF410	CT73408	31.40	BF557	CT79408	46.30
1/2-20	NF	1 3/16	3 3/8	7/16	0.275	3	QD635	CT72508	26.10	BF420	CT73508	31.40	BF565	CT79508	46.30
9/16-12	NC	1 3/16	3 19/32	1/2	0.322	3	-	-	-	BF411	CT73409	54.70	BF558	CT79409	66.80
9/16-18	NF	1 3/16	3 19/32	1/2	0.322	3	QR181	CT72509	45.60	BF421	CT73509	54.70	BF566	CT79509	66.80
5/8-11	NC	1 3/8	3 13/16	9/16	0.360	3	QD627	CT72410	45.60	BF412	CT73410	54.70	BF559	CT79410	80.60
5/8-18	NF	1 3/8	3 13/16	9/16	0.360	3	QD636	CT72510	45.60	BF422	CT73510	54.70	TBM058	CT79510	80.60
3/4-10	NC	1 7/16	4 1/4	11/16	0.442	3	QD628	CT72412	66.00	BF413	CT73412	79.30	TBM059	CT79412	114.00
3/4-16	NF	1 7/16	4 1/4	11/16	0.442	3	QD637	CT72512	66.00	BF423	CT73512	79.30	BF567	CT79512	114.00
7/8-9	NC	1 5/8	4 11/16	3/4	0.523	3	QD629	CT72414	87.40	BF414	CT73414	105.00	TBM060	CT79414	139.00
7/8-14	NF	1 5/8	4 11/16	3/4	0.523	3	QR186	CT72514	87.40	BF424	CT73514	105.00	TBM061	CT79514	139.00
1-8	NC	1 3/4	5 1/8	13/16	0.600	4	QD630	CT72416	112.00	BF415	CT73416	134.00	BF560	CT79416	164.00
1-12	NF	1 3/4	5 1/8	13/16	0.600	4	QR161	CT72516	112.00	BF425	CT73516	134.00	TBM062	CT79516	164.00

WIZARD SPIRAL POINT MACHINE TAPS - METRIC



CLARKSON  OSBORN

Size	L2 mm	L1 mm	L3 mm	A mm	Flutes	Blue Wizard Model No.	Mfg. No.	Price /Each	Gold Wizard Model No.	Mfg. No.	Price /Each
M2.0 x 0.40	8.0	41.0	4.0	2.00	2	BF350	CT71020	24.90	TBM035	CT78020	35.60
M2.5 x 0.45	9.5	44.5	5.0	2.24	2	BF351	CT71025	20.60	TBM036	CT78025	31.20
M3.0 x 0.50	15.0	48.0	5.0	2.50	2	QR162	CT71030	16.10	BF535	CT78030	26.40
M3.5 x 0.60	17.0	50.0	5.0	2.80	2	QR163	CT71035	16.10	TBM037	CT78035	26.40
M4.0 x 0.70	17.0	53.0	6.0	3.15	2	QR164	CT71040	13.30	BF536	CT78040	23.50
M4.5 x 0.75	17.0	53.0	6.0	3.55	2	BF352	CT71045	17.90	TBM038	CT78045	28.30
M5.0 x 0.80	16.0	58.0	7.0	4.00	3	QR165	CT71050	14.90	BF537	CT78050	25.20
M6.0 x 1.00	19.0	66.0	8.0	5.00	3	QR166	CT71060	15.30	BF538	CT78060	25.60
M7.0 x 1.00	19.0	66.0	8.0	5.60	3	BF353	CT71070	19.80	TBM039	CT78070	36.90
M8.0 x 1.25	22.0	72.0	9.0	6.30	3	QR167	CT71080	16.70	BF539	CT78080	33.60
M10.0 x 1.50	24.0	80.0	11.0	8.00	3	QR168	CT71100	22.90	BF540	CT78100	44.00
M12.0 x 1.75	29.0	89.0	10.0	7.10	3	QR101	CT71120	36.50	BF541	CT78120	58.20
M14.0 x 2.00	30.0	95.0	12.0	9.00	3	QR172	CT71140	47.10	BF542	CT78140	70.20
M16.0 x 2.00	32.0	102.0	13.0	10.00	3	QR112	CT71160	58.70	BF543	CT78160	96.20
M18.0 x 2.50	37.0	112.0	14.0	11.20	3	BF354	CT71180	79.30	TBM040	CT78180	118.00
M20.0 x 2.50	37.0	112.0	14.0	11.20	3	QR160	CT71200	103.00	TBM041	CT78200	155.00
M22.0 x 2.50	38.0	118.0	16.0	12.50	3	BF355	CT71220	120.00	TBM042	CT78220	177.00
M24.0 x 3.00	45.0	130.0	18.0	14.00	3	QR183	CT71240	135.00	TBM043	CT78240	193.00

EXTENSION HAND TAPS

- High speed steel, ground threads
- Square drive shank
- Right hand cutting direction
- Plug style only

Application:

Designed for deep hole tapping where the work requires an undercut shank to follow through hole

MACHINE SCRW SIZES - NATIONAL COARSE NC & NATIONAL FINE NF

NF & NC Size	L2"	L1"	A"	Flutes	Model No.	Price /Each
6-32 NC	11/16	6	0.141	3	BM040	61.90
8-32 NC	3/4	6	0.168	4	BM041	61.90
10-24 NC	7/8	6	0.194	4	BM042	59.90
10-32 NF	7/8	6	0.194	4	BM051	59.90

FRACTIONAL - NATIONAL FINE NF

National Fine Size	L2"	L1"	A"	Flutes	Model No.	Price /Each
1/4-28 NF	1	6	0.255	4	BM052	52.30
5/16-24 NF	1 1/8	6	0.318	4	TBL997	58.20
3/8-24 NF	1 1/4	6	0.381	4	BM053	63.00
7/16-20 NF	1 7/16	6	0.323	4	TBM002	131.00
1/2-20 NF	1 21/32	6	0.367	4	BM054	80.40
9/16-18 NF	1 21/32	6	0.429	4	TBM004	184.00
5/8-18 NF	1 13/16	6	0.480	4	TBM005	196.00

BAR TYPE TAP & REAMER WRENCHES

- Best suited for smaller diameter hand taps & reamers
- Holds round or square drive shanks



CLARKSON OSBORN

Model No.	Sizes	Price/Each
BM610	1/16"/M2 to 1/4"/M6	44.90
BM611	1/8"/M3 to 1/2"/M12	69.70

ADJUSTABLE TAP WRENCHES

- Rugged construction
- Well balanced
- Holds round or square drive shanks



CLARKSON OSBORN

Model No.	Sizes	Price/Each
BM612	1/8"/M3 to 1/2"/M12	75.40
BM613	7/32"/M6 to 3/4"/M20	85.60
BM614	7/16"/M12 to 1"/M24	113.00
BM615	3/4"/M18 to 1 1/2"/M42	250.00
BM616	1"/M24 to 2 1/2"/M50	398.00



FRACTIONAL - NATIONAL COARSE NC

National Coarse Size	L2"	L1"	A"	Flutes	Model No.	Price /Each
1/4-20 NC	1	6	0.255	4	BM043	52.30
1/4-20 NC	1	6	0.185	4	BM062	83.20
1/4-20 NC	1	8	0.255	4	BM055	64.10
5/16-18 NC	1 1/8	6	0.318	4	BM044	55.70
5/16-18 NC	1 1/8	6	0.420	4	BM063	85.50
5/16-18 NC	1 1/8	8	0.318	4	BM056	63.90
3/8-16 NC	1 1/4	6	0.381	4	BM045	60.10
3/8-16 NC	1 1/4	8	0.381	4	BM057	78.70
3/8-16 NC	1 1/4	6	0.275	4	TBL998	93.70
3/8-16 NC	1 1/4	10	0.381	4	TBL999	173.00
7/16-14 NC	1 7/16	6	0.323	4	BM046	131.00
1/2-13 NC	1 21/32	6	0.367	4	BM047	80.40
9/16-12 NC	1 21/32	6	0.429	4	BM048	184.00
5/8-11 NC	1 13/16	6	0.480	4	BM049	196.00
5/8-11 NC	1 13/16	8	0.480	4	BM058	234.00
3/4-10 NC	2	6	0.590	4	BM050	230.00
3/4-10 NC	2	8	0.590	4	BM059	260.00
3/4-10 NC	2	10	0.590	4	TBM006	305.00
7/8-9 NC	2 7/32	8	0.697	4	BM060	268.00
1-8 NC	2 1/2	8	0.800	4	BM061	326.00
1-8 NC	2 1/2	10	0.800	4	TBM007	394.00

T-TYPE TAP WRENCHES

- Knurled cap and chuck sleeve
- Heat-treated jaws
- T-handle
- Available in 4" and 8" body lengths



4" BODY LENGTH

CLARKSON OSBORN

Model No.	Sizes	Price/Each
QR060	1/16"/M1 to 1/4"/M6	64.40
QR051	1/4"/M6 to 1/2"/M12	64.40

8" BODY LENGTH

Model No.	Sizes	Price/Each
BM617	1/16"/M1 to 1/4"/M6	71.80
BM618	1/4"/M6 to 1/2"/M12	79.90

DIE STOCKS

- For round split dies
- Knurled handle



CLARKSON OSBORN

Die Ø"	Overall Length"	Model No.	Price /Each
13/16	6 1/2	BM619	23.20
1	9	BM620	40.60
1 15/16	11	BM623	49.30
1 1/2	13 3/4	BM621	49.30
2	21 5/8	BM622	68.20
2 1/4	24	BM625	148.00
3	31	BM624	236.00

CUTTING TOOLS

PIPE DIES

- Industrial duty
- High speed steel
- Right hand cut



NATIONAL PIPE THREAD - NPT

NPT Size	Ø"	Thickness"	Model No.	Price /Each
1/8-27	1	3/8	BM149	38.00
1/8-27	1 5/16	7/16	TBL912	198.00
1/8-27	1 1/2	1/2	BM150	61.20
1/4-18	1 5/16	7/16	TBL913	198.00
1/4-18	1 1/2	1/2	QE257	61.20
1/4-18	2	5/8	BM153	289.00
3/8-18	1 1/2	1/2	BM152	61.20
3/8-18	2	5/8	BM154	289.00
1/2-14	2	5/8	BM155	108.00
3/4-14	2	5/8	BM156	108.00
1-11.5	3	7/8	BM157	152.00
1 1/4-11.5	3	7/8	BM158	662.00
1 1/2-11.5	4	1	BM159	2069.00
2-11.5	4	1	BM160	2069.00

BRITISH STANDARD PIPE THREAD - BSPT

BSPT Size	Ø"	Thickness"	Model No.	Price /Each
1/2-14	2	5/8	TBL914	403.00
3/4-14	2	5/8	TBL915	403.00
1-11	2 1/4	11/16	TBL916	697.00
1-11	3	7/8	TBL917	922.00
1 1/4-11	3	7/8	TBL918	922.00
1 1/2-11	4	1	TBL919	2884.00
2-11	4	1	TBL920	2884.00

CLARKSON OSBORN

BRITISH STANDARD PIPE FINE - BSPF

BSPF Size	Ø"	Thickness"	Model No.	Price /Each
1/8-28	1	3/8	BM163	64.70
1/8-28	1 5/16	7/16	TBL921	97.30
1/8-28	1 1/2	1/2	BM165	150.00
1/4-19	1 5/16	7/16	BM164	97.30
1/4-19	1 1/2	1/2	BM166	116.00
1/4-19	2	5/8	TBL922	217.00
3/8-19	1 1/2	1/2	BM167	116.00
3/8-19	2	5/8	TBL923	217.00
1/2-14	2	5/8	BM168	172.00
5/8-14	2	5/8	BM169	217.00
3/4-14	2	5/8	BM170	217.00
1-11	2 1/4	11/16	TBL924	306.00
1-11	3	7/8	BM171	374.00
1 1/4-11	3	7/8	BM172	374.00

HEXAGONAL DIE NUTS

- Maintenance duty
- Carbon steel
- Right hand cut

Application:

For cutting external screw threads, either by hand, using a die stock or by machine, using a floating die holder



CLARKSON OSBORN

NATIONAL FINE - NF

NF Size	A"	Thickness"	Model No.	Price /Each
1/4-28	0.710	1/4	BM640	18.60
5/16-24	0.820	5/16	BM641	20.70
3/8-24	0.920	3/8	BM642	22.10
7/16-20	1.010	7/16	BM643	24.90
1/2-20	1.100	1/2	BM644	26.90
9/16-18	1.300	5/8	BM645	29.00
5/8-18	1.300	5/8	BM646	33.20
3/4-16	1.480	11/16	BM647	47.00
7/8-14	1.670	13/16	BM648	48.30
1-12	2.050	15/16	BM649	52.50
1 1/8-12	2.220	1 1/16	BM650	62.10
1 1/4-12	2.220	1 1/16	BM651	71.80
1 3/8-12	2.580	1 1/8	BM652	81.50
1 1/2-12	2.760	1 1/4	BM653	91.20

NATIONAL COARSE - NC

NC Size	A"	Thickness"	Model No.	Price /Each
1/4-20	0.710	1/4	BM626	18.60
5/16-18	0.820	5/16	BM627	20.70
3/8-16	0.920	3/8	BM628	22.10
7/16-14	1.010	7/16	BM629	24.90
1/2-13	1.100	1/2	BM630	26.90
9/16-12	1.300	5/8	BM631	29.00
5/8-11	1.300	5/8	BM632	33.20
3/4-10	1.480	11/16	BM633	47.00
7/8-9	1.670	13/16	BM634	48.30
1-8	2.050	15/16	BM635	52.50
1 1/8-7	2.220	1 1/16	BM636	62.10
1 1/4-7	2.220	1 1/16	BM637	71.80
1 3/8-6	2.580	1 1/8	BM638	81.50
1 1/2-6	2.760	1 1/4	BM639	91.20

The ultimate!
210-Piece Socket Set, made of chrome vanadium steel for extra strength and durability.

aurora tools[®]



Model TLV362
See page 1313

HEXAGONAL DIE NUTS

- Industrial duty
- High speed steel
- Right hand cut

Applications:

For cutting external screw threads, either by hand, using a die stock or by machine, using a floating die holder



NATIONAL FINE - NF

HSS-NF Size	A"	Thickness"	Model No.	Price /Each
1/4-28	0.710	1/4	BM671	42.80
5/16-24	0.820	5/16	BM672	49.90
3/8-24	0.920	3/8	BM673	57.90
7/16-20	1.010	7/16	BM674	73.40
1/2-20	1.100	1/2	BM675	73.40
9/16-18	1.300	5/8	BM676	90.50
5/8-18	1.300	5/8	BM677	90.50
3/4-16	1.480	11/16	BM678	109.00
7/8-14	1.670	13/16	BM679	125.00
1-12	2.050	15/16	BM680	182.00
1 1/8-12	2.220	1 1/16	BM681	237.00
1 1/4-12	2.220	1 1/16	BM682	330.00
1 3/8-12	2.580	1 1/8	BM683	375.00
1 1/2-12	2.760	1 1/4	BM684	420.00

NATIONAL COARSE - NC

HSS-NC Size	A"	Thickness"	Model No.	Price /Each
1/4-20	0.710	1/4	BM655	42.80
5/16-18	0.820	5/16	BM656	49.90
3/8-16	0.920	3/8	BM657	57.90
7/16-14	1.010	7/16	BM658	73.40
1/2-13	1.100	1/2	BM659	73.40
9/16-12	1.300	5/8	BM660	90.50
5/8-11	1.300	5/8	BM661	90.50
3/4-10	1.480	11/16	BM662	110.00
7/8-9	1.670	13/16	BM663	125.00
1-8	2.050	15/16	BM664	182.00
1 1/8-7	2.220	1 1/16	BM665	237.00
1 1/4-7	2.220	1 1/16	BM666	330.00
1 3/8-6	2.580	1 1/8	BM667	375.00
1 1/2-6	2.760	1 1/4	BM668	420.00
1 3/4-5	3.150	1 3/8	BM669	600.00
2-4.5	3.550	1 3/4	BM670	745.00

METRIC

Metric Size	A"	Thickness"	Model No.	Price /Each
M3 X 0.5	0.710	1/4	TBL925	43.30
M4 X 0.7	0.710	1/4	BM685	43.30
M5 X 0.8	0.710	1/4	TBL926	42.60
M6 X 1	0.710	1/4	BM686	40.50
M7 X 1	0.820	5/16	TBL927	46.00
M8 X 1.25	0.820	5/16	BM687	46.00
M9 X 1.25	0.920	3/8	BM688	53.60
M10 X 1.5	0.920	3/8	BM689	53.60
M11 X 1.5	1.010	7/16	BM690	75.60
M12 X 1.75	1.100	1/2	BM691	75.60

METRIC

Metric Size	A"	Thickness"	Model No.	Price /Each
M14 X 2	1.300	5/8	BM692	89.30
M16 X 2	1.300	5/8	BM693	89.30
M18 X 2.5	1.480	11/16	BM694	102.00
M20 X 2.5	1.480	11/16	BM695	102.00
M22 X 2.5	1.670	13/16	BM696	130.00
M24 X 3	2.050	15/16	BM697	206.00
M27 X 3	2.220	1 1/16	BM698	323.00
M30 X 3.5	2.220	1 1/16	BM699	323.00
M33 X 3.5	2.580	1 1/8	TBL928	436.00
M36 X 4	2.760	1 1/4	TBL929	436.00

METRIC FINE

Metric Fine Size	A"	Thickness"	Model No.	Price /Each
MF3 X 0.35	0.710	1/4	TBL930	457.00
MF4 X 0.50	0.710	1/4	TBL931	264.00
MF5 X 0.50	0.710	1/4	TBL932	68.70
MF6 X 0.75	0.710	1/4	TBL933	61.80
MF7 X 0.75	0.820	3/8	TBL934	220.00
MF8 X 1	0.820	3/8	TBL935	68.70
MF10 X 1	0.920	3/8	BM700	99.60
MF12 X 1.25	1.100	1/2	BM701	110.00
MF14 X 1.5	1.300	1/2	BM702	120.00
MF16 X 1.5	1.300	1/2	TBL936	120.00
MF18 X 1.5	1.480	1/2	TBL937	151.00
M20 X 1.5	1.480	5/8	BM703	151.00
MF22 X 1.5	1.670	5/8	BM704	165.00
MF24 X 2	2.050	5/8	TBL938	254.00
MF25 X 1.5	2.050	5/8	TBL939	254.00

BRITISH STANDARD WHITWORTH - BSW

BSW Size	A"	Thickness"	Model No.	Price /Each
1/8-40	0.710	1/4	TBL940	142.00
3/16-24	0.710	1/4	TBL941	114.00
1/4-20	0.710	1/4	TBL942	71.90
5/16-18	0.820	5/16	TBL943	85.70
3/8-16	0.920	3/8	TBL944	99.50
7/16-14	1.010	7/16	TBL945	137.00
1/2-12	1.100	1/2	TBL946	122.00
9/16-12	1.300	5/8	TBL947	151.00
5/8-11	1.300	5/8	TBL948	151.00
3/4-10	1.480	11/16	TBL949	185.00
7/8-9	1.670	13/16	TBL950	213.00
1-8	2.050	15/16	TBL951	310.00
1 1/8-7	2.220	1 1/16	TBL952	418.00
1 1/4-7	2.220	1 1/16	TBL953	512.00
1 1/2-6	2.760	1 1/4	TBL954	672.00
1 3/4-5	3.150	1 3/8	TBL955	828.00
2-4.5	3.550	1 3/4	TBL956	1024.00

BRITISH STANDARD FINE - BSW

BSF Size	A"	Thickness"	Model No.	Price /Each
1/4-26	0.710	1/4	TBL957	71.90
5/16-22	0.820	5/16	BM705	85.70
3/8-20	0.920	3/8	BM706	99.50
7/16-18	1.010	7/16	TBL958	137.00
1/2-16	1.100	1/2	TBL959	122.00
9/16-16	1.300	5/8	TBL960	151.00
5/8-14	1.300	5/8	TBL961	151.00
11/16-14	1.480	11/16	TBL962	232.00
3/4-12	1.480	11/16	TBL963	185.00
7/8-11	1.670	13/16	TBL964	213.00
1-10	2.050	15/16	TBL965	310.00
1 1/8-9	2.220	1 1/16	TBL966	418.00
1 1/4-9	2.220	1 1/16	TBL967	512.00
1 1/2-8	2.760	1 1/4	BM707	672.00
1 3/4-7	3.150	1 3/8	TBL968	821.00
2-7	3.550	1 3/4	TBL969	1024.00

CUTTING TOOLS

SPLIT CIRCULAR DIES

- Industrial duty
- High speed steel
- Right hand cut

Applications:

For cutting external screw threads, either by hand, using a die stock or by machine, using a floating die holder



CLARKSON  OSBORN

MACHINE SCREW SIZES

Machine Screw Size	Ø"	Thickness"	Model No.	Price /Each
#0-80 NF	13/16	1/4	BM084	46.40
#1-64 NC	13/16	1/4	BM075	46.40
#1-72 NF	13/16	1/4	BM085	46.40
#2-56 NC	13/16	1/4	BM076	46.40
#2-64 NF	13/16	1/4	BM086	46.40
#3-48-NC	13/16	1/4	BM077	46.40
#3-56 NF	13/16	1/4	BM087	46.40
#4-40 NC	13/16	1/4	BM078	46.40
#4-48 NF	13/16	1/4	BM088	46.40
#5-40 NC	13/16	1/4	BM079	46.40
#5-44 NF	13/16	1/4	BM089	46.40
#6-32 NC	13/16	1/4	BM080	46.40
#6-40 NF	13/16	1/4	BM090	46.40
#8-32 NC	13/16	1/4	BM081	46.40
#8-36 NF	13/16	1/4	BM091	46.40
#10-24 NC	13/16	1/4	BM082	46.40
#10-32 NF	13/16	1/4	BM092	46.40
#12-24 NC	13/16	1/4	BM083	46.40
#12-28 NF	13/16	1/4	BM093	46.40

FRACTIONAL - NATIONAL COARSE (NC)

National Coarse Size - NC	Ø"	Thickness"	Model No.	Price /Each
1/4-20	13/16	1/4	BM094	46.40
1/4-20	1	3/8	BM096	58.00
1/4-20	1 5/16	7/16	BM102	94.30
5/16-18	1	3/8	BM097	58.00
5/16-18	1 5/16	7/16	BM103	94.30
3/8-16	1	3/8	BM098	58.00
3/8-16	1 5/16	7/16	BM104	94.30
3/8-16	1 1/2	1/2	BM114	94.30
7/16-14	1 5/16	7/16	BM105	94.30
7/16-14	1 1/2	1/2	BM115	94.30
1/2-13	1 5/16	7/16	BM106	94.30
1/2-13	1 1/2	1/2	BM116	94.30
1/2-13	2	5/8	BM126	165.00
9/16-12	1 5/16	7/16	BM107	94.30
9/16-12	1 1/2	1/2	BM117	94.30
9/16-12	2	5/8	BM127	165.00
5/8-11	1 1/2	1/2	BM118	94.30
5/8-11	2	5/8	BM128	165.00
3/4-10	1 1/2	1/2	BM119	94.30
3/4-10	2	5/8	BM129	165.00
7/8-9	2	5/8	TBL975	165.00
1-8	2	5/8	BM131	165.00
1-8	3	7/8	BM139	293.00
1 1/8-7	3	7/8	BM140	293.00
1 1/4-7	3	7/8	BM141	293.00
1 3/8-6	3	7/8	BM142	293.00
1 1/2-6	3	7/8	BM143	293.00

FRACTIONAL - NATIONAL FINE (NF)

National Fine Size - NF	Ø"	Thickness"	Model No.	Price /Each
1/4-28	13/16	1/4	BM095	46.40
1/4-28	1	3/8	BM099	58.00
1/4-28	1 5/16	7/16	BM108	94.30
5/16-24	1	3/8	BM100	58.00
5/16-24	1 5/16	7/16	BM109	94.30
3/8-24	1	3/8	BM101	58.00
3/8-24	1 5/16	7/16	BM110	94.30
3/8-24	1 1/2	1/2	BM120	94.30
7/16-20	1 5/16	7/16	BM111	94.30
7/16-20	1 1/2	1/2	BM121	94.30
1/2-20	1 5/16	7/16	BM112	94.30
1/2-20	1 1/2	1/2	BM122	94.30
1/2-20	2	5/8	BM132	165.00
9/16-18	1 5/16	7/16	BM113	94.30
9/16-18	1 1/2	1/2	BM123	94.30
9/16-18	2	5/8	BM133	165.00
5/8-18	1 1/2	1/2	BM124	94.30
5/8-18	2	5/8	BM134	165.00
3/4-16	1 1/2	1/2	BM125	94.30
3/4-16	2	5/8	BM135	165.00
7/8-14	2	5/8	BM136	165.00
1-12	2	5/8	BM137	165.00
1-12	3	7/8	BM144	293.00
1 1/8-12	3	7/8	BM145	293.00
1 1/4-12	3	7/8	BM146	293.00
1 3/8-12	3	7/8	BM147	293.00
1 1/2-12	3	7/8	BM148	293.00

METRIC SIZES

Metric Size	Ø"	Thickness"	Model No.	Price /Each
M1.4X0.30	13/16	1/4	TBL976	41.30
M1.6X0.35	13/16	1/4	BM523	41.30
M1.8X0.35	13/16	1/4	BM523	41.30
M2.0X0.40	13/16	1/4	BM524	41.30
M2.2X0.45	13/16	1/4	BM525	41.30
M2.5X0.45	13/16	1/4	BM526	41.30
M3.0X0.5	13/16	1/4	BM527	41.30
M3.5X0.6	13/16	1/4	BM528	41.30
M4.0X0.7	13/16	1/4	BM529	41.30
M4.0X0.7	1	3/8	BM537	51.50
M4.5X0.75	13/16	1/4	TBL977	41.30
M5.0X0.8	13/16	1/4	BM531	41.30
M5X0.8	1	3/8	BM538	51.50
M6 X1	13/16	1/4	TBL978	41.30
M6X1	1	3/8	BM539	51.50
M6 X1	1 5/16	7/16	BM547	82.70
M7 X1	13/16	1/4	BM533	41.30
M7 X1	1	3/8	BM540	51.50
M7 X1	1 5/16	7/16	BM548	82.70
M8 X1.25	1	3/8	BM534	51.50
M8 X1.25	1 5/16	7/16	BM541	82.70
M9 X1.25	1	3/8	BM535	51.50
M9 X1.25	1 5/16	7/16	BM542	82.70
M10 X1.5	1	3/8	BM536	51.50

Metric Size	Ø"	Thickness"	Model No.	Price /Each
M10X1.5	1 5/16	7/16	BM543	82.70
M10X1.5	1 1/2	1/2	BM549	82.70
M11 X1.5	1 5/16	7/16	BM544	82.70
M11 X1.5	1 1/2	1/2	BM550	82.70
M12 X1.75	1 5/16	7/16	BM545	82.70
M12 X1.75	1 1/2	1/2	BM551	82.70
M12 X1.75	2	5/8	BM556	131.00
M14 X2	1 5/16	7/16	BM546	82.70
M14 X2	1 1/2	1/2	BM552	82.70
M14 X2	2	5/8	BM557	131.00
M16 X2	1 1/2	1/2	BM553	82.70
M16 X2	2	5/8	BM558	131.00
M18 X2.5	1 1/2	1/2	BM554	82.70
M18 X2.5	2	5/8	BM559	131.00
M20 X2.5	1 1/2	1/2	BM555	82.70
M20 X2.5	2	5/8	BM560	131.00
M22 X2.5	2	5/8	BM561	131.00
M24 X3	2	5/8	BM562	131.00
M27 X3	3	7/8	BM563	262.00
M30 X3.5	3	7/8	BM564	262.00
M33 X3.5	3	7/8	TBL979	262.00
M36 X4	3	7/8	BM565	262.00
M39 X4	3	7/8	BM566	262.00

METRIC FINE SIZES

Metric Fine Size	Ø"	Thickness"	Model No.	Price /Each
MF3 X0.35	13/16	1/4	BM567	78.40
MF4 X0.5	13/16	1/4	BM568	78.40
MF5 X0.5	13/16	1/4	BM569	78.40
MF6 X0.75	13/16	1/4	BM570	78.40
MF8 X1	1	3/8	BM580	89.30
MF10 X1	1	3/8	TBL980	89.30
MF10 X1.25	1	3/8	TBL981	89.30
MF12 X1.25	1 5/16	7/16	BM572	135.00
MF14 X1.5	1 5/16	7/16	BM573	135.00

Metric Fine Size	Ø"	Thickness"	Model No.	Price /Each
MF16 X1.5	1 1/2	1/2	BM574	166.00
MF18 X1.5	1 1/2	1/2	BM575	166.00
MF20 X1.5	2	5/8	BM576	250.00
MF22 X1.5	2	5/8	BM577	250.00
MF24 X2	2	5/8	BM578	250.00
MF25 X1.5	2	5/8	BM579	250.00
MF27 X2	3	7/8	TBL982	523.00
MF30 X2	3	7/8	TBL983	523.00
MF32 X1.5	3	7/8	TBL984	523.00

HAND REAMERS

- High speed steel
- Right hand cutting direction
- Spiral flute
- Straight shank
- Ground starting taper on cutting end for easy entry

Applications:

Hand reamers are designed for extreme accuracy and are used by hand for final sizing of drilled holes. The square shank end fits in a tap wrench.

CLARKSON OSBORN



FRACTIONAL SIZES

Fractional Size	Decimal Equiv."	L2mm	L1mm	Model No.	Price /Each
1/16	0.0625	21.0	44.0	BK453	67.00
3/32	0.0938	29.0	58.0	BK454	50.00
1/8	0.1250	33.0	66.0	BK455	37.80
9/64	0.1406	35.0	71.0	BK456	44.50
5/32	0.1562	38.0	76.0	BK457	41.10
11/64	0.1719	41.0	81.0	BK458	44.90
3/16	0.1875	44.0	87.0	BK459	41.50
13/64	0.2031	44.0	87.0	BK460	47.90
7/32	0.2188	48.0	93.0	BK461	44.10
15/64	0.2344	48.0	93.0	TBM143	48.40
1/4	0.2500	50.0	100.0	BK462	42.40
17/64	0.2656	54.0	107.0	BK463	51.70
9/32	0.2812	54.0	107.0	BK464	49.10
19/64	0.2969	58.0	115.0	BK465	55.50
5/16	0.3125	58.0	115.0	BK466	49.10
21/64	0.3281	58.0	115.0	BK467	58.00
11/32	0.3438	62.0	124.0	BK468	61.00

Fractional Size	Decimal Equiv."	L2mm	L1mm	Model No.	Price /Each
23/64	0.3594	62.0	124.0	BK469	70.40
3/8	0.3750	66.0	133.0	BK470	56.80
25/64	0.3906	66.0	133.0	BK471	71.20
13/32	0.4062	66.0	133.0	BK472	68.20
27/64	0.4219	71.0	142.0	BK473	76.70
7/16	0.4375	71.0	142.0	BK474	67.40
29/64	0.4531	71.0	142.0	BK475	84.80
15/32	0.4688	76.0	152.0	BK476	73.30
31/64	0.4844	76.0	152.0	BK477	93.30
1/2	0.5000	76.0	152.0	BK478	65.30
17/32	0.5312	81.0	163.0	BK479	87.80
9/16	0.5625	81.0	163.0	BK480	82.70
19/32	0.5938	87.0	175.0	BK481	110.00
5/8	0.6250	87.0	175.0	BK482	83.50
21/32	0.6562	87.0	175.0	BK483	125.00
11/16	0.6875	93.0	188.0	BK484	109.00
23/32	0.7188	93.0	188.0	BK485	142.00
3/4	0.7500	100.0	201.0	BK486	114.00

Fractional Size	Decimal Equiv."	L2mm	L1mm	Model No.	Price /Each
25/32	0.7813	100.0	201.0	BK487	208.00
13/16	0.8125	100.0	201.0	BK488	133.00
27/32	0.8438	107.0	215.0	BK489	220.00
7/8	0.8750	107.0	215.0	BK490	143.00
29/32	0.9062	107.0	215.0	BK491	220.00
15/16	0.9375	115.0	231.0	BK492	200.00
31/32	0.9688	115.0	231.0	BK493	265.00
1	1.0000	115.0	231.0	BK494	210.00
1 1/16	1.0625	124.0	247.0	BK495	242.00
1 1/8	1.1250	124.0	247.0	BK496	235.00
1 1/4	1.2500	133.0	265.0	BK497	286.00
1 3/8	1.3750	142.0	284.0	BK498	348.00
1 1/2	1.5000	152.0	305.0	BK499	420.00
1 5/8	1.6250	152.0	305.0	BK500	475.00
1 3/4	1.7500	163.0	326.0	BK501	615.00
1 7/8	1.8750	174.0	347.0	TBM144	734.00
2	2.0000	174.0	347.0	BK502	762.00

METRIC SIZES

Metric Size	Decimal Equiv."	L2mm	L1mm	Model No.	Price /Each
2.00	0.0787	25.0	50.0	BK503	55.50
2.50	0.0984	29.0	58.0	BK504	50.00
3.00	0.1181	31.0	62.0	BK505	43.20
3.50	0.1378	35.0	71.0	BK506	37.80
4.00	0.1575	38.0	76.0	BK507	38.20
4.50	0.1772	41.0	81.0	BK508	42.00
5.00	0.1969	44.0	87.0	BK509	40.30
5.50	0.2165	48.0	93.0	BK510	47.10
6.00	0.2362	48.0	93.0	BK511	42.40
6.50	0.2559	50.0	100.0	BK512	47.10
7.00	0.2756	54.0	107.0	BK513	44.10
7.50	0.2953	58.0	115.0	BK514	49.10
8.00	0.3150	58.0	115.0	BK515	49.10
8.50	0.3346	58.0	115.0	BK516	53.00
9.00	0.3543	62.0	124.0	BK517	57.20
9.50	0.3740	62.0	124.0	BK518	62.70

Metric Size	Decimal Equiv."	L2mm	L1mm	Model No.	Price /Each
10.00	0.3937	66.0	133.0	BK519	56.80
10.50	0.4134	66.0	133.0	BK520	66.10
11.00	0.4331	71.0	142.0	BK521	66.10
11.50	0.4528	71.0	142.0	BK522	70.80
12.00	0.4724	76.0	152.0	BK523	64.00
12.50	0.4921	76.0	152.0	BK524	72.50
13.00	0.5118	76.0	152.0	BK525	66.60
13.50	0.5315	81.0	163.0	BK526	86.00
14.00	0.5512	81.0	163.0	BK527	82.70
15.00	0.5906	81.0	163.0	BK528	90.30
16.00	0.6299	87.0	175.0	BK529	88.60
17.00	0.6693	87.0	175.0	BK530	101.00
18.00	0.7087	93.0	188.0	BK531	101.00
19.00	0.7480	93.0	188.0	BK532	114.00
20.00	0.7874	100.0	201.0	BK533	117.00
21.00	0.8268	100.0	201.0	BK534	138.00

Metric Size	Decimal Equiv."	L2mm	L1mm	Model No.	Price /Each
22.00	0.8661	107.0	215.0	BK535	148.00
23.00	0.9055	107.0	215.0	BK536	161.00
24.00	0.9449	115.0	231.0	BK537	187.00
25.00	0.9843	115.0	231.0	BK538	210.00
26.00	1.0236	115.0	231.0	BK539	220.00
27.00	1.0630	124.0	247.0	BK540	233.00
28.00	1.1024	124.0	247.0	BK541	231.00
30.00	1.1811	124.0	247.0	BK542	273.00
32.00	1.2598	133.0	265.0	BK543	295.00
33.00	1.2992	133.0	265.0	BK544	342.00
34.00	1.3386	142.0	284.0	BK545	345.00
35.00	1.3780	142.0	284.0	BK546	384.00
36.00	1.4173	142.0	284.0	BK547	377.00
38.00	1.4961	152.0	305.0	BK548	424.00
40.00	1.5748	152.0	305.0	BK549	486.00

STRAIGHT SHANK ALIGNING REAMERS

- Right hand cut
- High speed steel
- Straight shank
- Spiral flute

Applications:

Aligning Reamers are designed for aligning holes in structural steel fabrication for bridgework, ship construction, automotive maintenance, and railroad car manufacturing. Their shorter length makes for easier work in tight areas. Can be used in any 1/2" 3 jaw power tool.



FRACTIONAL SIZES

Fractional Size	Decimal Equiv."	L2mm	L1mm	Model No.	Price /Each
1/4	0.2500	2.5	4.375	TC0036	84.00
5/16	0.3125	2.75	4.625	TC0037	84.00
3/8	0.3750	2.75	4.625	TC0038	84.00
7/16	0.4375	3.5	5.375	TC0039	87.10
1/2	0.5000	4.0	5.875	TC0040	87.10
9/16	0.5625	4.0	5.875	TC0041	97.00
39/64	0.6094	4.5	6.375	TC0042	109.00
5/8	0.6250	4.5	6.375	TC0043	101.00

Fractional Size	Decimal Equiv."	L2mm	L1mm	Model No.	Price /Each
11/16	0.6875	4.5	6.375	TC0044	112.00
3/4	0.7500	5.0	6.875	TC0045	134.00
13/16	0.8125	5.0	6.875	TC0046	136.00
7/8	0.8750	5.0	6.875	TC0047	145.00
15/16	0.9375	5.0	6.875	TC0048	152.00
1	1.0	5.0	6.875	TC0049	178.00
11/16	1.0625	5.0	6.875	TC0050	208.00

CUTTING TOOLS

TAPER PIN REAMERS

- Right hand cut
- High speed steel
- Straight shank
- Straight flute

Application:

Taper Pin Reamers are manufactured with a taper of 1/4" per foot. They are used to ream holes into which standard taper pins will fit. The point of each reamer will enter hole reamed by next smaller size. Hole to be reamed should be a few thousandths smaller than the small diameter of the finished reamed hole.

Fractional Size	D1"	D2"	L2"	L1"	Model No.	Price /Each
5/64	0.0592	0.0800	1	2	TBM090	69.50
3/32	0.0690	0.0950	1 1/4	2 1/4	TBM091	57.20
7/64	0.0798	0.1110	1 1/2	2 1/2	TBM092	61.00
1/8	0.0905	0.1270	1 3/4	2 3/4	BK404	47.50
9/64	0.1039	0.1430	1 7/8	2 7/8	TBM093	60.20
5/32	0.1163	0.1580	2	3	BK405	54.50
11/64	0.1271	0.1740	2 1/4	3 1/2	BK406	58.90
3/16	0.1377	0.1950	2 3/4	4	BK407	57.40
7/32	0.1627	0.2200	2 3/4	4	BK408	61.40
1/4	0.1827	0.2530	3 3/8	4 5/8	BK409	59.70


METRIC SIZES

mm	D1mm	D2mm	L2mm	L1mm	Model No.	Price /Each
2.0	1.90	2.86	48.0	68.0	BK440	47.00
2.5	2.40	3.36	48.0	68.0	BK441	48.40
3.0	2.90	4.06	58.0	80.0	BK442	49.60
4.0	3.90	5.26	68.0	93.0	BK443	55.50
5.0	4.90	6.36	73.0	100.0	BK444	59.70
6.0	5.90	8.00	105.0	135.0	BK445	69.50
8.0	7.90	10.80	145.0	180.0	BK446	88.10

NUMBER SIZES

Number Size	D1"	D2"	L2"	L1"	Model No.	Price /Each
7/0	0.0497	0.0666	13/16	1 13/16	TBM095	38.20
6/0	0.0611	0.0806	15/16	1 15/16	BK423	38.20
5/0	0.0719	0.0966	1 3/16	2 3/16	BK422	34.90
4/0	0.0869	0.1142	1 5/16	2 5/16	BK421	34.90
3/0	0.1029	0.1302	1 5/16	2 5/16	BK420	34.90
2/0	0.1137	0.1462	1 9/16	2 9/16	BK419	31.20
0.0	0.1287	0.1638	1 11/16	2 15/16	BK424	29.90
1	0.1447	0.1798	1 11/16	2 15/16	BK425	29.10
2	0.1605	0.2008	1 15/16	3 3/16	BK426	29.10
3	0.1813	0.2294	2 5/16	3 11/16	BK427	29.10
4	0.2071	0.2604	2 9/16	4 1/16	BK428	32.40
5	0.2409	0.2994	2 13/16	4 5/16	BK429	34.90
6	0.2773	0.3540	3 11/16	5 7/16	BK430	42.10
7	0.3297	0.4220	4 7/16	6 5/16	BK431	54.20
8	0.3971	0.5050	5 3/16	7 3/16	BK432	69.30
9	0.4805	0.6066	6 1/16	8 5/16	BK433	84.90
10	0.5799	0.7216	6 13/16	9 5/16	BK434	115.00
11	0.7060	0.8780	8 1/4	11 1/4	BK435	228.00
12	0.8420	1.0500	10	13 5/8	BK436	326.00
13	1.0090	1.2590	12	16	BK437	485.00
14	1.2500	1.5420	14	18 1/4	BK438	613.00

CLARKSON OSBORN



Fractional Size	D1"	D2"	L2"	L1"	Model No.	Price /Each
9/32	0.2061	0.2920	4 1/8	5 5/8	BK410	70.20
5/16	0.2301	0.3160	4 1/8	5 5/8	BK411	73.30
11/32	0.2533	0.3470	4 1/2	6	BK412	73.10
3/8	0.2768	0.3810	5	6 1/2	BK413	81.40
13/32	0.2922	0.4120	5 3/4	7 1/2	TBM094	95.80
7/16	0.3232	0.4430	5 3/4	7 1/2	BK414	99.20
1/2	0.3706	0.5060	6 1/2	8 1/4	BK415	139.00
9/16	0.4304	0.5710	6 3/4	8 1/2	BK416	210.00
5/8	0.4768	0.6330	7 1/2	9 1/4	BK417	237.00
3/4	0.5777	0.7600	8 3/4	10 3/4	BK418	280.00

mm	D1mm	D2mm	L2mm	L1mm	Model No.	Price /Each
10.0	9.90	13.40	175.0	215.0	BK447	113.00
12.0	11.80	16.00	194.0	240.0	BK448	130.00
13.0	12.86	16.74	194.0	240.0	BK449	158.00
14.0	13.86	17.76	194.0	240.0	BK450	216.00
16.0	15.80	20.40	230.0	280.0	BK451	263.00
20.0	19.80	24.80	230.0	310.0	BK452	360.00

Fractional Size	D1"	L2"	L1"	Shank Diameter	Model No.	Price /Each
1/4	0.2500	2 1/2	4 3/8	1/4	TC0036	84.00
5/16	0.3125	2 3/4	4 5/8	5/16	TC0037	84.00
3/8	0.3750	2 3/4	4 5/8	3/8	TC0038	84.00
7/16	0.4375	3 1/2	5 3/8	7/16	TC0039	87.10
1/2	0.5000	4	5 7/8	1/2	TC0040	87.10
9/16	0.5625	4	5 7/8	1/2	TC0041	97.00
39/64	0.6094	4 1/2	6 3/8	1/2	TC0042	109.00
5/8	0.6250	4 1/2	6 3/8	1/2	TC0043	101.00
11/16	0.6875	4 1/2	6 3/8	1/2	TC0044	112.00
3/4	0.7500	5	6 7/8	1/2	TC0045	134.00
13/16	0.8125	5	6 7/8	1/2	TC0046	136.00
7/8	0.8750	5	6 7/8	1/2	TC0047	145.00
15/16	0.9375	5	6 7/8	1/2	TC0048	152.00
1	1	5	6 7/8	1/2	TC0049	178.00
1 1/16	1.0625	5	6 7/8	1/2	TC0050	208.00

Fractional Size	D1"	L2"	L1"	Hex Diameter	Model No.	Price /Each
11/16	0.6875	4 1/2	6 1/2	1 1/16	TC0051	133.00
13/16	0.8125	5	7	1 1/4	TC0052	162.00
15/16	0.9375	5	7	1 7/16	TC0053	180.00
1 1/16	1.0625	5	7	1 5/8	TC0054	242.00





ZENITH
Safety Products



**Rain or shine ...
for affordable quality
safety products, ZENITH
is your ideal choice!**




CHUCKING REAMERS - HIGH SPEED STEEL

- Right hand cut
- High speed steel
- Straight shank
- Straight flute

Application:

Straight Flute Chucking Reamers are designed for general purpose reaming. Ground with 45° chamfer.



FRACTIONAL SIZES

Fractional Size	Decimal Equiv."	L2"	L1"	Model No.	Price /Each
3/64	0.0469	1/2	2 1/2	BK156	37.10
1/16	0.0625	1/2	2 1/2	BK157	33.30
5/64	0.0781	3/4	3	BK158	29.90
3/32	0.0938	3/4	3	BK159	27.40
7/64	0.1094	7/8	3 1/2	BK160	31.10
1/8	0.1250	7/8	3 1/2	BK161	14.90
9/64	0.1406	1	4	BK162	23.00
5/32	0.1562	1	4	BK163	20.90
11/64	0.1719	1 1/8	4 1/2	BK164	23.00
3/16	0.1875	1 1/8	4 1/2	BK165	20.90
13/64	0.2031	1 1/4	5	BK166	27.80
7/32	0.2188	1 1/4	5	BK167	26.90
15/64	0.2344	1 1/2	6	BK168	27.80
1/4	0.2500	1 1/2	6	BK169	24.30
17/64	0.2656	1 1/2	6	BK170	31.00
9/32	0.2812	1 1/2	6	BK171	31.00
19/64	0.2969	1 1/2	6	BK172	32.70
5/16	0.3125	1 1/2	6	BK173	28.90
21/64	0.3281	1 1/2	6	BK174	35.40
11/32	0.3438	1 1/2	6	BK175	35.40
23/64	0.3594	1 3/4	7	BK176	35.40
3/8	0.3750	1 3/4	7	BK177	31.00
25/64	0.3906	1 3/4	7	BK178	36.60
13/32	0.4062	1 3/4	7	BK179	38.00
27/64	0.4219	1 3/4	7	BK180	40.20
7/16	0.4375	1 3/4	7	BK181	36.60
29/64	0.4531	1 3/4	7	BK182	44.80

Fractional Size	Decimal Equiv."	L2"	L1"	Model No.	Price /Each
15/32	0.4688	1 3/4	7	BK183	43.50
31/64	0.4844	2	8	BK184	44.80
1/2	0.5000	2	8	BK185	40.20
17/32	0.5313	2	8	BK186	47.80
9/16	0.5625	2	8	BK187	46.80
19/32	0.5938	2	8	BK188	54.50
5/8	0.6250	2 1/4	9	BK189	54.50
21/32	0.6563	2 1/4	9	BK190	54.50
11/16	0.6875	2 1/4	9	BK191	62.00
23/32	0.7188	2 1/4	9	BK192	71.90
3/4	0.7500	2 1/2	9 1/2	BK193	69.00
25/32	0.7813	2 1/2	9 1/2	BK194	80.60
13/16	0.8125	2 1/2	9 1/2	BK195	80.60
27/32	0.8438	2 1/2	9 1/2	BK196	91.40
7/8	0.8750	2 5/8	10	BK197	89.30
29/32	0.9063	2 5/8	10	BK198	101.00
15/16	0.9375	2 5/8	10	BK199	101.00
31/32	0.9688	2 5/8	10	BK200	113.00
1	1.0000	2 3/4	10 1/2	BK201	111.00
1 1/16	1.0625	2 3/4	10 1/2	BK202	127.00
1 1/8	1.1250	2 7/8	11	BK203	136.00
1 3/16	1.1875	2 7/8	11	BK204	153.00
1 1/4	1.2500	3	11 1/2	BK205	167.00
1 5/16	1.3125	3	11 1/2	BK206	184.00
1 3/8	1.3750	3 1/4	12	BK207	202.00
1 7/16	1.4375	3 1/4	12	BK208	220.00
1 1/2	1.5000	3 1/2	12 1/2	BK209	237.00

WIRE GAUGE SIZES

Wire No.	Decimal Equiv."	L2"	L1"	Model No.	Price /Each
60	0.0400	1/2	2 1/2	BK269	30.60
59	0.0410	1/2	2 1/2	BK268	30.60
58	0.0420	1/2	2 1/2	BK267	30.60
57	0.0430	1/2	2 1/2	BK266	30.60
56	0.0465	1/2	2 1/2	BK265	30.60
55	0.0520	1/2	2 1/2	BK264	30.60
54	0.0550	1/2	2 1/2	BK263	30.60
53	0.0595	1/2	2 1/2	BK262	30.60
52	0.0635	1/2	2 1/2	BK261	28.50
51	0.0670	3/4	3	BK260	24.70
50	0.0700	3/4	3	BK259	24.70
49	0.0730	3/4	3	BK258	24.70
48	0.0760	3/4	3	BK257	24.70
47	0.0785	3/4	3	BK256	24.70
46	0.0810	3/4	3	BK255	24.70
45	0.0820	3/4	3	BK254	24.70
44	0.0860	3/4	3	BK253	24.70
43	0.0890	3/4	3	BK252	24.70
42	0.0935	3/4	3	BK251	24.70
41	0.0960	7/8	3 1/2	BK250	24.70
40	0.0980	7/8	3 1/2	BK249	23.70
39	0.0995	7/8	3 1/2	BK248	23.70
38	0.1015	7/8	3 1/2	BK247	23.70
37	0.1040	7/8	3 1/2	BK246	23.70
36	0.1065	7/8	3 1/2	BK245	23.70
35	0.1100	7/8	3 1/2	BK244	23.70
34	0.1110	7/8	3 1/2	BK243	23.70
33	0.1130	7/8	3 1/2	BK242	22.50
32	0.1160	7/8	3 1/2	BK241	22.50
31	0.1200	7/8	3 1/2	BK240	22.50

Wire No.	Decimal Equiv."	L2"	L1"	Model No.	Price /Each
30	0.1285	7/8	3 1/2	BK239	21.80
29	0.1360	1	4	BK238	21.80
28	0.1405	1	4	BK237	21.80
27	0.1440	1	4	BK236	21.80
26	0.1470	1	4	BK235	21.80
25	0.1495	1	4	BK234	21.80
24	0.1520	1	4	BK233	21.80
23	0.1540	1	4	BK232	21.80
22	0.1570	1	4	BK231	21.80
21	0.1590	1 1/8	4 1/2	BK230	21.80
20	0.1610	1 1/8	4 1/2	BK229	21.80
19	0.1660	1 1/8	4 1/2	BK228	21.80
18	0.1695	1 1/8	4 1/2	BK227	21.80
17	0.1730	1 1/8	4 1/2	BK226	23.50
16	0.1770	1 1/8	4 1/2	BK225	23.50
15	0.1800	1 1/8	4 1/2	BK224	25.70
14	0.1820	1 1/8	4 1/2	BK223	25.70
13	0.1850	1 1/8	4 1/2	BK222	25.70
12	0.1890	1 1/8	4 1/2	BK221	25.70
11	0.1910	1 1/4	5	BK220	26.80
10	0.1935	1 1/4	5	BK219	27.60
9	0.1960	1 1/4	5	BK218	27.60
8	0.1990	1 1/4	5	BK217	27.60
7	0.2010	1 1/4	5	BK216	27.60
6	0.2040	1 1/4	5	BK215	27.60
5	0.2055	1 1/4	5	BK214	27.60
4	0.2090	1 1/4	5	BK213	27.60
3	0.2130	1 1/4	5	BK212	27.60
2	0.2210	1 1/4	5	BK211	27.60
1	0.2280	1 1/4	5	BK210	27.60

CUTTING TOOLS


CHUCKING REAMERS - HIGH SPEED STEEL (CONT'D)

- Right hand cut
- High speed steel
- Morse Taper shank
- Spiral flute

Application:

Machine reamers are designed for use on a machine equipped with a Morse taper spindle.

CLARKSON  **OSBORN**



FRACTIONAL SIZES

Fractional Size"	Morse Taper Shank Size	Decimal Equiv."	L2mm	L1mm	Model No.	Price /Each
1/8	MT1	0.1250	33.0	106.0	BK550	50.50
9/64	MT1	0.1406	35.0	108.0	TBM147	64.00
5/32	MT1	0.1562	38.0	112.0	TBM148	61.00
11/64	MT1	0.1719	41.0	115.0	TBM150	70.80
3/16	MT1	0.1875	44.0	118.0	BK551	56.80
13/64	MT1	0.2031	44.0	118.0	TBM152	64.00
7/32	MT1	0.2188	48.0	125.0	BK552	62.70
15/64	MT1	0.2344	48.0	125.0	TBM154	71.20
1/4	MT1	0.2500	50.0	130.0	BK553	56.80
17/64	MT1	0.2656	54.0	134.0	TBM156	72.00
9/32	MT1	0.2813	54.0	134.0	TBM157	64.90
19/64	MT1	0.2969	58.0	138.0	TBM159	70.40
5/16	MT1	0.3125	58.0	138.0	BK554	59.70
21/64	MT1	0.3281	58.0	138.0	TBM160	72.90
11/32	MT1	0.3438	62.0	141.0	BK555	64.00
23/64	MT1	0.3594	62.0	141.0	TBM161	73.70
3/8	MT1	0.3750	67.0	146.0	BK556	59.30
25/64	MT1	0.3906	67.0	146.0	BK557	74.10
13/32	MT1	0.4063	67.0	146.0	BK558	69.50
27/64	MT1	0.4219	71.0	151.0	BK559	77.10
7/16	MT1	0.4375	71.0	151.0	BK560	63.50
29/64	MT1	0.4531	71.0	151.0	TBM163	77.60
15/32	MT1	0.4688	76.0	156.0	TBM164	70.80
31/64	MT1	0.4844	76.0	156.0	TBM165	80.10
1/2	MT1	0.5000	76.0	156.0	BK561	64.00
17/32	MT1	0.5313	81.0	160.0	BK562	75.90

Fractional Size"	Morse Taper Shank Size	Decimal Equiv."	L2mm	L1mm	Model No.	Price /Each
9/16	MT2	0.5625	81.0	181.0	BK563	79.20
19/32	MT2	0.5938	87.0	187.0	TBM166	93.70
5/8	MT2	0.6250	87.0	187.0	BK564	83.90
21/32	MT2	0.6563	87.0	187.0	TBM167	109.00
11/16	MT2	0.6875	94.0	194.0	BK565	100.00
23/32	MT2	0.7188	94.0	194.0	BK566	119.00
3/4	MT2	0.7500	100.0	200.0	BK567	113.00
25/32	MT2	0.7813	100.0	200.0	TBM168	131.00
13/16	MT2	0.8125	100.0	200.0	BK568	120.00
27/32	MT2	0.8438	106.0	206.0	TBM169	147.00
7/8	MT2	0.8750	106.0	206.0	BK569	132.00
15/16	MT3	0.9375	114.0	241.0	BK570	201.00
31/32	MT3	0.9688	114.0	241.0	TBM170	233.00
1	MT3	1.0000	114.0	241.0	BK571	214.00
1 1/16	MT3	1.0625	124.0	251.0	BK572	252.00
1 1/8	MT3	1.1250	124.0	251.0	BK573	248.00
1 1/4	MT3	1.2500	133.0	260.0	BK574	322.00
1 3/8	MT4	1.3750	142.0	303.0	BK575	381.00
1 1/2	MT4	1.5000	152.0	312.0	BK576	475.00
1 5/8	MT4	1.6250	152.0	312.0	BK577	576.00
1 3/4	MT4	1.7500	163.0	323.0	BK578	674.00
1 7/8	MT4	1.8750	175.0	334.0	BK579	856.00
2	MT4	2.0000	175.0	334.0	BK580	852.00

METRIC SIZES

Metric Size mm	Morse Taper Shank Size	Decimal Equiv."	L2mm	L1mm	Model No.	Price /Each
3.00	MT1	0.1181	31.0	104.0	TBM145	50.90
3.50	MT1	0.1378	35.0	108.0	TBM146	64.00
4.00	MT1	0.1575	38.0	112.0	TBM149	51.70
4.50	MT1	0.1772	41.0	115.0	TBM151	60.20
5.00	MT1	0.1969	44.0	118.0	BK581	54.30
5.50	MT1	0.2165	48.0	125.0	TBM153	61.40
6.00	MT1	0.2362	48.0	125.0	BK582	55.50
6.50	MT1	0.2559	50.0	130.0	TBM155	63.60
7.00	MT1	0.2756	54.0	134.0	BK583	58.00
7.50	MT1	0.2953	54.0	134.0	TBM158	65.30
8.00	MT1	0.3150	58.0	138.0	BK584	58.00
8.50	MT1	0.3346	58.0	138.0	BK585	64.00
9.00	MT1	0.3543	62.0	141.0	BK586	58.50
9.50	MT1	0.3740	62.0	141.0	TBM162	72.90
10.00	MT1	0.3937	67.0	146.0	BK587	59.30
10.50	MT1	0.4134	67.0	146.0	BK588	69.50
11.00	MT1	0.4331	71.0	151.0	BK589	61.40
11.50	MT1	0.4528	71.0	151.0	BK590	70.80
12.00	MT1	0.4724	76.0	156.0	BK591	63.50
12.50	MT1	0.4921	76.0	156.0	BK592	71.20
13.00	MT1	0.5118	76.0	156.0	BK593	64.00
14.00	MT1	0.5512	81.0	160.0	BK594	71.60
15.00	MT2	0.5906	81.0	181.0	BK595	79.20
16.00	MT2	0.6299	87.0	187.0	BK596	87.80
17.00	MT2	0.6693	87.0	187.0	BK597	96.20

Metric Size mm	Morse Taper Shank Size	Decimal Equiv."	L2mm	L1mm	Model No.	Price /Each
18.00	MT2	0.7087	94.0	194.0	BK598	100.00
19.00	MT2	0.7480	94.0	194.0	BK599	113.00
20.00	MT2	0.7874	100.0	200.0	BK600	125.00
21.00	MT2	0.8268	100.0	200.0	BK601	133.00
22.00	MT2	0.8661	106.0	206.0	BK602	140.00
23.00	MT2	0.9055	106.0	206.0	BK603	143.00
24.00	MT3	0.9449	114.0	241.0	BK604	211.00
25.00	MT3	0.9843	114.0	241.0	BK605	212.00
26.00	MT3	1.0236	114.0	241.0	BK606	220.00
27.00	MT3	1.0630	124.0	251.0	BK607	244.00
28.00	MT3	1.1024	124.0	251.0	BK608	254.00
30.00	MT3	1.1811	124.0	251.0	BK609	271.00
32.00	MT4	1.2598	133.0	294.0	BK610	367.00
33.00	MT4	1.2992	133.0	294.0	TBM171	415.00
34.00	MT4	1.3386	142.0	303.0	BK611	424.00
35.00	MT4	1.3780	142.0	303.0	TBM172	451.00
36.00	MT4	1.4173	142.0	303.0	BK612	487.00
38.00	MT4	1.4961	152.0	312.0	BK613	526.00
40.00	MT4	1.5748	152.0	312.0	BK614	576.00
42.00	MT4	1.6535	152.0	312.0	BK615	648.00
44.00	MT4	1.7323	163.0	323.0	BK616	805.00
45.00	MT4	1.7717	163.0	323.0	BK617	764.00
46.00	MT4	1.8110	163.0	323.0	TBM173	860.00
48.00	MT4	1.8898	175.0	334.0	BK618	911.00
50.00	MT4	1.9685	175.0	334.0	TBM174	888.00

CHUCKING REAMERS (CONT'D)

LETTER GAUGE SIZES

Letter Size	Decimal Equiv.,"	L2"	L1"	Model No.	Price /Each
A	0.2340	1 1/2	6	BK270	29.60
B	0.2380	1 1/2	6	BK271	29.60
C	0.2420	1 1/2	6	BK272	29.60
D	0.2460	1 1/2	6	BK273	29.60
E	0.2500	1 1/2	6	BK169	24.30
F	0.2570	1 1/2	6	BK274	29.60
G	0.2610	1 1/2	6	BK275	31.60
H	0.2660	1 1/2	6	BK276	33.30
I	0.2720	1 1/2	6	BK277	33.30
J	0.2770	1 1/2	6	BK278	33.30
K	0.2810	1 1/2	6	BK279	33.30
L	0.2900	1 1/2	6	BK280	33.30
M	0.2950	1 1/2	6	BK281	33.30

Letter Size	Decimal Equiv.,"	L2"	L1"	Model No.	Price /Each
N	0.3020	1 1/2	6	BK282	33.30
O	0.3160	1 1/2	6	BK283	34.60
P	0.3230	1 1/2	6	BK284	35.50
Q	0.3320	1 1/2	6	BK285	35.50
R	0.3390	1 1/2	6	BK286	35.50
S	0.3480	1 3/4	7	BK287	35.50
T	0.3580	1 3/4	7	BK288	35.50
U	0.3680	1 3/4	7	BK289	35.50
V	0.3770	1 3/4	7	BK290	39.40
W	0.3860	1 3/4	7	BK291	39.40
X	0.3970	1 3/4	7	BK292	39.40
Y	0.4040	1 3/4	7	BK293	40.60
Z	0.4130	1 3/4	7	BK294	40.60


CHUCKING REAMERS - COBALT

- Right hand cut
- M42 Cobalt for hard steels & alloys
- Straight shank
- Spiral flute

Applications:

Spiral flute chucking reamers are designed for reaming materials where additional shear is necessary and to improve chip removal in blind holes. Ground with 45° chamfer.

CLARKSON OSBORN



FRACTIONAL SIZES

Fractional Size	Decimal Equiv.,"	L2mm	L1mm	Model No.	Price /Each
3/32	0.0938	14.0	57.0	BK371	63.50
1/8	0.1250	16.0	65.0	BK372	52.20
5/32	0.1563	19.0	75.0	BK373	51.30
11/64	0.1719	21.0	80.0	BK374	55.10
3/16	0.1875	23.0	86.0	BK375	52.20
7/32	0.2188	26.0	93.0	BK376	56.40
1/4	0.2500	28.0	101.0	BK377	59.30
9/32	0.2813	31.0	109.0	BK378	62.70
5/16	0.3125	33.0	117.0	BK379	66.60

Fractional Size	Decimal Equiv.,"	L2mm	L1mm	Model No.	Price /Each
11/32	0.3438	36.0	125.0	BK380	64.90
3/8	0.3750	38.0	133.0	BK381	75.40
13/32	0.4063	38.0	133.0	BK382	77.60
7/16	0.4375	41.0	142.0	BK383	87.70
15/32	0.4688	44.0	151.0	BK384	82.20
1/2	0.5000	44.0	151.0	BK385	82.20
9/16	0.5625	50.0	162.0	BK386	102.00
5/8	0.6250	52.0	170.0	BK387	107.00


METRIC SIZES

Metric Size	Decimal Equiv.,"	L2mm	L1mm	Model No.	Price /Each
3.00	0.1181	15.0	61.0	BK388	52.20
3.50	0.1378	18.0	70.0	BK389	44.50
4.00	0.1575	19.0	75.0	BK390	44.90
4.50	0.1772	21.0	80.0	BK391	50.90
5.00	0.1969	23.0	86.0	BK392	47.50
6.00	0.2362	26.0	93.0	BK393	55.90
7.00	0.2756	31.0	109.0	BK394	57.00
8.00	0.3150	33.0	117.0	BK395	63.10

Metric Size	Decimal Equiv.,"	L2mm	L1mm	Model No.	Price /Each
9.00	0.3543	36.0	125.0	BK396	66.10
10.00	0.3937	38.0	133.0	BK397	68.70
11.00	0.4331	41.0	142.0	BK398	80.10
12.00	0.4724	44.0	151.0	BK399	79.70
13.00	0.5118	44.0	151.0	BK400	84.30
14.00	0.5512	47.0	160.0	BK401	101.00
15.00	0.5906	50.0	162.0	BK402	108.00
16.00	0.6299	52.0	170.0	BK403	106.00

ADJUSTABLE HAND REAMERS

- High Speed Steel
- Right hand cutting direction



Applications:

Adjustable hand reamers are designed with enough adjustment to ream almost any odd size hole encountered in reaming. The blades are made of high speed steel for long life and can be adjusted by loosening one nut while tightening the other.

COMPLETE SETS

Adjustment From	Adjustment To	No. of Blades	L2 mm	L1 mm	Model No.	Price /Each
1/4	9/32	4	34.13	82.55	BK619	199.00
9/32	5/16	4	34.13	88.90	BK620	199.00
5/16	11/32	4	38.10	111.12	BK621	190.00
11/32	3/8	4	38.10	104.78	BK622	190.00
3/8	13/32	6	38.10	120.65	BK623	193.00
13/32	7/16	6	38.10	127.00	BK624	197.00
7/16	15/32	6	41.28	133.35	BK625	198.00
15/32	17/32	6	41.28	139.70	BK626	199.00
17/32	19/32	6	46.04	146.05	BK627	205.00
19/32	21/32	6	52.39	165.10	BK628	214.00
21/32	23/32	6	55.56	171.45	BK629	217.00
23/32	25/32	6	66.50	177.80	BK630	235.00
25/32	27/32	6	66.68	187.32	BK631	243.00
27/32	15/16	6	76.20	203.20	BK632	269.00
15/16	1 1/16	6	82.55	228.60	BK633	312.00
1 1/16	1 3/16	6	85.72	254.00	BK634	365.00
1 3/16	1 11/32	6	98.42	279.40	BK635	444.00
1 11/32	1 1/2	6	107.95	304.80	BK636	514.00
1 1/2	1 13/16	6	112.71	355.60	BK637	623.00
1 13/16	2 7/32	6	123.83	406.40	BK638	904.00
2 7/32	2 3/4	6	127.00	457.20	TBM096	1527.00
2 3/4	3 11/32	6	133.35	508.00	TBM097	2080.00

CLARKSON OSBORN


REPLACEMENT PARTS

Blade Set Model No.	Price /Each	Pilot Model No.	Price /Each	Nut Model No.	Price /Each
BK639	94.40	TBM296	143.00	TBM300	15.30
BK640	94.40	TBM297	143.00	TBM301	15.30
BK641	94.40	TBM298	140.00	TBM302	15.30
BK642	94.40	TBM299	140.00	TBM303	15.30
BK643	100.00	TBM106	109.00	TBM125	16.40
BK644	108.00	TBM107	111.00	TBM126	16.40
BK645	109.00	TBM108	112.00	TBM127	17.40
TBM098	111.00	TBM109	113.00	TBM128	17.40
TBM099	115.00	TBM110	114.00	TBM129	18.20
BK646	124.00	TBM111	116.00	TBM130	21.10
TBM100	127.00	TBM112	133.00	TBM131	21.10
TBM101	145.00	TBM113	134.00	TBM132	22.10
TBM102	150.00	TBM114	139.00	TBM133	22.10
BK647	163.00	TBM115	148.00	TBM134	23.10
BK648	207.00	TBM116	149.00	TBM135	25.00
BK649	231.00	TBM117	172.00	TBM136	25.00
BK650	280.00	TBM118	178.00	TBM137	30.70
BK651	329.00	TBM119	206.00	TBM138	33.70
BK652	363.00			TBM139	43.70
TBM103	528.00	TBM121	386.00	TBM140	49.90
TBM104	749.00	TBM122	652.00	TBM141	97.40
TBM105	981.00	TBM123	809.00	TBM142	143.00

CUTTING TOOLS

WELDON SHANK END MILLS - STANDARD LENGTH - 2 FLUTE

CLARKSON  OSBORN




D1 Frac"	Shank Dec"	Dia. "	L2 "	L1 "	Flutes	HSS Model No.	HSS Price/Each	Cobalt Model No.	Cobalt Price/Each
1/8	0.1250	3/8	3/8	2 5/16	2	BI291	-	BI161	20.50
5/32	0.1563	3/8	7/16	2 5/16	2	BI292	11.80	BI162	24.20
3/16	0.1875	3/8	7/16	2 5/16	2	QD764	11.80	BI163	20.50
7/32	0.2188	3/8	1/2	2 5/16	2	BI293	11.80	BI164	24.20
1/4	0.2500	3/8	1/2	2 5/16	2	QD765	11.80	BI165	20.50
9/32	0.2813	3/8	9/16	2 5/16	2	QD766	11.80	-	-
5/16	0.3125	3/8	9/16	2 5/16	2	-	-	BI166	20.50
11/32	0.3438	3/8	9/16	2 5/16	2	QD768	11.80	-	-
3/8	0.3750	3/8	9/16	2 5/16	2	QD769	11.80	BI167	20.50
13/32	0.4063	3/8	13/16	2 1/2	2	BI294	18.00	-	-
7/16	0.4375	3/8	13/16	2 1/2	2	QR042	18.00	BI168	30.30
15/32	0.4688	3/8	13/16	2 1/2	2	BI295	18.00	-	-
1/2	0.5000	3/8	13/16	2 1/2	2	-	-	BI169	32.80
1/2	0.5000	1/2	1	3	2	QD771	18.00	BI170	30.10
17/32	0.5313	1/2	1 1/8	3 1/8	2	BI296	27.00	-	-
9/16	0.5625	1/2	1 1/8	3 1/8	2	QR043	27.00	BI171	41.70
19/32	0.5938	5/8	1 1/8	3 1/8	2	BI297	33.70	-	-
5/8	0.6250	1/2	1 1/8	3 1/8	2	-	-	BI172	46.00
5/8	0.6250	5/8	1 5/16	3 7/16	2	QR044	33.70	BI173	44.40
21/32	0.6563	5/8	1 5/16	3 7/16	2	BI298	39.40	-	-
11/16	0.6875	5/8	1 5/16	3 7/16	2	QR045	39.40	BI174	52.10

D1 Frac"	Shank Dec"	Dia. "	L2 "	L1 "	Flutes	HSS Model No.	HSS Price/Each	Cobalt Model No.	Cobalt Price/Each
23/32	0.7188	3/4	1 5/16	3 7/16	2	BI301	43.80	-	-
3/4	0.7500	5/8	1 5/16	3 7/16	2	-	-	BI175	54.40
3/4	0.7500	3/4	1 5/16	3 7/16	2	QR046	43.80	BI176	52.10
25/32	0.7813	5/8	1 1/2	3 5/8	2	BI299	47.80	-	-
13/16	0.8125	5/8	1 1/2	3 5/8	2	BI300	47.80	-	-
27/32	0.8438	3/4	1 1/2	3 3/4	2	BI302	50.60	-	-
7/8	0.8750	3/4	1 1/2	3 3/4	2	BI303	50.60	BI177	66.50
7/8	0.8750	7/8	1 1/2	3 3/4	2	BI306	50.60	BI179	69.00
29/32	0.9063	7/8	1 1/2	3 3/4	2	BI307	65.20	-	-
15/16	0.9375	7/8	1 1/2	3 3/4	2	BI308	65.20	-	-
31/32	0.9688	3/4	1 1/2	3 3/4	2	BI304	65.20	-	-
1	1.0000	3/4	1 1/2	3 3/4	2	BI305	65.20	BI178	82.60
1	1.0000	1	1 5/8	4 1/8	2	-	-	BI180	78.90
1 1/8	1.1250	1	1 5/8	4 1/8	2	BI310	95.20	-	-
1 1/4	1.2500	1	1 5/8	4 1/8	2	-	-	BI181	140.00
1 1/4	1.2500	1 1/4	1 5/8	4 1/8	2	BI311	103.00	BI183	133.00
1 3/8	1.3750	1 1/4	1 5/8	4 1/8	2	BI312	128.00	-	-
1 1/2	1.5000	1	1 5/8	4 1/8	2	-	-	BI182	172.00
1 1/2	1.5000	1 1/4	1 5/8	4 1/8	2	BI313	152.00	BI184	172.00
1 3/4	1.7500	1 1/4	1 5/8	4 1/8	2	BI314	196.00	-	-
2	2.0000	1 1/4	1 5/8	4 1/8	2	BI315	229.00	-	-

WELDON SHANK SLOT DRILLS - STANDARD LENGTH - 2 FLUTE

CLARKSON  OSBORN




D1 mm	Shank Dec"	Dia. mm	L2 mm	L1 mm	Flutes	Cobalt Model No.	Cobalt Price/Each
1.5	0.0591	6.0	3.0	48.0	2	BJ582	38.20
2.0	0.0787	6.0	4.0	48.0	2	BJ583	29.30
2.5	0.0984	6.0	5.0	59.0	2	BJ584	35.40
3.0	0.1181	6.0	5.0	49.0	2	BJ585	29.30
3.5	0.1378	6.0	6.0	50.0	2	BJ586	35.40
4.0	0.1575	6.0	7.0	51.0	2	BJ587	29.30
4.5	0.1772	6.0	7.0	51.0	2	BJ588	35.40
5.0	0.1969	6.0	8.0	52.0	2	BJ589	31.70
5.5	0.2165	6.0	8.0	52.0	2	BJ590	35.40
6.0	0.2362	6.0	8.0	52.0	2	BJ591	31.70
6.5	0.2559	10.0	10.0	60.0	2	BJ592	47.60
7.0	0.2756	10.0	10.0	60.0	2	BJ593	33.80
7.5	0.2953	10.0	10.0	60.0	2	BJ594	47.60
8.0	0.3150	10.0	11.0	61.0	2	BJ595	33.80
8.5	0.3346	10.0	11.0	61.0	2	BJ596	49.00
9.0	0.3543	10.0	11.0	61.0	2	BJ597	39.40
9.5	0.3740	10.0	11.0	61.0	2	BJ598	49.00
10.0	0.3937	10.0	13.0	63.0	2	BJ599	33.80
10.5	0.4134	12.0	13.0	70.0	2	BJ600	56.60
11.0	0.4331	12.0	13.0	70.0	2	BJ601	46.60

D1 mm	Shank Dec"	Dia. mm	L2 mm	L1 mm	Flutes	Cobalt Model No.	Cobalt Price/Each
12.0	0.4724	12.0	16.0	73.0	2	BJ602	42.10
13.0	0.5118	12.0	16.0	73.0	2	BJ603	78.40
14.0	0.5512	12.0	16.0	73.0	2	BJ604	48.60
15.0	0.5906	12.0	16.0	73.0	2	BJ605	78.40
16.0	0.6299	16.0	19.0	79.0	2	BJ606	58.70
18.0	0.7087	16.0	19.0	79.0	2	BJ607	66.10
20.0	0.7874	20.0	22.0	88.0	2	BJ608	78.60
22.0	0.8661	20.0	22.0	88.0	2	BJ609	97.90
24.0	0.9449	25.0	26.0	102.0	2	BJ610	117.00
25.0	0.9843	25.0	26.0	102.0	2	BJ611	122.00
26.0	1.0236	25.0	26.0	102.0	2	BJ612	135.00
28.0	1.1024	25.0	26.0	102.0	2	BJ613	135.00
30.0	1.1811	25.0	26.0	102.0	2	BJ614	138.00
32.0	1.2598	32.0	32.0	112.0	2	BJ615	165.00
36.0	1.4173	32.0	32.0	112.0	2	BJ616	228.00
38.0	1.4961	32.0	38.0	120.0	2	BJ617	287.00
40.0	1.5748	32.0	38.0	120.0	2	BJ618	287.00
45.0	1.7717	32.0	38.0	120.0	2	BJ619	430.00
50.0	1.9685	32.0	45.0	137.0	2	BJ620	573.00

WELDON SHANK SLOT DRILLS

CLARKSON  OSBORN



2 FLUTE - COBALT - KEYWAY TOLERANCE

D1 +0.000/-0.015"	DEC"	Shank Dia. "	L2 "	L1 "	Flutes	Model No.	Price /Each
1/8	0.1250	3/8	3/8	2.5/16	2	BI136	13.90
5/32	0.1563	3/8	7/16	2.5/16	2	BI137	13.90
3/16	0.1875	3/8	7/16	2.5/16	2	BI138	13.90
7/32	0.2188	3/8	1/2	2.5/16	2	BI139	13.90
1/4	0.2500	3/8	1/2	2.5/16	2	BI140	13.90
9/32	0.2813	3/8	9/16	2.5/16	2	BI141	13.90
5/16	0.3125	3/8	9/16	2.5/16	2	BI142	13.90
11/32	0.3438	3/8	9/16	2.5/16	2	BI143	13.90
3/8	0.3750	3/8	9/16	2.5/16	2	BI144	13.90
13/32	0.4063	3/8	13/16	2 1/2	2	BI145	21.10
7/16	0.4375	3/8	13/16	2 1/2	2	BI146	21.10
15/32	0.4688	3/8	13/16	2 1/2	2	BI147	21.10
1/2	0.5000	1/2	1	3	2	BI148	21.10

D1 +0.000/-0.015"	DEC"	Shank Dia. "	L2 "	L1 "	Flutes	Model No.	Price /Each
9/16	0.5625	1/2	1 1/8	3 1/8	2	BI149	31.50
5/8	0.6250	5/8	1 5/16	3 7/16	2	BI150	37.40
11/16	0.6875	5/8	1 5/16	3 7/16	2	BI151	43.70
3/4	0.7500	3/4	1 5/16	3 7/16	2	BI152	48.70
13/16	0.8125	5/8	1 1/2	3 5/8	2	BI153	53.10
7/8	0.8750	3/4	1 1/2	3 3/4	2	BI154	56.20
1	1.0000	1	1 5/8	4 1/8	2	BI155	56.20
1 1/8	1.1250	1	1 5/8	4 1/8	2	BI156	116.00
1 1/4	1.2500	1 1/4	1 5/8	4 1/8	2	BI157	126.00
1 1/2	1.5000	1 1/4	1 5/8	4 1/8	2	BI158	188.00
1 3/4	1.7500	1 1/4	1 5/8	4 1/8	2	BI159	240.00
2	2.0000	1 1/4	1 5/8	4 1/8	2	BI160	282.00

WELDON SHANK 3 FLUTE SUPERMILLS

CLARKSON  OSBORN



D1 mm	DEC"	Shank Dia. mm	L2 mm	L1 mm	Flutes	Cobalt Model No.	Cobalt Price/Each
3.0	0.1181	6.0	8.0	52.0	3	BJ664	37.30
3.5	0.1378	6.0	10.0	54.0	3	TBL877	38.70
4.0	0.1575	6.0	11.0	55.0	3	BJ665	37.30
4.5	0.1772	6.0	11.0	55.0	3	TBL878	38.70
5.0	0.1969	6.0	13.0	57.0	3	BJ666	37.30
5.5	0.2165	6.0	13.0	57.0	3	TBL879	38.70
6.0	0.2362	6.0	13.0	57.0	3	BJ667	37.30
8.0	0.3150	10.0	19.0	69.0	3	BJ668	42.90
10.0	0.3937	10.0	22.0	72.0	3	BJ669	57.00
12.0	0.4724	12.0	26.0	83.0	3	BJ670	57.40
14.0	0.5512	12.0	26.0	83.0	3	BJ671	72.30
16.0	0.6299	16.0	32.0	92.0	3	BJ672	89.40
18.0	0.7087	16.0	32.0	92.0	3	BJ673	114.00
20.0	0.7874	20.0	38.0	104.0	3	TBL880	121.00
22.0	0.8661	20.0	38.0	104.0	3	BJ674	163.00
24.0	0.9449	25.0	45.0	121.0	3	TBL881	198.00
25.0	0.9843	25.0	45.0	121.0	3	BJ675	194.00
26.0	1.0236	25.0	45.0	121.0	3	TBL882	239.00
28.0	1.1024	25.0	45.0	121.0	3	BJ676	250.00
30.0	1.1811	25.0	45.0	121.0	3	BJ677	284.00
32.0	1.2598	32.0	53.0	133.0	3	BJ678	325.00
40.0	1.5748	32.0	63.0	143.0	3	TBL883	574.00
50.0	1.9685	32.0	75.0	155.0	3	TBL884	798.00

LONG SERIES

D1 mm	DEC"	Shank Dia. mm	L2 mm	L1 mm	Flutes	Cobalt Model No.	Cobalt Price/Each
3.0	0.1181	6.0	12.0	56.0	3	TBL885	45.90
4.0	0.1575	6.0	19.0	63.0	3	BJ680	45.90
5.0	0.1969	6.0	24.0	68.0	3	TBL886	45.90
6.0	0.2362	6.0	24.0	68.0	3	TBL887	45.90
8.0	0.3150	10.0	38.0	88.0	3	TBL888	69.40
10.0	0.3937	10.0	45.0	95.0	3	BJ683	68.60
12.0	0.4724	12.0	53.0	110.0	3	TBL889	77.10
14.0	0.5512	12.0	53.0	110.0	3	TBL890	107.00
16.0	0.6299	16.0	63.0	123.0	3	TBL891	124.00
18.0	0.7087	16.0	63.0	123.0	3	TBL892	159.00
20.0	0.7874	20.0	75.0	135.0	3	TBL893	162.00
22.0	0.8661	20.0	75.0	147.0	3	TBL894	272.00
24.0	0.9449	25.0	90.0	166.0	3	TBL895	290.00
25.0	0.9843	25.0	90.0	166.0	3	TBL896	301.00
28.0	1.1024	25.0	90.0	166.0	3	TBL897	362.00
30.0	1.1811	25.0	90.0	166.0	3	TBL898	389.00



KLETON

Canada's Leading Material Handling Supplier



CUTTING TOOLS

ENDMILLS


SOLID CARBIDE – SQUARE END

- Solid micro-grain carbide
- Available in 2, 3 and 4-flute models
- Right-hand cutting direction
- Centre cut - designed to plunge cut or drill to depth and then mill sideways into work
- Bright finish

Applications:

For machining tough work hardening metals, stainless steel, titanium, monel, inconel, and super alloys.

CLARKSON OSBORN



Fractional Size"	Decimal Equiv"	Shank Ø	Overall L1"	Flute L2"	2-Flute Model No.	Price /Each	3-Flute Model No.	Price /Each	4-Flute Model No.	Price /Each
1/32	0.0313	1/8	5/64	1 1/2	BK909	19.50	-	-	BK966	19.50
3/64	0.0469	1/8	7/64	1 1/2	BK910	19.50	-	-	BK967	19.50
1/16	0.0625	1/8	3/16	1 1/2	BK911	15.90	BK947	15.90	BK968	15.90
5/64	0.0781	1/8	3/16	1 1/2	BK912	15.90	TBM176	15.90	BK969	15.90
3/32	0.0938	1/8	9/32	1 1/2	BK913	15.90	BK948	15.90	BK970	15.90
7/64	0.1094	1/8	3/8	1 1/2	BK914	15.90	TBM177	15.90	BK971	15.90
1/8	0.1250	1/8	1/2	1 1/2	BK915	15.90	BK949	15.90	BK972	15.90
9/64	0.1406	3/16	1/2	2	BK916	21.80	TBM178	21.80	BK973	21.80
5/32	0.1563	3/16	1/2	2	BK917	21.80	BK950	21.80	BK974	21.80
11/64	0.1719	3/16	5/8	2	BK918	22.40	BK951	22.40	BK975	22.40
3/16	0.1875	3/16	5/8	2	BK919	22.40	BK952	22.40	BK976	22.40
13/64	0.2031	1/4	5/8	2 1/2	BK920	27.50	TBM179	27.50	BK977	27.50
7/32	0.2188	1/4	5/8	2 1/2	BK921	27.50	BK953	27.50	BK978	27.50
15/64	0.2344	1/4	3/4	2 1/2	BK922	28.80	BK954	28.80	BK979	28.80
1/4	0.2500	1/4	3/4	2 1/2	BK923	28.80	BK955	28.80	BK980	28.80
17/64	0.2656	5/16	3/4	2 1/2	BK924	31.10	TBM180	31.10	BK981	31.10
9/32	0.2813	5/16	3/4	2 1/2	BK925	31.10	TBM181	31.10	BK982	31.10
19/64	0.2969	5/16	13/16	2 1/2	BK926	32.40	TBM182	32.40	BK983	32.40
5/16	0.3125	5/16	13/16	2 1/2	BK927	32.40	BK956	32.40	BK984	32.40
21/64	0.3281	3/8	1	2 1/2	BK928	41.00	-	-	BK985	41.00
11/32	0.3438	3/8	1	2 1/2	BK929	41.00	TBM184	41.00	BK986	41.00
23/64	0.3594	3/8	1	2 1/2	BK930	41.00	TBM185	41.00	BK987	41.00
3/8	0.3750	3/8	1	2 1/2	BK931	41.00	BK957	41.00	BK988	41.00
25/64	0.3906	7/16	1	2 3/4	TBM175	60.30	TBM186	60.30	TBM193	60.30
13/32	0.4063	7/16	1	2 3/4	BK932	60.30	BK958	60.30	BK989	60.30
27/64	0.4219	7/16	1	2 3/4	BK933	60.30	TBM187	60.30	TBM194	60.30
7/16	0.4375	7/16	1	2 3/4	BK934	60.30	BK959	60.30	BK990	60.30
29/64	0.4531	1/2	1	3	BK935	70.10	TBM188	70.10	TBM195	70.10
15/32	0.4688	1/2	1	3	BK936	70.10	TBM189	70.10	BK991	70.10
31/64	0.4844	1/2	1	3	BK937	70.10	TBM190	70.10	TBM196	70.10
1/2	0.5000	1/2	1	3	BK938	70.10	BK960	70.10	BK992	70.10
9/16	0.5625	9/16	1 1/8	3 1/2	BK939	119.00	TBM191	119.00	BK993	119.00
5/8	0.6250	5/8	1 1/4	3 1/2	BK940	133.00	BK961	133.00	BK994	133.00
11/16	0.6875	3/4	1 3/8	4	BK941	196.00	TBM192	196.00	BK995	196.00
3/4	0.7500	3/4	1 1/2	4	BK942	196.00	BK962	196.00	BK996	196.00
7/8	0.8750	7/8	1 1/2	4	BK943	340.00	BK963	340.00	BK997	340.00
1	1.0000	1	1 1/2	4	BK944	348.00	BK964	348.00	BK998	348.00


SOLID CARBIDE – BALL END

- Solid micro-grain carbide
- Available in 2, 3 and 4-flute models
- Right-hand cutting direction
- Centre cut - designed to plunge cut or drill to depth and then mill sideways into work
- Bright finish

Applications:

for machining tough work hardening metals, stainless steel, titanium, monel, inconel, and super alloys

CLARKSON OSBORN



Fractional Size"	Decimal Equiv"	Shank Ø	Overall L1"	Flute L2"	2-Flute Model No.	Price /Each	3-Flute Model No.	Price /Each	4-Flute Model No.	Price /Each
1/32	0.0313	1/8	5/64	1 1/2	BL001	23.40	-	-	BL044	23.40
3/64	0.0469	1/8	7/64	1 1/2	BL002	23.40	-	-	BL045	23.40
1/16	0.0625	1/8	3/16	1 1/2	BL003	19.10	BL033	19.10	BL046	19.10
5/64	0.0781	1/8	3/16	1 1/2	BL004	19.10	TBM203	19.10	BL047	19.10
3/32	0.0938	1/8	9/32	1 1/2	BL005	19.10	BL034	19.10	BL048	19.10
7/64	0.1094	1/8	3/8	1 1/2	BL006	19.10	TBM204	19.10	BL049	19.10
1/8	0.1250	1/8	1/2	1 1/2	BL007	19.10	BL035	19.10	BL050	19.10
9/64	0.1406	3/16	1/2	2	BL008	23.60	TBM205	23.60	BL051	23.60
5/32	0.1563	3/16	1/2	2	BL009	26.20	BL036	26.20	BL052	26.20
11/64	0.1719	3/16	5/8	2	BL010	27.00	TBM206	27.00	TBM223	27.00
3/16	0.1875	3/16	5/8	2	BL011	27.00	BL037	27.00	BL053	27.00
13/64	0.2031	1/4	5/8	2 1/2	BL012	32.90	TBM207	32.90	BL054	32.90
7/32	0.2188	1/4	5/8	2 1/2	BL013	32.90	TBM208	32.90	BL055	32.90
15/64	0.2344	1/4	3/4	2 1/2	BL014	34.60	TBM209	34.60	TBM224	34.60
1/4	0.2500	1/4	3/4	2 1/2	BL015	34.60	BL038	34.60	BL056	34.60
17/64	0.2656	5/16	3/4	2 1/2	BL016	36.70	TBM210	36.70	BL057	36.70
9/32	0.2813	5/16	3/4	2 1/2	BL017	36.70	TBM211	36.70	BL058	36.70
19/64	0.2969	5/16	13/16	2 1/2	BL018	38.90	TBM212	38.90	TBM225	38.90
5/16	0.3125	5/16	13/16	2 1/2	BL019	38.90	BL039	38.90	BL059	38.90
21/64	0.3281	3/8	1	2 1/2	BL020	48.90	TBM213	48.90	TBM226	48.90
11/32	0.3438	3/8	1	2 1/2	BL021	49.30	TBM214	49.30	BL060	49.30
23/64	0.3594	3/8	1	2 1/2	TBM197	49.30	TBM215	49.30	TBM227	49.30
3/8	0.3750	3/8	1	2 1/2	BL022	49.30	BL040	49.30	BL061	49.30
25/64	0.3906	7/16	1	2 3/4	TBM198	72.40	TBM216	72.40	TBM228	72.40
13/32	0.4063	7/16	1	2 3/4	BL023	72.40	TBM217	72.40	BL062	72.40
27/64	0.4219	7/16	1	2 3/4	TBM199	72.40	TBM218	72.40	TBM229	72.40
7/16	0.4375	7/16	1	2 3/4	BL024	72.40	BL041	72.40	BL063	72.40
29/64	0.4531	1/2	1	3	TBM200	84.10	TBM219	84.10	TBM230	84.10
15/32	0.4688	1/2	1	3	BL025	84.10	TBM220	84.10	TBM231	84.10
31/64	0.4844	1/2	1	3	BL026	84.10	TBM221	84.10	TBM232	84.10
1/2	0.5000	1/2	1	3	BL027	84.10	BL042	84.10	BL064	84.10
9/16	0.5625	9/16	1 1/8	3 1/2	BL028	143.00	TBM222	143.00	BL065	143.00
5/8	0.6250	5/8	1 1/4	3 1/2	BL029	160.00	-	-	BL066	160.00
11/16	0.6875	3/4	1 3/8	4	TBM201	236.00	-	-	TBM233	236.00
3/4	0.7500	3/4	1 1/2	4	BL030	236.00	-	-	BL067	236.00
7/8	0.8750	7/8	1 1/2	4	TBM202	408.00	-	-	BL068	408.00
1	1.0000	1	1 1/2	4	BL031	417.00	-	-	BL069	417.00

ENDMILLS

SOLID CARBIDE – SQUARE END

- Solid micro-grain carbide
- Available in 2 and 4-flute models
- Right-hand cutting direction
- Centre cut - designed to plunge cut or drill to depth and then mill sideways into work
- Bright finish

LONG LENGTH SERIES

Cutting Ø	Shank Ø"	L1"	L"	2-Flute Model No.	Price /Each	4-Flute Model No.	Price /Each
1/8	0.1250	3/4	2 1/4	TBM252	25.30	BL078	25.30
3/16	0.1875	3/4	2 1/4	BL070	29.00	BL079	29.00
1/4	0.2500	1 1/8	3	BL071	36.00	BL080	36.00
5/16	0.3125	1 1/8	3	BL072	56.40	BL081	56.40
3/8	0.3750	1 1/8	3	BL073	56.40	BL082	56.40
7/16	0.4375	2	4 1/2	BL074	89.60	BL083	89.60
1/2	0.5000	2	4 1/2	BL075	102.00	BL084	102.00
5/8	0.6250	2 1/4	5	BL076	191.00	BL085	191.00
3/4	0.7500	2 1/4	5	BL077	247.00	BL086	247.00
1	1.0000	2 1/4	5	TBM253	495.00	BL087	495.00

SOLID CARBIDE – BALL END

- Solid micro-grain carbide
- Available in 2 and 4-flute models
- Right-hand cutting direction
- Centre cut - designed to plunge cut or drill to depth and then mill sideways into work
- Bright finish

LONG LENGTH SERIES

Cutting Ø	Shank Ø	L1"	L"	2-Flute Model No.	Price /Each	4-Flute Model No.	Price /Each
1/8	0.1250	3/4	2 1/4	TBM265	30.40	TBM268	30.40
3/16	0.1875	3/4	2 1/2	BL088	34.80	TBM269	34.80
1/4	0.2500	1 1/8	3	BL089	43.20	BL095	43.20
5/16	0.3125	1 1/8	3	BL090	53.50	BL096	53.50
3/8	0.3750	1 1/8	3	BL091	67.80	BL097	67.80
7/16	0.4375	2	4 1/2	TBM266	107.00	BL098	107.00
1/2	0.5000	2	4 1/2	BL092	122.00	BL099	122.00
5/8	0.6250	2 1/4	5	BL093	229.00	TBM270	229.00
3/4	0.7500	2 1/4	5	BL094	296.00	TBM271	296.00
1	1.0000	2 1/4	5	TBM267	594.00	BL100	594.00

SCREW EXTRACTORS

- Left-hand cut
- High speed steel
- Punch point
- Spiral flute


Applications:

Remove broken screws, bolts, studs, pipe and lubrication fittings without damage to the threaded hole. Designed with a left-hand helical flute to firmly grip and remove any right hand threaded screw or bolt from 3/16" to 1 3/4" in size.

Size No.	Drill Size to Use"	For Screw /Bolt Sizes"	Model No.	Price /Each
#1	5/64	3/16 to 1/4	BM708	7.68
#2	7/64	1/4 to 5/16	BM709	8.44
#3	5/32	5/16 to 7/16	BM710	9.84
#4	1/4	7/16 to 9/16	BM711	10.30
#5	17/64	9/16 to 3/4	BM712	13.90
#6	13/32	3/4 to 1"	BM713	19.10
#7	17/32	1-1 3/8	BM714	30.00
#8	13/16	1 3/8 to 1 3/4	BM715	46.20

SETS

	Model No.	Price /Each
5-piece set, includes extractor #1 to #5	BM716	51.40
6-piece set, includes extractor #1 to #6	BM717	69.00
8-piece set, includes extractor #1 to #8	BM718	152.00




EXTRA LONG LENGTH

Cutting Ø	Shank Ø	L1"	L"	2-Flute Model No.	Price /Each	4-Flute Model No.	Price /Each
1/8	0.1250	1	3	TBM248	29.60	TBM250	29.60
3/16	0.1875	1 1/8	3	BL101	34.80	BL109	34.80
1/4	0.2500	1 1/2	4	BL102	43.20	BL110	43.20
5/16	0.3125	1 5/8	4	BL103	53.50	BL111	53.50
3/8	0.3750	1 3/4	4	BL104	73.20	BL112	73.20
7/16	0.4375	3	6	TBM249	128.00	TBM251	128.00
1/2	0.5000	3	6	BL105	169.00	BL113	169.00
5/8	0.6250	3	6	BL106	277.00	BL114	277.00
3/4	0.7500	3	6	BL107	347.00	BL115	347.00
1	1.0000	3	6	BL108	554.00	BL116	554.00



EXTRA LONG LENGTH

Cutting Ø	Shank Ø	L1"	L"	2-Flute Model No.	Price /Each	4-Flute Model No.	Price /Each
1/8	0.1250	1	3	TBM254	38.80	TBM260	38.80
3/16	0.1875	1 1/8	3	BL117	42.70	BL121	42.70
1/4	0.2500	1 1/2	4	BL118	51.80	BL122	51.80
5/16	0.3125	1 5/8	4	TBM255	63.30	BL123	63.30
3/8	0.3750	1 3/4	4	TBM256	87.90	BL124	87.90
7/16	0.4375	3	6	TBM257	154.00	TBM261	154.00
1/2	0.5000	3	6	BL119	202.00	BL125	202.00
5/8	0.6250	3	6	TBM258	333.00	TBM262	333.00
3/4	0.7500	3	6	BL120	417.00	TBM263	417.00
1	1.0000	3	6	TBM259	665.00	TBM264	665.00



BM718

CUTTING TOOLS

SOLID CARBIDE BURRS - 1/4" SHANK

SC90 DOUBLE CUT

- 1/4" shank
- Double cut
- Ideal for extra tough materials
- Excellent control allows for clean finish



CYLINDER SHAPE

Model No.	Mfg. No.	No.	Head Dia.™	Flute Length™	Price /Each
BL240	SC90002	SA-12	1/8	5/8	18.10
BL241	SC90003	SA-13	5/32	5/8	18.10
BL242	SC90004	SA-14	3/16	5/8	18.10
BL243	SC90005	SA-1	1/4	5/8	18.10
BL244	SC90006	SA-1L	1/4	1	26.30
BL245	SC90007	SA-2	5/16	3/4	23.70
BL246	SC90008	SA-3	3/8	3/4	25.60
BL247	SC90009	SA-3L	3/8	1	30.30
BL248	SC90010	SA-3X	3/8	1 1/2	33.60
BL249	SC90011	SA-4	7/16	1	36.90
BL250	SC90012	SA-5	1/2	1	39.80
BL251	SC90013	SA-6	5/8	1	50.10
BL252	SC90014	SA-7	3/4	1	74.60
BL253	SC90015	SA-15	3/4	1/2	67.90
BL254	SC90016	SA-16	3/4	3/4	74.60
BL255	SC90017	SA-8	7/8	1	93.90
BL256	SC90018	SA-9	1	1	104.00

CYLINDER SHAPE WITH END CUT




Model No.	Mfg. No.	No.	Head Dia.™	Flute Length™	Price /Each
BL258	SC90020	SB-12	1/8	5/8	19.70
BL259	SC90021	SB-13	5/32	5/8	19.70
BL260	SC90022	SB-14	3/16	5/8	19.70
BL261	SC90023	SB-1	1/4	5/8	19.70
BL262	SC90024	SB-1L	1/4	1	29.10
BL263	SC90025	SB-2	5/16	3/4	26.10
BL264	SC90026	SB-3	3/8	3/4	28.00
BL265	SC90027	SB-3L	3/8	1	33.40
BL266	SC90028	SB-3X	3/8	1 1/2	34.90
BL267	SC90029	SB-4	7/16	1	40.80
BL268	SC90030	SB-5	1/2	1	43.80
BL269	SC90031	SB-6	5/8	1	55.00
BL270	SC90032	SB-7	3/4	1	82.10
BL271	SC90033	SB-15	3/4	1/2	74.60
BL272	SC90034	SB-16	3/4	3/4	82.10
BL273	SC90035	SB-8	7/8	1	103.00
BL274	SC90036	SE-9	1	1	115.00

SOLID CARBIDE BURRS - 1/4" X 6" LONG SHANK

SC90 DOUBLE CUT

- 6" overall length
- 1/4" shank
- Double cut
- Ideal for extra tough materials
- Excellent control allows for clean finish



CYLINDER SHAPE

Model No.	Mfg. No.	No.	Head Dia.™	Flute Length™	Price/Each
BL422	SC90601	SA-1L6	1/4	1/2	23.70
BL423	SC90602	SA-3L6	3/8	3/4	23.70
BL424	SC90603	SA-5L6	1/2	1	28.40



CYLINDER SHAPE WITH RADIUS END

Model No.	Mfg. No.	No.	Head Dia.™	Flute Length™	Price/Each
BL425	SC90604	SC-1L6	1/4	1/2	29.50
BL426	SC90605	SC-3L6	3/8	3/4	39.70
BL427	SC90606	SC-5L6	1/2	1	62.40



BALL SHAPE

Model No.	Mfg. No.	No.	Head Dia.™	Flute Length™	Price/Each
BL428	SC90607	SD-1L6	1/4	3/16	27.20
BL429	SC90608	SD-3L6	3/8	5/16	32.70
BL430	SC90609	SD-5L6	1/2	7/16	44.00



OVAL SHAPE

Model No.	Mfg. No.	No.	Head Dia.™	Flute Length™	Price/Each
BL431	SC90610	SE-1L6	1/4	3/8	32.80
BL432	SC90611	SE-3L6	3/8	5/8	39.70
BL433	SC90612	SE-5L6	1/2	7/8	58.10



CYLINDER SHAPE WITH RADIUS END

Model No.	Mfg. No.	No.	Head Dia.™	Flute Length™	Price /Each
BL275	SC90037	SC-11	1/8	1/2	21.10
BL276	SC90038	SC-12	1/8	5/8	21.10
BL277	SC90039	SC-3	5/32	5/8	21.10
BL278	SC90040	SC-14	3/16	5/8	21.10
BL279	SC90041	SC-1	1/4	5/8	21.10
BL280	SC90042	SC-1L	1/4	1	28.80
BL281	SC90043	SC-2	5/16	3/4	25.90
BL282	SC90044	SC-3	3/8	3/4	28.40
BL283	SC90045	SC-3L	3/8	1	33.50
BL284	SC90046	SC-3X	3/8	1 1/2	36.70
BL285	SC90047	SC-4	7/16	1	40.50
BL286	SC90048	SC-5	1/2	1	44.60
BL287	SC90049	SC-6	5/8	1	56.20
BL288	SC90050	SC-7	3/4	1	80.60
TBM293	SC90051	SC-15	3/4	1/2	73.40
BL289	SC90052	SC-16	3/4	3/4	80.60
BL290	SC90053	SSC-9	1	1	122.00

CLARKSON OSBORN



BALL SHAPE

Model No.	Mfg. No.	No.	Head Dia.™	Flute Length™	Price /Each
BL291	SC90054	SD-11	1/8	3/32	19.40
BL292	SC90055	SD-14	3/16	1/8	19.40
BL293	SC90056	SD-1	1/4	3/16	19.40
BL294	SC90057	SD-2	5/16	1/4	20.90
BL295	SC90058	SD-3	3/8	5/16	23.30
BL296	SC90059	SD-4	7/16	3/8	20.20
BL297	SC90060	SD-5	1/2	7/16	31.40
BL298	SC90061	SD-6	5/8	9/16	38.90
BL299	SC90062	SD-7	3/4	11/16	53.80
BL300	SC90063	SD-9	1	15/16	92.40

CLARKSON OSBORN



TREE SHAPE - RADIUS END

Model No.	Mfg. No.	No.	Head Dia.™	Flute Length™	Price/Each
BL434	SC90613	SF-1L6	1/4	1/2	30.80
BL435	SC90614	SF-3L6	3/8	3/4	38.90
BL436	SC90615	SF-5L6	1/2	1	57.30



TREE SHAPE - POINTED END

Model No.	Mfg. No.	No.	Head Dia.™	Flute Length™	Price/Each
BL437	SC90616	SG-1L6	1/4	1/2	30.80
BL438	SC90617	SG-3L6	3/8	3/4	41.40
BL439	SC90618	SG-5L6	1/2	1	56.50



FLAME SHAPE

Model No.	Mfg. No.	No.	Head Dia.™	Flute Length™	Price/Each
BL440	SC90619	SH-2L6	5/16	3/4	40.80
BL441	SC90620	SH-5L6	1/2	1 1/4	83.10



14° DEGREE TAPER - RADIUS END

Model No.	Mfg. No.	No.	Head Dia.™	Flute Length™	Price/Each
BL442	SC90621	SL-1L6	1/4	5/8	31.50
BL443	SC90622	SL-3L6	3/8	1 1/16	49.60
BL444	SC90623	SL-4L6	1/2	1 1/8	60.70

SOLID CARBIDE BURRS - 1/4" SHANK

SC90 DOUBLE CUT

- 1/4" shank
- Double cut
- Ideal for extra tough materials
- Excellent control allows for clean finish

OVAL SHAPE



Model No.	Mfg. No.	No.	Head Dia. "	Flute Length"	Price /Each
TBM290	SC90064	SE-11	3/16	5/16	23.70
BL301	SC90065	SE-1	1/4	3/8	23.70
BL302	SC90066	SE-3	3/8	5/8	28.40
BL303	SC90067	SE-5	1/2	7/8	41.60
BL304	SC90068	SE-6	5/8	1	57.80
BL305	SC90069	SE-7	3/4	1	77.50

TREE SHAPE - WITH RADIUS END



Model No.	Mfg. No.	No.	Head Dia. "	Flute Length"	Price /Each
BL306	SC90070	SF-11	1/8	1/2	22.00
BL307	SC90071	SF-1	1/4	5/8	22.00
BL308	SC90072	SF-3	3/8	3/4	27.80
BL309	SC90073	SF-4	7/16	1	38.60
BL310	SC90074	SF-5	1/2	1	41.10
BL311	SC90075	SF-13	1/2	3/4	41.10
BL312	SC90076	SF-6	5/8	1	56.80
BL313	SC90077	SF-7	3/4	1	74.60
BL314	SC90078	SF-14	3/4	1 1/4	93.90
BL315	SC90079	SF-15	3/4	1 1/2	110.00

TREE SHAPE - POINTED END



Model No.	Mfg. No.	No.	Head Dia. "	Flute Length"	Price /Each
BL316	SC90080	SG-1	1/4	5/8	22.00
BL317	SC90081	SG-2	5/16	3/4	26.80
BL318	SC90082	SG-3	3/8	3/4	29.70
BL319	SC90083	SG-5	1/2	1	40.30
BL320	SC90084	SG-13	1/2	3/4	40.30
BL321	SC90085	SG-6	5/8	1	56.10
BL322	SC90086	SG-7	3/4	1	74.60
TBM291	SC90087	SG-15	3/4	1 1/2	110.00

FLAME SHAPE



Model No.	Mfg. No.	No.	Head Dia. "	Flute Length"	Price /Each
BL323	SC90088	SH-1	1/4	5/8	25.90
BL324	SC90089	SH-2	5/16	3/4	29.20
BL325	SC90090	SH-5	1/2	1 1/4	59.50
BL326	SC90091	SH-6	5/8	1 7/16	82.10
BL327	SC90092	SH-7	3/4	1 5/8	104.00

60° CONE SHAPE



Model No.	Mfg. No.	No.	Head Dia. "	Flute Length"	Price /Each
BL328	SC90093	SI-1	1/4	3/16	19.40
BL329	SC90094	SI-3	3/8	5/16	25.30
BL330	SC90095	SI-5	1/2	7/16	30.90
BL331	SC90096	SI-6	5/8	9/16	41.10
BL332	SC90097	SI-7	3/4	1 1/16	53.90
BL333	SC90098	SI-9	1	1 5/16	86.50

90° CONE SHAPE



Model No.	Mfg. No.	No.	Head Dia. "	Flute Length"	Price /Each
BL334	SC90099	SK-1	1/4	1/8	19.40
BL335	SC90100	SK-3	3/8	3/16	25.30
BL336	SC90101	SK-5	1/2	1/4	30.90
BL337	SC90102	SK-6	5/8	5/16	41.10
BL338	SC90103	SK-7	3/4	3/8	53.90
BL339	SC90104	SK-9	1	1/2	86.50

SOLID CARBIDE BURRS - 1/4" SHANK

SC90 DOUBLE CUT



TAPER - RADIUS END - 14°

Model No.	Mfg. No.	No.	Head Dia. "	Flute Length"	Price /Each
BL340	SC90105	SL-1	1/4	5/8	22.60
BL341	SC90106	SL-2	5/16	7/8	29.60
TBM292	SC90107	SL-3	3/8	1 1/16	35.50
BL342	SC90108	SL-4	1/2	1 1/8	43.30
BL343	SC90109	SL-5	5/8	1 3/16	77.40
BL344	SC90110	SL-6	5/8	1 5/16	85.30
BL345	SC90111	SL-7	3/4	1 1/2	113.00

CONE SHAPE



Model No.	Mfg. No.	No.	Head Dia. "	Flute Length"	Price /Each
BL346	SC90112	SM-1	1/4	1/2	21.40
BL347	SC90113	SM-2	1/4	3/4	22.60
BL348	SC90114	SM-3	1/4	1	24.10
BL349	SC90115	SM-4	3/8	5/8	35.50
BL350	SC90116	SM-5	1/2	7/8	44.60
BL351	SC90117	SM-6	5/8	1	59.50

INVERTED CONE SHAPE



Model No.	Mfg. No.	No.	Head Dia. "	Flute Length"	Price /Each
BL352	SC90118	SN-1	1/4	5/16	19.40
BL353	SC90119	SN-2	3/8	3/8	25.30
BL354	SC90120	SN-4	1/2	1/2	30.90
BL355	SC90121	SN-6	5/8	3/4	41.10
BL356	SC90122	SN-7	3/4	5/8	53.90

CLARKSON OSBORN

8 PIECE SOLID CARBIDE BURR SET - 1/4" SHANK

Model No.
BL445
Mfg. No.
SC90801
Price/Each
390.00



KIT CONTAINS:

NO.	Head Dia. "	Flute Length"
SA-5	1/2	1
SC-3	3/8	3/4
SC-5	1/2	1
SD-5	1/2	7/16
SE-3	3/8	3/4
SF-5	1/2	1
SG-3	3/8	3/4
SL-4	1/2	1 1/8

PARTS CLEANER

DIP TANKS

- Manually operated covers which stay open for convenient access
- Cover is equipped with a self-closing mechanism and fusible link which melts at 165°F to snap the cover shut in case of fire
- Constructed of 24-gauge coated steel, durable powder coat paint finish for long use
- Available with polyethylene liner for outstanding chemical resistance to harsh, corrosive chemicals

SD562



Model No.	Description	Outside Dim.			Approved Regulation	Wt. lbs/kg	Price /Each
		Dia."	x	H"			
SD561	1-gallon steel dip tank	9 3/8	x	5 1/2	FM,UL	5/2.3	105.00
SD562	2-gallon steel dip tank	9 3/8	x	10	FM,UL	6/2.7	107.00
SD563	3.5-gallon steel dip tank	11 3/8	x	11 1/4	FM,UL	8/3.6	120.00
SD564	5-gallon steel dip tank	13 3/4	x	13	FM,UL	10/4.5	137.00
WN969	5-gallon steel dip tank w/HDPE liner	13 3/4	x	13	FM	12/5.5	349.00
WN970	8-gallon steel dip tank	15 5/8	x	14 1/4	FM,UL	13/5.9	166.00

BENCH CANS

- Spring-loaded, perforated plated steel dasher plate
- Simply press down and agitate, then release to return to drain position
- Effective flame arrester
- Hinged cover minimizes evaporation losses
- Protected rim reduces the possibility of hand injury
- 24-gauge premium coated steel
- Powder coat paint finish adds durability



AB491



Model No.	Description	Dasher Dia."	Outside Dim.			Approved Regulation	Wt. lbs/kg	Price /Each
			Dia."	x	H"			
WN978	1-quart steel bench can	4 1/2	4 7/8	x	5 1/2	FM	2/0.9	61.60
AB491	2-quart steel bench can	7 1/2	9 3/8	x	3 1/4	FM	4/1.8	75.60
AB492	1-gallon steel bench can	7 1/2	9 3/8	x	4 1/2	FM	5/2.3	68.50
WN979	1-gallon steel bench can w/parts basket	7 1/2	9 3/8	x	4 1/2	FM	5/2.3	94.50
AB493	2-gallon steel bench can	9 3/4	11 1/2	x	5 3/8	FM	8/3.6	121.00
AB494	3-gallon steel bench can	12 1/8	13 1/2	x	6	FM	9/4.1	137.00
WN980	Optional 24-gauge parts basket	-	6 7/16	x	7/16	-	1/0.5	23.30

WASH TANKS

- Cover opens wide for access
- Integral parts basket facilitates washing quantities of small parts quickly
- Can and basket are made of sturdy 24-gauge coated steel
- After cleaning, the basket is positioned at the top of the tank to allow solvent to drain
- Cover is equipped with a self-closing mechanism and fusible link which melts at 165°F and snaps the cover shut in case of fire
- Available with polyethylene liner for outstanding chemical resistance to harsh, corrosive chemicals

SM432



Model No.	Description	Outside Dim.			Approved Regulation	Wt. lbs/kg	Price /Each
		Dia."	x	H"			
WN971	1-gallon steel wash tank w/basket	9 3/8	x	10	FM,UL	7/3.2	159.00
WN972	2-gallon steel wash tank w/basket	11 3/8	x	11 1/4	FM,UL	9/4.1	186.00
WN973	3.5-gallon steel wash tank w/basket	13 3/4	x	13	FM,UL	12/5.5	191.00
WN974	3.5-gallon steel wash tank w/HDPE liner and basket	13 3/4	x	13	FM	14/6.4	466.00
SM432	6-gallon steel wash tank w/basket	15 5/8	x	14 1/4	FM,UL	16/7.3	205.00

RINSE TANKS

- Large parts (up to 16" x 35") can be totally immersed
- Heavy-duty, 18-gauge coated steel construction
- Tough powder coat paint finish for superior durability and chemical resistance

FLOOR STANDING RINSE TANKS

- Supported on a sturdy stand, 33" height for convenient access whether standing or seated
- Self-closing cover is foot-treadle operated so it can be opened by a worker with both hands full
- Adjustable-rate pneumatic cylinder prevents cover from slamming shut instantly
- A 3/4" drain plug allows for easy solvent replacement

Clean larger parts with ease!

BENCH TOP RINSE TANKS

- Sit conveniently on work bench or counter for easy access
- Lift-and-latch style cover has fusible link that melts at 165°F and closes the cover in case of fire
- A 3/4" drain plug allows for easy solvent replacement

SEDIMENT SCREENS

- 26-gauge premium coated steel
- Rests at bottom of tank to catch grime as it settles and allows for easy cleaning during solvent change

PARTS BASKETS

- 26-gauge premium coated steel
- Carries numerous smaller parts to be washed in a single action

TANKS

Model No.	Description	Dimensions				Approved Regulation	Wt. lbs/kg	Price /Each
		L"	x	W"	x	D"		
FLOOR STANDING & BENCH TOP RINSE TANKS								
SM434	11-gallon steel floor standing rinse tank	24	x	16	x	8 3/4	FM	60/27 647.00
SM431	11-gallon steel bench top rinse tank	24	x	16	x	8 3/4	FM	29/13 476.90
SM433	22-gallon steel floor standing rinse tank	35 1/4	x	16	x	12	FM	78/35 805.00
WN975	22-gallon steel bench top rinse tank	35 1/4	x	16	x	12	FM	48/22 761.00
TWIN CHAMBER RINSE TANKS								
WN976	2 x 4-gallon steel floor standing rinse tank	24	x	16	x	8 3/4	FM	62/28 873.00
WN977	2 x 9-gallon steel floor standing rinse tank	35 1/4	x	16	x	12	FM	80/36 1008.00

SEDIMENT SCREENS & PART BASKETS

Model No.	Description	Dimensions				Wt. lbs/kg	Price /Each
		L"	x	W"	x	D"	
SM437	Sediment screen for tank models SM434 and SM431	23	x	13 3/4	x	3/4	3/1.4 51.40
SM436	Sediment screen for rinse tank models SM433 and WN975	35	x	13 3/4	x	3/4	4/1.8 73.60
SM430	Parts basket for rinse tank models SM434 and SM431	16	x	13	x	4	4/1.8 115.00
SM428	Parts basket for rinse tank models SM433 and WN975	28	x	13	x	4	6/2.7 154.00



SM433



STEEL FUNNELS WITH EXTENSION

- Galvanized steel funnel comes with a flexible extension
- 1/2" diameter hose for 1-pint model, 3/4" diameter for larger sizes


Model No.	Cap.	Top Dia."	Hose Spout Length"	Spout Dia."	Price /Each
NB027	1 pint	4 3/4	9	3/8	41.90
NB028	1 quart	5 7/8	8	1/2	30.50
NB025	1/2 gal.	7 5/8	8 1/2	1/2	36.10
NB026	1 gal.	8 7/8	10	1/2	40.80



STEEL FUNNELS WITH EXTENSION

- 8 3/4" diameter galvanized steel funnel with brass screen strainer
- 16" long flexible extension
- 15/16" spout diameter
- Capacity: 2 gallons
- Suitable for use with tractors

Model No. NB001
Price/Each \$52.50



STRAINER FUNNELS

- Tin strainer funnels have a built-in screen that prevents the flow of harmful particles into the liquid

Model No.	Cap.	Top Dia."	Body Ht."	Spout Ht."	Spout Dia."	Price /Each
NB069	1 pint	4 3/4	3 7/16	2 1/16	3/8	8.69
NB070	1 quart	5 3/4	4 5/16	2 3/8	1/2	9.21
NB067	1/2 gal.	7 1/2	5 5/8	2 11/16	5/8	10.60
NB068	1 gal.	8 3/4	6 1/2	3 1/2	3/4	13.10



UTILITY FUNNELS

- Lightweight tin and galvanized steel funnels available in capacities from 1 pint to 1 gallon

Cap.	Top Dia."	Body Ht."	Spout Ht."	Spout Dia."	Tin Model No.	Price /Each	Galv. Model No.	Price /Each
1 pint	4 3/4	3 7/16	2 1/16	3/8	NB077	5.59	NB031	11.50
1 quart	5 3/4	4 5/16	2 3/8	1/2	NB078	6.00	NB032	13.10
1/2 gal.	7 1/2	5 5/8	2 11/16	5/8	NB075	7.04	NB029	18.00
1 gal.	8 3/4	6 1/2	3 1/2	3/4	NB076	9.42	NB030	22.70

NB078

STEEL FUNNELS

- Suitable for use with tractors
- Galvanized steel funnel has 8 3/4" diameter and comes with a brass screen strainer
- Body height: 7 1/2"
- Spout height: 4 13/16"
- Spout diameter: 15/16"
- Capacity: 2 gallons

Model No. NA999
Price/Each \$24.70



LIQUID MEASURES

A. FLEXIBLE SPOUT

- Spill proof top
- Flexible spout makes it easy to reach difficult areas and hard to reach pouring angles
- Flexible spout length: 8"
- Spout diameter: 1/2"
- Available in tin, galvanized steel or stainless steel



B. OPEN TOP

- Available in tin, galvanized steel or stainless steel



NON-TILT STEEL FUNNELS

- Suitable for use with tractors
- Non-tilt feature allows funnel to remain upright when in use
- Galvanized steel funnel has 8 3/4" diameter, comes with brass screen strainer
- 15/16" spout diameter
- Capacity: 2 gallons

Model No. NB004
Price/Each \$30.50



Cap.	Tin Model No.	Dia." x H"	Price /Each	Galvanized Model No.	Dia." x H"	Price /Each	Stainless Model No.	Dia." x H"	Price /Each
A. FLEXIBLE SPOUT									
1 quart	NB082	4 1/4 x 4 3/4	49.50	NB035	4 x 5 7/16	50.30	NB056	4 x 5 7/16	63.00
1/2 gallon	NB079	4 1/4 x 8 7/8	40.50	NB033	5 x 7 1/4	54.80	NB052	4 x 7 1/4	76.10
1 gallon	NB081	6 x 9 3/4	44.00	NB034	6 x 9 3/4	60.00	NB054	6 x 9 3/4	86.90
B. OPEN TOP									
1 quart	NB087	4 1/4 x 4 3/4	31.50	NB038	4 x 5 7/16	43.90	NB061	4 x 5 7/16	57.10
1/2 gallon	NB083	4 1/4 x 8 7/8	29.60	NB036	5 x 7 1/4	40.40	NB057	4 x 7 1/4	70.60
1 gallon	NB085	6 x 9 3/4	38.60	NB037	6 x 9 3/4	55.60	NB059	6 x 9 3/4	77.20

RECIRCULATING PARTS WASHERS

- Safety lever has fusible link which shuts cover in case of fire
- Thermally protected 110 V motor and on/off switch
- Durable pump included
- 3-way filtration traps grime
- Flush hose delivers flow of solvent to rinse parts clean, quickly and easily



BV742



BV743



BV744



5 GALLONS

Capacity: 3.5 gallons
Motor: 0.25 A
Voltage: 110 V, 1 phase, 60 Hz
Dimensions: 18 1/4" x 13 1/2" x 9"
Height of stand: N/A
Weight: 15 lbs.
Model No. BV742*
Price/Each \$90.20

20 GALLONS

Capacity: 12 gallons
Motor: 0.25 A
Voltage: 110 V, 1 phase, 60 Hz
Dimensions: 30 1/2" x 21 1/4" x 10"
Height of stand: 24 1/2"
Weight: 55 lbs.
Model No. BV743*
Price/Each \$195.00

40 GALLONS

Capacity: 30 gallons
Motor: 0.25 A
Voltage: 110 V, 1 phase, 60 Hz
Dimensions: 44 1/2" x 21 1/4" x 10 1/2"
Height of stand: 24 1/2"
Weight: 92 lbs.
Model No. BV744*
Price/Each \$269.00

Call our order desk for a quote when funnels & measures are to be used in food industry.

PARTS CLEANING BRUSHES

Recommended for cleaning motors, machinery and metal parts.



BZ987



TEX274



Model No.	Brush Dia."	Overall Length"	Trim Length"	Qty /Pkg.	Price /Each
BZ987	1 1/8	11	2 3/4	12	5.17
TEX274	1 7/8	37 3/8	3 1/2	1	21.00

Brush Only: 10"

*A material safety data sheet is required for purchase

PARTS CLEANER

POLYETHYLENE FILTER FUNNELS

- Made of chemical resistant polyethylene
- Screen filter included



NC991

Model No.	Dia."	Price/Each
YC564	5	9.90
NC991	9	15.90

CLEANFUNNEL™ SYSTEM

- Prevents dirt, dust and other contaminants from collecting on the inside funnel wall and eliminates the need for cleaning before use



AA763

Model No.	Colour	Size	Length"	Spout"	Price /Each
AA763	Orange	1 pt.	13.5	0.5	6.76
AA765	Dark Blue	1.25 qt.	10.5	0.75	13.10
AA766	Dark Green	1.25 qt.	8.5	1	13.10
AA767	Black	1.3 qt.	10.5	1.5	13.10
AA768	Bright Red	1.5 qt.	17 - flexible	0.5	13.10
AA769	Yellow	1.5 qt.	14.25 - flexible	0.75	13.10
AA770	Green	1.5 qt.	12.25 - flexible	1	13.10
AA771	Red	1.6 qt.	14 - flexible	1.5	13.10

FUNNELS

- Translucent high density polyethylene construction
- Wire mesh screen keeps contaminants out
- Comes complete with a polyethylene flexible spout for difficult to reach areas
- Curved funnel ends make the funnel splash and spill proof



TYB517

aurora tools®

Model No.	Diameter"	Capacity	Price /Each
TYB517	8	1.7 litres	9.90
TYB518	9 1/2	3 litres	13.40

DIECAST ALUMINUM SCOOPS

- Bowl and handle cast in one piece for extra heavy-duty use
- Ideal for powders and granulated products



NG648

Model No.	Capacity	Bowl Length"	O.A. Length"	Price /Each
NG648	3/4 quart	7 3/4	11 1/4	17.80
NG649	1 quart	9	13	24.40
NG650	1 1/2 quart	10 1/2	15	26.70

LIQUID MEASURES

- Translucent high density polyethylene construction
- Comes complete with a polyethylene flexible spout for difficult to reach areas
- Cap on flexible spout and polypropylene lid renders measure spill proof
- Spout length: 7 1/2"
- Spout diameter: 3/4"



TYB514

aurora tools®


Model No.	Capacity	Price /Each
TYB513	1 quart	7.95
TYB514	2 quart	9.70
TYB515	3 quart	13.25
TYB516	5 quart	17.55

SMARTWASHER®

SMARTWASHER uses the process of **bioremediation** - the accelerated break down of organic compounds such as grease, grime, varnish, oil, carbon and other heavy industrial soils through the use of nonpathogenic microbes. The microbes, suspended in a fluid that re-circulates through the unit, literally **eat their way through soils**, converting them into harmless water and carbon dioxide (CO₂). The solution remains clean and usable, unlike traditional solvent-based systems where the solution becomes dirty and less effective over time. Disposal becomes a non-issue, as hazardous waste streams are eliminated.

JUST SAY NO!

- NO VOC Concerns
- No Toxic Solvents
- No Flash Point Fluid
- No Service Contracts
- No Hazardous Waste Hauling
- No Health and Safety Hazards





SMARTWASHER® SYSTEMS

The SMARTWASHER System consists of a sturdy, impact resistant, self-contained washing unit with a flexible nozzle and brush that directs warmed cleaning fluid for parts washing. The fluid works in conjunction with a special microbe impregnated filter to effectively clean the dirtiest parts. Each unit requires 25 gallons of SMARTWASHER fluid and one filter for start-up.

SMARTWASHER UNITS FEATURE:

- Flexible nozzle and brush
- Recirculating pump
- Low fluid indicator light/low fluid automatic shut-off
- Impact resistant construction
- Thermostat
- Energy efficient heater

SMARTWASHER® 41

- Removable sink for easy cleaning
- Sink dimensions:
20 cm H x 104 cm W x 61 cm D

Model No. AF127
Mfg. No. 14144
Price/Each \$3859.00



SMARTWASHER® 28

- Removable sink for easy cleaning
- Sink dimensions:
20 cm H x 71 cm W x 43 cm D

Model No. NH774
Mfg. No. 14145
Price/Each \$3486.00



SMARTWASHER® MOBILE UNIT

- Built-in dolly allows for easy mobility
- Sink dimensions:
20 cm H x 69 cm W x 58 cm D

Model No. AF128
Mfg. No. 14161
Price/Each \$3236.00



SMARTWASHER® CLEANING SOLUTIONS

Aqueous, pH neutral, non-corrosive, non-flammable, biodegradable and contains no VOCs. Solutions work in conjunction with filters when warmed to 105°F by the units. All cleaning solutions are certified as Clean Air Solvents by the South Coast Air Quality Management District (SCAQMD).

- **Industrial Grade Cleaning Solutions:** Removes the toughest industrial soils with minimal odour; US EPA Design for Environment (DfE recognized)
- **Automotive & Ink Grade Cleaning Solution:** Removes printers ink and automotive carbon and varnishes
- **Specialty Metals Cleaning Solution:** Maximum strength, low odour formula removes soils from both ferrous and non-ferrous metals; perfect for use on all aircraft metals.



Model No.	Mfg. No.	Description	Container Size	Units /Case	NSF	Price /Each
AF129	14148	Industrial Grade Cleaning Solution	18 L Jug	1	A1	212.00
AF130	14156	Automotive & Ink Grade Cleaning Solution	18 L Jug	1	A1	222.00
AF131	14158	Specialty Metals Cleaning Solution	18 L Jug	1	A1	237.00

SMARTWASHER® FILTERS

Removes dirt and residue particles down to 50 microns. Filters must be used for proper cleaning and operation of SMARTWASHER System.

MULTI-LAYER FILTER

- Three filters in one for heavy use applications
- Simply peel back and remove each layer as it becomes clogged to reveal fresh layer
- Extends working life of filter



Model No.	Mfg. No.	Description	Container Size	Units /Case	Price /Each
NH776	14147	Premium Filters	1 Case	6	37.20

Types of Soil	AF129 Industrial Grade	AF130 Automotive & Ink Grade	AF131 Specialty Metals
Motor Oil	Excellent	Excellent	Excellent
Bearing Grease	Excellent	Fair	Excellent
Automotive Grease	Excellent	Good	Excellent
Impacted Grease	Excellent	Fair	Excellent
Asphalt	Good	Fair	Good
Creosote	Excellent	Fair	Excellent
Resin Products	Excellent	Good	Excellent
Hydraulic/Transmission Fluid	Excellent	Excellent	Excellent
Fifth Wheel Grease	Excellent	Fair	Excellent
Crude Oil	Excellent	Excellent	Excellent
Solder & Flux	Excellent	Excellent	Excellent
Automotive Varnish	Good	Excellent	Good
Burned-On Carbon	Excellent	Excellent	Good
Cutting Oils	Good	Excellent	Good
Ink/Toner	Good	Excellent	Good
Animal Fat	Excellent	Fair	Excellent



MINI PISTOL GREASE GUNS

DELUXE

- Single-hand-operated pistol grip
- Die cast grease gun head with dual discharge ports for use with steel extension as well as flexible hose
- Develops 3500 PSI
- Capacity: 3 oz grease cartridge or bulk fill
- Textured zinc plated finish for non-slip grip
- Includes: 4" steel extension and professional 4-jaw coupler with ball check

Model No. AC477
Price/Each \$17.25

aurora tools®



AC477

PISTOL GREASE GUNS

HEAVY-DUTY

- Designed for use in general confined spaces or where access to grease nipples is restricted
- Heavy-duty die cast grease gun head
- Develops 5000 PSI
- Capacity: 14 oz (400 g) grease cartridge or suction fill
- AC475 comes complete with 4" steel extension and 4-jaw coupler with ball check
- AC476 comes complete with 18" flexible hose and 4-jaw coupler with ball check

Model No. AC475

Price/Each \$27.95

Model No. AC476

Price/Each \$35.65

aurora tools®



AC475

MINI GREASE GUNS

- Designed for use in general confined spaces, or where access to grease nipples is restricted
- Single-hand-operated push type grip
- Develops 1400 PSI
- Capacity: 3 oz. (85 g)

Model No. AD084

Price/Each \$16.25

aurora tools®



AD084

AIR-OPERATED GREASE GUNS

- Ideal for use in factory maintenance
- Single shot of grease discharge with every press of the trigger
- Air operating range: 40 - 120 PSI
- Capacity: 14 oz. (400 g) grease cartridge or bulk fill
- Comes with 6" steel extension and professional 4-jaw coupler with ball check

Model No. AC478

Price/Each \$68.35

aurora tools®



AC478

LEVER GREASE GUNS

STANDARD-DUTY

- Designed for use in general lubrication and daily maintenance work
- Capacity: 14 oz (400 g) grease cartridge or suction fill
- Complete with 6" steel extension and 4-jaw coupler with ball check
- Develops 6000 PSI

Model No. AC472

Price/Each \$20.50

aurora tools®



AC472

HEAVY-DUTY

- Designed for punishing day-in and day-out heavy industrial application
- Built-in variable stroke feature for greasing fittings with limited access
- Die cast grease gun head fitted with bulk loader and air bleeder
- Extra heavy-duty zinc plated lever handle with ergonomic rubber grip
- Develops 10 000 PSI
- Capacity: 14 oz. (400 g) grease cartridge, filler pump or suction fill
- Includes: 6" steel extension and 4-jaw coupler with ball check

Model No. AC473

Price/Each \$29.50

aurora tools®



AC473

SUCTION GUNS

- A rugged transfer gun designed for use with gear oils to get them both into and out of gear boxes, transfer cases and differentials
- Capacity: 16 oz
- Complete with 12" flexible vinyl hose

Model No. AC494

Price/Each \$17.35

aurora tools®




AC494

FLEXIBLE GREASE HOSES

- Standard grease hose is the most popular version of flexible grease hoses
- AC481 hose fitted with heavy-duty spring guard adds safety and convenience in fitment, prevents those from bending
- Threads: 1/8" NPT
- Working Pressure 3500 PSI
- For hand-operated grease guns only

aurora tools®



AC479

AC480

Model No.	Length" (End to End)	Price /Each
AC479	12	6.00
AC480	18	7.75
AC481	18	8.45

PISTOL GRIP GREASE GUNS

PROFESSIONAL-DUTY

Develops 5500 PSI. Three-way loading: cartridge, suction or loader pump. Features automatic variable stroke/pressure, air vent, vinyl grip and loader fitting. Delivery: 1 oz. per 33 strokes.

Model No. AA690
Includes: rigid extension and coupler
Price/Each \$72.71

Model No. AA691
Includes: 18" flexible hose and coupler
Price/Each \$75.88



PNEUMATIC GREASE GUNS

Three way loading: cartridge, suction or loader pump. Features air vent, loader fitting, rigid extension and coupler.

Model No. AB821
Price/Each \$104.54



LEVER GREASE GUNS

PROFESSIONAL-DUTY

Develops 10 000 PSI. Three-way loading: 14 oz. cartridge, suction or loader pump. Features automatic variable stroke/pressure, air vent, vinyl grip, loader fitting. Delivery: 1 oz. per 21 strokes.

Model No. AA643
Includes: rigid extension and coupler
Price/Each \$56.03

Model No. AB827
Includes: 18" hose and coupler
Price/Each \$67.14

Model No. AB825
Includes: 24 oz. cylinder, rigid extension and coupler
Price/Each \$65.83

AA643



HEAVY-DUTY/HIGH PRESSURE

Develops 10 000 PSI. Three-way loading: cartridge, suction or loader pump. Features heavy-duty lever with adjustable linkage for high pressure or high volume operation and loader fitting. Gun outlet 1/8" NPTF.

Delivery: 1 oz. per 16 strokes in high volume mode.

Delivery: 1 oz. per 25 strokes in high pressure mode.

Model No. AB817
16-oz. gun only
Price/Each \$197.98

Model No. AA692
16-oz. gun with rigid extension and coupler
Price/Each \$224.05

Model No. AB816
24-oz. gun with rigid extension and coupler
Price/Each \$232.59

AA692



SUCTION GUNS

16 oz. capacity. Includes flexible vinyl hose. Suitable for all purpose draining of non-corrosive lubricants.

Model No. AB833
Price/Each \$23.56



12 V CORDLESS GREASE GUNS

Lightweight, powerful, professional quality. The most innovative grease gun ever designed, giving you faster more efficient lubrication:

- High-Pressure Delivery: up to 6500 PSI
- High Flow Rate: 5.25 oz. per minute @ 1000 PSI
- 3-Way Loading: 14-oz. cartridge, 16-oz. bulk or suction loaded
- Lightweight: 6.8 lbs.
- Comes with two batteries

Model No. AB812
Price/Each \$454.00



GREASE GUN EXTENSION HOSES

WARNING: For use with hand operated grease guns only.

- Economical and durable hose
- 12 000 PSI burst pressure
- 1/8" NPTF(M) ends



AA693

Model No.	Length"	Working Pressure	Hose Type	Price /Each
AA693	12	4800 PSI	Single Wire Braid	17.50
AA694	18	4800 PSI	Single Wire Braid	20.00

LUBRICATING EQUIPMENT

PROFESSIONAL COUPLERS

- Hardened spring steel jaws and hardened body withstands high pressure without deformation
- Hexagonal nut allows easy tightening
- Threads: 1/8" NPT
- 4-jaw construction, 6000 PSI
- For hand-operated grease gun only

Model No. AC482
Price/Each \$4.95

aurora tools



HEAVY-DUTY COUPLERS

- Hardened spring steel jaws & hardened body with double wall thickness withstands very high pressure without deformation
- Hexagonal nut allows easy tightening
- Threads: 1/8" NPT
- 4-jaw construction, 10 000 PSI
- For hand and air operated equipment

Model No. AC483
Price/Each \$8.95

aurora tools



HYDRAULIC COUPLERS - 360° SWIVEL

- Excellent coupler for effective lubrication of difficult and hard to reach grease fittings
- Swivels in full 360° circle and locks conveniently at any 45° position
- Spring loaded ball-check valve helps retain pressure
- Threads: 1/8" NPT
- 3-jaw construction, 7000 PSI

Model No. AC484
Price/Each \$42.50

aurora tools



HYDRAULIC COUPLERS - RIGHT ANGLED

- Fits all standard grease gun
- Designed for right angled discharge of grease, very useful for greasing fittings with limited access or in low heights
- Threads: 1/8" NPT
- 10 000 PSI

Model No. AC485
Price/Each \$10.95

aurora tools



SEAL-OFF DISPENSERS

- Used with grease gun extension or hose for lubricating grease plugs
- Threads: 1/8" NPT

Model No. AC491
Price/Each \$13.30

aurora tools



STEEL BEARING PACKERS

- For use with grease guns
- The design incorporates a grease nipple at one end which easily adapts to the grease gun coupler
- Grease bearings in cars boats, RV, etc. with a minimum inner diameter of 1/2" to a maximum outer dia of 5" and height from 1/4" to 2"

Model No. AC493
Price/Each \$31.15

aurora tools



GREASE GUN HOLDERS

- Simple snap action clamp for safe storage of grease guns and suction guns

Model No. AC486
Price/Each \$7.20

aurora tools



GREASE INJECTOR NEEDLES

- Lubricates in very tight spaces such as universal joints and sealed bearings
- Equipped with standard grease fitting without ball check and protective plastic holder
- 18-gauge needle thickness
- 1 1/2" long

Model No. AC487
Price/Each \$8.50

aurora tools



NEEDLE NOSE DISPENSERS

- Used for dispensing a fine line of grease
- Can be attached directly to steel extensions or flexible hoses
- Threads: 1/8" NPT
- AC490 has a narrow needle with a dia of 3.96 mm
- AC489 has a 5.56 mm needle dia

Model No.	Needle Length mm	Price /Each
AC489	15	7.35
AC490	38	11.75

aurora tools



NEEDLE NOSE ADAPTORS

- Used for dispensing a fine line of grease through the needle nose
- Tip diameter: 0.046" (1.168 mm)
- Needle length: 4"
- Quick connect action

Model No. AC488
Price/Each \$23.60

aurora tools



EZEE-LUBE KITS

- The Ezee-Lube kit comprises of a range of quick-connect fittings designed to meet any and every greasing application lube accessories

Model No. AC492
Price/Each \$99.95

aurora tools



aurora tools

OIL CANS

- Oil can body is seamless drawn from heavy-gauge tin coated sheet
- Premium powder coated finish

Model No.	Capacity oz.	Spout Length"	Spout Type	Pump	Price /Each
LEVER TYPE					
AC514	6	6	Flexible	Steel	8.30
AC515	10	6	Flexible	Steel	9.10
AC589	13	7	Flexible	Steel	10.70
AC516	16	7	Flexible	Steel	10.30
AC592	16	9	Flexible	Steel	15.45
AC593	16	9	Rigid	Steel	15.00
AC590	23	8	Flexible	Steel	11.95
AC594	33	9	Flexible	Steel	20.75
AC595	33	9	Rigid	Steel	19.60
PISTOL TYPE					
AC588	4	5	Flexible	Steel	6.50
AC513	6	5	Flexible	Steel	9.95
AC597	6	6	Flexible	Steel	12.60
AC596	6	6	Rigid	Steel	9.85
AC599	16	6	Flexible	Steel	17.95
AC598	16	6	Rigid	Steel	18.90
AC600	33	6	Rigid	Steel	26.30



HYDRAULIC GREASE COUPLERS

Provides quick, positive and leakproof connection with hydraulic fittings.

AA862



Model No.	Type	Thread	Max. Pressure PSI	Price /Each
QG997	Standard	1/8" NPTF(F)	10 000	16.10
AB742*	Standard	1/8" NPTF(F)	10 000	22.86
QF621	Narrow	1/8" NPTF(F)	10 000	11.93
AA862*	Narrow	1/8" NPTF(F)	10 000	17.65

*Equipped with built-in check valve

MANUAL LUBRICATION PUMPS

VOLUME DELIVERY BUCKET PUMPS

For all oils and pressure gun lubricants. Delivery 1/3 oz. per stroke. Will develop up to 500 PSI. Equipped with 25-lb capacity (5 gallons) container. Adjustable leverage adapts pump to lubricant and operating conditions. Pump outlet: 3/8" NPTF(F).

Model No. AA699
Price/Each \$706.24



MULTI-PRESSURE BUCKET PUMPS

Variable pressure 2500 to 5000 PSI for 35-lb capacity (5 gallons). Adjustable leverage (three positions) adapts pump to all lubricant and operating conditions. Approximate delivery 1/3 oz. per stroke. Suitable for oil or grease. Hose length: 5'.

Coupler type: hydraulic (narrow). Includes hose assembly (Mfg. No. 322434)

Model No. AA698
Price/Each \$599.00



PORTA-CARTS

- Used with AA699 and AA698 series pumps
- Speeds lubrication service where machines are widely separated
- Reduces operator fatigue
- Overall width: 18"

Model No. AA702
Price/Each \$561.57

VOLUME DELIVERY LOADER PUMPS

- For grease guns with Alemite loader fitting
- Delivery: 1 lbs. per 6 strokes
- Includes loader extension and loader fitting
- For 35-lb pail
- Equipped with cover and flexible follower

Model No. AB814
Price/Each \$505.51



DUAL LEVERAGE DISPENSERS

- For fluid gear lubricants
- Attach directly onto original containers
- Delivery: 1 pint per 6 strokes
- Pump outlet: 1/2" NPTF(F).
- For 5-gallon pail
- Includes: 5 1/2' hose with curved nozzle and pail cover

Model No. AB815
Price/Each \$457.44



LUBRICATING EQUIPMENT

GREASE FILLER PUMPS

- An ideal grease filling solution to easily load bulk or combination grease guns from bulk grease pails
- Full economy in buying bulk grease
- Pail capacity: 5 gallons
- Rubber lining follower plate for use with most bucket types

Model No. AD383
Price/Each \$81.95

aurora tools



BUCKET GREASERS

- High volume, high pressure grease pump
- Uses low cost bulk grease
- Delivers 3 g/stroke or 1 oz. in less than 10 strokes at pressures up to 2000 PSI
- Comes complete with 22-lb built-in steel grease bucket

Model No. AC495
Price/Each \$252.00

aurora tools



AIR-OPERATED GREASE PUMPS

- Ideal for applications having continuous need for high pressure grease
- 50:1 ratio pump
- Recommended air pressure between 60 and 125 PSI
- Air inlet: 1/4" NPT (female)
- Grease outlet: 1/4" NPT (female)
- Fits 5-gallon and 16-gallon pails
- Comes complete with drum cover, rubber-lined follower plate, 7' of high pressure grease hose, Z swivel and grease control valve

Model No. AC496 For 25-50-lb. pails
Price/Each \$910.00

Model No. AC497 For 120-lb. pail
Price/Each \$1075.00

aurora tools



SWIVELS

- Installed between the delivery hose and grease control valve, swivels permit easy handling of control valves and prevent damage to hose caused by twisting
- 6000 PSI

aurora tools

Model No.	Thread Specifications	Price /Each
AC499	1/4" NPT (F) - 1/8" NPT (M)	82.95
AC500	1/4" NPT (F) - 1/4" NPT (M)	82.95



GREASE CONTROL VALVES

- Premium quality
- For use with power-operated equipment
- Provides continuous grease flow with trigger fully depressed
- Inlet thread specification: 1/4" NPT (female)
- Outlet thread specification: 1/8" NPT (female)
- 7500 PSI
- Comes complete with 6" steel extension and heavy-duty coupler

Model No. AC498
Price/Each \$130.00

aurora tools



EASY-OUT TOOLS

- Handy, dual-purpose tool for removing worn and broken grease fittings, as well as retapping holes for installing new grease fittings

aurora tools

Model No.	Tap Rethreads	Price /Each
AC511	1/4"-28	17.20
AC512	1/8"-27	14.80



GREASE FITTINGS

- Manufactured to the most stringent quality standards
- QS 9000 approved
- 10 fittings per package



SAE

Priced per Package

Model No.	Description	Price /Each
1/4" - 28 SAE-LT PIPE THREADS		
AC501	Short - Straight	5.20
AC502	Short - 45°	7.25
AC503	Short - 90°	9.25
1/8" - 27 PIPE THREADS		
AC504	Short - Straight	5.90
AC505	Short - 45°	8.80
AC506	Short - 90°	8.80
DRIVE FITTING		
AC507	For 3/16" Drill	5.65

METRIC

Priced per Package

Model No.	Description	Price /Each
M6 X 1 PIPE THREADS		
AD202	Straight	4.67
AD203	90°	8.24
M8 X 1 PIPE THREADS		
AD204	Straight	5.46
AD205	90°	15.12
M10 X 1 PIPE THREADS		
AD206	Straight	5.46
AD207	90°	15.12

SETS

Model No.	Description	Contains	Price /Each
AC509	80 Pcs of SAE Grease Fittings	15 Pcs of 1/4" 28 SAE LT Straight 10 Pcs of 1/4" 28 SAE LT 45° Angle 10 Pcs of 1/4" 28 SAE LT 90° Angle 25 Pcs of 1/8" 27 NPT Straight 10 Pcs of 1/8" 27 NPT 45° Angle 10 Pcs of 1/8" 27 NPT 90° Angle	43.95
AC510	80 Pcs of Metric Grease Fittings	20 Pcs of M6 x 1 Straight 10 Pcs of M6 x 1 90° Angle 15 Pcs of M8 x 1 Straight 10 Pcs of M8 x 1 90° Angle 15 Pcs of M10 x 1 Straight 10 Pcs of M10 x 1 90° Angle	43.95

aurora tools



VEHICLE FITTING ASSORTMENTS

- Box contains six types of popular fittings
- An identifying chart is included in the cover



AA720

ASSORTMENT INCLUDES:

Model No.	Type	Thread	Quantity
AA677	Str.	1/8" P.T.F.	24
AA686	45°	1/8" P.T.F.	12
AA680	90°	1/8" P.T.F.	12
AA684	Str.	1/4"-28 Taper	24
AA683	45°	1/4"-28 Taper	12
AA689	90°	1/4"-28 Taper	12

Model No. AA720 Price/Each \$144.50

METRIC FITTING ASSORTMENTS

- Box contains six types of popular metric fittings
- An identifying chart is included in the cover
- Thread conforms to German Standard DIN 71412



AB820

ASSORTMENT INCLUDES:

Model No.	Type	Thread	Quantity
AB845	Str.	6	10
AB839	45°	6	6
AB840	90°	6	6
AB844	Str.	8	6
AB841	90°	8	6
AB842	Str.	10	10

Model No. AB820 Price/Each \$114.14

POCKET PACK FITTING ASSORTMENTS

- Box contains six types of popular fittings
- An identifying chart is included in the cover



AB826

ASSORTMENT INCLUDES:

Model No.	Type	Thread	Quantity
AA677	Str.	1/8" PTF	12
AA686	45°	1/8" PTF	6
AA680	90°	1/8" PTF	6
AA684	Str.	1/4"-28 Taper	12
AA683	45°	1/4"-28 Taper	6
AA689	90°	1/4"-28 Taper	6

Model No. AB826 Price/Each \$60.80

LUBRICATION BULK FITTINGS 1/4" - 28 TAPER THREADS

- Used on most cars and trucks and on many industrial machines
- Features dirt excluding ball check
- Maximum pressure: 10 000 PSI


It is recommended that SAE-LT taper threads be assembled into 1/4" - 28 UNF, Class 3B, straight threaded holes having a modified maximum minor diameter of 0.2151" to insure 75% minimum thread height.

SAE-LT - conforms to Society of Automotive Engineers Lubrication thread specification.




1/8" PIPE THREADS


- Used on many industrial machines and heavy equipment
- Features dirt excluding ball check
- Maximum pressure: 10 000 PSI




AA684




AA685



AA689




AA497




AA683


Model No.	Mfg. No.	Type	Overall Length"	Shank Length"	Hex Size"	Price /Each
AA684	1641-B	Str.	35/64	3/16	5/16	0.73
AA685	1652-B	Str.	11/16	23/64	5/16	1.53
AA497	1698-B	Str.	1 1/8	25/32	5/16	2.90
AA683	1637-B1	45°	13/16	13/64	3/8	1.59
AA689	1911-B1	90°	3/4	13/64	3/8	1.46




AA677




AA676




AA678



AA686



AA679



AA680


Model No.	Mfg. No.	Type	Overall Length"	Shank Length"	Hex Size"	Price /Each
AA677	1610-BL	Str.	11/16	19/64	7/16	0.86
AA676	1607-B	Str.	1 1/4	25/32	7/16	2.19
AA678	1611-B	30°	29/32	19/64	7/16	1.70
AA686	1688-B	45°	57/64	19/64	7/16	1.63
AA679	1612-B	65°	27/32	19/64	7/16	1.65
AA680	1613-B	90°	27/32	19/64	7/16	1.53

DRIVE FITTINGS


- Used extensively to avoid tapping costs in a wide variety of applications
- Alemite serrated shank grips securely and simplifies the replacement of damaged fittings in old or oversized holes
- Recommended only for low and medium pressures

IMPORTANT

Actual drill sizes cannot be shown because drilling varies with hardness of metal. Drill sizes indicated on drawings are merely a guide. Exact drill size can only be determined by sample drilling of the actual metal. When drilled to proper tolerance, the serrated edge of the fitting will provide a secure, lasting grip.



AA687




AA688


Model No.	Mfg. No.	Type	Overall Length"	Shank Length"	Drill Dia."	Price /Each
AA687	1728-B	Str.	33/64	1/4	3/16	1.18
AA688	1743-B	Str.	35/64	1/4	1/4	1.35

1/4" PIPE THREADS

- Widely used for larger bearings on farm machinery and heavy industrial equipment
- Recommended for heavy lubricants in cold weather
- Features dirt excluding ball check
- Maximum pressure: 10 000 PSI



AA681



AA682

Model No.	Mfg. No.	Type	Overall Length"	Shank Length"	Hex Size"	Price /Each
AA681	1627-B	Str.	7/8	27/64	9/16	2.62
AA682	1629-B	67 1/2°	31/32	11/32	9/16	2.77



SAFETY TIP

To assure material compatibility, test product on a small inconspicuous area or similar expendable component prior to use. Do not use on energized electrical equipment or equipment in operation and allow surface to dry before restart.

INSTANT SUPER DEGREASER

- Heavy-duty performance
- Power blast spray
- Non-flammable
- Non-chlorinated
- Safe on most metals (as per MIL-T-81533A)
- NSF registered category code C1
- Accepted for use in Canadian food processing facilities



Model No.	Mfg. No.	Size	Price /Each
AD727	C00720	20 oz.	49.70

T-91 NON-SOLVENT DEGREASER

- Zero VOC's, biodegradable
- Non-flammable, non-toxic, low odour
- Safe on metals
- Non-dilutable – Must be used straight
- Moderate foam for effective mechanical cleaning
- Ideal for traditional solvent cleaning, basin style part washers and dip tanks
- NSF registered category code A1
- Accepted for use in Canadian food processing facilities



Model No.	Mfg. No.	Size	Price /Each
AD295	C06328	28 oz.	19.50
AD183	C06301	1 gal.	65.10
AD184	C06305	5 gal.	307.00
AD185	C06355	55 gal.	2213.00

A-151 SOLVENT DEGREASER

- High flash point above 140°F (60°C)
- Low odour
- No rinsing and no residue
- Non-conductive
- Safe to use on most surfaces
- NSF registered category code C1



Model No.	Mfg. No.	Size	Price /Each
AA920	C04320	15 oz.	27.00
AB448	C04305	5 gal.	650.00
AB579	C04355	55 gal.	5957.00

EVR® CLEAN AIR SOLVENT DEGREASER

- High solvent strength, fast evaporating, low VOC content
- Not a Hazard Air Pollutant (HAP)
- Instant cleaning action
- Ideal for cleaning metals
- No residue or ozone depleting compounds
- Inverta spray valve allows can to be sprayed at almost any angle
- NSF registered category code C1



Model No.	Mfg. No.	Size	Price /Each
AD060	C05220	14 oz.	17.30
AD061	C05201	1 gal.	70.70
AD062	C05205	5 gal.	367.00
AD063	C05255	55 gal.	2667.00

HDX HEAVY-DUTY DEGREASER

- Low odour
- Quick penetration
- No rinsing
- No residue
- Non-conductive
- Heavy-duty action removes oil, grease, wax, dirt, moisture, tar, brake fluid and other contaminants
- NSF registered category code K1



Model No.	Mfg. No.	Size	Price /Each
AA840	C01020	19 oz.	14.00
AB446	C01005	5 gal.	518.00

PRESOLVE® ORANGE DEGREASER

- High performance cleaner
- Non-conductive
- Natural-based solvent
- No rinsing and no residue
- Fast acting, deep penetration
- Safe on all metals and most plastics
- NSF registered category code C1



Model No.	Mfg. No.	Size	Price /Each
AA786	C01420	15 oz.	24.40
AD729	C01422	20 oz. Trigger	30.30
AB604	C01428	1 gal.	129.00
AB603	C01405	5 gal.	599.00
AA868	C01455	55 gal.	5995.00

F-104° SOLVENT DEGREASER

- 104°F (40°C) flash point
- Rapid evaporation
- Low odour
- Non-conductive
- No rinsing and no residue
- Heavy-duty cleaner/degreaser
- Safe to use on most surfaces - may be harmful to some plastics



Model No.	Mfg. No.	Size	Price /Each
AA919	C04920	15 oz.	19.30
AB589	C04905	5 gal.	374.00
AB591	C04955	55 gal.	3226.00

ZEROTRI® HEAVY-DUTY DEGREASER

- Heavy-duty penetrating degreaser instantly removes oil, grease, wax, dirt, moisture, tar, conformal coatings and other contaminants
- No ozone depleting chemicals
- Fast evaporating, no rinsing, no residue
- Does not contain chlorinated solvents
- Safe to use on most surfaces
- Inverta spray valve
- NSF registered category code C1
- Accepted for use in Canadian food processing facilities



Model No.	Mfg. No.	Size	Price /Each
AA787	C03520	15 oz.	29.30
AB607	C03528	1 gal.	189.00
AB605	C03505	5 gal.	831.00
AB606	C03555	55 gal.	5980.00

HEAVY DUTY DEGREASERS

- Base Type: Chlorinated
- No flashpoint
- Fast evaporation rate
- A versatile cleaner/degreaser that is extremely effective in most heavy duty applications
- Aggressively dissolves grease, oil and sludge for more efficient operation of mechanical equipment
- Accepted for use in Canadian food processing facilities



Model No.	Mfg. No.	Size	Price /Each
YA184	73095	539 g	13.80

G-49™ LOW VOC ORANGE DEGREASER

- Complies with CARB/OTC/LADCO (California Air Resources Board/Ozone Transport Commission/Lake Michigan Air Directors Consortium) VOC regulations
- Instant cleaning action, no residue
- High solvent strength
- Moderate evaporation
- Not a hazardous air pollutant (HAP)
- Ideal for cleaning metals
- Inverta spray valve can be sprayed at almost any angle
- NSF registered category code C1



Model No.	Mfg. No.	Size	Price /Each
AD186	C06420	15 oz.	20.80

HYDROFORCE® INDUSTRIAL STRENGTH DEGREASER

- An aqueous cleaner that removes heavy deposits of grease, oil and dirt
- Biodegradable, concentrated, non-abrasive and non-flammable
- Use caution on soft metals and painted surfaces



Model No.	Mfg. No.	Size	Price /Each
AF112	74415	32 oz.	19.90

EFX SOLVENT /DEGREASER

- Heavy-duty solvent
- Instant degreasing action, quickly removes grease and oil
- Power blast spray
- Fast evaporating, no residue, non-chlorinated
- Safe to use on most surfaces
- Ideal for cleaning metals and most plastics



Model No.	Mfg. No.	Size	Price /Each
AD833	C01820	15 oz.	14.10

INSTANT SUPER DEGREASER 2.0

- Non-flammable fast drying solvent degreaser
- Heavy-duty formula that removes oil, grease, dirt, and tar with less cleaner
- Non-brominated formula that improves worker safety and simplifies employer compliance
- No residue/no rinsing formula
- Non-conductive formula that can be used on or near energized equipment, eliminating equipment downtime



Model No.	Mfg. No.	Size	Price /Each
AF141	C07220	20 oz.	54.00

EM-CITRO EMULSION DEGREASER

- Heavy-duty, citrus-based, aerosol degreaser that quickly removes oil/grease, tar, and grime from metal parts and equipment
- High delivery spray enhances and accelerates soil removal
- Wipe dry or rinse with water soil emulsifies and is removed easily by a strong stream of fresh water
- Neutral pH with no caustics, acids, chlorinated solvents, alcohols, or ozone depleting solvents
- Low foam viscous liquid enhances contact time by clinging to the soil & surface
- Safe on most surfaces
- Meets VOC regulations under CARB and the Ozone Transport Commission
- NSF registered category code C1



Model No.	Mfg. No.	Size	Price /Each
AD001	C02820	15 oz.	21.00
AD003	C02805	5 gal.	534.00
AD004	C02855	55 gal.	4437.00

BFX ALL-PURPOSE CLEANER

- Water-based
- Butyl-free and dye-free formula
- Removes grease and oil
- Rinses clean
- Ideal for parts washers and pressure washers
- Safe on most surfaces except magnesium
- NSF registered category code C1



Model No.	Mfg. No.	Size	Price /Each
AB581	C05528	28 oz.	15.00
AB584	C05501	1 gal.	30.80
AB582	C05505	5 gal.	144.00
AB583	C05555	55 gal.	1444.00

CITRUS CLEANER /DEGREASER

- Biodegradable, heavy-duty, multi-purpose cleaner and graffiti remover
- Pleasant citrus scent
- Removes grimy dirt, grease and oil
- For surfaces such as Formica, fiberglass, wood, ceramic tile and some plastics
- Cleans residue on moulds, aluminum and concrete
- Ideal for public areas subject to abuse, such as restrooms, locker rooms, schools and buildings



Model No.	Mfg. No.	Size	Price /Each
AA111	A00751	16 oz.	14.50

HYDROFORCE® ZERO VOC GENERAL PURPOSE CLEANERS

- Plastic safe: Yes
- Slow evaporation rate
- Provides maximum regulatory compliance without performance compromises
- Removes dirt, dust, and grime
- Accepted for use in Canadian food processing facilities



Model No.	Mfg. No.	Size	Price /Each
AE970	74446	946 ml	18.70

PRECISION CLEAN MULTI-PURPOSE CLEANER/ DEGREASER

- Water-based
- Removes grease, oil, sludge, soot, ink, coffee, and more
- Contains no chlorinated or petroleum solvents, bleach, ammonia, abrasives or butyl
- Contains a corrosion inhibitor
- Super industrial-strength
- Safe on all surfaces
- NSF registered category code C1



Model No.	Mfg. No.	Size	Price /Each
READY TO USE FORMULA			
AB444	C02720	18 oz.	17.10
AA789	C02728	28 oz. trigger	19.60
CONCENTRATED FORMULA			
AA788	C02701	1 gal.	59.60
AB600	C02705	5 gal.	292.00
AB601	C02755	55 gal.	2132.00

SLAP SHOT™ CLEANER/ DEGREASER

- Industrial parts cleaner/degreaser
- Removes grease and oil
- Free of chlorinated solvent
- Safe on all metals
- Prepares surfaces for painting or relubrication
- Requires no rinsing, leaves no residues



Model No.	Mfg. No.	Size	Price /Each
YC419	53-C 502	500 ml	10.15
AC306	53-C 503	500 ml, trigger	17.75
AA462	53-C 506	5 L	83.65
AA463	53-C 507	20 L	374.75
AC307	53-C 508	200 L	1606.00

CHEMICALS

FOOD GRADE CITRUS CLEANER/DEGREASER

- D-Limonene is biodegradable
- Heavy-duty, multi-purpose cleaner and graffiti remover
- Removes grimy dirt, grease and oil
- Cleans residue on moulds, aluminum and concrete
- NSF Certified



Model No.	Mfg. No.	Size	Price /Each
AB532	A020454LQ	14 oz. trigger	17.40

FOOD GRADE STAINLESS STEEL CLEANER

- Polishes, brightens, cleans and protects stainless steel and metal surfaces
- Water-based emulsion
- Invisible coating resists fingerprints, watermarks and rusting
- Resists corrosion
- Cleans and shines
- Good for aluminum, porcelain and ceramic tile
- NSF Certified



Model No.	Mfg. No.	Size	Price /Each
AB536	A020885LQ	14 oz. trigger	11.50

FOOD GRADE GENERAL PURPOSE CLEANER

- All-purpose formula that cuts through dirt with ease
- Effective and safe to use on metal, finished wood, porcelain, vinyl, leather, laminated surfaces and glass
- Cleans spots on synthetic carpets
- For office equipment, copy machines, vehicle interiors, windshields, counters, chalkboards and fixtures
- NSF Certified



Model No.	Mfg. No.	Size	Price /Each
AB535	A020880LQ	14 oz. trigger	11.00

UNO S F CLEANER

- Non-flammable
- Concentrated cleaning power
- Contains corrosion inhibitors
- Solvent, phosphate and butyl-free
- For iron, steel, and stainless steel
- Removes oil, fat, grease, soot, wax and protein
- VOC free
- Accepted for use in Canadian food processing facilities



Model No.	Mfg. No.	Description	Price /Each
AA464	53-G 023	500 ml trigger	15.00
AA465	53-G 016	5 L Jug	53.55
AA466	53-G 017	20 L Pail	182.00
NI137	53-G 018	200 L Drum	1284.80

OCX™ CITRUS DEGREASER

- High performance industrial degreaser that cleans on contact
- Fast acting on grease, oil and sludge
- Natural based
- Does not contain chlorinated solvents
- Flash point above 100°F (38°C)
- Non-conductive
- Safe on all metals and most plastics
- Inverta spray valve
- Value Performance



Model No.	Mfg. No.	Description	Price /Each
AB588	C05020	15 oz. Aerosol	18.50
AB585	C05005	5 gal. Pail	418.00

WD-40® SPECIALIST™ INDUSTRIAL DEGREASER

- Solvent-based degreaser that quickly cleans machinery, engines and equipment to look like new and run smooth
- No residue
- Flashpoint: 202°F



SPECIALIST

Model No.	Mfg. No.	Size	Price /Each
AF177	012210	425 g	9.45

STAINLESS STEEL CLEANER

- Water-based emulsion
- Effectively cleans most water and oil-based stain on stainless steel and other metal surfaces
- Resists finger-prints, water marks and rusting
- USDA compliant, NSF Certified
- For kitchen equipment, drinking fountains, elevator doors and furniture



Model No.	Mfg. No.	Size	Price /Each
AA202	A00885	17 oz.	7.57

GENERAL PURPOSE CLEANER

- All-purpose formula cuts through dirt with ease
- Safe to use on metal, finished wood, porcelain, vinyl, leather, laminated surfaces and glass
- Cleans spots on synthetic carpets
- USDA compliant, NSF Certified
- For office equipment, copy machines, vehicle interiors, windshields, counters, chalkboards and fixtures



Model No.	Mfg. No.	Size	Price /Each
AA200	A00880	19 oz.	6.11

GLASS CLEANER

- Removes soil, smoke haze, fingerprints, road film and surface smears
- Cleans any surface not normally harmed by water
- USDA compliant, NSF Certified
- Will not cloud plexiglas or other plastic materials
- Resists streaking; wipes clean
- For windows, glass, mirrors, windshields, chrome, showcases, countertops, tile, vinyl upholstery and safety glass



Model No.	Mfg. No.	Size	Price /Each
AA201	A00888	18 oz.	6.11

SUPER CITRUS™ DEGREASERS

- Base type: d-Limonene and petroleum distillate
- Flashpoint: 43°C
- Fast evaporation rate
- Removes grease, oil and lubricants with no water wash-off
- Evaporates quickly and leaves no residue
- Pleasant citrus scent



Model No.	Mfg. No.	Size	Price /Each
AE967	73170	435 g	18.10

WORKPLACE HAND CLEANER TOWELS

- Waterless hand cleaner
- Deep cleaning, non-scratching abrasives
- Leaves hands clean, conditioned and softened
- 72 towels per bucket



Model No.	Mfg. No.	Price /Each
AA841	C09200	22.90

FIGHTBACK™ GRAFFITI REMOVER

- Safe and efficient, used to remove vandal marks leaving an undamaged original surface
- Ideal for use on brick, concrete, ceramic tiles, aluminum, steel, brass, chrome, vinyl, enamels, porcelain, marble slab, laminated plastic and most plastic surfaces
- Adequate for sprayed paint on vehicles and commercial trailers
- Breaks down and dissolves fresh stained molecules
- Spray it on, wait 30 to 60 sec. and wipe or spray with water
- Removes spray paint, indelible ink, grease, crayon, lipstick, black heel marks, etc.
- Very low toxicity
- No methylene chloride
- Non-flammable



Lloyds

Model No.	Size	Price /Each
AA529	350 g aerosol	12.10

CITRUS BASE CLEANER

- Heavy-duty degreaser/cleaner
- Safe on metals, ceramic, glass, porcelain and many plastics
- Removes grease, oil, ink and most adhesives
- No harmful solvents
- Cleans without streaking
- Non-aerosol pump



Model No.	Size	Price /Each
AA528	5 oz.	22.57
QN488	18.5 oz.	30.58

TRIFREE BRAKE CLEANER

- Heavy-duty performance
- Improves brake performance
- Helps stop disc brake squeal
- Fast evaporation
- Powerful jet spray
- No rinsing and no residue



Model No.	Mfg. No.	Size	Price /Each
AA818	C03620	15 oz.	23.00

ECO-GRADE™ VANDAL MARK & GRAFFITI REMOVER

- Soy based, contains natural, biodegradable ingredients made to replace terpene or petrochemical based products
- Formulated with EPA DFE certified materials
- Quickly and easily removes paint, ink, crayon, magic marker and adhesive residue
- Sprays and clings to vertical surfaces
- Penetrates and dissolves oil based stains quickly



Model No.	Mfg. No.	Size	Price /Each
AD402	A00404000	12 oz.	14.50

ELECTRA-X 2.0 CONTACT CLEANERS

- Non-flammable fast drying electronic cleaner
- Economical and effective industrial-strength formula
- Non-brominated formula that improves worker safety and simplifies employer compliance
- No residue/no rinsing formula
- Non-conductive formula
- Inverta spray valve allows users to spray in an upright or inverted position for more convenient application



Model No.	Mfg. No.	Size	Price /Each
AF143	C07316	12 oz.	39.70

NON-CHLORINATED BRAKE & PARTS CLEANER

- Non-chlorinated and fast evaporating
- Leaves no residue
- Instantly flushes away brake fluids, grease and dirt to ensure accurate adjustments and smooth brake operations
- Also recommended as a cleaner for metal parts
- Improves brake performance, helps stop break disc squeal



Model No.	Mfg. No.	Size	Price /Each
AA649	C00705000	14 oz.	6.58

COIL CLEANER

- Water-based, foaming coil cleaner
- Foaming and penetrating action
- Non-flammable and non-corrosive
- Safe on all types of metal
- Recommended use: All refrigerator and A/C coils, coolers, freezer engines, HVAC units, motors and machinery



Model No.	Mfg. No.	Size	Price /Each
AD056	A00887	18 oz.	6.55

CHLOR-FREE™ DEGREASER

- Non-chlorinated degreasing solvent that removes oil, grease and other types of contaminants
- Ideal for use in applications requiring quick turnaround and where a low flashpoint solvent can be used



Model No.	Mfg. No.	Size	Price /Each
AF105	73185	425 g	12.30

NOFLASH® 2.0 ELECTRO CONTACT CLEANERS

- Non-flammable fast drying electronic cleaner
- Industrial-strength formula for maximum cleaning power
- Non-brominated formula that improves worker safety and simplifies employer compliance
- No residue/no rinsing formula
- Non-conductive formula
- Inverta spray valve allows users to spray in an upright or inverted position for more convenient application



Model No.	Mfg. No.	Size	Price /Each
AF142	C07416	12 oz.	50.80

CHEMICALS

CFC FREE ELECTRO CONTACT CLEANER

- Fast evaporation
- No residue
- Low odour
- Non-conductive
- Safe on plastics
- Inverta spray valve allows you to spray in an upright or inverted position
- NSF registered category code K2



Model No.	Mfg. No.	Size	Price /Each
AA784	C03116	11 oz.	27.10
AB546	C03101	1 gal.	130.00
AB544	C03105	5 gal.	541.00
AB545	C03155	55 gal.	5449.00

CFC FREE NU CONTACT CLEANER

- Reduced VOC's (Volatile Organic Compounds) content and conforms to CARB (California Air Resources Board), OTC (Ozone Transport Commission) and LADCO (Lake Michigan Air Directors Consortium) VOC regulations
- Removes dirt, flux, moisture, dust, and other contaminants from electrical equipment
- Fast evaporating, safe on plastics
- Will not leave a residue
- NSF registered category code K2



Model No.	Mfg. No.	Size	Price /Each
AD177	C05416	11 oz.	27.80

REVO 66® CONTACT CLEANER

- Ideal for removing dirt, moisture, flux or oxides from the internal components of electronic equipment
- Non-flammable precision cleaning
- Does not contain brominated solvents
- Fast evaporating
- Non-conductive
- Quick penetration
- No rinsing and no residue
- Safe to use on most surfaces
- NSF registered category code K2
- Accepted for use in Canadian food processing facilities



Model No.	Mfg. No.	Size	Price /Each
AD010	C04416	12 oz.	39.60

ELECTRO 140° CONTACT CLEANER

- Flash point above 140°F (60°C)
- Superior wetting and penetrating action
- Controlled evaporation
- No residue • Non-conductive
- Safe to use on most surfaces
- Inverta spray valve allows you to spray in an upright or inverted position



Model No.	Mfg. No.	Size	Price /Each
AA836	C00916	11 oz.	22.40

NOFLASH® NU PRECISION CONTACT CLEANER

- Does not contain chlorinated solvents
- Non-flammable precision cleaning
- No flash point
- Fast drying
- Quick penetration and evaporation
- No rinsing and no residue
- Safe to use on most surfaces
- NSF registered category code K2



Model No.	Mfg. No.	Size	Price /Each
AA860	C04015	12 oz.	47.60

MICRO-X FAST EVAPORATING CONTACT CLEANER

- Fast evaporation
- Quick penetration
- No residue
- Low odour
- Safe on plastics
- No rinsing
- Inverta spray valve allows you to spray in an upright or inverted position



Model No.	Mfg. No.	Size	Price /Each
AA837	C04516	11 oz.	17.00
AB549	C04555	55 gal.	2932.00

QB PRECISION DUSTER

- Quick blast precision duster removes contaminants, dirt, dust and other soils
- Moisture free
- No residue
- No flash point
- Odourless



Model No.	Mfg. No.	Size	Price /Each
AA918	C05710	12 oz.	20.50

ELECTRO CONTACT CLEANER

- No ozone depletion potential
- Fast penetration
- Quick evaporation
- Penetrates into minute spaces
- Cleans/degreases delicate mechanisms
- Ideal for electrical/electronic fine parts
- Removes light greases, oils, dirt and organic soils
- No rinsing and no residue
- Safe to use on most surfaces



Model No.	Mfg. No.	Size	Price /Each
AA858	C00416	14 oz.	85.50

PSC PLASTIC SAFE CLEANER

- Formulated for contact cleaning
- Fast evaporation
- No flash point
- No rinsing and no residue
- Displaces moisture
- Very low odor
- No CFC's



Model No.	Mfg. No.	Size	Price /Each
AB700	C04620	18 oz.	85.50

LECTRA CLEAN® HEAVY-DUTY ELECTRICAL PART DEGREASER

- A chlorinated based degreaser that quickly removes grease, oil and dirt from motor parts and other similar equipment



Model No.	Mfg. No.	Size	Price /Each
AF103	72018	539 g	12.30

QD™ CONTACT CLEANER

- Plastic safe: Yes
- Flashpoint: Less than -18°C
- Very fast evaporation rate
- Suitable for cleaning sensitive electronics and electrical equipment
- Use where lower flashpoint cleaners are acceptable
- Accepted for use in Canadian food processing facilities



Model No.	Mfg. No.	Size	Price /Each
MLN874	72130	312 g	21.00

FREEZE SPRAY

- Plastic Safe: Yes
- No flashpoint
- Very fast evaporation rate
- Aerosol coolant system that instantly freezes surfaces to -60°F, dissipating heat and cooling equipment
- Assists in locating thermal intermittent components, failures and shorts
- Safe to use on sensitive components and all surfaces finishes



Model No.	Mfg. No.	Size	Price /Each
AE971	74086	284 g	23.80

NON-CHLORINATED ELECTRICAL DEGREASER

- Penetrates instantly to remove dirt, oil, grease and wax
- More thorough and faster than alkaline cleaners
- Safe on all ferrous and non-ferrous metals and most plastics
- Non-flammable, non-chlorinated, non-ozone depleting, fast evaporating
- Dielectric strength: 15 000 volts
- NSF registered category code K2



Model No.	Mfg. No.	Size	Price /Each
AB533	A020847LQ	14 fl oz. trigger	39.20

FLASH FREE SAFETY SOLVENT & DEGREASER

- Meets California's consumer regulation (CONS1) for energized electrical cleaner
- Fast-acting solvent penetrates easily, evaporates quickly, leaves no residue
- Excellent cleaning properties make it ideal for removing grease, dirt, wax and oil
- Non-conductive, non-flammable, fast evaporating, chlorinated
- Dielectric strength: 37 000 volts
- NSF registered category code K2



Model No.	Mfg. No.	Size	Price /Each
AB534	A020848LQ	14 fl oz. trigger	21.50

ENVIRONMENTAL CLEANER & DEGREASER

- Meets California's consumer regulation (CONS1) for energized electrical cleaner
- Designed for fast, effective removal of dirt, oil, grease, wax and tar
- For use on non-energized equipment
- Leaves no residue
- Fast-evaporating
- NSF registered category code K2



Model No.	Mfg. No.	Size	Price /Each
AB531	A0220749LQ	14 fl oz. trigger	15.10

DUSTERS

- Non-conductive
- Non-flammable
- Removes microscopic particles of lint, dust, ferrous oxide and other contaminants
- Useful on instruments where residual entrapment could be a problem
- High-delivery trigger valve
- Safe on plastics
- Non-abrasive
- For electronics, data processing, optical and laboratory equipment, personal computers and precision mechanical parts



Model No.	Mfg. No.	Size	Price /Each
AB934	A0200700	10 oz.	15.20

ENVIRONMENTAL CONTACT CLEANERS

- Heavy-duty degreaser and quick-drying cleaner
- Ideal for sensitive equipment and precision instruments
- Fast-evaporating
- Safe on most plastics
- Leaves no residue
- For use on non-energized equipment
- For printed circuits, office machines, vacuum tube parts and computer systems



Model No.	Mfg. No.	Size	Price /Each
AA214	80230Z	11 oz.	14.90

ENVIRONMENTAL CLEANER & DEGREASER

- Designed for fast, effective removal of dirt, oil, grease, wax and tar on electrical equipment
- For use on non-energized equipment
- Leaves no residue
- Fast-evaporating
- For electric motors, radar equipment, gears, brakes, clutches, generators, air tools and moulds



Model No.	Mfg. No.	Size	Price /Each
NA613	A00749	15 oz.	12.60

FLASH FREE SAFETY SOLVENT & DEGREASER

- Fast-acting solvent penetrates easily, evaporates quickly, leaves no residue
- Ideal for removing grease, dirt, wax and metallic particles
- Non-conductive
- Non-flammable
- Dielectric strength: 37 000 volts
- Includes extension tube and high-delivery nozzle for flush-type applications
- NSF registered category code K2



Model No.	Mfg. No.	Size	Price /Each
AA216	A20848	13 oz.	12.00

ANTI-STATIC SPRAY

- Neutralizes static electricity generated by friction or atmospheric conditions
- Proven effective on plastic, paper, cellophane, cloth and thread materials
- Dries instantly, non-staining
- Can be applied to machinery or parts in process
- Will not attract contaminants



Model No.	Mfg. No.	Size	Price /Each
AC517	A00610	11.5 oz.	15.20

7629™ ELECTRICAL CONTACT CLEANERS

- Ideal for removing grease, oil and contaminants from electrical parts to prevent contact failures
- Dries residue-free in seconds
- This contact cleaner is non-conductive, non-corrosive and non-flammable



Model No.	Mfg. No.	Size	Price /Each
AF070	1174633	12 oz.	33.90

CHEMICALS

LPS 1® GREASELESS LUBRICANT

- Dry, thin lubricating film
- Resists oil, dust and dirt build-up
- Fast acting penetration
- Displaces moisture
- Loosens rusted or frozen parts
- Provides short term, light, corrosion resistant barrier
- Safe on paint and most plastics
- Inverta spray valve lets you spray in all directions
- NSF registered category code H2
- Accepted for use in Canadian food processing facilities



Model No.	Mfg. No.	Size	Price /Each
AA819	C30116	11 oz.	18.40
AB628	C00122	20 oz. trigger	24.70
AB627	C01128	1 gal.	72.70
AB625	C00105	5 gal.	324.00
AB626	C00155	55 gal.	3073.00
AE950	C30144	7" x 10" Wipe	1.48

HIGH PERFORMANCE SILICONE LUBRICANT

- 6.6% silicone formula
- Stops squeaks and sticking, eliminates friction, repels water and prevents freezing
- Does not harden or degrade from -40°F to 400°F
- Apply to wood, metal, fabric, rubber or leather
- Keeps rubber soft and flexible
- For rubber mountings, weather-strip insulation, doors, locks, trunk lids, windows, slitter knives, any sliding surface



Model No.	Mfg. No.	Size	Price /Each
AA647	A01324	10 oz.	7.21

ALL-PURPOSE SILICONE LUBRICANT

- 5% silicone formula
- Reduces friction and sticking; protects against corrosion and oxidation with an invisible film that repels water
- Compatible with most surfaces; will not attack most plastics
- Will not interfere with painting or decorating
- Effective from -50°F to 375°F
- For rubber moldings, windows, sliding wood surfaces, sewing equipment, sliding racks, dissimilar metals, springs, leather, doors, hinges, weather-stripping, plastic assemblies



Model No.	Mfg. No.	Size	Price /Each
AA108	800206	10 oz.	6.63

HEAVY-DUTY SILICONE LUBRICANT

- Silicone-rich formula
- Water-based formula
- Colourless and odourless
- Excellent lubricity
- Eliminates sticking, binding and squeaking
- Dry, non-staining
- Safe on most surfaces
- Made of FDA compliant materials
- NSF registered category code H1
- Accepted for use in Canadian food processing facilities



Model No.	Mfg. No.	Size	Price /Each
AA844	C01516	13 oz.	18.10
AB624	C01505	5 gal.	451.00

FOOD PLANT SILICONE LUBRICANT

- Flashpoint: Less than -18°C
- Fast evaporation rate
- Multi-purpose silicone spray for food processing and handling applications
- Forms a colorless, odorless, non-staining film
- Eliminates binding and sticking in most metal to non-metal applications
- Accepted for use in Canadian food processing facilities



Model No.	Mfg. No.	Size	Price /Each
YC014	73040	284 g	15.50

SUPERIOR LUBRICANT

- Penetrates inaccessible areas to displace contaminants
- Lubricates with oils, additives and PTFE to reduce friction and increase part life
- Protects against moisture and corrosion damage; displaces moisture to prevent icing; inhibits rust formation and corrosive build-up
- Rejects dirt, dust, sand and other abrasive particles
- Resists rust and corrosion, even under extreme conditions
- Effective from -60°F to 475°F
- For bearings, cables, nuts and bolts, air power tools, ball and socket joints, control cables, conveyors, cutting tools, drive chains, electric power tools, gears, glides, hinges, linkages, precision tools, rollers, taps, dies and valves
- NSF registered category code H2



Model No.	Mfg. No.	Size	Price /Each
AA427	CTF20005	6 oz.	12.00
AA428	CTF20006	12 oz.	19.60
AA429	CTF20007	18 oz.	32.20

LPS 2® HEAVY-DUTY LUBRICANT

- Added corrosion protection
- Provides a nondrying, light, oily film for use on indoor /outdoor equipment
- Reduces wear caused by friction and corrosion
- Displaces moisture
- Loosens rusted or frozen parts
- Provides up to one year of protection
- Safe on paint and most plastics
- Inverta spray valve lets you spray in all directions
- NSF registered category code H2
- Accepted for use in Canadian food processing facilities



Model No.	Mfg. No.	Size	Price /Each
AA820	C30216	11 oz.	17.90
AB632	C00222	20 oz. trigger	24.40
AB631	C02128	1 gal.	76.50
AB629	C00205	5 gal.	343.00
AB630	C00255	55 gal.	3728.00

DRY GRAPHITE LUBES

- Dry black film
- Flashpoint: Less than -18°C
- Fast evaporation rate
- Resists dirt, dust and oil build-up
- Wide effective temperature range up to 850°F constant



Model No.	Mfg. No.	Size	Price /Each
MLT431	75101	320 g	13.00

SILICONE LUBRICANT

- Lubricates cutting tools and tables
- Prevents build-up of glues, wax, inks, paints
- Fast drying, long lasting, high quality
- Eliminates squeaks and sticking
- Contains no petroleum oils to stain fabrics
- Helps preserve plastic, rubber and leather
- Rubber mould release agent
- Temperature resistance: 350°F (177°C)



Model No.	Size	Price /Each
AA613	375 g	12.90

DRY FILM GRAPHITE LUBRICANT

- Ideal where a dry lubricant is or where petroleum products must be avoided
- Adheres with minimum pre-treatment
- Effective up to 850°F constant and 1000°F intermittent
- Dries rapidly at room temperature
- For pre-assembly lubrication of moving parts, mechanisms of vending machines and parking meters, automotive and industrial gaskets, bearings, locks, springs, hinges, mating surfaces on machines, CRT's, plating non-conductors, curing ovens



Model No.	Mfg. No.	Size	Price /Each
AA107	A00204	10 oz.	10.30

DRY FILM SILICONE LUBRICANT

- Colourless, thin film
- Excellent for releasing moulded parts in high temperatures or pressures
- Low odour
- Non-staining
- Non-flammable
- Non-corrosive



Model No.	Mfg. No.	Size	Price /Each
AA902	C01616	11 oz.	18.80

QTL DRY LUBRICANT WITH PTFE

- Dry, non-oily, non-staining lubricant
- Made with DuPont® Krytox®
- Dries quickly to a white, chemically inert film
- Effective from -40°F to 572°F
- Resists most solvents
- For metal extrusions, munitions, locks and catches, window guides, synthetic fibers, machine parts, cord, twine or rope, leather drawers, hinges, paper, glass, elastomers and some plastics
- Use as release agent on conveyor belts, chutes and slides, industrial blenders, tanks, bins and spray booths



Model No.	Mfg. No.	Size	Price /Each
AA184	800708	10 oz.	11.60

SYNTHETIC DRY PROTECTANT

- Quickly loosens rust while penetrating grease and dirt
- Transparent, non-staining oil
- Light film displaces moisture and acts as a corrosion preventative
- Jet stream sprays up to two feet for safe, accurate application
- Flashpoint: 205°F
- Will not harm painted surfaces
- For releasing rusted or frozen lugs and bolts, lubricating tight-fitting parts, general overhaul, repair work, food plant equipment
- NSF registered category code H2



Model No.	Mfg. No.	Size	Price /Each
AA227	A00737	11 oz.	11.10

DRY FILM PTFE LUBRICANT

- Ideal for releasing moulded parts
- Excellent for high temperature applications up to 500°F (260°C)
- Dry, thin film won't attract dust or dirt
- Non-flammable
- No silicone or chlorinated solvents
- Safe on most surfaces



Model No.	Mfg. No.	Size	Price /Each
AA870	C02616	11 oz.	19.90

DRY MOLY LUBRICANT

- Penetrates pores of substrate and bonds to surface for long-lasting lubrication
- High-pressure, high-solids molybdenum disulfide coating
- Withstands pressures up to 50 000 PSI
- Air dries in 5-10 minutes; cures in 2 hours at room temperature
- Maintains effectiveness under high temperatures (650°F constant and 750°F intermittent)
- For assembly and run-in lubrication, automotive and industrial gaskets, sliding surfaces and gears, chutes and bins, bearings, chain drives, intricate mechanisms, vending machines, parking meters, roller chains, conveyor belts where heat is present



Model No.	Mfg. No.	Size	Price /Each
AA104	800200	11 oz.	10.30

FORCE 842® DRY MOLY LUBRICANT

- Works under high temperatures up to 842°F (450°C) and pressures up to 100 000 PSI (6890 bars)
- Prevents seizure of parts
- High adhesion
- Resists dust and dirt
- Water and chemical resistant
- Provides a quick drying, thin film
- Not recommended for friction bearings or light-duty bearings



Model No.	Mfg. No.	Size	Price /Each
AA845	C02516	11 oz.	29.00

MAGNUM PREMIUM LUBRICANT WITH PTFE

- High performance lubricant with PTFE additives
- Ultra high lubricity
- Penetrates and protects metal against rust and corrosion
- Flash point of 175°F (79°C)
- Displaces moisture
- Safe to use on most surfaces
- Inverta Spray Valve lets you spray in all directions
- NSF registered category code H2



Model No.	Mfg. No.	Size	Price /Each
AA842	C00616	11 oz.	20.80

ECO-GRADE™ HIGH PERFORMANCE LUBE WITH PTFE

- Formulated with 100% natural soy oil and fortified with PTFE to offer excellent extreme pressure lubricity, water resistance and high temperature performance
- Contains no heavy metals
- Penetrate, water-displacer, rust inhibitor
- Equipped with spray Anyway™ valve and extension tube for hard to reach areas
- Best for use in high wear areas such as chains, cable, linkage, conveyor belts, industrial machines and more
- Surface to be protected should be clean, dry and free of rust, oil and mill scale



Model No.	Mfg. No.	Size	Price /Each
AD403	A00401000	12 oz.	15.40

CHEMICALS

FOOD GRADE SILICONE LUBRICANT

- Provides excellent lubrication
- Non-staining
- Non-corrosive
- Fast evaporating
- No chlorinated solvents
- Made of FDA compliant materials
- NSF registered category code H1
- Accepted for use in Canadian food processing facilities
- Metal and x-ray detectable plastic aerosol components
- Excellent for high temperature applications up to 500°F (260°C)



Model No.	Mfg. No.	Size	Price /Each
AA917	C01716	10 oz.	13.90

WD-40® SPECIALIST™ SILICONE LUBRICANT

- Safely lubricates, waterproofs and protects metal and non-metal surfaces, including rubber, plastic and vinyl
- Dries fast and leaves a clear, non-staining film that doesn't stick or make a mess
- Effective Temperature Range: -100°F to 500°F



Model No.	Mfg. No.	Size	Price /Each
AF172	01079	311 g	9.45

SILICONE LUBRICANT

- Effective from -58°F to 450°F
- Colourless, odourless low-viscosity lubricant
- Prevents sticking without transferring to end products
- Will not attack delicate surfaces such as styrene or urethane
- For slides, guide rails, knives, slicers, saws, grinders, dough mixers, guards, conveyors, food racks, ovens, bottling machines, heat sealing equipment, all food and drug processing equipment
- Made of FDA compliant materials
- NSF registered category code H1



Model No.	Mfg. No.	Size	Price /Each
AB519	A00210LQ	14 oz.	14.10

WHITE LITHIUM LUBRICANT

- Inhibits corrosion on unpainted metal surfaces
- High-solids, non-staining white grease
- Excellent for metal-to-metal applications
- Will not drip or run on vertical surfaces
- Effective from -20°F to 275°F
- For chains, gears, drives, hinges and other vertical or overhead surfaces
- NSF registered category code H2



Model No.	Mfg. No.	Size	Price /Each
AB513	A000100LQ	14 oz.	13.40

SILICONE LUBRICANT

- 5% silicone formula
- Colourless, odourless low-viscosity lubricant
- Prevents sticking without transferring to end products
- Will not attack delicate surfaces such as styrene or urethane
- For slides, guide rails, knives, slicers, saws, grinders, dough mixers, guards, conveyors, food racks, ovens, bottling machines, heat sealing equipment, all food and drug processing equipment
- NSF registered category code H1



Model No.	Mfg. No.	Size	Price /Each
AA110	A00210	10 oz.	5.54

SYNTHETIC FOOD GRADE OIL

- Includes PTFE for added lubricity
- Does not emulsify with water
- Waterproof
- Biodegradable
- Clear, non-staining
- Kosher approved
- For pumps, gear boxes, bearings, hydraulic systems, motors, chains, conveyors, general purpose lubrication
- NSF registered category code H1



Model No.	Mfg. No.	Size	Price /Each
AA525	TF23010	16 oz.	15.00

PLASTIC AND FOOD DON'T MIX



METAL DETECTABLE PLASTIC COMPONENTS



LPS® Laboratories has revolutionized food safety for manufacturers with the release of six NSF® H1 food grade lubricants with patent-pending DETEX™ metal detectable plastic components.



FOOD GRADE MACHINE OIL

- Penetrates to loosen frozen nuts and bolts
- Displaces water
- Provides excellent lubricity
- Does not contain silicone
- Eliminates sticking, binding and squeaking
- Non-staining lubricant, safe on most surfaces
- Inverts spray valve lets you spray in an upright or inverted position
- Made of FDA compliant materials
- NSF registered category code H1
- Accepted for use in Canadian food processing facilities
- Metal and x-ray detectable plastic aerosol components



Model No.	Mfg. No.	Size	Price /Each
AB623	C01316	11 oz.	15.50

FOOD GRADE MACHINERY OIL

- Economical, general-purpose lubricant
- Penetrates and loosens rust, dirt, scale and corrosion
- Non-silicone formula is excellent for use in areas where silicone overspray might interfere with carton sealing or capping operations
- Virtually odourless, tasteless and colourless
- For bottle and carton filling machinery, valves, pistons, rollers, stainless steel pumps, chain drive belts, paste and sauce fillers, cams on rotary-type fillers, mixers, conveyors
- NSF registered category code H1



Model No.	Mfg. No.	Size	Price /Each
AA139	800700	10 oz.	10.50

CHAINMATE® CHAIN & WIRE ROPE LUBRICANT

- Effective under extreme temperature and pressure ranges
- Fortified with molybdenum disulfide
- Deep penetration to the core of wire ropes
- High adhesion
- Lubricant and corrosion protectant
- Use with guards in place to eliminate costly down time
- Increases chain and wire rope life
- Reduces wear caused by friction and corrosion



Model No.	Mfg. No.	Size	Price /Each
AA877	C02416	11 oz.	22.10

MOLY CHAIN LUBRICANT

- Foaming action penetrates close tolerances of chain drive bushings and pins
- Specially formulated for all chain drive equipment
- Reduces wear, increases chain life up to three times when applied regularly
- Moly additive assures lubrication under extreme pressure
- Effective from -20°F to 300°F
- Excellent as a protective coating for stored metal parts
- For chain drives and pins, forklift trucks, tractors, machinery, workstand rollers, conveyors, motorcycle and bicycle chains, sprockets, clippers, cutter bars, chain saws, link and roller assemblies
- NSF registered category code H2



Model No.	Mfg. No.	Size	Price /Each
AA106	800202	12 oz.	7.34

WD-40® SPECIALIST™ SPRAY & STAY

- Offers long-lasting lubrication that won't run, drip or make a mess
- Gel stays where you spray it, making it ideal for use on vertical surfaces and moving parts like chains, cables, gears, rollers and bearings
- Safe on multiple surfaces including metal, plastic and rubber
- Effective Temperature Range: -100°F to 500°F



Model No.	Mfg. No.	Size	Price /Each
AF176	01221	425 g	12.90

FOOD GRADE CHAIN LUBRICANT

- Excellent for applications involving incidental food contact on food processing equipment
- Foaming action provides extra penetration and lubrication
- Oily, wet film extends chain life
- Low flammability with high flash point
- Reduces wear caused by friction
- NSF registered category code H1
- Accepted for use in Canadian food processing facilities
- Metal and x-ray detectable plastic aerosol components



Model No.	Mfg. No.	Size	Price /Each
AD731	C06016	12 oz.	20.20

OPEN GEAR & WIRE ROPE LUBRICANT

- Penetrates to core of wire rope, minimizing internal friction
- "Travels" on metal surfaces, displacing water to provide excellent rust protection
- Withstands extreme pressure with maximum adhesion
- Works from 0°F to 250°F
- Penetrates pores of surfaces without heating
- Will not wash, weather away or rub off
- Black colour aids in determining adequate coverage
- For open or exposed gears, wire rope winches, elevator cables, metal forming presses, wire rope, gear boxes, cable, roller chains, machine tools



Model No.	Mfg. No.	Size	Price /Each
AA105	800201	12 oz.	11.10

HEAVY DUTY OPEN GEAR & WIRE ROPE LUBRICANT

- Penetrates to core of wire rope, minimizing internal friction
- "Travels" on metal surfaces, displacing water to provide excellent rust protection
- Withstands extreme pressure with maximum adhesion
- Works from 0°F to 450°F
- Penetrates pores of surfaces without heating
- Won't wash, weather away or rub off
- Black colour aids in determining adequate coverage
- For open or exposed gears, wire rope winches, elevator cables, metal forming presses, wire rope, gear boxes, cable, roller chains, machine tools
- NSF registered category code H2



Model No.	Mfg. No.	Size	Price /Each
AB515	A000201LQ	14 oz.	17.50

FOOD GRADE MOLY CHAIN & PIN BUSHING LUBRICANT

- Specially formulated for all chain drive equipment
- Reduces wear, increases chain life up to three times when applied regularly
- Moly additive assures lubrication under extreme pressure
- Effective from -20°F to 300°F
- Excellent as a protective coating for stored metal parts
- For chain drives and pins, forklift trucks, tractors, machinery, workstand rollers, conveyors, motorcycle and bicycle chains, sprockets, clippers, cutter bars, chain saws, link and roller assemblies
- NSF registered category code H2



Model No.	Mfg. No.	Size	Price /Each
AB516	A000202LQ	14 oz.	14.80

CHEMICALS

DRY FILM PTFE MOLD RELEASE WITH KRYTOX®

- Made with DuPont® Krytox® dry film
- Non-silicone mould release
- Exceptional anti-stick properties that will not transfer to finished parts allowing for multiple releases per application
- Compatible with most mouldable resins, elastomeric compounds, urethanes and styrenes
- Will not attack rubber, paints or metals
- Recommended for low and high-temperature moulds up to 575°F
- For polystyrenes, polypropylenes, nylon, rubber, foams, metals, filament windings, polyurethanes, epoxy potting and encapsulating and phenolic resins
- NSF Certified



Model No.	Mfg. No.	Size	Price /Each
AA174	A00311	12 oz.	14.10

BELT DRESSING

- Does not contain 1,1,1 or any harmful, chlorinated solvents that deteriorate drive belts
- Low odour
- Prevents belt slippage on flat, round and V-belts
- Fast evaporation
- Eliminates squeaks from slipping belts
- Resists wash-off
- Extends belt life and pulley bearing life
- Can be used in wet outdoor conditions
- Made of FDA compliant materials
- NSF registered category code H1
- Accepted for use in Canadian food processing facilities
- Metal and x-ray detectable plastic aerosol components



Model No.	Mfg. No.	Size	Price /Each
AA869	C02216	10 oz.	16.10

YELLOW 77® WIRE PULLING LUBRICANT

- Wax-based formula provides superior lubricity
- Safe to use with most cable types except low-density polyethylene and semi-conducting jackets
- Clings to cable through long pulls
- Environmentally safe - non-toxic, non-flammable, non-corrosive
- Dries to a thin, non-conductive film that won't clog conduit



Model No.	Description	Price /Each
AB488	1 qt. Squeeze Bottle	13.10
AB489	1 gal. Tub	26.50

LONG TERM INDOOR PROTECTANT & LUBRICANT

- Non-staining, medium-weight oil formulated for long-term indoor protection
- Penetrates, displaces moisture and prevents rust
- Works up to 15 months against humidity and corrosion damage
- Leaves an amber film to identify coverage
- Contains no silicone or chlorinated solvents
- Safe to use on metals, rubber, and most plastic and painted surfaces
- Protects equipment stored indoors and items waiting to be shipped



Model No.	Mfg. No.	Size	Price /Each
AA228	A00767	11 oz.	12.00

COLOR GUARD® TOUGH RUBBER COATING

- Inhibits rust and corrosion
- Seals, insulates, and identifies almost any material in minutes
- Creates a non-slip gripping surface
- Rubber coating won't crack or chip
- Acid and alkali resistant
- Lasts for years
- Use to 200°F
- For dip, spray, or brush
- For tools, metal, electrical connections, masonry, wood, conveyors, glass, rope, fabric
- Toluene-free



LOCTITE

Model No.	Mfg. No.	Size	Colour	Price /Each
AC013	34979	14.5 oz.	Black	25.20
AC014	34980	1 gal.	Black	170.00
AC016	34982	14.5 oz.	Blue	25.20
AC017	34983	1 gal.	Blue	170.00
AC011	34985	14.5 oz.	Red	25.20
AC012	34986	1 gal.	Red	170.00
AC159	34988	14.5 oz.	Yellow	25.20
AC015	34989	1 gal.	Yellow	170.00

SF 7900™ CERAMIC SHIELD FOR WELDING

- Ceramic dry film protective coating for MIG/MAG welding processes
- Protects contact tips and welding nozzles by preventing adhesion of welding spatter
- Once applied the coating dries by solvent evaporation within 5 to 10 seconds at room temperature (Thicker films will need longer drying time)
- Ceramic, silicone-free protective coating, easy to apply
- Protects contact tips, welding nozzles and jigs, eliminating cost for cleaning equipment
- Reduces running costs for consumables by up to 40%
- Prevents adhesion of welding spatter for many hours with just one application
- Colour: White



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AD492	1616692	9.5 oz.	35.70

SF7607™ RUBBERIZED UNDERCOATING

- Heavy-duty undercoating seals, protects, and insulates
- Rubberized for maximum durability



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA635	30538	16 oz.	7.90

3-IN-ONE® PENETRANT

- Fast-acting penetrant that quickly loosens stuck parts and prevents rust



3-IN-ONE

Model No.	Mfg. No.	Size	Price /Each
AD065	01040	311 g	4.36

RUST BREAKER™ PENETRANT

- Quickly loosens rust while penetrating grease and dirt
- Transparent, non-staining oil
- Light film displaces moisture and acts as a corrosion preventative
- Jet stream sprays up to two feet for safe, accurate application
- Flashpoint: 205°F
- Will not harm painted surfaces
- For releasing rusted or frozen lugs and bolts, lubricating tight-fitting parts, general overhaul, repair work, food plant equipment



Model No.	Mfg. No.	Size	Price /Each
AA113	A00103	10 oz.	9.65

TKX ALL-PURPOSE LUBRICANT

- Non-flammable CO₂ propellant
- Displaces moisture
- High flash point of 175°F (79°C)
- Protects against corrosion
- Loosens rusted or frozen parts
- Does not contain chlorinated solvents or silicones
- Safe on most surfaces
- Inverta spray valve lets you spray in all directions
- NSF registered category code H2
- Provides non-drying long-lasting, oily film



Model No.	Mfg. No.	Description	Price /Each
AA846	C02016	11 oz. Aerosol	9.01
AD730	C02022	20 oz Trigger	19.30
AB490	C02028	1 gal. Can	54.10
AB638	C02005	5 gal. Pail	295.00
AB639	C02055	55 gal. Drum	3064.00

5-WAY PLUS™ PENETRANT

- Penetrates, lubricates, demoteurizes, cleans and prevents rust
- Inhibits corrosion and pitting of moulding dies and extension screws
- Frees rusted, frozen nuts and bolts
- Excellent for precision instruments
- Ideal for stainless steel and aluminum
- Displaces moisture in electrical apparatus, generators, motors
- Undercuts grit and grime on metal surfaces leaving a protective film



Model No.	Size	Price /Each
AA505	24 oz.	22.82

LST PENETRANT

- Specially formulated with low surface tension for fast penetrating action
- Attacks rust and corrosion to free frozen parts
- Powerful foaming action provides complete surface coverage
- Displaces moisture
- Lubricates and protects metal surfaces
- Flash point of 175°F (79°C)
- Inverta spray valve lets you spray in all directions
- NSF registered category code H2



Model No.	Mfg. No.	Description	Price /Each
AA843	C01916	11 oz. Aerosol	13.40
AB635	C01928	1 gal. Can	80.00

PENETRATING OIL

- Flashpoint: 60.6°C
- Slow evaporation rate
- A no-compromise penetrant that attacks corrosion to free corroded fasteners and mechanical components
- A super-fast, powerful, concentrated penetrating solvent that loosens and cleans
- Instantly penetrates tightly fitted crevices



Model No.	Mfg. No.	Size	Price /Each
YB991	73060	312 g	9.94

KB 88 THE ULTIMATE PENETRANT

- Quickly releases rusted and corroded nuts, bolts, hinges and other frozen components
- Extremely high solvency, low surface tension
- Enhanced penetration and lubrication
- Outperforms the competition in independent lab tests
- Penetrates faster and deeper than most other similar products in the market place
- VOC regulatory guidelines
- Inverta spray valve
- NSF registered category code H2
- VOC compliant



Model No.	Mfg. No.	Description	Price /Each
AD970	C02316	13 oz. Aerosol	17.30
AD297	C02322	20 oz. Trigger	23.30
AD971	C02301	1 gal. Can	119.00
AD972	C02305	5 gal. Pail	522.00

WD-40

- Loosens rusted parts
- Displaces moisture
- Non-conductor, dries out electrical and electronic equipment
- Stops squeaks
- Lubricates and protects against moisture and corrosive
- Operating temperature: -50°F to 300°F
- Minimum flash point 110°F open cup



Model No.	Description	Price /Each
NA611	311 g Aerosol	6.98
AF165	311 g Big Blast Aerosol	7.25
AF166	325 g Smart Straw Aerosol	9.95
AF168	591 ml Trigger Pro Bottle	13.50
AF169	408 g EZ-Reach™ Aerosol	13.50
NA609	3.78 L Can	36.20
AF170	18.9 L Pail	179.00
AA744	205 L Drum	1307.00
NA608	Spray Bottle Empty	6.74

WD-40® SPECIALIST™ RUST RELEASE PENETRANT

- Penetrates deep into crevices, threads and seams to break the bonds that hold stuck parts together
- Leaves behind a protective layer and helps prevent rust and corrosion from re-forming



SPECIALIST

Model No.	Mfg. No.	Size	Price /Each
AF171	01078	311 g	9.45

LB 8040 FREEZE & RELEASE

- Penetrating oil instantly freezes seized and rusted bolts, nuts and studs down to -45°F (-43°C)
- Shock-freeze effect of this penetrating oil causes microscopic cracks in the layer of rust, allowing the lubricating ingredient to wick directly into the rust by capillary action
- The rusted bolt assembly can be easily dismantled after allowing only 1-2 minutes penetration time
- Released parts remain lubricated and protected from corrosion
- Chemistry: Synthetics



Model No.	Mfg. No.	Size	Price /Each
AD133	996456	13.53 oz. aerosol	17.50

CHEMICALS

LPS 3® HEAVY-DUTY INHIBITORS

- Protects up to two years
- Stops rust and corrosion
- Provides non-sling lubrication
- Non-flammable propellant
- Self-healing, waxy film
- Provides anti-seize coating
- Safe to use on rubber, fabric, plastics and paints
- Meets or exceeds these specs: Boeing BMS-3 23F Type II, MIL-C-0083933A, para.3.2-3.16, MIL-C-16173D Grade 2 Class I, DMS 2150, Airbus TN A. 007.10138 Type I Grade 2
- Accepted for use in Canadian food processing facilities



Model No.	Mfg. No.	Size	Price /Each
AA808	C00316	11 oz.	23.50
AB559	C00322	20-oz. trigger	30.90
AB558	C03128	1 gal.	110.00
AB556	C00305	5 gal.	461.00
AB557	C00355	55 gal.	4549.00

BRIGHT COAT COLD GALVANIZE CORROSION INHIBITORS

- Shiny zinc coating
- Prevents rust and corrosion on all metals
- Restores hot dip galvanizing
- Dries to touch in 15 to 30 minutes
- Repairs rusted, galvanized and welded surfaces
- Electrochemically protects bare metal
- Heat resistant, flexible coating
- Will not yellow, chalk, crack or peel



Model No.	Mfg. No.	Size	Price /Each
AB485	C05916	13 oz.	16.60

BIO-RUST NEUTRAL PH RUST REMOVERS

- Removes rust and other metallic particles
- VOC free, solvent free, non-flammable, pH neutral solution biodegradable
- Not controlled under WHMIS
- Non-corrosive rust remover
- High workload - can remove 1.5 kg (3.3 lbs.) of iron oxide per 20 L
- For use with iron and mild steel
- Deeply rusted parts may require longer soaking time
- After application of Bio-Rust, rinse parts in water to remove loosened contaminants
- After removing rust, dip pack into fresh bath or Bio-Rust to provide short term corrosion protection
- It is recommended to degrease part before using Bio-Rust
- Bio-Rust is designed for immersion applications only
- Immerse parts in Bio-Rust at room temperature and let react for at least 30 minutes



WALTER
Surface Technologies

Model No.	Mfg. No.	Size		Price /Each
		Litres	Gallons	
AD441	53-G 247	20	5.2	347.95
AD442	53-G248	208	55	3105.00

EVAPO-RUST™ RUST REMOVERS

- Removes rust quickly without scrubbing
- Dipping process
- Non-toxic, non-corrosive, non-flammable
- VOC free
- Water-soluble, biodegradable, safe on skin
- Contains no acids, bases or solvents
- Will not harm unruined metals



Model No.	Mfg. No.	Size	Price /Each
AD049	ER1	1 L	10.80
AD050	ER4	3.78 L	32.10
AD051	ER20	18.9 L	155.00
AD052	ER205	205 L	1355.00

ZINC MATE™ INSTANT COLD GALVANIZED COATING

- Flashpoint: -19°C
- Fast evaporation rate
- Working Temperature: 54.4°C (Continuous) and 65.6°C (Intermittent)
- High performance coating of >93% pure zinc that electrochemically bonds with ferrous metals to form a galvanic cell
- Actively fights rust and corrosion
- Use as a touch-up for damaged galvanized coatings



Model No.	Mfg. No.	Size	Price /Each
YA185	73054	369 g	16.60

COLD GALVANISED CORROSION INHIBITORS

- 95% zinc-rich galvanised coating
- Commonly used as a flash rust preventative on welded areas
- Works like a hot-dip on ferrous metals indoors and out
- Three-year protection
- Withstands water temperature up to 212°F (100°C) and continuous dry heat up to 750°F (400°C)
- Flexible coating will not yellow, chalk, crack or peel
- Electrochemically protect bare metal
- Meets or exceeds these specs: MIL-P-46105 Weld Through Primer, Passes Preece Test for Hot-Dip Galvanizing



Model No.	Mfg. No.	Size	Price /Each
AA807	C00516	14-oz.	19.60
AB552	C05128	1 gal.	410.00

MAXI-COAT RUST INHIBITOR

- Heavy-duty coating that provides long-term protection for metal parts, equipment, and machinery
- Forms a protective, waxy film which seals out moisture, air, acid, and other corrosive elements
- Great for protecting parts in storage
- Container Type: Aerosol



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA599	51211	16 oz.	15.10

COLD GALVANIZING COMPOUND

- 93% pure zinc coating provides maximum corrosion resistance and excellent adhesion and durability on galvanized metal
- Use to touch-up/repair galvanized ducts, storage tanks, fences, gutters, etc.
- VOC Compliant
- Finish: Gloss
- Max Operating Temperature: 200°F
- Series: Industrial Choice 1600



RUST-OLEUM

Model No.	Mfg. No.	Size	Price /Each
KP448	1685830	14 oz.	9.97

EXTEND® RUST TREATMENTS

- Goes on white and converts rust to a durable, black, metal-protective coating in 10 minutes
- Wirebrush parts and apply with brush or spray
- Surface rust must be present
- Use as a primer or finish coat
- Resists temperatures to 250°F intermittent, 200°F continuous
- Approved by the American Bureau of Shipping



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA632	30539	10.5 oz.	13.30
AA633	75430	1 qt.	46.90
AA634	75448	1 gal.	162.00
AC110	75465	5 gal.	709.00

BRAKLEEN® BRAKE PARTS CLEANER

- Premium non-chlorinated brake parts cleaner that utilizes Powerjet® technology
- The spray nozzle produces a burst of product that forcefully breaks away contaminants, while the formula cleans and degreases instantly



Model No.	Mfg. No.	Size	Price /Each
AF115	75050	397 g	6.95

BATTERY TERMINAL PROTECTOR

- Dark Red Viscous Liquid
- Plastic Safe: Yes
- Flashpoint: Less than -18°C
- Specially designed to protect battery terminals from corrosion, a leading cause of hard starting and battery failure
- Provides a lead-free soft protective coating



Model No.	Mfg. No.	Size	Price /Each
AE952	75046	213 g	14.60

BATTERY CLEANER W/ACID INDICATOR

- Yellow Foam
- Plastic Safe
- Slow evaporation rate
- Instantly detects leaks and neutralizes acid
- Removes corrosion by-products
- Just spray on and rinse off



Model No.	Mfg. No.	Size	Price /Each
MLP160	75097	312 g	8.30

GASKET KLEEN™

- Plastic Safe: No
- Flashpoint: 13°C
- Fast evaporation rate
- Used for the removal of conventional and formed in place gaskets on motors, pumps and flanges



Model No.	Mfg. No.	Size	Price /Each
MLP071	75021	340 g	10.10

BRAKLEEN® BRAKE PARTS CLEANER

- The original brake parts cleaner
- Formulated to quickly & effectively remove grease, brake dust, brake fluids, oils, and other contaminants from brake parts, lining, and pads
- Plastic Safe: No
- Flashpoint: None
- Very fast evaporation rate
- Base Type: Chlorinated



Model No.	Mfg. No.	Bottle	Price /Each
MLP234	75089	539 g Aerosol	6.40
MLN591	75090	3.79 L Bottle	50.70

RUBBERIZED SPRAY UNDERCOATINGS

- Black Viscous Material
- Plastic Safe: No
- Flashpoint: 7°C
- Provides a tough, flexible shield against moisture, salt and road debris
- Dries quickly and is exceptionally resistant to abrasion



Model No.	Mfg. No.	Size	Price /Each
MLT298	75034	454 g	17.80

CLEAN-R-CARB® CARBURETOR CLEANERS

- Plastic Safe: No
- Flashpoint: -18°C
- Fast evaporation rate
- Designed to maximize carburetor performance
- Quickly dissolves carburetor deposits such as gum, sludge and varnish to improve fuel system performance and enhance fuel economy



Model No.	Mfg. No.	Size	Price /Each
MLP103	75081	454 g	8.41

3-IN-1® MOTOR OIL

- Special blend of high-grade oils that's equivalent to SAE 20
- Engineered for 1/4 HP motors or larger



Model No.	Mfg. No.	Size	Price /Each
AF178	01045	88.7 ml	3.95

BRAKLEEN® BRAKE PARTS CLEANER

- Formulated to quickly and effectively remove grease, brake fluid, oil and other contaminants
- Non-chlorinated formula
- Flashpoint: -18°C



Model No.	Mfg. No.	Description	Price /Each
MLP159	75088	397 g Aerosol	5.67
AF139	75086	19 L Pail	149.00

DIESEL FUEL THERAPY™ - DIESEL INJECTOR CLEANER W/ANTI-GEL

- Dark Amber Liquid
- Plastic Safe: No
- Flashpoint: 57°C
- Emissions reducing formula that is rated "SUPERIOR" in Cummins L-10 Test for injector cleanliness
- Lowers pour point & CFPP, reliquifies gelled fuel, adds lubricity, increases power and MPG



Model No.	Mfg. No.	Size	Price /Each
MLN925	75212	888 ml	17.60

ICE-OFF™ WINDSHIELD SPRAY DE-ICER

- Ideal for melting ice, snow and frost on contact
- Does not harm car finish
- Thaws frozen locks



Model No.	Mfg. No.	Size	Price /Each
AF119	75346	340 g	7.25

WD-40® SPECIALIST™ MACHINE & ENGINE DEGREASER

- Water-based formula produces deep foaming penetrating action
- Removes grease, oil, dirt and grime



Model No.	Mfg. No.	Size	Price /Each
AF174	02206	283 g	8.95

CHEMICALS

MARINE GRADE ANTI-SEIZE

- Protects assemblies exposed directly or indirectly to fresh and salt water
- Works especially well in high humidity conditions
- Excellent lubricity, superior water wash-out water spray resistance
- Prevents galvanic corrosion



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC338	34395	8 oz.	28.40
TDP003	34026	16 oz.	39.50

FOOD GRADE ANTI-SEIZE

- Prevents seizure, galling and friction in stainless steel and other metal parts up to 750°F (399°C)



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC339	1167237	8 oz.	28.40

HEAVY-DUTY ANTI-SEIZE

- Metal-free
- Excellent lubricity
- Outstanding lubrication to all metals including stainless steel, aluminum and soft metals up to 2400°F (1315°C)



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC208	51605	9 oz.	43.30
AC328	51606	1.2 lb.	64.60

SILVER GRADE ANTI-SEIZE

- Heavy-duty, temperature resistant, petroleum-based lubricant
- Fortified with graphite and metallic flake
- Inert, will not evaporate or harden in extreme cold or heat
- For use in assemblies up to 1600°F (871°C)



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC347	76732	8 oz.	21.10
YA275	76759	12 oz. aerosol	22.00
YA276	76764	1 lb.	28.10

COPPER ANTI-SEIZE

- Service rating: -65°F (-54°C) to 1800°F (982°C)
- Lead free, low friction lubricant in a water-resistant grease fortified with anti-oxidants
- Protects against seizure, heat-freeze, galling, rust and corrosion
- Permits reuse of fittings, saves stud, bolt and nut replacements
- Not affected by contraction, expansion or vibration
- Will not run, drip or settle out
- Copper colour



Model No.	Mfg. No.	Size	Price /Each
AA890	C02916	12 oz.	28.10
AA925	C02908	1/2 lb.	22.70
AA874	C02910	1 lb.	35.60

C5-A® COPPER BASED ANTI-SEIZE

- Suspends copper and graphite in a high quality grease
- Protects metal parts from rust, corrosion, galling, and seizing at temperatures to 1800°F (982°C)



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC345	51147	8 oz.	20.70
AA533	1786073	12 oz. aerosol	28.60
AB467	51007	1 lb.	30.20

NICKEL ANTI-SEIZE

- Copper-free
- Recommended for stainless steel and other metal fittings
- For preventing corrosion, seizing and galling in harsh, chemical environments
- For temperatures to 2400°F (1315°C)



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC337	77124	8 oz.	32.40
AB486	1852753	12 oz. aerosol	39.30
AA117	77164	1 lb.	43.10

ANTI-SEIZE QUICKSTICKS™

- Used in high temperature applications, Loctite®
- Provides exceptional lubrication as well as protection against rust, corrosion, seizing and galling
- Also reduce friction and wear of critical parts that can be easily disassembled when needed
- Sticks offer less mess and portability

Typical applications:

- Use with copper, brass, cast iron, and all alloys including stainless steel, all plastics, and all non-metallic gasket materials
- Bolts, bushings, pipes, fittings, flanges, gaskets, headers, manifolds, studs, etc.
- High heat ovens, crane assemblies, turbine studs, coal crushers, casting and moulding equipment, and heat exchangers

Model No.	Mfg. No.	Format	Grade	Price /Each
AB653	37229	20 g	Copper	9.14
AB654	37230	20 g	Silver	9.14



ALL-PURPOSE ANTI-SEIZE

- Service rating: -65°F (-54°C) to 1800°F (982°C)
- Moly-fortified
- Lead free
- Protects against seizure, heat-freeze, galling, rust and corrosion
- Lowers friction and reduces wrench torque
- Not affected by contraction, expansion or vibration
- Will not harden, evaporate or settle out and requires no thinning
- Steel blue colour



Model No.	Mfg. No.	Size	Price /Each
AA924	C04108	1/2 lb.	16.50
AB475	C04110	1 lb.	24.40
AE671	C04105	5 gal. Pail	893.00

NICKEL ANTI-SEIZE

- Service rating: -65°F (-54°C) to 2600°F (1427°C)
- Contains no lead, copper, graphite, chlorides, phosphorous, silicone or halogens
- Can be used with ammonia, acetylene and vinyl monomers, which are unstable in the presence of copper
- Protects against seizure, rust and corrosion
- Safe on stainless steel when temperatures exceed 550°F (288°C)
- Prevents water wash-off
- Will not run, drip or settle out
- Silver colour



Model No.	Mfg. No.	Size	Price /Each
AA926	C03908	1/2 lb.	29.90
AB637	C03910	1 lb.	57.40

LOCTITE



PISTOL GREASE GUNS

HEAVY-DUTY

- Designed for use in general confined spaces or where access to grease nipples is restricted
- Heavy-duty die cast grease gun head
- Develops 5000 PSI
- Capacity: 14 oz (400 g) grease cartridge or suction fill
- AC475 comes complete with 4" steel extension and 4-jaw coupler with ball check
- AC476 comes complete with 18" flexible hose and 4-jaw coupler with ball check

Model No. AC475

Price/Each \$27.95

Model No. AC476

Price/Each \$35.65



aurora tools

FOR OUR COMPLETE LINE OF GREASE GUNS, SEE PAGES 996 - 997

THERMAPLEX® MULTI-PURPOSE BEARING GREASE



- Excellent load carrying properties
- Prolongs bearing life
- Ideal for lubricating all types of bearings
- Blue coloured paste
- Petroleum odour
- Temperature range: -22°F (-30°C) to 350°F (177°C)
- Dropping point: 429°F (220°C)
- NLGI Grade: No. 2
- Lithium complex



Model No.	Mfg. No.	Size	Price /Each
AA847	C70614	400 g	10.10
AB620	C70606	5 gal.	450.00

THERMAPLEX® FOODLUBE BEARING GREASE



- Metal & X-ray detectable plastic component
- Ensures safety in areas where incidental food contact may occur
- Does not contain, solvents or silicone
- Non-staining and non-emulsifying
- White coloured paste
- Mild odour
- Aluminum complex
- Temperature range: -4°F (-20°C) to 302°F (150°C)
- Dropping point: 500°F (260°C)
- NLGI Grade: No. 2
- Made of FDA compliant materials
- NSF registered category code H1
- Accepted for use in Canadian food processing facilities



THERMAPLEX® AQUA BEARING GREASE



- Resists water washout
- Excellent corrosion resistance
- Significant load carrying capability
- Greater degree of bearing protection
- Amber coloured paste
- Petroleum odour
- Temperature range: -4°F (-20°C) to 302°F (150°C)
- Dropping point: 500°F (260°C)
- NLGI Grade: No. 2
- Aluminum complex



THERMAPLEX® HI-LOAD BEARING GREASE



- Withstands shock loading
- Reduces wear from vibration
- Excellent anti-wear properties
- Wide operating temperature range
- Blue/black colour paste
- Lithium complex
- Petroleum odour
- Moly-fortified for extreme applications
- Temperature range: -22°F (-30°C) to 350°F (177°C)
- Dropping point: 429°F (220°C)
- NLGI Grade: No. 2



Model No.	Mfg. No.	Size	Price /Each
AA851	C70514	400 g	10.10

Model No.	Mfg. No.	Size	Price /Each
AA850	C70414	400 g	13.40
AB614	C70406	5 gal.	551.00

Model No.	Mfg. No.	Size	Price /Each
AA852	C70114	400 g	15.90
AB611	C70106	5 gal.	684.00

THERMAPLEX® HI-TEMP BEARING GREASE



- Resists carbonization at high temperatures
- Extends relubrication intervals
- Reduces risk of bearing failure at high temperature
- Ensures optimal production rates
- Smooth, brown paste
- Petroleum odour
- Lithium complex
- Temperature range: -15°F (-26°C) to 392°F (200°C)
- Dropping point: 536°F (280°C)
- NLGI Grade: No. 2



THERMAPLEX® CS MOLY BEARING GREASE



- Excellent oxidation stability, adhesive and cohesive properties and corrosion resistance
- Exceptional water resistance
- Premium performance
- Calcium sulfonate grease
- Contains molybdenum disulfide
- Reduces wear from vibration
- High load carrying capacity
- Prolongs bearing life
- Wide operating temperature range: 0°F to 425°F (-18°C to 218°C)
- Extends re-lubrication intervals for bearings
- NLGI No. 2
- NSF registered category code H2



Model No.	Mfg. No.	Size	Price /Each
AA848	C70214	400 g	19.00
AB617	C70206	5 gal.	857.00

Model No.	Mfg. No.	Size	Price /Each
AD179	C70814	400 g	14.60
AD180	C70806	35 lbs.	569.00

Ask us about volume prices!



In many cases you will benefit from quantity prices.

CHEMICALS

RED & REDI MULTI-PURPOSE RED GREASE

- Delivers excellent lubrication
- Prevents rust, corrosion and oxidation
- Remains effective at extremely high temperatures
- Reduces friction and vibration
- Resists shock
- Red colour allows easy visual inspection
- Penetrates quickly
- Non-melting



Model No.	Mfg. No.	Size	Price /Each
AA873	C05816	11 oz.	16.40

CLEAR PENETRATING GREASE

- Protects against corrosion
- Resists water washout
- Quick penetrating action
- High tack
- Metal detectable plastic components-DETEX™



Model No.	Mfg. No.	Size	Price /Each
AD479	C06716	11 oz.	18.30

WHITE LITHIUM GREASE W/PTFE

- Rapidly forms into a pure white grease
- Heat and water resistant
- Produces a long lasting, protective film against rust and corrosion
- White colour allows easy visual inspection
- Does not contain any chlorinated solvents
- Accepted for use in Canadian food processing facilities



Model No.	Mfg. No.	Size	Price /Each
AA914	C03816	10 oz.	17.20

VIPERLUBE™ HIGH PERFORMANCE SYNTHETIC GREASE

- Grease provides superior protection against equipment exposed to a wide range of operating temperatures and environments
- Use as a lubricant and protective anti-rust film on bearings, machine parts, equipment, or as a release agent on gaskets and seals
- Temperature resistance: 400°F (204°C) continuous
- NLGI Grade: 2/Severe Duty GC-LB
- NSF registered category code H1
- Accepted for use in Canadian food processing facilities



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AB505	36781	3 oz. Tube	8.56
AB508	36782	14 oz. Cartridge	16.10
AB507	36783	400 g. Can	22.60
AE853	1906102	10.1 oz. Aerosol	11.10
AB509	37061	30 lbs. Pail	479.00

DIELECTRIC GREASE

- Moisture proof barrier that lubricates and protects electrical equipment from salt, dirt, and corrosion
- High dielectric strength
- Good thermal, oxidation and chemical stability
- Temperature resistance: 400°F (204°C) continuous



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC365	30536	0.33 oz.	6.15

WHITE LITHIUM GREASE

- For metal-to-metal and metal-to-plastic applications
- Corrosion protection
- No ODC's
- Temperature resistance: 380°F (193°C) dropping point



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA611	30530	1.5 oz. tube	3.99
AE854	1906122	10.75 oz. Aerosol	9.05

WD-40® SPECIALIST™ WHITE LITHIUM GREASE

- Sprays on evenly as a liquid and sets dry for a thick, protective coating
- Won't freeze, melt or run off



WD-40

SPECIALIST

Model No.	Mfg. No.	Size	Price /Each
AF173	01080	311 g	9.45

MULTI-PURPOSE CONCRETE REPAIR & ADHESIVE

- Excellent for bridging horizontal or vertical cracks, even under water
- Twice as strong as concrete
- Works on concrete, masonry, brick, steel and more
- For indoor or outdoor use
- Colour: Light Gray



RUST-OLEUM

Model No.	Mfg. No.	Size	Price /Each
KP497	257395	9 oz.	56.20
KP498	257397	Replacement Static Mixers - 3 Pack	15.90
AF183	261292	Heavy-Duty 9 oz. Caulking Gun	52.40

TURBOKRETE CONCRETE PATCH COMPOUND KITS

- Easily repair deep holes and cracks
- 100%-solids epoxy patch kit is designed for floors exposed to heavy traffic and intermittent chemicals
- Protects against abrasion, impact and most chemicals—no sealer required
- Creates an extremely hard surface—3-4 times stronger than concrete
- For interior/exterior use on damaged or severely spalled floors, curbs, ramps, etc.
- Odorless
- Easy-mix kit includes base, activator and aggregate
- Colour: Light Gray



RUST-OLEUM

Model No.	Mfg. No.	Size	Price /Each
KP495	253479	2 gal.	119.00
KP496	5494323	3.5 gal.	231.00

WHITE LITHIUM GREASE

- Inhibits corrosion on unpainted metal surfaces
- High-solids, non-staining white grease
- Excellent for metal-to-metal applications
- Will not drip or run on vertical surfaces
- Effective from -20°F to 275°F
- For chains, gears, drives, hinges and other vertical or overhead surfaces
- Recommended for use on knock-out pins on mould equipment
- NSF registered category code H2



Model No.	Mfg. No.	Size	Price /Each
AA103	A00100	11 oz.	9.20

BIG FOOT™ PRIMER/SEALER

- Specially formulated to increase adhesion and coverage of all Big Foot™ Anti-Slip Coatings except Acrylic Pedestrian Grade and Glow Coat
- For use on concrete, wood, tile, and other porous substrates
- Water-based
- 320 sq. ft. coverage
- Maximum temperature 140°F
- 120 minutes working time
- 3-6 hours, functional cure



LOCTITE

Model No.	Mfg. No.	Size	Colour	Price /Each
AA609	1617851	1 gal.	Clear	267.00

BIG FOOT™ VEHICULAR GRADE

- Withstands even the heaviest rolling equipment traffic
- Resists liquids as harsh as jet fuels and hydraulic fluids
- Superior adhesion forms a solid bond to metal, concrete, and wood
- 40 sq. ft. coverage per gal.
- Max. temperature 140°F
- 120 minutes working time
- 12/72 hours, functional cure



LOCTITE

Model No.	Mfg. No.	Size	Colour	Price /Each
AA605	1602678	1 gal.	Black	207.00

BIG FOOT™ ANTI-SLIP FLOOR COATINGS

HEAVY-DUTY PEDESTRIAN GRADE

- Fire retardant when cured
- For areas with heavy pedestrian or light rolling traffic
- Ideal for ramps, walkways, locker rooms, stairs, and assembly areas
- 50 sq. ft. coverage per gal.
- Max. temperature 140°F
- 12/72 hours, functional cure



LOCTITE

Model No.	Mfg. No.	Size	Colour	Price /Each
AA603	1602679	1 gal.	Black	165.00
AA604	1602121	1 gal.	Grey	165.00
AF069	1592315	1 gal.	Yellow	166.00

FIXMASTER® MAGNA-CRETE®

- Two-component, rapid setting concrete repair and grouting system
- Chemically resistant to most common liquids and chemicals
- For concrete, wood, glass, steel, and other construction materials
- 4.8 sq. ft. coverage
- Pourable
- Max temperature 2000°F
- 15 minutes working time
- 1-2 hours, functional cure
- Accepted for use in Canadian food processing facilities



LOCTITE

Model No.	Mfg. No.	Size	Colour	Price /Each
AA748	95551	1 gal.	Grey	108.00
AD917	95555	5 gal.	Grey	220.00

FIXMASTER® DEEP POUR GROUT

- Aggregate-filled, epoxy system for pours up to 6" deep
- For self-leveling applications under rails and sole plates
- Bonds to steel, concrete, and itself
- Withstands high torque loading
- 660 cu.in. of coverage
- Pourable
- Maximum temperature 225°F
- 30 minutes working time
- 24 hours, functional cure
- Accepted for use in Canadian food processing facilities



LOCTITE

Model No.	Mfg. No.	Size	Colour	Price /Each
AA745	99545	5 gal.	Black	323.00

LOCTITE® FIXMASTER® MAGNA-GROUT™

- A two-component, rapid-setting concrete repair and grouting system with same properties as the Magna-Crete™ but containing smaller aggregate so that the mixed material can be poured thinner for resurfacing applications and feather edging.



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AE625	1477097	1 gal.	95.20
AE626	1476710	5 gal.	194.00

ACRYLIC URETHANE FLOOR PAINT

- Convenient, high-gloss, water-based coating is ideal for use in mild industrial or commercial setting
- Protects concrete floors from dusting, water damage, staining and mildew
- Paint and go—no measuring or mixing; minimal surface prep
- Dries fast—accepts next-day foot traffic
- Finish: High Gloss



RUST-OLEUM

Model No.	Mfg. No.	Size	Colour	Price /Each
KP490	251286	1 gal.	Safety Yellow	74.30
KP491	251291	1 gal.	Silver Grey	74.30
KP492	251293	5 gal.	Silver Grey	368.00

FIXMASTER® FLOOR FILL

- Trowelable
- For repairing and resurfacing cracks in concrete floors
- Bonds to old and new concrete and provides greater strength and chemical resistance
- 133 cu.in. of coverage
- Semi-pourable
- Max temperature 225°F
- 40 minutes working time
- 24 hours, functional cure



LOCTITE

Model No.	Mfg. No.	Size	Colour	Price /Each
AC362	99361	10 lbs.	Grey	142.00
AA747	99365	40 lbs.	Grey	389.00

WATER-BASED SINGLE COMPONENT ACRYLIC FLOOR COATING

- General purpose
- 100% acrylic
- Low odour
- For exterior/interior use
- Dries rapidly to a tough, alkali resistant finish which will withstand hard wear, abrasion, grease, oils, and cleaning equipment
- For use over prepared concrete and wood floors, steps, stairwells, aisleways, or previously painted floor surfaces in sound condition
- Not recommended for areas subject to hot tire pickup



KRYLON INDUSTRIAL

Model No.	Size	Colour	Price /Each
AC603	1 gal.	Grey	76.10
AC606	5 gal.	Grey	380.00

CHEMICALS

SPOTCHECK® AEROSOLS

SKL-SP1 SPOTCHECK® PENETRANT

- Post emulsifiable penetrant
- Most widely used, general purpose
- Solvent removable

SKD-S2 SPOTCHECK® DEVELOPER

- Non-chlorinated solvent developer
- Meets major requirements for special alloy and nuclear applications

SKC-S SPOTCHECK® CLEANER

- Non-chlorinated cleaner/remover
- Recommended general purpose
- Meets major requirements for special alloy and nuclear applications



MAGNAFLUX®

Model No.	Mfg. No.	Description	Price /Each
NP701	01-5149-68	SKL-SP1 Penetrant	24.00
NP702	01-5352-68	SKD-S2 Developer	23.50
NP703	01-5750-68	SKC-S Cleaner	19.40

FORM-A-THREAD®

STRIPPED THREAD REPAIR KIT

- Permanently repairs stripped threads and fasteners in 5 minutes
- Allows up to 128 lbs. of torque
- Operating temperature between -65°F & 300°F
- Accepted for use in Canadian food processing facilities



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA458	28654	4.8 ml	22.50

PIPE REPAIR KITS

- Urethane impregnated fiberglass tape, activated by water, for reliable, temporary repairs of metal, plastic, and composite pipes
- Cures in 30 minutes
- Includes: Loctite® Fixmaster® Metal Magic Steel™ epoxy stick, urethane impregnated fiberglass tape, and gloves
- Accepted for use in Canadian food processing facilities



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA641	96321	2" x 6' tape	65.40

FIXMASTER® STEEL PUTTY

- Steel filled, non-sagging, two-part epoxy that cures to a metal-like finish for rebuilding or repairing metal parts
- 0.3 sq.ft. coverage, at 1/4" thickness
- 225°F maximum operating temperature
- 4900 PSI tensile strength
- 30 minutes working time
- Functional cure in 6 hours
- Accepted for use in Canadian food processing facilities
- Colour: Grey



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC341	99913	1 lb. kit	63.20

FIXMASTER® ALUMINUM PUTTY

- Rebuilds and repairs aluminum equipment, forming a non-rusting finish
- 0.5 sq.ft. coverage, at 1/4" thickness
- 225°F maximum operating temperature
- 4000 PSI tensile strength
- 20 minutes working time
- Functional cure in 6 hours
- Accepted for use in Canadian food processing facilities
- Colour: Aluminum



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC334	97463	1 lb. kit	87.70

FIXMASTER® STAINLESS STEEL PUTTY

- Forms a non-rusting, very hard, durable finish on damaged stainless steel surfaces
- 0.25 sq.ft. coverage, at 1/4" thickness
- 225°F maximum operating temperature
- 4600 PSI tensile strength
- 20 minutes working time
- Functional cure in 6 hours
- Accepted for use in Canadian food processing facilities
- Colour: Grey



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC332	97443	1 lb. kit	98.60

Can't find what you're looking for?
Call us today!



FIXMASTER® STEEL LIQUID

- Steel filled
- Pourable and self-leveling
- Recommended for casting into hard to reach areas, anchoring and leveling, and forming moulds and fixtures
- 13 in.³ coverage, at 1/4" thickness
- 225°F maximum operating temperature
- 6000 PSI tensile strength
- 25 minutes working time
- Functional cure in 6 hours
- Accepted for use in Canadian food processing facilities
- Colour: Grey



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC340	97483	1 lb. kit	68.70

FIXMASTER® ALUMINUM LIQUID

- Two-part, pourable epoxy system heavily reinforced with aluminum powder
- For casting and repairing of aluminum parts, and for making molds and fixtures
- 17 in.³ coverage, at 1/4" thickness
- 200°F maximum operating temperature
- 6000 PSI tensile strength
- 20 minutes working time
- Functional cure in 6 hours
- Accepted for use in Canadian food processing facilities
- Colour: Aluminum



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC333	97453	1 lb. kit	89.30

FIXMASTER® FAST CURE POXY PAK™ EPOXY

- Bonds virtually any material to repair, fill, and seal holes, cracks, and worn surfaces
- 300°F temperature resistance
- 2300 PSI adhesive tensile shear
- 1 minute working time
- Fixtures in 4-6 minutes
- Full cure in 1 hour
- Colour: Clear



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA739	1324007	1 oz.	8.51

FIXMASTER® FAST CURE EPOXY MIXER CUPS

- Excellent chemical resistance
- Fills porosities and can be used to build up worn parts
- For bonding glass, hard plastics, rubber, and metal
- 180°F temperature resistance
- 2000 PSI adhesive tensile shear
- 5 minutes working time
- Fixtures in 10 minutes
- Full cure in 12 hours
- Colour: Grey



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC124	21425	10 x 4 g	43.20
AC125	21426	10 x 1 oz.	121.00
AB951	39088	4 x 4 g	23.40

LOCTITE® 2000 PUTTIES

- Tensile Strength on Grit Blasted Steel: 675 PSI
- A self-leveling aluminum liquid that can be poured into molds and cavities
- Recommended for casting aluminum replacement parts and for making molds
- Is paintable and sandable



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AB739	95724	8 oz.	102.00

FIXMASTER® FAST SET STEEL PUTTY

- Faster setting version of the Loctite® Fixmaster® steel putty
- Sets in 3 minutes
- Accepted for use in Canadian food processing facilities



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AD012	39917	1 lb.	74.20

LOCTITE® FIXMASTER® METAL MAGIC STEEL™

- Kneadable, two-part paste
- Working time: 3 minutes
- Sets in 10 minutes
- Adheres to damp surfaces
- Can be drilled, filed and painted
- Ideal for emergency sealing of leaking tanks and pipes
- Smooths welds, repairs small cracks in castings and fills oversized bolt holes
- NSF/ANSI 61 certified



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AD915	98853	4 oz.	20.00

LOCTITE® FIXMASTER® CONCRETE REPAIR EPOXY

- Enables permanent repairs to concrete and masonry
- Convenient stick contains premeasured portions of activator and base
- Once cured, it can be tapped, drilled, screwed, sawed, filed or painted and will have an appearance and texture similar to concrete



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AB953	39366	4 oz.	15.20

LOCTITE® FIXMASTER® UNDERWATER REPAIR EPOXY™

- Two-component, room temperature curing epoxy adhesive used for high strength, permanent bonding of metals, ceramics, concrete, wood and most plastics
- Can withstand temperatures of up to 150°C (300°F)
- Works on both wet and dry surfaces and sets up and cures underwater
- Putty like material is ideal for plumbing, irrigation and marine applications because it is unaffected by chlorinated or salt water
- Typical applications include plugging and filling gaps, leaks and holes in pipes, fitting tanks, valves and pumps
- Accepted for use in Canadian food processing facilities



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AE628	82093	4 oz.	19.40



ABS PREMIUM CEMENT

- Medium-bodied yellow coloured cement for ABS pipe and fittings up to 6" diameter
- For all types and grades of ABS pipe and fittings for DWV
- For all non-pressure applications
- Recommended application temperature: 40°F to 100°F
- Meets ASTM D-2235
- CSA approved

Oatey



Model No.	Description	Size	Price /Each
AB417	ABS Premium Cement Yellow	473 ml	6.82
AB418	ABS Premium Cement Yellow	946 ml	11.30

ABS STANDARD CEMENT

- Medium-bodied yellow coloured cement for use on ABS pipe and fittings up to 6" diameter
- For all non-pressure applications
- For all types and grades of ABS pipe and fittings for DWV
- Meets ASTM D-2235
- CSA approved

Oatey



Model No.	Description	Size	Price /Each
AB419	ABS Standard Cement Yellow	473 ml	6.47
AB420	ABS Standard Cement Yellow	946 ml	10.80

PVC HEAVY-DUTY GREY CEMENT

- Heavy-bodied grey coloured cement for use on PVC pipe and fittings up to 12" diameter for Sch. 40 and Sch. 80
- Thick formula fills gaps in large diameter pipe and fittings
- Recommended for all grades and types of PVC pipe and fittings, potable water, pressure pipe, gas, conduit and DWV
- Recommended application temperature 40°F to 100°F
- Meets ASTM D-2564
- CSA approved

Oatey



Model No.	Description	Size	Price /Each
AB423	PVC Heavy-Duty Grey	473 ml	11.10
AB424	PVC Heavy-Duty Grey	946 ml	18.80

PVC MEDIUM-DUTY GREY CEMENT

- Medium-bodied grey coloured cement for use on PVC pipe and fittings up to 6" diameter for Sch. 40 and Sch. 80
- Recommended for all grades and types of PVC pipe and fittings, potable water, pressure pipe, gas, conduit and DWV
- Recommended application temperature: 40°F to 100°F
- Meets ASTM D-2564
- CSA approved

Oatey



Model No.	Description	Size	Price /Each
AB421	PVC Medium Grey	473 ml	8.24
AB422	PVC Medium Grey	946 ml	15.10

PLUMBER'S PUTTY

- Stainless fixture setting compound for setting frames, faucets, strainer baskets, etc.
- Stays flexible and will not crack or shrink
- Soft pliable material is easy to work with
- Not for use on marble or plastic
- Meets Military Spec. TT-P-1536A

Oatey



Model No.	Description	Size	Price /Each
AB436	Putty – Plastic Container	14 oz.	2.14

CLEAR PRIMER

- A clear aggressive primer for use on PVC and CPVC pipe and fittings
- All schedules and all diameters
- Removes all surface dirt, grease and grime as well as softens pipe in preparation for solvent cement
- Meets ASTM F-656

Oatey



Model No.	Description	Size	Price /Each
AB434	Clear Primer – NSF Listed	473 ml	8.40
AB435	Clear Primer – NSF Listed	946 ml	14.50

PLASTIC WOOD® WOOD FILLERS

- Fills small holes and cracks in wood and hardboard
- Waterproof, takes nails and screws
- Can be stained or painted
- Fast drying

LEPAGE



Model No.	Size	Price /Each
AC180	500 ml	18.40
AC181	946 ml	33.90

See pages 1052 - 1053 for
Spatulas and Scrapers



FASTSTEEL®



- Moulds like clay, hardens like steel
- Repair ferrous and aluminum metals
- Rebuild engine parts, fill cracks and seal leaks
- Form nuts and bolts, repair stripped threads
- Repair metal tools, equipment, pipes, appliances and auto bodies
- Will not rust or shrink



Model No.	Size	Price /Each
AA261	114 g	12.56

AQUAMEND®



- Repairs to damp wet areas are done quickly and easily
- Rebuild holes in fibreglass, metal and wooden boat decks and hulls
- Repair leaking gaskets, water tanks, spas, hot tubs, pools, etc.
- Excellent adhesion to PVC, will not yellow when exposed to UV and cures to fibreglass white colour



Model No.	Size	Price /Each
AA266	114 g	12.56

INSTACRETE™



- Seal tie-rod holes
- Ideal for anchoring
- Repair of chipped concrete floors, curbing and steps
- Instant concrete repair
- Safe and solvent free
- Cures to a concrete colour
- Repair and rebuild decorative concrete trim, mouldings, statues, birdbaths, and other concrete lawn ornaments



Model No.	Size	Price /Each
AA268	114 g	12.56

REPAIRITQUICK®



- Repair loose or cracked wall and floor tiles
- Patch chipped concrete, bricks and masonry
- Electrical use in place of tape or plastic connector
- Fabricate small parts and mend holes
- Attach fixtures, machines, tags and signs
- 1001 household and industrial purposes



Model No.	Size	Price /Each
AA267	114 g	12.56

QUICKCOPPER®



- Repairs copper, brass, bronze and other non-ferrous metals
- Repair plumbing leaks in 15 minutes
- Bonds to damp and slow leaking surfaces
- Seals leaks in pipes, elbows, joints, sleeves, traps and drains



Model No.	Size	Price /Each
AA264	114 g	12.56

QUICK TITANIUM®



- Hand kneadable, for high temperature applications
- Consistency provides a "no mess" gap filling application without the use of tools
- No solvents
- Low odour
- Larger pot life
- Service Temperature -40°F to 500°F



Model No.	Size	Price /Each
AB482	114 g	13.89

QUICKWOOD®



- Fill holes, scratches, gouges, cracks, dry rot and knot holes
- Repair furniture, moulding and frames
- Reshape woodcarvings, remould wood knobs and handles
- Can be sanded, sawed, painted or stained
- Interior and exterior applications



Model No.	Size	Price /Each
AA265	57 g	12.56

QUICKPLASTIK®



- Ideal for repairs to automotive parts, plastic trim and appliances
- Seals leaks and bonds to major types of plastic approved for plumbing pipe
- Excellent for plastic outdoor furniture



Model No.	Size	Price /Each
AA263	114 g	12.56

QUICKALUMINUM®



- Many industrial and home maintenance applications: storm doors, aluminum tanks, aluminum boats, refrigeration units, recreational vehicles, aluminum Tubing and aluminum castings



Model No.	Size	Price /Each
AA262	114 g	12.56

ULTRA SEAL LOW EXPANDING STRAW FOAM

- A one component polymeric insulating foam/sealant that cures to a rigid seal which will allow for normal movement between building components
- Fills and seals gaps, cracks and holes within most types of construction materials to eliminate drafts
- Ideal for sealing around wall outlets, sill plates, foundation walls, behind baseboards, windows and doors
- Colour: White



Model No.	Size	Price /Each
AC612	12 oz.	7.41
AC613	24 oz.	17.26

ULTRA SEAL PF-100 GUN FOAM

- Quality moisture-curing polyurethane foam that seals, insulates, sound-deadens and bonds many common building materials together
- Fills gaps in new and retrofit construction such as around windows, doors and wall corners which are difficult to draft stop and insulate
- Seals out radon, drafts, gases, odours, water, dust, sound and pests
- AC608 professional dispensing gun



Model No.	Size	Colour	Price /Each
AC609	24 oz.	White	17.89
AC610	32 oz.	White	23.19
AC611	31 oz.	Black	20.42
AC608	Gun		207.88

FLEXTEC™ ADHESIVE & SEALANT

- Used for bonding and sealing dissimilar substrates
- High viscosity, sag resistant one component adhesive/sealant based on silane
- Modified polymer, which cures to an elastic product
- Free of solvents, isocyanates and silicones

LOCTITE



Model No.	Mfg. No.	Size	Colour	Price /Each
AD124	1562044	300 ml	Grey	13.80
AD125	1562042	300 ml	White	13.80
AD123	1560557	300 ml	Black	13.80
AF071	1562040	300 ml	Clear	14.70

CHEMICALS

CAULKING GUNS

STANDARD RATCHET TYPE

This improved caulking gun is recommended for medium and light consistency caulks, sealants and adhesives.

Its sturdy steel construction will ensure long lasting use.



Model No.	Size	Price/Each
TX604	300 ml	6.79

E-Z THRUST® HEX-ROD PARALLEL FRAME

Uniquely designed for professionals to develop a powerful thrust ratio, making extension of stiff caulks and sealants easy and comfortable. The extra long trigger and pivot above the post on rod delivers

3 times more thrust power than comparable guns. Other features include E-Z Thrust® mechanism, seal-puncture tool and spout cutter with ladder hook.



Model No.	Size	Price/Each
TZ936	300 ml	13.60

INDUSTRIAL ZINC - CHROMATE PLATED

This Super Hex Smooth Rod caulker is uniquely designed for professionals to develop a powerful thrust ratio, making the extrusion of stiff caulks and sealants easy and comfortable. Extra-long trigger and pivot above the piston rod delivers 3 times more thrust power than comparable guns. Other features include built-in spout cutter, seal-puncture tool, convenient D-ring and wrist strap.



Model No.	Size	Price/Each
TZ939	300 ml	24.00

WEXFORD & CHILTON

Compact size skeleton guns that fit in your tool box. Designed for comfortable operation over long periods of time. Smooth hexagonal drive rod and precision catch-plate provide effortless action.

Finished with a corrosion-resistant orange epoxy powder coat. Barrel rotates 360° (model AC132).



Model No.	Description	Size	Price/Each
AC132	Chilton	300 ml	45.00

SUPERIOR PROFESSIONAL QUALITY

Ratchet type caulking guns are recommended for extruding all grades of caulks, sealants and adhesives from light to heavy consistencies. Equipped with built-in spout cutter, seal-puncture tool and ladder hook.



Model No.	Size	Price/Each
TX606	300 ml	12.90
TX607	850 ml	25.50

SUPER INDUSTRIAL GRADE


This chrome plated caulker is designed for the professionals who prefer ratchet guns. Will outlast, outperform all other ratchet guns, and is engineered to withstand heavy use. Equipped with ladder hook, built-in spout cutter, seal-puncture tool and convenient D-ring and wrist strap.



Model No.	Size	Price/Each
TX610	300 ml	30.70

SUPER RATCHET TYPE

Professional quality Drip-Free Spring Clip Drive™ ratchet type caulking gun is recommended for extruding all grades of caulks, sealants and adhesives from light to heavy consistency. Also equipped with built-in spout cutter and seal-puncture tool.



Model No.	Size	Price/Each
TZ938	300 ml	15.60

DRIP-FREE E-Z THRUST® HEX ROD PARALLEL FRAME

The patented Adjust-A-Stroke™ mechanism allows for easier or faster extrusion of heavy or light viscosity materials in warm or cold weather at the turn of a knob. In the E-Z position, you will develop a 10:1 thrust ratio. The Dripless on Demand™ feature allows you to instantly stop the caulk flow by quickly and fully releasing the trigger. Other features include built-in spout cutter, seal puncture tool, ladder hook, Drip-Free Spring Clip™, E-Z load open front cap and cartridge retainer spring.



Model No.	Size	Price/Each
TZ937	300 ml	19.20

AIR CAULKING GUNS

Designed to apply low and medium viscosity materials. Lightweight, high-impact, non-corrosive Valox™ construction. 3 foot hose with 1/4" NPT fitting. 70 PSI max.

STANDARD CARTRIDGE GUN

Uses standard 10.3-oz. cartridges.
Model No. WJ072
Mfg. No. PG100
Price/Each \$78.10



MULTI CARTRIDGE GUN

Uses both 10.3 and 30-oz. cartridges.
Model No. WJ073
Mfg. No. PG151
Price/Each \$141.00



Caulk Master®

CAULKING GUNS

- Compact size to fit in a tool box
- Skeleton design
- Comfortable operation
- Smooth hexagonal drive rod

Model No.	Size	Price/Each
TYK650	300 ml	7.85



PREMIUM 100% RTV SILICONE SEALANT

- Excellent adhesion to non-porous materials
- Provides a watertight seal
- Highly, permanently flexible
- Will not crack, crumble or shrink
- Resists moisture and mildew
- Interior/exterior use
- Size: 10 oz.



Model No.	Colour	Price /Each
AD892	Clear	8.91
AD893	White	8.91
AD894	Aluminum	8.91
AD895	Black	8.91

SUPERFLEX™ BLUE RTV SILICONE ADHESIVE SEALANT

- Cures to a tough, flexible rubber
- "Formed in Place" gaskets resist shrinking, cracking and migrating
- Fills gaps to 0.25"
- Coats pre-cut gaskets
- Low volatility
- Tack free in 30 min 24 hrs., full strength
- Temperature range -65°F to 500°F (-54°C to 260°C) intermittent
- Colour: Blue



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC198	30560	80 ml tube	7.34
AC199	30533	300 ml cartridge	14.70

SUPERFLEX™ SILICONE ADHESIVE SEALANT

- General purpose, one part silicone adhesive, cures at room temperature to form a tough rubber seal
- Will not slump in overhead or vertical applications
- Withstands extreme temperature cycling, U.V. light and ozone
- Cannot be painted
- Tack free in 30 min. 24 hrs., full strength
- Temperature range -65°F to 450°F (-54°C to 232°C) intermittent
- Accepted for use in Canadian food processing facilities



LOCTITE

Model No.	Mfg. No.	Size	Colour	Price /Each
AC157	59330	80 ml tube	Black	7.34
AC158	59375	300 ml cartr.	Black	15.00
AC196	59530	80 ml tube	Clear	7.48
AC197	59575	300 ml cartr.	Clear	14.40
AC121	59430	80 ml tube	White	7.48
AC113	59475	300 ml cartr.	White	15.00

3006™ ALL PURPOSE ADHESIVE CAULK

- High quality acrylic latex formulation with silicone additives
- Cured caulk resists rust and mildew
- Applies a smooth, professional bead without gaps or bubbles
- Maintains excellent flexibility and elasticity
- Excellent colour retention
- Can be painted or stained after curing
- Interior/exterior use
- Exceeds ASTM Spec. C-834
- Size: 10 oz.



Model No.	Colour	Price /Each
AD884	White	5.47

SUPERFLEX™ RED HIGH TEMP RTV SILICONE

- Resists aging, weather and thermal cycling without shrinking, cracking or hardening
- Fills gaps to .25"
- Tack free in 30 min. 24 hrs., full strength
- Resist temperatures to 600°F (315°C) intermittent
- Colour: Red
- Accepted for use in Canadian food processing facilities



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC166	59630	80 ml tube	9.23
AC167	59675	300 ml cartridge	16.00

598™ BLACK RTV SILICONE GASKET MAKER

- Adheres well to oily surfaces
- Low odour and volatility
- Fills gaps to 0.25"
- Forms tough, flexible gaskets directly on the flange
- Resistant to most chemicals and solvents
- Non-corrosive
- Tack free in 30 min. 24 hrs., full strength
- Temperature range: -75°F to 625°F (-59°C to 329°C) intermittent
- Colour: Black
- Accepted for use in Canadian food processing facilities



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA488	59830	70 ml tube	13.20
AC195	59875	300 ml cartridge	28.30

CONTRACTOR RTV SILICONE SEALANT

- Made with 100% silicone
- Flexible watertight seal
- Minimal shrinking
- Interior/exterior use
- Size: 10 oz.



Model No.	Colour	Price /Each
AD890	Clear	6.98
AD891	White	6.98

PAINTER'S PREFERRED™ CAULK

- High quality acrylic latex formulation
- Cured caulk resists rust and mildew
- Applies a smooth, professional bead without gaps or air bubbles
- Can be painted when thoroughly dry
- Meets performance requirements of ASTM C-834 for extension recovery and adhesion
- Colour: White



Model No.	Size	Price /Each
AD882	10 oz.	3.69

GET CLEAN

Industrial handsoap with scrubbing particles for stubborn grease and grime

TRY SOME TODAY!

Model JG223
See page 327





587™ BLUE RTV SILICONE GASKET MAKER

- Adheres well to oily surfaces
- Low odour and volatility
- Fills gaps to 0.25"
- Forms tough, flexible gaskets directly on the flange
- Resistant to most chemicals and solvents
- Non-corrosive
- Tack free in 30 min. 24 hrs., full strength
- Withstands temperatures to 500°F (260°C) intermittent
- Colour: Blue
- Accepted for use in Canadian food processing facilities



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA489	58730	70 ml tube	12.80
AC201	58775	300 ml cartridge	28.30

518™ FLANGE SEALANT

- Forms a flexible, solvent-resistant seal that will not tear or decay
- For flexible metal including aluminum
- 0.010" unprimed gap fill, 0.020" primed gap fill
- -65°F to 300°F
- Cures 4 to 24 hours (unprimed), 30 mins. to 4 hrs. (primed)
- Colour: Red
- Accepted for use in Canadian food processing facilities



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA490	51831	50 ml	24.00
AB367	51845	300 ml	85.80

FLANGE SEALANT 515™

- Flexible gaskets for rigid machined flanges
- Flexes with flanges that move in service
- For flexible applications
- 0.010" unprimed gap fill, 0.020" primed gap fill
- -65°F to 300°F
- Cures 1 to 12 hours (unprimed), 15 mins. to 2 hrs. (primed)
- Colour: Purple
- Accepted for use in Canadian food processing facilities



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC088	51531	50 ml	24.00
AC089	51580	300 ml	85.80

QUICKSTIX™ 548™ GASKET ELIMINATOR®

- Formulated with excellent oil resistance for rigid flange sealing
- Ideal for on-the-spot repairs
- For use on a variety of metal surfaces, including aluminum
- Seals up to 300°F (149°C)
- Fills gaps to 0.010"
- Accepted for use in Canadian food processing facilities



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AB938	39152	18 g	25.80

565™ PST® CONTROLLED STRENGTH THREAD SEALANT

- General purpose instant sealant for tapered and straight/tapered fittings
- Controlled strength for ease of disassembly
- Withstands temperatures to 300°F
- Colour: White
- Accepted for use in Canadian food processing facilities



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA540	56531	50 ml	21.30
AA541	56541	250 ml	73.20

567™ PST® HIGH TEMPERATURE THREAD SEALANT

- Locks and seals tapered pipe threads and fittings, including high pressure applications
- Disassembles with hand tools
- Withstands temperatures to 400°F
- Colour: White
- Accepted for use in Canadian food processing facilities



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA543	56747	50 ml	22.20
AA431	56765	250 ml	81.50

592™ PST® SLOW CURE THREAD SEALANT

- Locks and seals threaded fittings
- Parts may be repositioned up to 24 hours after application
- Withstands temperatures to 400°F
- Colour: White
- Accepted for use in Canadian food processing facilities



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC100	59231	50 ml	22.40
AB349	59241	250 ml	76.80

PST® 561™ THREAD SEALANT STICK

- Immediate low pressure sealing to 100 PSI
- Protects threads from rust and corrosion
- Exceptional fluid compatibility and chemical resistance
- Will not contaminate or clog lines
- Eases disassembly
- Seals all types of metal tapered threads and fittings to NPT specs
- For chemical processing, waste water treatment, and automotive
- Temperature resistance 300°F (150°C)
- Colour: White
- No mess, portable stick
- Accepted for use in Canadian food processing facilities

LOCTITE



Model No.	Mfg. No.	Size	Price /Each
AB652	37127	19 g	17.50

545™ THREAD SEALANT HYDRAULIC/ PNEUMATIC SEALANT

- Liquid sealant for locking and sealing high pressure, fluid power systems with tapered fittings
- No fillers and will not foul valves or fluid filtering systems
- For locking and sealing hydraulic and pneumatic fittings, servomechanisms, and fine-filtration systems
- Specially formulated to offer lubricity for easy assembly
- Withstands temperatures to 300°F
- Colour: Purple
- Accepted for use in Canadian food processing facilities



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC357	32429	10 ml	16.00
AA542	54531	50 ml	47.60

609™ GENERAL PURPOSE RETAINING COMPOUND

- Low viscosity retaining compound that bonds rigid metal assemblies
- Ideal for gap distances up to 0.005"
- Fixtures in 10 minutes, full in 24 hrs.
- Provides a shear strength of 3000 PSI after 24 hours
- Withstands temperatures to 300°F
- Locks keys and splines - eliminates backlash in worn assemblies
- Locks bushings and sleeves in housings and on shafts
- Augments press fits
- Colour: Green
- Accepted for use in Canadian food processing facilities



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA538	60921	10 ml	15.20
AA539	60931	50 ml	48.50

620™ HIGH TEMPERATURE RETAINING COMPOUND

- High temperature, high viscosity retaining compound
- Ideal for gap distances up to 0.015"
- Fixtures in 30 minutes, full in 24 hrs.
- Provides a shear strength of 3800 PSI on steel
- Withstands temperatures to 450°F
- Seals against leakage
- For retaining pins and sealing threads in steam platens and retaining valve seats
- Colour: Green
- Accepted for use in Canadian food processing facilities



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA457	62015	10 ml	16.30
AC102	62040	50 ml	49.40

641™ CONTROLLED STRENGTH RETAINING COMPOUND

- For cylindrical parts that require disassembly
- Ideal for gap distances up to 0.008"
- Fixtures in 20 minutes, full in 24 hrs.
- Provides a shear strength of 1700 PSI
- Withstands temperatures to 300°F
- Colour: Yellow
- Accepted for use in Canadian food processing facilities



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC355	28802	10 ml	16.30
AA546	21458	50 ml	49.40

660™ QUICK METAL® PRESS FIT REPAIR RETAINING COMPOUND

- Creamy, non-running adhesive/sealant
- Repairs worn machine parts
- Restores correct fit to mating assemblies
- Ideal for gap distances up to 0.020"
- For worn shafts and housings, bearing spinouts, keyways, and splines
- Fixtures in 20 minutes, full in 24 hrs.
- Shear strength of 3300 PSI on steel
- Withstands temperatures to 300°F
- Colour: Silver
- Accepted for use in Canadian food processing facilities



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC103	66010	6 ml	12.90
AC104	66040	50 ml	50.90

QUICKSTIX™ 668™ RETAINING COMPOUND

- Used for bonding non-threaded, cylindrical metal assemblies with gaps up to 0.005" (0.13 mm)
- Prevents fretting and corrosion of metal assemblies up to 400°F (204°C)
- Accepted for use in Canadian food processing facilities



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AB937	39148	19 g	41.20

680™ HIGH STRENGTH/HIGH VISCOSITY RETAINING COMPOUNDS

- Ideal curing adhesive for joining fitted cylindrical parts
- Fixtures in 10 minutes and provides a shear strength of 4000 psi
- Capable of filling diametral gaps up to 0.015 inches
- Gives the best resistance to dynamic, axial and radial loads
- Full Cure Time: 24 hrs.
- Colour: Green



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AF074	1835205	10 ml	16.30

648™ HIGH STRENGTH/ RAPID CURE RETAINING COMPOUNDS

- Ideal for clearance and interface fit parts
- Excellent performance for dynamic, axial and radial loads
- Works through contaminants such as oils and corrosion protection fluids
- Cures on metals without needing an applicator
- Application Time: 3 minutes
- Full Cure Time: 24 hrs.
- Shear Strength: 3900 psi
- Ideal for gap distance up to 0.006"



LOCTITE

Model No.	Mfg. No.	Size	Colour	Price /Each
AF076	1835922	10 ml	Green	17.70
AF077	1835920	50 ml	Green	56.80

TEFLON® THREAD SEALANT TAPE


- For sealing threaded pipe joints
- Easy disassembly even after years of service
- Works under pressures up to 2000 PSI and temperatures from -450°F to 550°F
- 144 rolls per case



Markal
High Performance Industrial Markers

Model No.	Size"	Price /Each
PA684	1/2 x 520	1.05
PA685	3/4 x 520	3.03

THREADLOCKER STICKS



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
248™ MEDIUM STRENGTH - BLUE			
AB649	37087	19 gr.	36.70
AB648	37684	9 gr.	17.40
268™ HIGH STRENGTH - RED			
AB651	37686	19 gr.	36.70
AB650	37685	9 gr.	18.40

290™ WICKING GRADE THREADLOCKER

MEDIUM STRENGTH

- For pre-assembled bolts up to 1/2" (12 mm)
- Penetrates threads by capillary action
- Secures set screws and other assemblies after settings are completed
- Localized heating and hand tools are needed for disassembly
- For preassembled fasteners, instrumentation screws, electrical connectors and carburetors
- Withstands temperatures to 300°F
- Torque: 85/250 in.-lbs.
- Fixtures in 6 minutes, full in 24 hrs.
- Colour: Green



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA454	29021	10 ml	14.00
AA455	29031	50 ml	48.50
AA024	29041	250 ml	167.00

262™ HIGH STRENGTH THREADLOCKER

- For fasteners up to 3/4" (20 mm) dia.
- High lubrication for easy assembly
- Excellent for preventing rust and corrosion in extreme chemical/ environmental conditions
- For all fasteners that must withstand heavy shock, vibration, or extreme environmental or chemical conditions
- Withstands temperatures to 300°F
- Torque: 190/275 in.-lbs.
- Fixtures in 5 minutes, full in 24 hrs.
- Colour: Red



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA452	26221	10 ml	15.20
AA453	26231	50 ml	49.40
AA741	26241	250 ml	170.00

272™ HIGH TEMP./HIGH STRENGTH THREADLOCKER

- Recommended for bolts up to 1 1/2" (36 mm) in diameter
- Provides a fast cure on most surfaces including "as received" fasteners
- Heat and hand tools are required for disassembly
- Withstands temperatures to 450°F
- Torque: 200/220 in.-lbs.
- Fixtures in 30 minutes, full in 24 hrs.
- Colour: Red



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA552	27240	50 ml	48.50
AC324	27270	250 ml	167.00

263™ HIGH STRENGTH/ RAPID CURE THREADLOCKER

- Designed for the permanent locking and sealing of threaded fasteners
- Ideal for heavy-duty applications such as studs into motor housings, nuts onto studs in pump housings and other fasteners where high strength is required
- Provides robust curing performance
- Works on active metals such as brass, copper and passive substrates such as stainless steel and plated surfaces
- Offers high temperature performance and oil tolerance
- Torque: 325/320 in.-lbs.
- Withstands temperature from -65°F to 360°F
- Fixture in 4 min., full 24 hrs.
- Colour: Red
- Acceptable for use in Canadian food processing establishments



LOCTITE

Model No.	Mfg. No.	Size ml	Price /Each
AD289	1330583	10	15.20
AD290	1330585	50	48.50
AD291	1330335	250	167.00

242® MEDIUM STRENGTH THREADLOCKER

- Removable threadlocker for fasteners between 1/4" and 3/4" (6 to 20 mm) diameters
- Controlled lubricity for accurate clamp loads
- Parts can be separated using hand tools
- For machine tools, presses, pumps, compressors, mounting bolts and gearboxes
- Withstands temperatures to 300°F
- Torque: 115/53 in.-lbs.
- Fixtures in 10 minutes, full in 24 hrs
- Colour: Blue



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA450	24221	10 ml	15.20
AA451	24231	50 ml	49.40
AA652	24241	250 ml	170.00

243™ OIL TOLERANT/ MEDIUM STRENGTH THREADLOCKER

- For fasteners between 1/4" and 3/4" (6 to 20 mm) diameters
- Medium strength threadlocker with improved oil tolerance
- Parts can be separated using hand tools
- For machine tools, presses, pumps, compressors, mounting bolts and gearboxes
- Withstands temperatures to 360°F
- Torque: 180/62 in.-lbs.
- Fixtures in 5 minutes, full in 24 hrs
- Colour: Blue



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA188	1329837	10 ml	15.20
AA555	1329467	50 ml	48.50
AC322	1329505	250 ml	167.00

246™ HIGH TEMP./ MEDIUM STRENGTH THREADLOCKER

- Suitable for fasteners between 1/4" and 3/4" (6 to 20 mm) diameters
- Resists oil and mild surface contamination at continuous temperatures to 450°F
- Torque: 170/48 in.-lbs.
- Fixtures in 20 minutes, full in 24 hrs.
- Colour: Blue



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC353	29513	10 ml	18.00
AC330	29514	50 ml	56.60
AC321	29515	250 ml	201.00

222MS™ LOW STRENGTH THREADLOCKER

- Ideal for fastener diameters of 1/4" (6 mm) and smaller
- Controlled lubricity for accurate clamp loads
- Parts can be separated using hand tools
- For set screws, adjustment screws, calibration screws, meters and gauges
- Withstands temperatures to 300°F
- Torque: 62/27 in.-lbs.
- Fixtures in 20 minutes, full in 24 hrs
- Colour: Purple



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA014	22221	10 ml	15.20
AA015	22231	50 ml	48.50
AA513	22241	250 ml	167.00

INSULATING & SEALING WRAP

- Non-sticky, self fusing, multipurpose wrap
- Withstand extreme conditions: -65°F to 500°F
- Tensile strength up to 700 psi and dielectric strength up to 400 VPM
- UV, saltwater, fuel and acid resistant



LOCTITE

Model No.	Mfg. No.	Size	Colour	Price /Each
AD155	1212164	1" x 10' Roll	Red	12.60
AF072	1540599	1" x 10' Roll	Black	12.60
AF073	1496756	2" x 36' Roll	Black	54.50

POWER GRAB® INDUSTRIAL CONSTRUCTION ADHESIVE

- Heavy-duty, high strength, grabs instantly and is repositionable for 15 minutes
- Non-solvent, low-odour, latex formula cleans up with soap and water
- Low emissions/VOC content and meets Greenguard® certification
- Colour: Clear



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AF078	1804373	300 ml Cartridge	8.19

NUFLEX® 458 SUB-FLOOR CONSTRUCTION ADHESIVE

- Ideal for particleboard, OSB and engineered lumber as well as wet, frozen and treated lumber
- Provides superior adhesive strength and remains permanently flexible
- Fills gaps and irregularities between materials and provides a more solid backup surface
- Reduces the amount of nailing, increases floor rigidity and helps eliminate squeaky floors
- Exceeds AFG-01 specifications
- Freeze-thaw stable
- Superior extreme temperature adhesive; works extremely well in colder temperatures and offers excellent water-resistance



Model No.	Mfg. No.	Size	Price /Each
AE622	45880	828 ml	8.47

CARPENTER'S® WOOD GLUE

- Made for furniture repair and general indoor household projects
- Best for soft and hardwoods, particle board and porous materials
- Cleans up with soap and water when wet, and scrape and sand when glue is dry
- Open time: 10-15 minutes before clamping
- Clamp time: 12 hours
- Light colour for natural and light stained woods
- Pourable
- Colour when dry: Yellow



Model No.	Mfg. No.	Size	Price /Each
AE610	60615TR	118 mL	2.92
AE611	60613TR	236 mL	4.45
AE612	60617TR	473 mL	7.49
AE613	6155060618	950 mL	12.70
AE614	6155060619	3.8 L	36.50

TEN BOND CONTACT CEMENT

3M

- Brush-able, neutral-colored contact adhesive for bonding many decorative laminates, aluminum, steel, plywood, panels, wood and wood veneer, masonry, rubber, canvas and other porous and non-porous materials
- Air drying adhesive which bonds immediately and permanently upon application of contact pressure
- No clamping or fixturing required



Model No.	Mfg. No.	Size	Price /Each
AMC295	10-1L	1 L	38.90
AMC294	10-1GAL	1 gal.	112.00

NUFLEX® 480 POLYURETHANE CONSTRUCTION ADHESIVE

- Excellent adhesion strength
- 100% polyurethane based, VOC compliant adhesive
- Can be used for interior or exterior projects and is three times as strong as conventional solvent based construction adhesives
- Ideal for wood, hardwood flooring, concrete, stone, marble, slate, masonry, brick, foam insulation, carpets, metal, lead, cement-based products, ceramics, fiberglass, drywall and mirrors
- Contributes to LEED credit
- Low-odor
- Adheres to dry, wet and frozen lumber
- Waterproof, paintable and cures even in cold temperatures
- AFG-01 approved



Model No.	Mfg. No.	Size	Price /Each
AE623	48000	296 ml	9.74
AE624	48080	828 ml	22.10

PROBOND® MAX WOOD GLUE

- Made for furniture repair and general indoor and outdoor household projects
- Best on wood
- Contains real wood fibers for superior staining, painting, and sanding
- Open time: 10-15 minutes before clamping
- Clamp time: 12 hours
- Easy to clean-up with water
- Pourable and waterproof
- Colour when dry: Beige



Model No.	Mfg. No.	Size	Price /Each
AE615	69220	118 mL	4.27
AE616	69221	236 mL	7.16
AE617	69222	473 mL	10.50
AE618	69224	3.8 L	46.60

THREAD SEALANT WITH PTFE

- Added lubricate of PTFE for metal pipes
- Will not shred like Teflon™ tape
- Allows easy disassembly
- Resists common shop fluids
- 5000 psi pressure resistance
- Withstands temperatures to 300°F
- Colour: White
- Container Type: Brush Can



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC144	1527514	473 ml	22.30

WHITE GLUE

- Washable no-run glue; easy to clean up
- Safe and non-toxic
- Pourable
- Recommended for wood, wood compositions, veneer, paper, cardboard, leather, fabric and cork
- Not recommended for joints that require gap filling, bonding non-porous substrates (i.e. plastic or metal)
- Colour: White



Model No.	Mfg. No.	Size	Price /Each
AE606	60307W8	120 ml	2.21
AE607	60310Q	225 ml	3.39
AE608	6155060331	950 ml	9.40
AE609	6155060341	3.8 L	29.60

ULTIMATE® POLYURETHANE GLUE

- The ultimate adhesive; adheres to anything with a permanent, strong, waterproof bond
- Indoor and outdoor
- Does not require any mixing
- Sandable and paintable
- Best on stone, metal, ceramic, wood, foam, glass, etc.
- Open time: 30 minutes before clamping
- Clamp time: 12 hours
- Clean up: mineral spirits or acetone when glue is wet; sanding and scraping when glue is dry
- Colour when dry: Yellow



Model No.	Mfg. No.	Size	Price /Each
AE619	6155069406	60 mL	7.00
AE620	69416	236 mL	15.20
AE621	69417	473 mL	26.90



Performance consideration	Adhesive Category								
	Cyanoacrylates	Epoxies	Hot Melts	Light Cure	Silicones	Elastomers	Urethanes	2-part Acrylics	2 step Acrylics
Benefits	Wide range of bonding applications	Wide range of formulations	Versatile, fast, large gap filling	Rapid cure/adhesion to plastics	Excellent temperature resistance	Flexible, paintable, bonder/sealant	Excellent toughness/flexibility	Good impact resistance/flexibility	Good impact resistance/ no-mix
Limitations	Low solvent resistance	Mixing required	Limited heat resistance	Light cure resistance	Low adhesion resistance	High temperature resistance	Sensitive to moisture	Mixing required	Primer required
Temperature resistance									
Typical for the category	-65°F to 180°F (-54°C to 82°C)	-65°F to 180°F (-54°C to 82°C)	-65°F to 250°F (-54°C to 121°C)	-65°F to 300°F (-54°C to 149°C)	-65°F to 400°F (-54°C to 204°C)	-65°F to 200°F (-54°C to 93°C)	-65°F to 250°F (-54°C to 121°C)	-65°F to 250°F (-54°C to 121°C)	-65°F to 300°F (-54°C to 149°C)
Environmental resistance									
Polar solvents (ex: water, ethylene glycol, isopropyl alcohol, acetone)	Poor (1)	Very Good	Good	Good	Good	Good	Good	Good	Good
Non-polar solvents (ex: motor oil, toluene, gasoline, ATF)	Good	Excellent	Good	Very Good	Poor to Fair	Poor	Good	Very Good	Very Good
Adhesion to substrates									
Metals	Very Good	Excellent	Good	Good	Good	Very Good	Good	Excellent	Excellent
Plastics (2)	Excellent	Fair	Very Good	Excellent	Fair	Good	Very Good	Excellent	Fair
Glass	Poor	Excellent	Good	Excellent	Very Good	Good	Good	Good	Excellent
Rubber	Very Good	Fair	Fair	Fair	Good	Poor	Good	Poor	Poor
Wood	Good	Very Good	Excellent	Poor	Fair	Very Good	Fair	Good	Good

Process consideration	Adhesive Category								
	Cyanoacrylates	Epoxies	Hot Melts	Light Cure	Silicones	Elastomers	Urethanes	2-part Acrylics	2 step Acrylics
Cure temperature	Room Temperature	Room Temperature	Room Temperature (3)	UV/Visible	Room Temperature	Room Temperature	Room Temperature	Room Temperature	Room Temperature
Fixture time									
Average	60 seconds	20 minutes	70 seconds	30 seconds	25 minutes	25 minutes	25 minutes	20 minutes	5 minutes
Full cure time	24 hours	12 to 24 hours	1 hour (or when cooled) (4)	30 to 60 seconds	1 to 7 days	1 to 7 days	24 hours	24 hours	24 hours

SUBSTRATE	GALVANIZED	STEEL, ALUMINUM, STAINLESS STEEL	POLYPROPYLENE, UHMW, HDPE, POLYETHYLENE, NYLON, ACETAL	ACRYLIC, POLYCARBONATE, STYRENE, PVC, ABS	FIBREGLASS, POLYESTER OR EPOXY	GLASS, CERAMIC	WOOD, LEATHER, CARDBOARD
GALVANIZED	H8600™	H8600™	U-05FL™	H8600™	H8600™	H8600™	E-20HP™
STEEL, ALUMINUM, STAINLESS STEEL	H8600™	H8000™, H3151™	U-05FL™	H8000™, U-05FL™	H8000™, H3151™, H3000™	E-20HP™	E-20HP™
POLYPROPYLENE, UHMW, HDPE, POLYETHYLENE, NYLON, ACETAL	U-05FL™	U-05FL™	U-05FL™	U-05FL™	U-05FL™	U-05FL™	Cyanoacrylates or Hot melt
ACRYLIC, POLYCARBONATE, STYRENE, PVC, ABS	H8600™	H8000™, U-05FL™	U-05FL™	H8000™, H3151™, H3000™	H8000™, H3000™	H8000™	Cyanoacrylates
FIBREGLASS, POLYESTER OR EPOXY	H8600	H8000™, H3151™, H3000™	U-05FL™	H8000™, H3000™	H8000™, H4800™, H3000™, E-20HP™	E-20HP™, E-30CL™, 330™ Depend®	E-20HP™
GLASS, CERAMIC	H8600™	E-20HP™	U-05FL™	H8000™	E-20HP™, E-30CL™, 330™ Depend®	E-30CL™, 330™ Depend®	E-20HP™
WOOD, LEATHER, CARDBOARD	E-20HP™	E-20HP™	Cyanoacrylates or Hot melt	Cyanoacrylates	E-20HP™	E-20HP™	E-20HP™

- (1) Cyanoacrylates have very good moisture resistance on plastics
- (2) Uncured liquid adhesives may cause stress cracking of certain thermoplastics, e.g., polycarbonate, acrylic and polysulfone.
- (3) Elevated temperatures are required to dispense liquid Hot Melt Adhesives.
- (4) Urethane Hot Melts require 24 hours for full cure.

PLEASE NOTE: This chart should not be used to specify products without specific testing. It is recommended that you conduct on-part testing to ensure product performance before specifying any adhesive.

INSTANT ADHESIVES (CYANOACRYLATES)

- Widest selection of high-performance, application-specific, instant adhesives
- Available in a variety of viscosities, cure speeds, gap-filling capabilities and substrate compatibilities
- Ultra-high performance Loctite Prism® family offers toughened formulations, low odor, low blooming and thermally resistant formulations

431™ SURFACE INSENSITIVE INSTANT ADHESIVE

- Medium viscosity, clear, gap filling, surface insensitive, one part, room temperature cure instant adhesive
- Designed for the assembly of difficult-to-bond materials which require uniform stress distribution
- Particularly suited for bonding a wide range of materials, including metals, plastics, and elastomers
- Typical use: Gap filling
- Gap fill: 0.008 IN
- Viscosity: 1 000 cP
- Shear strength: 2300 PSI
- Temperature Range: -65°F to 180°F (-54°C - 82°C)
- Cure speed: Fixture – 15 sec., full: 24 hrs.
- Colour: Clear



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AD406	41254	3 g Tube	7.67
AD407	41255	20 g Bottle	28.60
AD408	41256	1 lb. Bottle	344.00

435™ CLEAR SURFACE INSENSITIVE INSTANT ADHESIVE

- The first true clear, surface insensitive, elastomer-modified instant adhesive
- Low viscosity, clear, rubber toughened, one part, room temperature cure instant adhesive
- Designed for bonding metal, rubber and plastics
- Excellent peel, impact and shear strength on metals, plastics and rubbers
- Typical use: General purpose
- Gap fill: 0.006 IN
- Viscosity: 22 cP
- Shear strength: 2700 PSI
- Temperature range: -65°F to 240°F (-54°C to 115°C)
- Cure speed: fixture 30 sec., full 24 hrs.
- Colour: Clear

LOCTITE



Model No.	Mfg. No.	Size	Price /Each
AD414	40994	20 g Bottle	33.00
AD415	40995	1 lb. Bottle	388.00

3092™ TWO-PART INSTANT ADHESIVE

- Fast, two-part CA bonds gaps up to 0.200" (5 mm)
- Good for bonding plastics, rubbers, wood, paper and metals
- High precision dispensing tips
- Includes a 10 gram syringe with 3 mix nozzles



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AE630	1807961	10 g	25.40

410™ INSTANT ADHESIVE BLACK/TOUGHENED

- High viscosity, black, rubber toughened, one part, room temperature cure, gap filling instant adhesive
- Designed for bonding metal, rubber and selected plastics
- Excellent peel, impact and shear strength
- Typical use: Gap filling
- Gap fill: 0.008 IN
- Viscosity: 3500 cP
- Shear strength: 3200 PSI
- Temperature range: -65°F to 225°F (-54°C to 107°C)
- Cure speed: Fixture – 90 sec., full – 24 hrs.
- Colour: Black



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AD410	41004	3 g Tube	7.87
AD411	41045	20 g Bottle	34.70
AD412	41061	1 lb. Bottle	388.00

401™ GENERAL PURPOSE INSTANT ADHESIVE

- A general purpose adhesive for difficult-to-bond surfaces
- For bonding porous or absorbent materials, such as wood, paper, leather or fabric
- Ideal for gap distances up to 0.005"
- Fixtures in 15 seconds, full in 24 hrs.
- Provides a shear strength of 3200 PSI
- Withstands temperatures to 250°F
- Colour: Clear
- Improved formula



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA544	40104	3 g Tube	7.09
AA545	40140	20 g Bottle	28.60
AD987	40161	1 lb. Bottle	353.00

454™ PRISM® INSTANT ADHESIVE GEL

- A general purpose, no-run clear gel
- Excellent for almost all surfaces
- Ideal for porous substrates and rough and acidic surfaces
- Ideal for gap distances up to 0.010"
- Fixtures in 15 seconds, full in 24 hrs.
- Provides a shear strength of 3200 PSI
- Withstands temperatures to 250°F
- Colour: Clear
- Improved formula



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA548	45404	3 g Tube	6.89
AB343	45440	20 g Tube	37.00
AF079	45474	200 g Tube	202.00
AA549	45478	300 g Cartridge	260.00

495™ SUPER BONDER® INSTANT ADHESIVE

- A medium viscosity, high temperature product for all metals, and most plastics and rubbers
- Resists temperatures to 223°F continuous or up to 250°F intermittent
- Ideal for gap distances up to 0.004"
- Fixtures in 20 seconds, full in 24 hrs.
- Provides a shear strength of 2750 PSI
- Colour: Clear
- Improved formula



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA456	49504	3 g Tube	5.23
AA487	49550	1 oz. Bottle	26.20
AB366	49561	1 lb. Bottle	270.00

380™ BLACK MAX® TOUGHENED

- Bonds metal, rubber, and plastic
- For use in difficult environments
- Ideal for gap distances up to 0.006"
- Fixtures in 90 seconds, full in 24 hrs.
- Provides a shear strength of 3750 PSI
- Withstands temperatures to 225°F
- Colour: Black



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA493	38004	3 g Tube	7.26
AA494	38050	1 oz. Bottle	40.90
AF080	38061	1 lb. Bottle	370.00

QUICKTITE® INSTANT ADHESIVE GEL

- A general purpose instant adhesive
- Precision flow control applicator
- Designed to be clog-free



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AB950	39202	0.14 oz. bottle	8.04

CHEMICALS

404™ QUICK SET™ INDUSTRIAL ADHESIVE

- A general purpose adhesive for general maintenance and repair
- Excellent for rubber bonding
- Ideal for gap distances up to 0.005"
- Fixtures in 30 seconds, full in 24 hrs.
- Provides a shear strength of 3500 PSI
- Withstands temperatures to 180°F
- Colour: Clear



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA550	46551	1/3 oz. bottle	30.40
AC325	46548	4 oz. bottle	213.00

403™ PRISM® INSTANT ADHESIVE

- Low-odour, low blooming, surface-insensitive
- Faster fixture speeds on plastics and metals
- Perfect for gap filling
- Cure speed: Fixture 50 sec, full 24 hrs.
- Viscosity: 1000 cP
- Temperature range: -65°F to 160°F (-54°C to 71°C)
- Shear strength: 2600 PSI
- Colour: Clear
- Improved formula



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AD429	40340	20 g Bottle	33.40
AD430	40361	1 lb. Bottle	439.00

414™ SUPER BONDER® INSTANT ADHESIVE

- General purpose cyanoacrylate plastic bonder
- Mil Spec: Mil-A-46050C Type II Class II
- Commercial Item Description A-A-3097: Type II Class II
- Typical use: Plastic bonder
- Gap Fill: 0.006 in.
- Viscosity: 11 cP
- Shear Strength: 3200 PSI
- Temperature Range: -65°F (-54°C) to 180°F (82°C)
- Cure Speed: Fixture - 20 secs; Full - 24 hrs.
- Colour: Clear



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA654	41404	3 g Tube	5.90
AA655	41450	1 oz. Bottle	26.80
AA656	41461	1 lb. Bottle	270.00

LOCTITE® 7387 ACTIVATORS

- Designed to initiate the cure of Loctite toughened acrylic adhesives such as Loctite 315™, 383™ and 384™



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AD140	18861	1.75 oz.	19.90
MLN387	18862	32 oz.	122.00

7452™ TAK PAK ACCELERATOR

- Aggressive cleaning properties, promote the cure speed of all Loctite® Cyanoacrylate Adhesives
- < 30 second dry time
- 1 minute on-part life
- Colour: clear/amber
- Spray-cap bottle



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC360	18580	1.75 fl. oz.	12.20
AE660	18575	1 qt. can	66.70
AF081	18567	1 gal. can	118.00

7387™ HEPTANE/ISOPROPYL ALCOHOL ACTIVATORS

- Used to initiate the cure of toughened acrylic adhesives
- Primer for Loctite 330™, 331™ and 332™



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AF099	21088	4.5 oz.	29.30

770™ PRIMER

- An adhesion promoter formulated for use with polyolefins and other low energy surfaces
- Use with Loctite® Cyanoacrylate Adhesives
- 30-second dry time
- 8-hour on-part life
- Colourless



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA041	18396	1.75 fl. oz.	20.60
AD978	18397	16 fl. oz.	111.00

4090™ HYBRID STRUCTURAL INSTANT ADHESIVES

- Hybrid adhesive designed to incorporate the best features of cyanoacrylates and epoxy formulas
- Works on a variety of substrates and is suitable for structural applications
- Gap filling up to 0.2 inches
- Temperature resistance up to 300°F
- 1:1 mix ratio
- Colour: Slightly cloudy to light yellow
- Application Time: 5 minutes
- Full Cure Time: 24 hrs.



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AF101	1915601	50 ml	54.80

Ask us about volume prices!



In many cases you will benefit from quantity prices.

METAL BONDING STRUCTURAL ADHESIVES:

- Specially formulated to provide tough, long-lasting bonds to metal surfaces, such as steel galvanized steel, aluminum, sheet metal and stainless steel
- Capable of reducing or replacing the need for threaded fasteners, welds or rivets, resulting in a higher quality assembly

U-05FL™ HYSOL® URETHANE ADHESIVE

- Fast setting, highly flexible adhesive for metal bonding
- 5-minute working life
- High strength, flexible
- Chemistry: Two-part urethane
- Viscosity: 100 000 cP
- Mix ratio: 1:2
- Cure time: 24 hrs.
- Shear strength: 930 PSI
- Colour: Off-white



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AD900	29348	50-ml Dual Cartridge	21.50
AD422	29350	400-ml Dual Cartridge	118.00

HYSOL® E-20NS EPOXY ADHESIVE

- Bonds on aluminum, stainless steel and other metals, as well as glass, ceramics, and plastics
- Well suited for use on vertical surfaces to avoid run-off
- Metal bonder, non-sag, high peel and shear
- 20 minutes worklife
- 2:1 mix ratio (resin:hardener)
- 2000-4000 PSI overlap shear strength
- Colour: Light tan



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC349	29334	50 ml	18.80

H3151 SPEED BONDER™ METAL BONDER

- Extend open time allows for adjustment of parts
- Excellent bond strength on aluminum and steel
- Impact and peel resistant
- 50 ml dual cartridge
- Colour: Pale yellow



LOCTITE

Model No.	Mfg. No.	Description	Price /Each
AC344	83015	H3151	23.20

H4500™ SPEED BONDER™ STRUCTURAL ADHESIVE

- High strength structural adhesive for metals
- Fast fixture metal bonder
- Chemistry: Two-part acrylic
- Low viscosity: 45 000 cP
- Mix Ratio: 10:1
- Cure speed: Fixture -15 min., full - 24 hrs.
- Shear Strength: 3355 PSI
- Colour: Grey



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AD428	83041	490-ml Dual Cartridge	91.20

H800™ SPEED BONDER™ STRUCTURAL ADHESIVE, FAST FIXTURE

- Medium fixture time, high performance adhesive with excellent peel strength on multiple substrates, especially aluminum
- Two-part acrylic
- 15 minutes work time, 30 minutes fixture time, 24 hrs cure time
- 3250 PSI shear strength
- Colour: Green



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AD134	996453	50 ml Dual Cartridge	20.00
AD897	36160	490-ml Dual Cartridge	95.80

H8600™ SPEED BONDER™

- Extended fixture time, high performance adhesive with excellent impact and shear strength on galvanized steel and aluminum
- Especially designed for severe environments
- Medium work life
- Chemistry: Two-part acrylic
- Viscosity: 86,000 cP
- Mix Ratio: 2:1
- Cure Time: 24 hrs.
- Shear strength: 3355 PSI
- Colour: Blue



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AD419	38762	400-ml Dual Cartridge	86.80
AD420	38760	40-lb. Pail, Resin	2322.00
AD421	38761	40-lb. Pail, Adhesive	2700.00

PLASTIC/COMPOSITE BONDING STRUCTURAL ADHESIVES

- Bonds a wide variety of materials, such as fiberglass, gel coat, thermoplastics, polycarbonate, ABS, PVC, polyethylene and polypropylene
- Specially formulated to provide UV resistance, high impact resistance and peel resistance

H4800™ SPEED BONDER™ STRUCTURAL ADHESIVE

- Provides extended open time, making it ideal for the assembly and adjustment of large parts
- Excellent peel and impact resistance
- Provides high bond strengths on composites
- Impact resistance
- Chemistry: Two-part acrylic
- Viscosity: 50 000 cP
- Mix Ratio: 10:1
- Fixture time: 35 minutes
- Cure time: 24 hours
- Shear strength: 3930 PSI
- Colour: Light yellow



Model No.	Mfg. No.	Size	Price /Each
AD425	996515	50-ml Dual Cartridge	21.60
AD968	83045	490-ml Dual Cartridge	77.50

H3101™ SPEED BONDER™ GENERAL PURPOSE ADHESIVE

- General purpose, medium viscosity adhesive ideal for bonding a variety of substrates
- Extended fixture time
- Medium work life
- Chemistry: Two-part acrylic
- Viscosity: 75 000 cP
- Mix Ratio: 1:1
- Fixture Time: 25 minutes
- Cure Time: 72 hours
- Shear Strength: 2510 PSI
- Colour: Cream
- NSF/ANSI 61 certified



Model No.	Mfg. No.	Size	Price /Each
AD426	83007	50ml Dual Cartridge	23.20
AD427	83006	400ml Dual Cartridge	67.70

LOCTITE®

MULTIPLE SURFACE BONDING STRUCTURAL ADHESIVES

- Bonds a wide variety of materials, such as metal, ceramics and plastics
- Perfect for the following industries: machining & tooling, recreational vehicles, furniture making/repair, structural building components, appliances

330™ DEPEND® NO-MIX ADHESIVE

- A high viscosity adhesive for a wide range of materials including metal, wood, ferrite, ceramic and plastic
- For rough or porous surfaces
- Ideal for gap distances up to 0.030"
- Fixtures in 5 minutes, full in 24 hrs.
- Provides a shear strength of 3300 PSI
- Withstands temperatures to 250°F
- Recommended 7387 primer
- Colour: Amber



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AB357	1690727	25 ml Kit*	44.20
AC329	1691005	250 ml Kit**	114.00

*Contains 25 ml syringe of Depend 330 and 25 g. aerosol can activator, 7387.

** Contains 250 ml tube of Depend 330 and 4.5 fl. oz. aerosol can activator, 7387.

HYSOL® E-00CL FAST SETTING EPOXY

- Ideal for general purpose bonding, potting, or encapsulating
- Works on a variety of plastic, metal, glass, rubber, wood, and ceramic substrates
- Well suited for applications that require a clear bondline
- Flowable and low odour
- 3-5 minutes worklife
- 1:1 mix ratio (resin:hardener)
- 2000-4000 PSI overlap shear strength
- Colour: Clear



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC351	29289	50 ml	18.80
AF085	29290	200 ml	59.10
AF086	29291	400 ml	86.40

HYSOL® E-30CL EPOXY

- Glass bonder, low viscosity, impact resistant
- 30 minutes worklife
- 2:1 mix ratio (resin:hardener)
- 2000-4000 PSI overlap shear strength
- Colour: Ultra clear



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC350	29329	50 ml	18.80
AF093	29330	200 ml	69.80
AF094	29331	500 ml	116.00

312™ ACRYLIC ADHESIVES

- Ultra fast setting two-step acrylic
- No mixing required
- Should be used in conjunction with Loctite 736 to create a durable bond on close fitting parts
- Colour: Amber



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AF082	03333	10 ml Kit	35.10
AF083	00144	50 ml Kit	85.30

HYSOL® 1C GENERAL PURPOSE EPOXY

- Bonds, seals, and repairs a wide variety of materials
- For metals, most plastics, and wood
- Alternative formulations are available in grey (6C) and black (11C)
- Gap filling for high temperatures
- 20 minutes worklife
- 2.5:1 mix ratio (resin:hardener)
- 1750 PSI overlap shear strength
- Colour: White



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC359	1373425	4 oz. Kit	12.70
AF087	1377344	1 gal. Kit	370.00
AF088	1377777	60-lb. Pail, Resin	1762.00
AF089	1377780	40-lb. Pail, Hardener	2101.00

HYSOL® E-60NC POTTING COMPOUND

- Bonding, potting and encapsulating electrical components which are sensitive to corrosion caused by traditional epoxies
- Use in electronic applications, for component attachment to boards, housing assembly and potting
- Non-corrosive, low viscosity
- 60 minutes worklife
- 1:1 mix ratio (resin:hardener)
- 1000-3000 PSI overlap shear strength
- Colour: Black opaque



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC354	29324	50 ml Dual Cartridge	17.60
AF095	29325	200 ml Dual Cartridge	59.10
AF096	29326	400 ml Dual Cartridge	93.80
AF097	29327	5 gal. Pail, Resin	2665.00
AF098	29328	5 gal. Pail, Hardener	2665.00

H3000 SPEED BONDER™ GENERAL PURPOSE

- A low viscosity adhesive
- Ideal for bonding plastics and composites
- Colour: Tan



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC343	83001	50 ml Cartridge	23.70
AF084	83000	400 ml Cartridge	67.70

HYSOL® E-20HP HIGH PERFORMANCE EPOXY

- Bond strengths to a wide variety of plastics and metals
- Ideal for general purpose industrial assemblies
- High strength, peel, shear and rubber toughened
- 20 minutes worklife
- 2:1 mix ratio (resin:hardener)
- 3000-5000 PSI overlap shear strength
- Colour: Off-white



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC348	29314	50 ml Dual Cartridge	18.80
AF090	29315	200 ml Dual Cartridge	73.30
AB926	29316	400 ml Dual Cartridge	122.00
AF091	29317	5 gal. Pail, Resin	3639.00
AF092	29318	5 gal. Pail, Hardener	3639.00

331™ STRUCTURAL ADHESIVE ULTRA-FAST FICTURE

- Toughened, activator-cure acrylic
- Acid-free, non-corrosive to sensitive parts
- Fixtures in 20 seconds and develops full strength in 30 minutes
- Excellent high temperature resistance
- Ideal for bonding close-fitting metals and magnets



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AD126	1057673	25-ml syringe	44.60

50 ML DUAL CARTRIDGE PNEUMATIC APPLICATORS

- Hand held, pneumatically operated dispenser
- Convenient, cost-effective method for the consistent application of two-part adhesives with minimal effort and waste



LOCTITE

Model No.	Mfg. No.	Ratio	Price /Each
AB900	97042	1:1, 2:1	487.00
AF100	1493310	10:1	449.00

400 ML DUAL CARTRIDGE PNEUMATIC APPLICATORS

- Hand held, pneumatically operated meter mix dispenser
- Suited for production line applications
- Adjustable dispense rates set via the integral air pressure regulator



LOCTITE

Model No.	Mfg. No.	Ratio	Price /Each
AB902	983439	1:1, 2:1	845.00
AE003	985249	10:1	764.00

50 ML MANUAL APPLICATOR

- Ergonomically designed for the hand delivery of adhesives and fluids directly from their original package.

DISPENSES:

- Two component epoxies
- Two component urethanes
- Two component methacrylates









Viscosity: High to paste




LOCTITE

Model No.	Mfg. No.	Ratio	Price /Each
AB347	98472	1:1, 2:1	67.00
AD129	1034026	10:1	95.00


STATIC MIX NOZZLES AND ACCESSORIES

	Model No.	Mfg. No.	Description	Package Quantity	Price /Each
	AD902	98444	50 ml square mix nozzle, luer/stepped combo tip, 3.25". Overall length, 5.3 mm ² , 16 elements; 1:1, 2:1 mix ratios	10	10.90
	AC368	98473	50 ml Square Mix Nozzle, Luer/Stepped combo tip, 4.5". Overall length, 5.3 mm ² , 24 elements; 1:1, 2:1, 4:1 mix ratios	10	17.40
	AB345	98455	50 ml mix nozzle, stepped tip, 6.0". Overall length, 6.35 mm diameter, 21 elements; 1:1, 2:1, 4:1 mix ratios	10	13.40
	AD128	1034575	50 ml-S mix nozzle, stepped Tip, 6.2". Overall length, 6.5 mm ID, 20 elements; 10:1-S cartridges only	10	20.20
	AD934	98474	200/400 ml square mix nozzle, stepped Tip, 5.1". Overall length, 7.5 mm ² , 24 elements; 1:1, 2:1 mix ratios	10	26.90
	AD932	98457	200/400 ml mix nozzle, stepped tip, 8.8". Overall length, 8 mm diameter, 24 elements; 1:1, 2:1 mix ratios	10	26.10
	AD437	1084255	490 ml mix nozzle, stepped tip, 9.1". Nozzle length, 8 mm diameter, 10:1 mix ratio	10	29.10
	AD438	1084092	490 ml mix nozzle, stepped tip, 11.2". Nozzle length, 10 mm diameter, 10:1 mix ratio	10	33.30



SAFETY

GLOVES
TRAFFIC CONTROL
SPILL CONTROL
EYEWEAR



PROFESSIONAL GLUE GUNS

- Perfect for light-duty carton sealing or small manufacturing projects
- Accepts 7/16" diameter regular glue sticks
- Trigger design for better grip control
- Features precise, even adhesive distribution
- 120 volts / 80 watts heater
- Comes with metal wire stand

Model No. PE339
Price/Each \$41.75



aurora tools®

HEAVY-DUTY GLUE GUNS

- Ideal for medium to heavy-duty applications
- Accepts 7/16" diameter regular glue sticks
- Ergonomic trigger design for better grip and comfort
- Features precise, even adhesive distribution
- Illuminated on/off switch
- 120 volts / 100 watts heater
- Comes with metal wire stand

Model No. PE340
Price/Each \$110.00



aurora tools®

GLUE STICKS

Model No.	Appearance	Viscosity	Melting Point	Typical Applications	Dimensions"	Qty/Box	Price/Each
PE341	Clear	11000-13000	77-82°C/170-180°F	High strength, high temp, for non porous materials such as metal and plastics	7/16 x 4	2000	0.30
PE342	Clear	11000-13000	77-82°C/170-180°F	High strength, high temp, for non porous materials such as metal and plastics	7/16 x 10	803	0.63
PE343	Amber	5000	95°C/203°F	For porous materials such as corrugated boxes or wood	7/16 x 15	536	0.95
PE541	Clear	9400	80°C/176°F	All temp. all purpose for porous and non-porous materials	7/16 x 10	803	0.63

20 HEAVY DUTY SPRAY ADHESIVE

- Can be used to bond many different substrates, including wood, plastics, soft foams, fabrics and metal
- High strength, fast grabbing adhesive forms a powerful, permanent bond
- Net Volume: 13.8 oz.

Model No. AF163
Price/Each \$11.10



27 MULTI-PURPOSE SPRAY ADHESIVE

- Extremely versatile adhesive for lightweight applications
- Fast tacking mist spray adhesive with very little soak in on porous substrates
- Ideal for bonding paper, cardboard, plastic films, soft foam, and fiberglass insulation
- Net Volume: 13.05 oz.

Model No. AF164
Price/Each \$10.10



76 HIGH TACK ADHESIVE

- Bonds fabric, paper, cork, foil, rubber, etc.
- Bonds to themselves and to metal, wood, glass and other surfaces
- 24 oz. can
- Net volume: 18.1 oz.

Model No. PA002
Price/Each \$21.10



SUPER 77 SPRAY ADHESIVE

- Ideal for permanently attaching cartons, foams, paper, foils, cardboard, carpeting, cloth fabric
- Other lightweight materials to painted or unpainted metals, wood, cardboard and themselves
- 24 oz. can
- Net volume: 16.75 oz.

Model No. PA003
Price/Each \$18.20



72 PRESSURE SENSITIVE ADHESIVE

- A fast holding strength, aggressive tack and repositionable adhesive. Precise spray control, wide spray pattern and low soak-in. Colour: Blue.
- Polyethylene film and foam bonding, carpet bonding
 - Temporary positioning and holding fabric and paper
 - Pipe insulation lap adhesive
 - Swimming pool liners
 - 24 oz. can
 - Net volume: 17.33 oz.

Model No. AA556
Price/Each \$17.20



90 HIGH STRENGTH ADHESIVE

- Adheres particle board, polyethylene, polypropylene and rubber to wood metal and many other materials
- Fast contact strength, yet needs only 1 to 2 minutes of drying time
- Colour: Transparent
- 24 oz. can
- Net volume: 17.6 oz.


Model No. PA001
Price/Each \$24.20



3M SCOTCH® ADHESIVE REMOVER PENS

- Use it to prepare surfaces for bonding, remove tape residue, or clean small areas after abrading
- Convenient pen tip that allows precise surface cleaning
- Ideal for desks, workstations or toolboxes
- Small enough to carry in your pocket
- 12 pens per case

Model No. PC692
Price/Each \$6.98



AC50 SPRAY ADHESIVE

- General purpose spray adhesive
- Fast tack
- Web spray pattern
- Bonds to most lightweight materials
- Size: 12 oz.

Model No. AE850
Mfg No. 82758
Price/Each \$10.90



T.S.P.

- Trisodium Phosphate
- All purpose cleaner
- Prepares surfaces for painting
- Removes wax and grease
- Cleans garage floors and driveways
- Aids in restoring paint brushes

Model No.	Size	Price /Each
AB725	2 kg. box	10.30
AC318	4 litre concentrate	7.26



PURE TURPENTINE

- Thins varnishes, paints and enamels
- Cleans surfaces and brushes

Model No.	Size	Price /Each
AB723	3.78 L bottle	54.20



RECORDSOL PAINT THINNER

- Low odour mineral spirits
- Ideal as paint thinner, brush cleaner and all purpose household cleaner
- For floors, woodwork, grease stains, etc.

Model No.	Size	Price /Each
AB706	4 L bottle	16.10
AB707	20 L pail	79.30
AB721	205 L drum	782.00



ACETONE

- Thins fibreglass resin mixes
- Dissolves 2-part epoxies
- Cleans tools and brushes used for epoxies and lacquers

Model No.	Size	Price /Each
AB722	3.78 L can	24.60



BATTERY TERMINAL PROTECTOR

- Dark Red Viscous Liquid
- Plastic Safe: Yes
- Flashpoint: Less than -18°C
- Specially designed to protect battery terminals from corrosion, a leading cause of hard starting and battery failure
- Provides a lead-free soft protective coating



Model No.	Mfg. No.	Size	Price /Each
AE952	75046	213 g	13.58



AIR TOOL OIL

- Preserves and maintains internal seals and mechanisms present in most hand-held air tools
- Lubricates under high pressure to fine tolerances
- Resists moisture induced corrosion, maximizing the service life and performance of your air tools
- Contains no silicone

Lloyds

Model No.	Size	Price /Each
AA091	8 oz. poly bottle	5.96
AA090	4 L jug	52.80



BATTERY CLEANER W/ACID INDICATOR

- Yellow Foam
- Plastic Safe
- Slow evaporation rate
- Instantly detects leaks and neutralizes acid
- Removes corrosion by-products
- Just spray on and rinse off



Model No.	Mfg. No.	Size	Price /Each
MLP160	75097	312 g	8.307.72



BATTERY EQUALIZERS

- Restorative fluid doubles the life of any voltage lead/acid battery
- Save 25% on recharge time
- For use on lift truck and golf cart fleets and many more

BATTERY EQUALISER

Model No.	Size	Price /Each
AA893	500 ml	33.30
AB476	4L	228.00



Can't find what you're looking for?
Call us today!



BATTERY ACID NEUTRALIZER

- Safely neutralizes sulphuric acid spills on skin, clothing and battery box
- Spray battery box regularly to keep terminals and battery clean

kleen-flo

Model No.	Size	Price /Each
AA773	198 g	7.58



INDUSTRIAL QUICK-MARK™ INVERTED MARKING PAINT



- Offers the largest tip size for the highest delivery rate
- Offers the most amount of solids ensuring bold, bright and visible markings in one pass
- Adheres to gravel, concrete, grass and soil even in the harshest temperatures and inclement weather conditions
- Features advanced UV-resistant, fast drying formula that will not fade in extreme sun and will penetrate and adhere to hot, cold or wet surfaces
- Offers a patent locking, non clogging tip that ensures use in the toughest condition while also keeping the tip from coming loose or falling off even with repetitive wand usage
- Opening on the Glove Grip™ cap is 50% wider than any other cap design on the market to accommodate work gloves
- Ideal for applications such as marking gas, water, electrical, phone/telecommunication, sewer/drain and other utility lines as well as proposed excavation, road and survey marking
- Available in both water based formulation for moderate-term markings and solvent-based formulation for long lasting applications
- VOC/MIR compliant



Model No.	Colour	Size Can (Net)	Price /Each
WATER BASED APWA COLOURS			
NC332	Utility Yellow	20 oz. (17 oz.)	5.19
NC331	Brilliant White	20 oz. (17 oz.)	5.19
WATER BASED FLUORESCENT COLOURS			
NC334	Safety Red	20 oz. (17 oz.)	5.19
NC335	Pink	20 oz. (17 oz.)	5.19
NC336	Caution Blue	20 oz. (17 oz.)	5.19
NC337	Safety Green	20 oz. (17 oz.)	5.19
NC338	Red /Orange	20 oz. (17 oz.)	5.19
NC333	Orange	20 oz. (17 oz.)	5.19
SOLVENT BASED APWA COLOURS			
NC328	Red	20 oz. (17 oz.)	5.19
NC326	Blue	20 oz. (17 oz.)	5.19
NC329	Green	20 oz. (17 oz.)	5.19
NC327	Bright Orange	20 oz. (17 oz.)	5.19
NC325	High Visibility Yellow	20 oz. (17 oz.)	5.19
NC324	Utility White	20 oz. (17 oz.)	5.19
SOLVENT BASED FLUORESCENT COLOURS			
NC322	Safety Red	20 oz. (17 oz.)	5.19
NC323	Neon Green	20 oz. (17 oz.)	5.19
NE260	Purple	20 oz. (17 oz.)	5.19
NE262	Hot Pink	20 oz. (17 oz.)	5.19
NC320	Red/Orange	20 oz. (17 oz.)	5.19
NC321	Orange	20 oz. (17 oz.)	5.19
SOLVENT BASED GENERAL PURPOSE			
NC330	Asphalt Black	20 oz. (17 oz.)	5.19
AD361	Clear	20 oz. (17 oz.)	5.19

MARKING WANDS

- Constructed of durable, rugged plastic and lightweight steel
- Comfortable pistol grip for easy handling and marking
- Apply a uniform 1" to 1 1/2" width of paint

SPOTTER HAND HELD SHORT WAND 12"

Model No. NC309
Price/Each \$40.76



HAND HELD LONG WAND 34"

Model No. NC310
Price/Each \$42.46



INDUSTRIAL OVERHEAD MARKING PAINT

- Overhead marking paint sprays in an upright position, dries fast and is a low odour formula
- Penetrates and clings to uneven surface
- Mine marking, excavation and bridge marking
- Bright fluorescent colours • Fast drying
- Low odour • 20-oz. cans
- Case Qty: 12 cans • VOC & MIR compliant

Application: For use in marking mines, underground utilities, construction, excavation sites and bridges

Priced per Can

Model No.	Colour	Size Can (Net)	Price /Each
KP091	Fluorescent Red	20 oz. (12 oz.)	9.51
KP092	Fluorescent Orange	20 oz. (12 oz.)	9.51
KP093	Fluorescent Green	20 oz. (12 oz.)	9.51



CONSTRUCTION INVERTED MARKING PAINT

- This water-based formula is especially designed for the rigorous demands of construction, excavation, surveying, landscaping and other commercial operation
- Best resistance to early fading and chalking
- Excellent visibility on concrete, pavement, dirt, gravel, grass and more
- Sprays at any angle: upright, horizontal, inverted
- For use on: Utility, construction, excavation, surveying, landscape, golf course markings
- Container size: 20 oz.
- Surface coverage: 400 linear ft at 1 Inch



KP459

RUST-OLEUM

Model No.	Mfg. No.	Colour	Price /Each
COLOURS			
KP459	264693	Clear	5.96
KP452	264692	White	5.96
KP453	264696	Safety Red	5.96
KP455	264694	Caution Blue	5.96
FLUORESCENT COLOURS			
KP456	264695	High Visibility Yellow	5.96
KP457	264699	Fluorescent Red Orange	5.96
KP458	264700	Fluorescent Green	5.96
KP454	264702	Fluorescent Pink	5.96
KP460	264697	Fluorescent Orange	5.96

PRECISION INVERTED MARKING PAINT

- Creates accurate, easy-to-read markings in bright, durable colors
- Resists early fading and chalking
- Adheres to hot surfaces; can be sprayed in the cold (as low as 25°F)
- For use on: Utility, construction, excavation, surveying, landscaping
- Container size: 20 oz.
- Surface coverage: Approximately 600-700 linear feet at 1 in. wide



KP461

RUST-OLEUM

Model No.	Mfg. No.	Colour	Price /Each
SOLVENT-BASED COLOURS			
KP461	201516	Orange	6.91
KP462	203022	Caution Blue	6.91
KP463	203024	Caution Yellow	6.91
KP464	203025	High Visibility Yellow	6.91
KP465	203027	Fluorescent Orange	6.91
KP466	203028	Fluorescent Red Orange	6.91
KP467	203029	Safety Red	6.91
KP468	203030	White	6.91
KP469	1601838	Clear	6.91
WATER-BASED COLOURS			
KP470	203031	Caution Blue	6.91
KP471	203034	High Visibility Yellow	6.91
KP472	203035	Alert Orange	6.91
KP473	203036	Fluorescent Orange	6.91
KP474	203038	Safety Red	6.91
KP475	203039	White	6.91
KP476	1801838	Clear	6.91
KP477	1861838	Fluorescent Pink	6.91

INDUSTRIAL LINE-UP® STRIPING PAINT

- Crisp, clean line and durable performance
- Highly pigmented formulas fortified with optical brighteners for eye catching lines
- Available in non-burning water based formula for grass fields, solvent based formulas for pavement and removable formulas for synthetic turf surfaces that require quick change



LINE-UP® ATHLETIC FIELD STRIPING PAINT FOR GRASS

- Non-burning formula, safe for all grass fields, will not harm grass or stunt its growth
- VOC compliant



Model No.	Colour	Size (Can/Net)	Price /Each
NE333	Athletic White	20 oz (18 oz)	8.60
NE334	Athletic Yellow	20 oz (18 oz)	8.60
AD365	Athletic Orange	20 oz (18 oz)	8.27
AD366	Athletic Black	20 oz (18 oz)	8.27
AD367	Athletic Navy	20 oz (18 oz)	8.27
AD368	Athletic Fluorescent Orange	20 oz (18 oz)	8.27
AD369	Athletic Fluorescent Green	20 oz (18 oz)	8.27
NI795	Athletic Turf Green	20 oz (18 oz)	8.60

LINE-UP® PAVEMENT STRIPING PAINTS

- For striping blacktop, concrete, curbs or other smooth, hard surfaces
- Traffic ready in 60 minute, approximately 250 linear feet per can, excellent bleed retention and highly visible

Model No.	Colour	Size (Can/Net)	Price /Each
NE335	Highway White	20 oz (18 oz)	10.90
NE336	Highway Yellow	20 oz (18 oz)	10.90
NE337	Handicap Blue	20 oz (18 oz)	10.90
NE338	Firelane Red	20 oz (18 oz)	10.90
NE339	Cover Up Black	20 oz (18 oz)	10.90

ATHLETIC FIELD STRIPING PAINT

- Water-based paint produces durable, long-lasting lines that withstand weather and wear
- Sprays upside-down for easy use
- For use on: Athletic fields, playgrounds, golf courses
- Container size: 20 oz.
- Surface coverage: Approximately 100-200 linear ft at 3" wide (30-60 m at 7.6 cm)



KP449

RUST-OLEUM

Model No.	Mfg. No.	Colour	Price /Each
KP449	206043	White	11.60
KP450	206045	Yellow	11.60

STRIPING PAINT APPLICATORS

34" LINE UP® STRIPING WAND

- For use on line touch up and stenciling
- Rugged, durable design with trigger operation

Model No. NI441
Price/Each \$54.50



ATHLETIC FIELD STRIPING MACHINES

- Made of durable 18-gauge steel, features a collapsible design for easy storage, a convenient handle bar to control paint applied and striping width can be adjusted from 2" to 4"
- Holds up to 12 cans
- 10" wheels provide an even ride over rough or uneven surface such as grass, dirt or gravel

Model No. NE341
Price/Each \$274.63



PAVEMENT STRIPING MACHINES

- Made of durable 18-gauge steel, features a collapsible design for easy storage, a convenient handle bar to control paint applied and striping width can be adjusted from 2" to 4"
- Holds up to 12 cans
- 7" wheels provide a smooth ride over hard surfaces such as pavement, concrete, blacktop or metal

Model No. NE340
Price/Each \$274.63



ATHLETIC FIELD STRIPING MACHINE

- The large wheels move easily through high grass and make striping fast and easy
- Adjustable for 3-6"-wide lines
- Includes convenient storage compartment — holds up to 12 extra cans
- Collapsible handle for easy storage
- Sturdy steel construction
- Colour: Yellow

Model No. KP451
Mfg. No. 206346
Price/Each \$249.00



RUST-OLEUM

TRAFFIC ZONE STRIPING PAINT

- Apply this weather-resistant coating to concrete, gravel or pavement for durability you can count on
- Use with bulk-spray machine, brush or roller
- For use on: Parking lots, stadiums, curbs, athletic facilities
- Size: 1 Gal
- Surface coverage: 410-540 linear feet



KP405

RUST-OLEUM

Model No.	Mfg. No.	Colour	Price /Each
KP405	2348402	Yellow	51.90
KP406	2391402	White	51.90

2300 INVERTED STRIPING PAINT

- Apply this weather-resistant coating to concrete, gravel or pavement for durability you can count on
- Dries in less than 10 minutes
- Guaranteed not to clog
- Highest amount of solids for complete coverage
- For use on: Parking lots, stadiums, curbs, athletic facilities
- Container Size: 20 oz
- Surface Coverage: 800 linear feet at 2 inch



KP614

RUST-OLEUM

Model No.	Mfg. No.	Colour	Price /Each
KP614	2326838	Blue	15.30
KP615	2348838	Yellow	15.30
KP616	2364838	Red	15.30
KP617	2378838	Flat Black	15.30
KP618	2391838	White	15.30

Ask us about volume prices!
In many cases you will benefit from quantity prices.

PAINT & PAINTING SUPPLIES

PAVEMENT STRIPING MACHINE

- Make crisp, accurate stripes
- Works on a variety of terrains and makes applying straight lines fast and easy
- Collapsible handle
- Adjustable for 2" to 4" wide lines
- Includes convenient storage compartment — holds up to 12 extra cans
- Colour: Yellow

Model No. KP407
Mfg. No. 2395000
Price/Each \$210.00

RUST-OLEUM



STRIPING WAND

- This single-wheeled, rolling tool applies striping paint with comfort and precision
- Light-touch spray provides easy control and reduces finger fatigue
- Constructed of steel and plastic
- Colour: Gray

RUST-OLEUM



Model No.	Mfg. No.	Series	Price /Each
KP408	2388000	High Performance Striping Wand	70.10
KP409	2393000	Industrial Choice Striping Wand	53.80

5-BALL INTERIOR-EXTERIOR INDUSTRIAL MAINTENANCE PAINT

- For industrial maintenance and touch-up applications
- Dry in 12 minutes or less
- Original *No runs, no drips, no errors!*™ formula!
- Superior performance, both indoors and outdoors
- VOC-compliant acrylic lacquer formula, free of lead hazards
- Hard, protective, durable finish
- High amount of solids assures maximum coverage with excellent adhesion
- Tough, high-gloss finish
- Uniform coverage
- No recoat window, recoat anytime
- Case Qty: 6 cans

Applications: Any metal or wood surface, including motors, tools, pipelines, conduit, ducts, drums, cabinets, furniture, and for color coding steel and lumber.



Priced per Can

Model No.	Colour	Size Can (Net)	Price /Each
NA455	Gloss White OSHA	16 oz. (12 oz.)	10.70
NA463	Gloss Black OSHA	16 oz. (12 oz.)	10.70
NA469	Smoke Grey	16 oz. (12 oz.)	10.70
NA482	Daisy Yellow OSHA	16 oz. (12 oz.)	10.70
NA484	Regal Blue	16 oz. (12 oz.)	10.70
NA536	Cherry Red	16 oz. (12 oz.)	10.70
NA552	Leather Brown	16 oz. (12 oz.)	10.70
NA480	Sun Yellow	16 oz. (12 oz.)	10.70
NA535	Emerald Green	16 oz. (12 oz.)	10.70
NA478	John Deere Yellow	16 oz. (12 oz.)	10.40
NA532	John Deere/Case Gr.	16 oz. (12 oz.)	10.40
NA556	Fluorescent Yellow/Orange	16 oz. (12 oz.)	11.80
NA555	Fluorescent Red/Orange	16 oz. (12 oz.)	11.80
PRIMER			
NA448	Ruddy Brown Primer	16 oz. (12 oz.)	10.20
NA449	Grey Primer	16 oz. (12 oz.)	10.20
AA044	All-Purpose White Primer	16 oz. (12 oz.)	10.20

SPRAYSMART™ MARKING PAINT - APPLICATOR

- SpraySmart™ is a non-aerosol marking paint system
- Marking paint is supplied in a flexible pouch using the unique compression technology of the SpraySmart™ device
- The system is propellant-free which eliminates the requirement for costly disposal procedures
- Fits into any existing marking wand
- Powered by a rechargeable battery
- Designed to fully empty each paint pouch for no waste
- A fully charged battery will spray up to 48 pouches
- Full Charge Time: 4-6 hours

Model No. KP631
Mfg. No. 275124
Price/Each \$399.00

RUST-OLEUM



SPRAYSMART™ MARKING PAINT

- Easier and safer to transport than traditional aerosol cans
- Coverage: Approximately 500-600 linear feet at 1 in. wide
- Dry Time: 5-10 minutes
- Non-clogging spray tip
- Partially used pouches can be stored for future use in order to eliminate waste



RUST-OLEUM

Priced per Pouch

Model No.	Mfg. No.	Colour	Price /Each
KP632	275092	High Visibility Yellow	5.75
KP633	275089	Safety Red	5.75
KP634	278466	Caution Yellow	5.75
KP635	275086	Caution Blue	5.75
KP636	278383	APWA Orange	5.75
KP637	275085	Fluorescent Orange	5.75
KP638	275088	Fluorescent Pink	5.75
KP639	275087	Fluorescent Green	5.75

Model No.	Mfg. No.	Colour	Price /Each
KP640	275384	Fluorescent Red Orange	5.75
KP641	275090	Fluorescent Red	5.75
KP642	278382	Safety Green	5.75
KP643	278381	Safety Purple	5.75
KP644	278278	Black	5.75
KP645	278278	Silver	5.75
KP646	275091	White	5.75

INDUSTRIAL WORK DAY™ AEROSOL ENAMEL PAINT

- Offers an economical solution to marking, colour coding and miscellaneous spray paint needs where long term quality and durability are not required.
- Economical
- Dries to touch in 12 minutes
- VT alkyd formulation
- Case Qty: 12 cans

Application: For use on ceramic, plaster, glass, metal, wood, and most other surfaces



Priced per Can

Model No.	Colour	Size Can (Net)	Price /Each
NI472	Gloss white	16 oz. (10 oz.)	4.99
NI507	Flat white	16 oz. (10 oz.)	4.99
NI473	Yellow	16 oz. (10 oz.)	4.99
NI474	Orange	16 oz. (10 oz.)	4.99
NI475	Gloss red	16 oz. (10 oz.)	4.99
NI476	Blue	16 oz. (10 oz.)	4.99
NI508	Sky blue	16 oz. (10 oz.)	4.99
NI509	True blue	16 oz. (10 oz.)	4.99
NI510	Brown	16 oz. (10 oz.)	4.99
NI477	Aluminum	16 oz. (10 oz.)	4.99
NI515	Green	16 oz. (10 oz.)	4.99
NI492	Flat black	16 oz. (10 oz.)	4.99
NI512	Grey	16 oz. (10 oz.)	4.99
NI513	Dark grey	16 oz. (10 oz.)	4.99
NI478	Gloss black	16 oz. (10 oz.)	4.99
NI479	Grey primer	16 oz. (10 oz.)	4.99
NI480	Red primer	16 oz. (10 oz.)	4.99

INDUSTRIAL COLORWORKS™ MAINTENANCE CHOICE™ ENAMELS

ColorWorks™ is a fast drying, modified alkyd enamel for multi-purpose industrial applications. ColorWorks™ provides excellent performance for both interior and exterior general purpose applications and will resist chipping, fading, and peeling. Dries fast, in 15 minutes.

FEATURES:

- High paint solids formula for excellent hide
- Excellent high gloss retention
- Fast drying
- Interior/exterior use
- Value and quality
- Acrylic enamel formulation
- Case Qty: 6 cans

Applications: General industrial maintenance and touch-up work



Model No	Colour	Size Can (Net)	Price /Each
NI789	Gloss Black	16 oz. (11 oz.)	7.47
KP016	Flat Black	16 oz. (11 oz.)	7.47
NI790	Gloss White	16 oz. (11 oz.)	7.47
NI810	Flat White	16 oz. (11 oz.)	7.47
KP017	Dark Machinery Gray	16 oz. (11 oz.)	7.47
KP094	Industrial Gray	16 oz. (11 oz.)	7.47
KP018	Safety Blue	16 oz. (11 oz.)	7.47
NI809	Royal Blue	16 oz. (11 oz.)	7.47
KP095	Navy Blue	16 oz. (11 oz.)	7.47
KP096	Emerald Green	16 oz. (11 oz.)	7.47
KP019	Hunter Green	16 oz. (11 oz.)	7.47
KP020	Safety Red	16 oz. (11 oz.)	7.47
NI805	Cherry Red	16 oz. (11 oz.)	7.47
KP021	Safety Orange	16 oz. (11 oz.)	7.47
NI808	Equipment Orange	16 oz. (11 oz.)	7.47
KP022	Safety Yellow	16 oz. (11 oz.)	7.47
KP097	Walnut Brown	16 oz. (11 oz.)	7.47
KP023	Silver Aluminium	16 oz. (11 oz.)	7.47
KP024	Grey Primer	16 oz. (11 oz.)	7.47
KP025	Red Oxide Primer	16 oz. (11 oz.)	7.47

INDUSTRIAL CHOICE SPRAY PAINT

- For indoor/outdoor industrial-maintenance use
- Extra-wide comfort nozzle prevents finger fatigue and sprays from any angle, even upside down
- Resists chipping, fading and peeling
- For use on: Tools, motors, furniture, equipment, color coding, ladders, lockers
- Container size: 16 oz.
- Surface coverage: Approximately 22 sq. ft. (2 m²)



KP430

RUST-OLEUM

Model No.	Mfg. No.	Colour	Price /Each
COLOURS			
KP430	202214	Machine Gray	9.24
KP431	214645	ANSI 61 Light Gray	9.24
KP432	1614830	Dull Aluminium	9.24
KP433	1622830	Regal Blue	9.24
KP439	1676830	Ultra-Flat Black	9.24
KP440	1678830	Semi-Flat Black	9.24
KP441	1679830	Glossy Black	9.24
KP442	1684830	Dove Gray	9.24
KP443	1686830	Universal Gray	9.24
KP444	1690830	Flat White	9.24
KP445	1692830	Glossy White	9.24
SAFETY COLOURS			
KP434	1624830	Safety Blue	9.24
KP435	1633830	Safety Green	9.24
KP436	1644830	Safety Yellow	9.24
KP437	1653830	Safety Orange	9.24
KP438	1660830	Safety Red	9.24
PRIMER			
KP446	1667830	Red	9.24
KP447	1680830	Gray	9.24

OVERALL® ENAMEL SPRAY PAINT

- Indoor/outdoor formula
- Economical, fast-drying industrial spray
- Great for a variety of spray paint needs, where durability and long-term quality are not required
- Container size: 16 oz.
- Surface coverage: 14 sq. ft. (1.3 m²)



KP503

RUST-OLEUM

Model No.	Mfg. No.	Colour	Price /Each
COLOURS			
KP503	215409	Light Gray	5.26
KP504	V2402830	Black	5.26
KP505	V2403830	White	5.26
KP506	V2404830	Flat Black	5.26
KP507	V2405830	Flat White	5.26
KP508	V2407830	Red	5.26
KP509	V2408830	Blue	5.26
KP510	V2409830	Yellow	5.26
PRIMER			
KP502	215405	Red Primer	5.26

HIGH PERFORMANCE V2100 SPRAY PAINT

- This advanced formula provides the best-possible corrosion protection with easy, one-coat coverage and long-lasting color, gloss and durability
- Tough, professional finish — superior resistance to chipping, cracking and peeling
- High-output tip covers 50% faster
- Extra-wide comfort nozzle prevents finger fatigue and sprays from any angle, even upside down
- Surface coverage: 14 sq. ft. (1.3 m²)
- Max operating temperature: 200°F
- For use on: Structural steel, handrails, piping, storage tanks, equipment, machinery
- Container size: 20 oz.
- Accepted for use in Canadian food processing facilities



KP377

RUST-OLEUM

Model No.	Mfg. No.	Colour	Price /Each
COLOURS			
KP377	V2115838	Silver Aluminum	13.40
KP378	V2123838	Light Blue	13.40
KP380	V2125838	Deep Blue	13.40
KP382	V2137838	Dark Green	13.40
KP383	V2138838	Hunter Green	13.40
KP385	V2147838	Industrial Yellow	13.40
KP388	V2164838	Bright Red	13.40
KP389	V2175838	Chestnut Brown	13.40
KP390	V2177838	Semi-Gloss Black	13.40
KP391	V2178838	Flat Black	13.40
KP392	V2179838	Black	13.40
KP393	V2183838	Light Machine Gray	13.40
KP394	V2187838	Dark Machine Gray	13.40
KP395	V2190838	Flat White	13.40
KP396	V2192838	Gloss White	13.40
SAFETY COLOURS			
KP386	V2155838	Safety Orange	13.40
KP384	V2143838	Safety Yellow	13.40
KP387	V2163838	Safety Red	13.40
KP379	V2124838	Safety Blue	13.40
KP381	V2133838	Safety Green	13.40
PRIMER			
KP397	V2169838	Red	13.40
KP398	V2182838	Gray	13.40

PAINT & PAINTING SUPPLIES

TOUGH COAT® REBAR GREEN

- One-system, epoxy paint that prevents rust stains in concrete
- Provides excellent barrier for rebar, steel, metal or other metal support beams
- Resilient and excellent durable finish will withstand all conditions
- Case Qty: 12 cans



Priced per Can



Model No.	Size Can (Net)	Price /Each
NI483	16 oz. (12 oz.)	10.90

HIGH PERFORMANCE V2100 HIGH HEAT SPRAY PAINT

- Provides protection against corrosion and heat, while delivering long-lasting durability
- Tough, professional finish—superior resistance to chipping, cracking and peeling
- High-output tip covers 50% faster
- For use on: Boilers, steam pipes, vents, exhaust pipes, kilns
- Container size: 20 oz.
- Surface coverage: 14 sq. ft. (1.3 m²)
- Max operating temperature: 1000°F
- Accepted for use in Canadian food processing facilities



KP401

RUST-OLEUM

Model No.	Mfg. No.	Colour	Price /Each
KP401	V2116863	Aluminum	13.40
KP402	V2176868	Black	13.40

SPRAY GRIP

- Two finger trigger minimizes fatigue
- Unique locking collar keeps can tightly attached
- Trigger safety lock prevents accidental use
- Keeps hands clean
- Colour: Black



KP403

KP404

RUST-OLEUM

Model No.	Mfg. No.	Description	Price /Each
KP403	243546	Economy	5.34
KP404	241526	Comfort	5.34

ECO-GUARD™ LATEX SPRAY PAINT

- Latex (not water-reducible) paint provides a high gloss and excellent colour retention appearance
- Low odour, contents under pressure formula and MIR compliant make it the safest paint to use indoor or outdoor
- Soap and water clean-up
- Dries fast; in just 20 minutes to the touch
- Other colours are available
- Case Qty: 12 cans

Use on: Metal, wood, masonry, plaster, most plastics, plastic foam and wicker



Priced per Can

Model No.	Colour	Size Can (Net)	Price /Each
NI464	Red (OSHA)	16 oz. (12 oz.)	10.20
NI465	Orange (OSHA)	16 oz. (12 oz.)	10.20
NI466	Yellow (OSHA)	16 oz. (12 oz.)	10.20
NI467	Blue (OSHA)	16 oz. (12 oz.)	10.20
NI468	Gloss White	16 oz. (12 oz.)	10.20
NI469	Satin Grey	16 oz. (12 oz.)	10.20
NI471	Max Flat Black	16 oz. (12 oz.)	10.20
NI470	Grey Primer	16 oz. (12 oz.)	10.80

TOUGH COAT™ ACRYLIC ALKYD ENAMELS

- Specially formulated for a variety of industrial applications
- Ideal for light-to-heavy-duty painting projects, both indoors and outdoors
- Tough, protective coating resists chipping and peeling
- Excellent hiding characteristics, smooth, even coverage
- Fast-drying; dries to the touch in just 15 minutes
- High heat: withstands intermittent temperatures up to 1000°F, and constant temperatures up to 600°F
- Case qty: 12 cans

Applications: Metal, motors, machinery, tools, tool boxes, steel bar railings, conduit, ducts, electrical equipment, pipeline and for marking area



Priced per Can



Model No.	Colour	Size Can (Net)	Price /Each
GENERAL PURPOSE COLOURS			
NA279	Machinery Dark Grey	16 oz. (12 oz.)	8.95
NA280	Machinery Light Grey	16 oz. (12 oz.)	8.95
NA281	Machinery Blue/Grey	16 oz. (12 oz.)	8.95
NA394	Clear Gloss Topcoat	16 oz. (12 oz.)	8.95
NA396	Bright Red	16 oz. (12 oz.)	8.95
NA400	Cherry Red	16 oz. (12 oz.)	8.95
NA401	OSHA Red	16 oz. (12 oz.)	8.95
NA402	Zinger Pink	16 oz. (12 oz.)	8.95
NA403	OSHA Orange	16 oz. (12 oz.)	8.95
NA406	Cordova Brown	16 oz. (12 oz.)	8.95
NA407	Light Beige	16 oz. (12 oz.)	8.95
NA408	OSHA Yellow	16 oz. (12 oz.)	8.95
NA413	Medium Green	16 oz. (12 oz.)	8.95
NA414	OSHA Safety Green	16 oz. (12 oz.)	8.95
NA416	OSHA Blue	16 oz. (12 oz.)	8.95
NA417	Dark Blue	16 oz. (12 oz.)	8.95
NA418	Light Blue	16 oz. (12 oz.)	8.95
NA419	OSHA Purple	16 oz. (12 oz.)	8.95
NA420	Medium Grey	16 oz. (12 oz.)	8.95
NA421	Machinery Grey	16 oz. (12 oz.)	8.95
NA422	Blue/Grey	16 oz. (12 oz.)	8.95
NA423	Industrial Grey	16 oz. (12 oz.)	8.95
NA424	Light Grey	16 oz. (12 oz.)	8.95
NA425	Aluminum	16 oz. (12 oz.)	8.95
NA426	Gold	16 oz. (12 oz.)	8.95
NA427	OSHA Black	16 oz. (12 oz.)	8.95
NA428	OSHA White	16 oz. (12 oz.)	8.95
NA432	Flat White	16 oz. (12 oz.)	8.95
NA433	Semi-Flat Black	16 oz. (12 oz.)	8.95
NA434	Flat Black	16 oz. (12 oz.)	8.95

IMPLEMENT COLOURS

NA397	Allis-Chalmers Orange	16 oz. (12 oz.)	8.95
NA398	Ford Blue	16 oz. (12 oz.)	8.95
NA399	Federal Highway Yellow	16 oz. (12 oz.)	8.95
NA404	International Orange	16 oz. (12 oz.)	8.95
NA410	Caterpillar Yellow (New)	16 oz. (12 oz.)	8.95
NA411	Caterpillar Yellow (Old)	16 oz. (12 oz.)	8.95
NA415	Machine Green	16 oz. (12 oz.)	8.95

PRIMERS

NA287	Red Oxide Rust Control (Non-Sandable)	16 oz. (12 oz.)	8.95
NA288	Grey Rust Control (Non-Sandable)	16 oz. (12 oz.)	8.95
NA290	Light Grey Control (Sandable)	16 oz. (12 oz.)	8.95
NA291	Red Oxide (Sandable)	16 oz. (12 oz.)	8.95

FLUORESCENTS

NA429	Orange	16 oz. (12 oz.)	9.93
NA430	Red	16 oz. (12 oz.)	9.93
NA431	Electric Green	16 oz. (12 oz.)	9.93

HIGH HEAT

NA278	Aluminum	16 oz. (12 oz.)	9.67
NA283	Black	16 oz. (12 oz.)	8.20

See pages 1443 - 1445 for Paint Markers and Crayons



HIGH PERFORMANCE V7400 DTM

- Get outstanding protection and color
- Resists chipping, fading, weathering
- Protects against mild chemicals — ideal for moderate to slightly severe industrial environments
- Two-year rust-proof guarantee—maximum corrosion protection
- For use on: General plant maintenance, machinery, equipment, structural steel, pipes, metal cabinets, lockers, railings, trim, doors, gates, vents, outdoor signage, water towers, agriculture, drilling, coastal applications, vehicle refinishing
- Size: 1 Gal.
- Surface Coverage: 278-509 sq. ft./gal. (6.8-12.5 m²/l)
- Accepted for use in Canadian food processing facilities

RUST-OLEUM

Model No.	Mfg. No.	Colour	Price /Each
COLOURS			
KP410	245387	Flat Black	105.00
KP411	245533	Flat White	105.00
KP412	245403	Gloss Black	105.00
KP413	245406	Gloss White	105.00
KP414	245441	National Blue	105.00
KP415	245443	Navy Gray	105.00
KP421	245484	Silver Gray	105.00
SAFETY COLOURS			
KP416	245474	Safety Blue	119.00
KP417	245476	Safety Green	119.00
KP418	245477	Safety Orange	135.00
KP419	245478	Safety Red	135.00
KP420	245479	Safety Yellow	135.00
PRIMER			
KP422	V7086402	Gray	84.20
KP423	V7696402	Red	84.20



KP410

HIGH PERFORMANCE 9100 DTM EPOXY MASTIC

- Quickly creates a tough, durable, protective surface
- Direct-to-metal (DTM) self priming formula—adheres to a variety of substrates
- Superior long-term resistance to solvents, chemicals, abrasion and impact
- Convenient 1:1 mixing ratio of base and activator - no measuring required
- Two-year rust-proof guarantee—maximum corrosion protection
- For use on: Steel beams, structural steel, towers, concrete floors, conveyors, industrial equipment, storage tanks, sewage treatment basins, non-potable water storage facilities, steel handrails
- Size: 1 Gal.
- Accepted for use in Canadian food processing facilities

Model No.	Mfg. No.	Colour	Price /Each
COLOURS			
KP424	9144402	Safety Yellow	190.00
KP425	9179402	Black	148.00
KP426	9182402	Silver Gray	148.00
KP427	9192402	White	148.00
ACTIVATORS			
KP428	9101402	Standard Acitvator	149.00
KP429	V7696402	Immersion Activator	149.00



KP424

RUST-OLEUM

C740 DTM ALKYD MAINTENANCE PAINT

- Ready-to-use formula provides an easy-to-maintain, high-gloss finish specifically for commercial applications
- Multi-purpose direct-to-metal (DTM) coating
- Convenient—requires no measuring or mixing; can be brushed, rolled or sprayed
- Resists rust, chipping, general weathering, mild chemical fumes and light abrasion
- For use on: Interior & exterior commercial metal applications, metal trim (doors & structural steel), handrails, fixtures, fire escapes, vents, fences, hydrants, cabinets, channels
- Surface coverage: 265-440 sq. ft./gal. (6.5-10.8 m²/l)
- Accepted for use in Canadian food processing facilities



KP478

RUST-OLEUM

Model No.	Mfg. No.	Colour	Price /Each
KP478	255554	Black	70.30
KP479	255558	White	70.30
KP480	255550	Safety Yellow	86.70

RUST TOUGH® ACRYLIC ENAMELS

AEROSOLS

- Complete coverage with one coat
- Dries to touch in 25 minutes; dries to handle in 1 hour
- Superior appearance and colour retention
- Ideal for small touch-up jobs, painting irregular shapes or covering hard-to-reach areas
- For both indoor and outdoor use
- Tough, high-gloss finish resists chipping and peeling
- Acrylic enamels and primers are equipped with EZ Touch® Fanspray® nozzle
- Case Qty: 6 cans

Applications: Steel, aluminum, properly primed metal and wood, structural steel, storage tanks, bar joists, handrails, piping, pipe racks, conveyors, ladders, fencing, machinery, metal doors and marine applications above boot topping.

Note: Not recommended for immersion.



Priced per Can

Model No.	Colour	Size Can (Net)	Price /Each
AEROSOLS			
NA356	Flat Black	20 oz. (15 oz.)	12.56
NA386	Flat White	20 oz. (15 oz.)	12.56
NA360	Gloss Black	20 oz. (15 oz.)	12.56
NA393	Gloss White	20 oz. (15 oz.)	12.56
NA352	Semi-Gloss Black	20 oz. (15 oz.)	12.60
ZB013	Semi-Gloss White	20 oz. (15 oz.)	12.60
NA273	Safety Blue (OSHA)	20 oz. (15 oz.)	12.56
NA286	Safety Green (OSHA)	20 oz. (15 oz.)	12.56
NA322	Safety Orange (OSHA)	20 oz. (15 oz.)	12.56
NA330	Safety Red (OSHA)	20 oz. (15 oz.)	12.56
NA302	Safety Yellow (OSHA)	20 oz. (15 oz.)	12.56
NA326	Equipment Orange	20 oz. (15 oz.)	12.60
NA318	Equipment Yellow	20 oz. (15 oz.)	12.60
NA314	Industrial Yellow	20 oz. (15 oz.)	12.60
NA306	Federal Safety Railing Yellow	20 oz. (15 oz.)	12.60
NA382	Dark Machine Grey (Asa-49)	20 oz. (15 oz.)	12.56
NA368	Light Machinery Grey (Asa-61)	20 oz. (15 oz.)	12.56
NA294	Bright Green	20 oz. (15 oz.)	12.60
NA298	Dark Green	20 oz. (15 oz.)	12.60
NA334	Bright Red	20 oz. (15 oz.)	12.60
NA264	Aluminum	20 oz. (15 oz.)	12.56
NA269	Light Blue	20 oz. (15 oz.)	12.60
NA277	Deep Blue	20 oz. (15 oz.)	12.56
NA346	Chestnut Brown	20 oz. (15 oz.)	12.60
NA342	Tan	20 oz. (15 oz.)	12.56
NA435	Fluorescent Green	20 oz. (15 oz.)	14.60
NA436	Fluorescent Yellow	20 oz. (15 oz.)	14.60
NA437	Fluorescent Orange	20 oz. (15 oz.)	14.60
NA438	Fluorescent Red	20 oz. (15 oz.)	14.60
NA348	Hi-Temp Black	20 oz. (15 oz.)	12.60
PRIMERS			
NA364	Grey Primer	20 oz. (15 oz.)	12.56
NA338	Red Oxide Primer	20 oz. (15 oz.)	12.56
NA375	Zinc-Rich Cold Galvanized Primer	20 oz. (15 oz.)	17.78

ECO-GRADE™ VANDAL MARK & GRAFFITI REMOVER

- Soy based, contains natural, biodegradable ingredients made to replace terpene or petrochemical based products
- Formulated with EPA DFE certified materials
- Quickly and easily removes paint, ink, crayon, magic marker and adhesive residue
- Sprays and clings to vertical surfaces
- Penetrates and dissolves oil based stains quickly



Model No.	Mfg. No.	Size Can (Net)	Price /Each
AD402	A00404000	16 oz. (12 oz.)	14.50

PAINT & PAINTING SUPPLIES

IRON GUARD® ACRYLIC ENAMEL INDUSTRIAL COATINGS™

- High gloss, 100% acrylic, waterborne coating for light to moderate industrial use
- Designed for new construction or maintenance use, can be used directly over prepared substrates, including metal
- Chemical and corrosion resistant, fast drying and outstanding early moisture, flash rust and early rust resistance
- Low odour, outstanding adhesion
- VOC: < 100 g/L (0.83 lbs./Gal)
- Can be used on steel, iron, aluminum, galvanizing, concrete, masonry, wood and over zinc-rich primers in applications such as tank and cylinders, steel fabricated parts, equipment, machinery, metal buildings, select marine structures, piping, handrails and ornamental iron



NI813

Colour	Model No.	Price/Each 1 Gallon	Model No.	Price/Each 5 Gallon
Gloss White	NI813	61.00	KP259	304.00
Gloss Black	NI814	56.70	KP260	283.00
Semi-Gloss Black	NI816	54.90	-	-
Flat Black	KP262	51.50	-	-
Safety Yellow (OSHA)	NI815	64.00	-	-
Safety Red (OSHA)	NI818	93.60	-	-
Safety Blue (OSHA)	KP263	58.00	-	-
Safety Green (OSHA)	KP264	57.70	-	-
Light Machinery Gray (ASA-61)	NI822	56.50	-	-
Safety Orange (OSHA)	KP266	89.80	-	-
Dark Machinery Gray (ASA-49)	KP267	59.20	-	-
New Cat Yellow	KP268	68.70	-	-

RUST TOUGH 250

- For interior/exterior industrial, institutional, commercial and maintenance use in moderate to severe environments
- Rust inhibitive, corrosion resistant alkyd enamel can be applied directly to metal
- Protects against mild chemicals, fumes, oil and grease stains and atmospheric corrosion
- Excellent hide, colour & gloss retention, and superior chip, crack and peel resistance
- Low VOC, CARB compliant < 250 g/L
- Can be used on previously painted surfaces, iron, steel, aluminum, galvanized metal or wood
- Acceptable for use in Canadian food processing facilities



AD345

Colour	1 Gallon Model No.	Price /Each
Safety Yellow	AD350	119.00
Safety Orange	AD358	111.00
Safety Blue	AD359	99.00
Safety Red	AD355	117.00
Gloss White	AD345	116.00
Black	AD349	94.00
Dark Machinery Gray	AD352	104.00
Light Machinery Gray	AD353	99.00
Equipment Yellow	AD356	109.00
PRIMER		
Grey Primer	AD347	92.00
Red Oxide Primer	AD357	80.00

SIERRA METALMAX® DTM ACRYLIC

- This water-based formula contains no VOCs, HAPs or solvent odor and is ideal for schools and settings where paint fumes are an issue
- Superior resistance to corrosion and humidity; excellent color retention
- Fast, convenient, single-component system
- Results in a smooth, washable, professional finish
- Applies direct-to-metal (DTM), including galvanized steel and aluminum; for interior/exterior use
- For use on: Anywhere paint odors or VOC is a concern, food/beverage plants, schools, healthcare, warehouses, metal structures, line equipment
- Size: 1 Gal.
- Surface coverage: 180-545 sq. ft./gal. (4.4-13.4 m²/l)



KP481

RUST-OLEUM

Model No.	Mfg. No.	Colour	Price /Each
KP481	210475	Safety Red	117.00
KP482	210477	Safety Yellow	117.00
KP483	238752	White	107.00
KP484	238753	Safety Blue	117.00
KP485	238755	Gray Primer	100.00

SIERRA S40 EPOXY FLOOR COATING

- This water-based formula contains no VOCs, HAPs or solvent odor and creates a tough, high-gloss finish
- High-performance coating — for concrete floors in moderate to severe industrial settings
- Highly resistant to most chemicals and abrasion
- Easy-to-use, two-component system — order base and activator separately
- For use on: Food/beverage plants, schools, healthcare, office buildings, concrete floors
- Size: 1 Gal.
- Surface Coverage: 125-175 sq. ft./gal. (3.1-4.3 m²/L)
- 200-300 sq. ft./gal. (4.9-7.4 m²/L)
- Accepted for use in Canadian food processing facilities



KP486

RUST-OLEUM

Model No.	Mfg. No.	Description	Price /Each
KP486	208068	Safe Yellow	155.00
KP487	208072	Classic Gray	77.10
KP488	208074	Light Gray	77.10
KP489	208086	Activator	66.20

5600 ACRYLIC URETHANE FLOOR PAINT

- Convenient, high-gloss, water-based coating is ideal for use in mild industrial or commercial setting
- Protects concrete floors from dusting, water damage, staining and mildew
- Paint and go—no measuring or mixing; minimal surface prep
- Excellent coverage over new and previously coated surfaces; for interior/exterior use
- Dries fast—accepts next-day foot traffic; easy brush, spray or roller application
- For use on: Interior/Exterior concrete floors, walkways, decks/patios
- Surface Coverage: 170-270 sq.ft./gal. (4.2-6.6 m²/l)
- Accepted for use in Canadian food processing facilities



KP490

RUST-OLEUM

Model No.	Mfg. No.	Colour	Container Size	Price /Each
KP490	251286	Safety Yellow	1 Gallon	74.30
KP491	251291	Silver Gray	1 Gallon	74.30
KP492	251293	Silver Gray	5 Gallons	368.00

5500 ACRYLIC DUSTPROOFER FLOOR SEALER

- Water-based coating seals concrete and prevents dusting in mild industrial or commercial settings
- Seals bare concrete or provides a protective top coat; makes maintenance easy; low-gloss finish
- Excellent coverage over new and previously coated surfaces; for interior/exterior use
- For use on: Floor coating for warehouses, walkways, over strained and painted concrete, retail/commercial
- Size: 1 Gal.
- Accepted for use in Canadian food processing facilities



KP486

Model No. KP493

Mfg. No. 251282

Price/Each \$54.40

RUST-OLEUM

EASYLEAR™ EPOXY MAINTENANCE FLOOR COATING

- High-gloss finish applies easily to bare or coated concrete
- Excellent resistance to abrasion and chemicals; easy to maintain
- For mild to moderate industrial or commercial environments; interior/exterior use
- Convenient, ready-to-mix kit - includes clear base and activator
- Size: 1 Gal.
- Colour: Clear

Model No. KP494
Mfg. No. 456673
Price/Each \$172.00

RUST-OLEUM



TURBOKRETE® CONCRETE REPAIR & ADHESIVE

- Excellent for bridging horizontal or vertical cracks, even under water
- Twice as strong as concrete
- Works on concrete, masonry, brick, steel and more
- For indoor or outdoor use
- Size: 9 oz.



RUST-OLEUM

Model No.	Mfg. No.	Description	Price /Each
KP497	257395	Light Gray	56.20
KP498	251293	Replacement Static Mixer - 3/Pack	15.90
AF183	261292	Heavy-Duty 9 oz. Caulking Gun	52.40

FLOOR COATING ANTI-SKID ADDITIVE

- Give your epoxy floor as much or as little slip resistance as you'd like
- This specially refined aggregate consists of tiny off-white granules that create extra traction on an epoxy coating
- Compatible with the following epoxy systems: 6500 System and 6000 System
- Can be added directly to the liquid coating or sprinkled over the final finish
- Easy and convenient — mix one bag into each gallon of coating
- Size: 1 lbs.
- Colour: Off-White

Model No. KP500
Mfg. No. 200504
Price/Each \$6.82

RUST-OLEUM



NEVERWET BASE & TOPCOAT KIT

- Two-step aerosol coating system that creates a moisture repelling barrier
- Dries to a flat haze finish
- Surface coverage: 15-20 sq ft/can



RUST-OLEUM

Model No.	Mfg. No.	Size	Colour	Price /Each
KP511	275918	28 oz.	Clear	34.50
KP512	277248	2 gal.	Clear	613.00

TURBOKRETE® CONCRETE PATCH COMPOUND KIT

- Easily repair deep holes and cracks
- 100%-solids epoxy patch kit is designed for floors exposed to heavy traffic and intermittent chemicals
- Protects against abrasion, impact and most chemicals — no sealer required
- Creates an extremely hard surface — 3-4 times stronger than concrete
- For interior/exterior use on damaged or severely spalled floors, curbs, ramps, etc.
- Odorless
- Easy-mix kit includes base, activator and aggregate
- Colour: Light gray



KP495

RUST-OLEUM

Model No.	Mfg. No.	Size Gallons	Surface Coverage	Price /Each
KP495	253479	2	0.15 cu.ft.	119.00
KP496	5494323	3.5	0.30 cu.ft.	231.00

INSTAPATCH® CONCRETE REPAIR

- Quickly patch and repair damaged concrete floors
- InstaPatch® is a two component, 100% solids polyurea concrete repair compound that cures in 15 minutes or less
- Versatile formula can be poured or trowel applied
- Gray InstaPatch changes from black upon application to gray once fully cured
- Can be applied in temperatures as low as -5°F
- Size: 1 gallon

Model No. KP499
Mfg. No. 276981
Price/Each \$230.00

RUST-OLEUM



FLOOR COATING ALUMINUM ANTI-SLIP ADDITIVE

- Boost the longevity, durability and anti-slip qualities of any concrete coating
- This highly versatile aluminum-oxide additive can improve the performance of any floor coating
- Adds both texture and strength
- Consists of tiny granules—finer than sand
- Easy and convenient — mix in one bag per gallon of coating
- Colour: White

Model No. KP501
Mfg. No. 213898
Price/Each \$20.30

RUST-OLEUM



LEAK SEAL SPRAY

- Rubberized coating seals cracks, fills small holes and provides firm-but-flexible protection against moisture and rust
- Great for gutters, roofs, flashing, ductwork, PVC, masonry, concrete and more
- Paintable finish
- Surface Coverage: 8 sq ft/can



RUST-OLEUM

Model No.	Mfg. No.	Size	Colour	Price /Each
KP513	266784A	20 oz.	Black	21.00
KP514	267453	20 oz.	Clear	21.00

PAINT & PAINTING SUPPLIES

EMPTY PAINT CANS

- Available in metal or high density plastic



Model No.	Description	Type	Price /Each
KP119	1 gallon w/lid	Metal	5.47
KP120	1 litre w/lid	Metal	2.77
KP121	1/2 litre w/lid	Metal	2.55

PAINT BRUSHES

China bristle: Carefully selected for proper stiffness and taper, Chinese hog bristle are best suited for spreading oil-based paints, enamels, stains, shellacs and epoxy coatings.

Nylon/Polyester: Multi-polyester and nylon filament tips provide extra wear and will give excellent service with all paints. All filaments are flagged and tipped for excellent paint pick-up and smooth application.

Polyester: A durable synthetic filament that smoothly spreads latex and oil-based paints equally well. Retains stiffness and flexibility in extreme hot weather conditions and gives fine service, easy to clean out.

Animal Soft Hair: Fine animal hair brushes are essential for laying on exceptionally smooth lacquer, shellac, varnish and enamel finishes.

SELECTED CAMEL HAIR ROUND LETTERING MARKING BRUSHES



SELECTED CAMEL HAIR ROUND LETTERING LACQUERING BRUSHES



RED SABLE FLAT BRISTLE ARTIST BRUSHES



PURE WHITE BRISTLE ROUND MARKING BRUSHES



CAMEL HAIR ROUND MARKING BRUSHES



SELECTED OX HAIR ONE STROKE BRUSHES



HEXOMIXERS

THE ONE MIXER FOR ALL MATERIALS

- Hex shaft
- Steel blades



WARNING:

Do not use with lacquers or other flammable liquids (FLASH POINT UNDER 70°F). Sparks from portable electric tool motors might ignite fumes.

IMPORTANT:

Always wear safety goggles while using.

For best results; use a variable speed reversible drill with 400-600 watts minimum.



Model No.	Dia. ʷ	Length ʷ	Drill Size ʷ	Recommended Use	Price /Each
ND399	2.4	16	3/8	1 gal.: paint and other low density materials	10.80
ND400	3.2	16	3/8	2 gal.: paint and other low density materials	11.90
ND401	4.0	24	1/2	3 gal.: paint and low-medium density materials	16.70
ND402	4.8	30	1/2	5 gal.: paint and low-medium density	24.00
ND403	5.6	30	1-2	5-30 gal.: drywall mud and materials	34.00

Model No.	Mfg. No.	Size	Brush Dia. mm	Fill Material	Overall Length ʷ	Handle Type	Price /Each
KP607	12201	1	3	Black Camel	11 1/4	Wood	5.41
KP608	12202	2	4	Black Camel	11 1/4	Wood	6.24
KP609	12203	3	4.5	Black Camel	12	Wood	6.82
KP610	12204	4	5	Black Camel	12	Wood	6.99
KP611	12205	5	5.4	Black Camel	12	Wood	6.04
KP612	12206	6	7	Black Camel	12	Wood	4.93

Model No.	Mfg. No.	Size	Brush Dia. mm	Fill Material	Overall Length ʷ	Handle Type	Price /Each
KP104	10911	1	1.7	Black Camel	7 1/2	Wood	2.72
KP598	10912	2	1.9	Black Camel	7 1/2	Wood	2.51
KP599	10913	3	2.1	Black Camel	7 1/2	Wood	3.02
KP105	10914	4	2.5	Black Camel	7 1/2	Wood	4.09
KP601	10915	5	3	Black Camel	7 1/2	Wood	3.79
KP602	10916	6	3.5	Black Camel	7 1/2	Wood	3.72
KP603	10917	7	4	Black Camel	7 3/4	Wood	5.14
KP604	10918	8	4.7	Black Camel	7 3/4	Wood	4.30
KP605	109110	10	5.7	Black Camel	8	Wood	3.11
KP606	109112	12	7.3	Black Camel	8 3/4	Wood	4.56

Model No.	Mfg. No.	Size	Brush Dia. mm	Fill Material	Overall Length ʷ	Handle Type	Price /Each
KP592	0RS	0	3	Red Sable	10	Wood	4.08
KP593	4RS	4	6	Red Sable	10 3/4	Wood	5.59
KP594	6RS	6	7	Red Sable	11 1/8	Wood	7.41
KP595	10RS	10	8	Red Sable	11 1/2	Wood	12.00
KP596	12RS	12	11	Red Sable	11 1/2	Wood	12.80

Model No.	Mfg. No.	Size	Brush Dia. ʷ	Fill Material	Trim Length ʷ	Handle Type	Price /Each
KP189	74030	1	9/64	White Bristle	11/16	Wood	2.49
KP190	74031	2	5/32	White Bristle	3/4	Wood	3.00
KP191	74032	3	3/16	White Bristle	7/8	Wood	2.98
KP192	74033	4	7/32	White Bristle	1	Wood	3.28
KP193	74034	5	1/4	White Bristle	1 1/16	Wood	3.62
KP194	74035	6	9/32	White Bristle	1 1/8	Wood	3.76

Model No.	Mfg. No.	Size	Brush Dia. ʷ	Fill Material	Trim Length ʷ	Handle Type	Price /Each
KP195	74001	1	9/64	Camel Hair	5/8	Wood	6.95
KP196	74002	2	5/32	Camel Hair	3/4	Wood	7.74
KP197	74003	3	3/16	Camel Hair	7/8	Wood	9.31
KP198	74004	4	7/32	Camel Hair	1	Wood	9.84
KP199	74005	5	1/4	Camel Hair	1 1/16	Wood	12.60
KP200	74006	6	9/32	Camel Hair	1 1/8	Wood	15.30

Model No.	Mfg. No.	Overall Width ʷ	Fill Material	Trim Length ʷ	Handle Type	Price /Each
KP202	74040	1/8	Ox Hair	11/16	Wood	6.04
KP203	74041	1/4	Ox Hair	13/16	Wood	7.54
KP204	74042	3/8	Ox Hair	15/16	Wood	9.62
KP205	74043	1/2	Ox Hair	1	Wood	13.80
KP206	74044	3/4	Ox Hair	1 1/4	Wood	20.20

AP100 SERIES PAINT BRUSHES

- Brush Type: 100% black polyester bristles
- Handle: Solid plastic
- Tin-plated ferrule
- Well-suited for latex-based paints



aurora tools

Model No.	Mfg. No.	Width"	Price /Each
KP307	129BP-1	1	1.30
KP308	129BP-2	2	2.25

AP300 SERIES PAINT BRUSHES

- Brush Type: Natural bristles
- Handle: Solid plastic
- Tin-plated ferrule
- Well-suited for oil-based paints



aurora tools

Model No.	Mfg. No.	Width"	Price /Each
KP300	128-1	1	0.85
KP301	128-2	2	1.35
KP302	128-3	3	2.45
KP303	128-4	4	3.55

RUBBERSET® OIL PAINTBRUSHES

GO BULK

- Lowest priced line of bristle brushes, well suited for fibreglass applications, epoxy resins, paint remover and many industrial uses



Rubberset

Model No.	Type	Width"	Price /Each
NA183	Go Bulk	2	1.81
NA184	Go Bulk	3	3.23

INDUSTRIAL GREY BRISTLE PAINT BRUSH

- General purpose bristle brush
- Ideal to apply paint, glue, epoxy and resins
- 100% grey bristle
- Brush shape: Flat straight
- Handle material: Plastic
- Handle colour: Red



CROWN-MEAKINS
Since 1927 / Dupon 1922

Model No.	Size"	Overall Length"	Brush Thickness	Brush Length Out"	Handle Length"	Price /Each
KP527	1	7-3/4	3/8	1-3/4	4-1/2	0.88
KP528	2	8-1/8	7/16	2	4-3/4	1.78
KP529	3	9	1/2	2-1/4	5-1/4	3.37
KP530	4	9-3/4	5/8	2-1/4	6	4.38

AP200 SERIES PAINT BRUSHES

- Brush Type: Pure white bristles
- Handle: Solid plain wood
- Tin-plated ferrule
- Well-suited for oil-based paints



aurora tools

Model No.	Mfg. No.	Width"	Price /Each
KP306	633-1/2	0.5	0.40
KP297	633-1	1	0.50
KP298	633-2	2	0.75
KP299	633-3	3	1.30

AP400 SERIES PAINT BRUSHES

- Brush Type: Foam brush
- Handle: Solid wood
- Disposable
- Well-suited for applying urethane or for touch-up jobs



aurora tools

Model No.	Mfg. No.	Width"	Price /Each
KP335	850-1	1	0.40

FOAM PAINT BRUSH

- High density foam
- Ideal for paints, stains and varnishes
- Ideal for touch ups and crafts
- Handle material: Wood
- Handle colour: Natural - plain wood



CROWN-MEAKINS
Since 1927 / Dupon 1922

Model No.	Brush Diameter"	Thickness"	Brush Length Out"	Handle Length"	Overall Length"	Price /Each
KP535	2	5/8	2-1/4	4	6-1/2	0.55
KP536	4	1/2	2-3/4	4	6-1/5	0.99

ALL PURPOSE POLYESTER PAINT BRUSH

- General purpose polyester brush
- 100% polyester
- Brush shape: Flat straight
- Handle material: Plastic
- Handle colour: Red



CROWN-MEAKINS
Since 1927 / Dupon 1922

Model No.	Size"	Overall Length"	Brush Thickness	Brush Length Out"	Handle Length"	Price /Each
KP523	1	8-1/8	3/8	2"	4-1/2	0.96
KP524	2	8-1/2	7/16	2-1/4	4-3/4	1.51
KP525	3	9-1/2	1/2	2-1/4	5-1/4	2.60
KP526	4	10	11/16	2-3/4	5-1/2	4.38

ALL PURPOSE BLACK BRISTLE PAINT BRUSH

- General purpose bristle brush
- 100% natural black bristle
- Ideal for paints, primers and adhesives
- Brush shape: Flat straight
- Handle material: Plastic
- Handle colour: Blue



CROWN-MEAKINS
Since 1927 / Dupon 1922

Model No.	Size"	Overall Length"	Brush Thickness	Brush Length Out"	Handle Length"	Price /Each
KP531	1	8	3/8	2	4-1/2	1.73
KP532	2	8-1/2	7/16	2-1/4	4-3/4	3.10
KP533	3	9-3/8	1/2	2-1/2	5-1/4	4.93
KP534	4	10	11/16	2-3/4	5-1/2	8.11

PAINT & PAINTING SUPPLIES

PROFESSIONAL BLACK CHINA BRUSHES

- 100% black China bristle
- Wood handle for better grip
- Long lasting brush



Rubberset®

Model No.	Description	Size"	Price /Each
NA202	Flat Sash	2	11.58
ND868	Wall	4	23.08

PROFESSIONAL NYLON/ POLYESTER ANGLE SASH BRUSHES

- A unique blend of satin-edge nylon (Tynex®) and Orel® polyester
- Recommended for both interior and exterior projects
- Can be used with all paints
- The stiffness retention, a property of polyester, makes this tool ideal for working in hot and humid climates



Purdy®
PROFESSIONAL PAINTING TOOLS

Model No.	Description	Size"	Thickness"	Length Out"	Price /Each
KP031	Blue Heron	2 1/2	5/8	2 15/16	24.25
KP032	XL-Club	2	9/16	2 11/16	20.87
KP033	XL-Dale	1	5/16	1 15/16	14.00
KP034	XL-Glide	1 1/2	1/2	2 7/16	16.63
KP036	XL-Glide	2	9/16	2 11/16	20.87
KP035	XL-Glide	2 1/2	5/8	2 15/16	24.85
KP037	XL-Glide	3	5/8	3 3/16	29.83

CHIP BRISTLE PAINT BRUSH

- Economy brush
- Ideal for stains, resins, glue and grease
- Paint type: All paints and coatings
- Handle colour: Natural - plain wood



CROWN-MEAKINS
Since 1927 • Depot: 1932

Model No.	Size"	Overall Length"	Brush Thickness	Brush Length Out"	Handle Length"	Price /Each
KP537	1/2	7-1/4	1/4	1-1/2	4-1/4	0.41
KP538	1	7-1/8	5/16	1-1/2	4-1/4	0.47
KP539	2	7-3/4	5/16	1-1/2	4-1/2	0.74
KP540	3	8	3/8	1-1/2	5-1/8	1.15

CLASSIC POLYESTER PAINT BRUSH

- Multi purpose polyester brush
- Ideal for water based paints and stains
- 100% Polyester
- Paint type: Latex/water based paints
- Handle material: Plastic
- Handle colour: Red



CROWN-MEAKINS
Since 1927 • Depot: 1932

Model No.	Size"	Overall Length"	Brush Thickness	Brush Length Out"	Handle Length"	Price /Each
KP541	1	8-3/4	7/16	2-1/4	4-3/4	2.30
KP542	2	9-1/4	9/16	2-3/4	4-7/8	3.29
KP543	3	9-1/2	11/16	2-3/4	5-1/8	3.70
KP544	4	10-1/2	11/16	3	5-1/2	4.19
KP545*	2	11-1/2	9/16	2-1/4	7-1/8	3.29

*Angular brush

CLASSIC BRISTLE PAINT BRUSH

- Multi purpose bristle brush
- Ideal for oil based paints, stains and varnishes
- Ideal for general maintenance
- Handle material: Plastic
- Handle colour: Blue



CROWN-MEAKINS
Since 1927 • Depot: 1932

Model No.	Size"	Overall Length"	Brush Thickness	Brush Length Out"	Handle Length"	Price /Each
KP546	1	8-3/8	7/16	2	4-3/4	3.04
KP547	2	9-1/8	9/16	2-1/2	5	5.21
KP548	3	10	11/16	3	5	8.22
KP549	4	10	11/16	3	5-1/2	11.00

PARTS CLEANING BRUSH

- Ideal for cleaning parts, crevices and hard to reach areas
- Ideal for applying adhesives and lubricants
- Size: 15/16"
- Number size: #8
- Handle material: Plastic
- Handle colour: Natural - plain wood



CROWN-MEAKINS
Since 1927 • Depot: 1932

Model No.	Brush Material	Overall Length"	Brush Length Out"	Handle Length"	Price /Each
KP550	Tampico	10-7/8	2-3/4	6-1/2	5.62
KP551	Crimped Synthetic	10-3/4	2-1/2	6-1/2	5.75

OVAL BRISTLE BRUSH

- Oval sash brush
- Ideal for glue, shellac and machine cleaning
- 100% black bristle
- Tip type: Flat
- Handle material: Plastic
- Handle colour: Natural - plain wood



CROWN-MEAKINS
Since 1927 • Depot: 1932

Model No.	Size"	Number Size	Overall Length"	Brush Length Out"	Handle Length"	Price /Each
KP552	13/32	2	8-7/8	1-3/4	5-1/2	2.63
KP553	21/32	4	9-1/4	1-3/4	5-1/2	3.73
KP554	25/32	6	9-1/2	1-3/4	6-1/4	4.38
KP555	15/16	8	10-5/8	3	6-3/4	5.89
KP556	1-1/16	10	11-3/8	3	6-3/16	8.03

RADIATOR BRISTLE PAINT BRUSH

- Bent radiator brush
- Ideal for painting behind permanent fixtures and hard to reach areas
- 100% bristle
- Handle material: Wood
- Handle colour: Natural - plain wood



CROWN-MEAKINS
Since 1927 • Depot: 1932

Model No.	Size"	Overall Length"	Brush Thickness	Brush Length Out"	Handle Length"	Price /Each
KP557	1-1/2	16-1/4	7/16	2-1/4	12-1/2	7.34
KP558	2	19	3/8	2-1/4	15-1/2	9.62

EXTENSION POLES

- Threaded to fit all standard roller frame handles



Model No.	Description	Size"	Price /Each
NE065	Wood Pole W/Threaded Metal Tip	72	13.33
NE066	Wood Pole W/Threaded Metal Tip	48	9.17

POLYESTER/NYLON BLEND PRO PAINT BRUSH

- Professional blend of polyester and nylon filaments
- Rust resistant steel ferrules, hard wood handles, fine finishing for excellent pick up and release
- Synthetic filaments recommended for latex/water based paints
- Provides high capacity trim control
- Paint type: All paints and coatings
- Handle material: Wood
- Handle colour: Natural - plain wood



KP560

Model No.	Brush Shape	Size"	Overall Length"	Brush Thickness"	Brush Length Out"	Handle Length"	Price /Each
KP559	Angular	1-1/2	11-1/8	7/16	2-1/2	6-1/2	6.85
KP560	Angular	2	11-5/8	9/16	2-3/4	7	10.70
KP561	Angular	2-1/2	12	5/8	3	7	13.00
KP562	Straight	1-1/2	9-5/8	7/16	2-1/2	5-1/4	6.30
KP563	Straight	2	10-1/8	9/16	2-3/4	5-1/2	10.10
KP564	Straight	2-1/2	10-3/4	5/8	3	5-5/8	12.50

CROWN PRO BRISTLE PAINT BRUSH

- Professional bristle brush
- Rust resistant steel ferrules, hard wood handles, fine finishing for excellent pick up and release
- Natural bristle recommended for oil based paints, stains and varnishes
- Provides high capacity trim control
- Paint type: Oil based paints, stains and varnishes
- Handle material: Wood
- Handle colour: Natural - plain wood



KP567

Model No.	Brush Shape	Size"	Overall Length"	Brush Thickness"	Brush Length Out"	Handle Length"	Price /Each
KP565	Angular	1-1/2	11-3/8	7/16	2-1/2	7	8.08
KP566	Angular	2	11-1/2	9/15	2-1/2	7	11.50
KP567	Angular	2-1/2	12-1/2	5/8	2-3/4	7-3/8	15.80
KP568	Straight	2-1/2	10-1/8	5/8	3	6-1/2	12.50

AA BRISTLE STRAIGHT SASH PAINT BRUSH

- Professional bristle brush
- Rust resistant steel ferrules, hard wood handles, fine finishing for excellent pick up and release
- Natural bristle recommended for oil based paints, stains and varnishes
- Long sash handle ideal for comfort and precision
- Paint type: For oil based paints, stains and varnishes
- Handle material: Wood
- Handle colour: Natural - plain wood



KP570

Model No.	Brush Shape	Size"	Overall Length"	Brush Thickness"	Brush Length Out"	Handle Length"	Price /Each
KP569	Straight	2	11-1/4	9/16	3	6-7/8	9.45
KP570	Straight	2-1/2	11-1/2	5/8	3	7-3/8	14.40
KP571	Straight	4	11-1/2	7/8	3-3/4	6	21.40

WOVEN LINT FREE

- Roller cover fabric is tightly woven into the cover backing to provide shed-free results
- Ideal for when the smoothest finish is required
- For latex or oil paint

NA189



Model No.	Size	NAP (mm)	Description	Price /Each
NA189	240 mm / 9 1/2 inches	6	Smooth	5.10
NA190	240 mm / 9 1/2 inches	10	Smooth or Light Textured	5.67
NA191	240 mm / 9 1/2 inches	13	Semi-Smooth	6.06



MULTI-USE SLEEVES

- Polyester fibre
- For latex or oil paint



NA194

Model No.	Size	NAP (mm)	Description	Price /Each
NA193	240 mm / 9 1/2 inches	6	Smooth	3.67
NA194	240 mm / 9 1/2 inches	10	Semi-Smooth	4.17



MOBLEND SLEEVES

- For latex or oil paint



ND897

Model No.	Size	NAP (mm)	Description	Price /Each
ND897	190 mm / 7 1/2 inches	5	Smooth	4.81
ND898	240 mm / 9 1/2 inches	5	Smooth	5.88



ONE COAT SLEEVES

- Phenolic core
- For latex or oil paint



ND342

Model No.	Size	NAP (mm)	Description	Price /Each
ND342	190 mm / 7 1/2 inches	6	Very Smooth	3.98
ND899	190 mm / 7 1/2 inches	10	Smooth	4.08
NI554	190 mm / 7 1/2 inches	13	Semi-Smooth	4.37
ND900	240 mm / 9 1/2 inches	6	Very Smooth	5.10
ND901	240 mm / 9 1/2 inches	10	Smooth	5.19
ND902	240 mm / 9 1/2 inches	13	Semi-Smooth	5.19
NA192	240 mm / 9 1/2 inches	25	Rough	5.96



FOAM SLEEVES

- Foam roller covers provide a smooth, lint-free finish
- Available in both smooth and a slit foam for textured surfaces



KP083

Model No.	Size	NAP (mm)	Description	Price /Each
KP083	240 mm / 9 1/2 inches	10	Foam Gloss or Semi-Smooth Service	6.06
KP215	240 mm / 9 1/2 inches	19	Slit Foam Hi Pile Rough Surface	6.40



PROFESSIONAL AA SYNTHETIC PAINT ROLLER COVER

- Professional high density polyester knit
- For use with all paints
- Cover material: Synthetic blend knit
- Core material: PVC

KP574



Model No.	Dia."	Length mm (Inches)	NAP mm	For Surface	Price /Each
KP572	1-1/2	240 (9-1/2)	5	Smooth	3.95
KP573	1-1/2	240 (9-1/2)	25	Rough	4.69
KP574	1-1/2	240 (9-1/2)	10	Semi-Smooth	4.44
KP575	1-1/2	240 (9-1/2)	13	Semi-Smooth	4.44
KP576	1-1/2	240 (9-1/2)	19	Semi-Rough	4.58
KP577	1-1/2	240 (9-1/2)	30	Rough	5.07

PAINT & PAINTING SUPPLIES

PROFESSIONAL LINT FREE PAINT ROLLER COVER

- Professional woven lint free
- For use with all paints
- Cover material: Synthetic woven
- Core material: PVC


KP579



Model No.	Dia.™	Length mm (Inches)	NAP mm	For Surface	Price /Each
KP578	1-1/2	240 (9-1/2)	6	Smooth	3.89
KP579	1-1/2	240 (9-1/2)	10	Smooth/Semi-Smooth	4.14
KP580	1-1/2	240 (9-1/2)	13	Smooth/Semi-Smooth	4.38

ROLLER FRAMES

- Wire gauge construction
- Plastic Handle



NA187



Model No.	Size		Description	Price /Each
	mm	Inches		
NA185	190	7 1/2	Light Duty 4-Wire Gauge	3.90
NA187	240	9 1/2	Light Duty 5-Wire Gauge	4.23
NA206	240	9 1/2	Heavy Duty 5-Wire Gauge	5.67
NA207	240	9 1/2	Super Pro 5-Wire Gauge	9.29

MINI TRIM ROLLER PAINT COVER

- Trim rollers ideal for touch up and trim work
- For use with all paints
- Cover material: Synthetic knit
- Core material: Plastic

KP581



Model No.	Dia.™	Length mm (Inches)	NAP mm	For Surface	Price /Each
KP581	1-1/2	75 (3)	6	Smooth	1.23
KP582	1-1/2	75 (3)	10	Smooth/Semi-Smooth	1.32
KP583	1-1/2	100 (4)	10	Smooth/Semi-Smooth	1.75

MINI MOBLEND TRIM PAINT ROLLER COVER

- Moblend specialty roller
- For use with all paints
- Cover material: Moblend
- Core material: PVC



Model No.	Dia.™	Length mm (Inches)	NAP mm	For Surface	Price /Each
KP584	1-1/2	100 (4)	5	Smooth	2.60

MINI ROLLER SLEEVES & FRAMES



ND859



Model No.	Size		NAP (mm)	Description	Price /Each
	mm	Inches			
ND859	75	3	5	Moblend	3.87
YC637	75	3	5	Polyhide	4.81
NE424	75	3	11	Polyhide	4.81
ND861	110	4 1/2	5	Moblend	6.65
KP216	110	4 1/2	13	Polyhide	6.08

PAINT TRAYS & SETS

TYPE A

General - These deep wall, rust-resistant metal trays and plastic trays have adder grip type legs.

TYPE B

Professional - These trays are of heavy-duty rust resistant metal. They have sturdy metal legs for use with ladders.



Model No.	Type	Description	Price /Each
NE096	A	Plastic Tray, Deep Well, 9 1/2", 4 Litre Capacity	5.90
NA196	A	Metal Tray For 9 1/2" Rollers	6.06
NA208	B	Metal Tray, 9 1/2", 2 Litre Capacity	8.04
NI523		Plastic Tray Liner for NA208	2.13
NA209	B	Metal Tray, 9 1/2", 4 Litre Capacity	15.88
NA205		Plastic Tray Liner for NA209	3.10

PROFESSIONAL PAINTER'S MASKING TAPE/WEATHERABLE

- High quality green coarse crepe paper coated with synthetic rubber
- Excellent UV resistance
- Can be left in place up to 8 days
- Premium masking performance on glass, trim, walls and fresh paint (within 24 hours)
- Secure adhesion, resistant to humidity, stain and paint bleed through
- Conformability and clean removal
- Tensile strength: 19 lbs. (25 mm)



Model No.	Width	Length (m)	Price /Each
PC520	18 mm (3/4")	55	5.22
PC521	24 mm (1")	55	6.80
PC522	36 mm (1 1/2")	55	10.20
PC523	48 mm (2")	55	13.60

PAINTBRUSH & ROLLER CLEANING TOOL

- 3-in-1 cleaning tool
- Removes floating filaments before painting
- Cleans paintbrushes and roller covers
- Removes excess paint from roller covers
- Colour: Yellow

Model No. KP376
Price/Each \$14.00



PAINT MITT

- Polyester blend
- For use with all paints



Model No. KP585
Price/Each \$7.95



PROFESSIONAL PAINTER'S MASKING TAPE

- Quality blue fine-paper crepe-backed painter's tape
- Can be exposed to direct sunlight and high humidity levels for up to 14 days
- Provides very clean paint lines and removes easily, will not leave any residue
- Premium masking performance on glass, trim, walls and fresh paint (within 24 hours)
- Tensile strength: 23 in-lbs.



Model No.	Width	Length (m)	Price /Each
PD082	18 mm (3/4")	54.8	4.96
PD083	24 mm (1")	54.8	7.00
PD084	36 mm (1 1/2")	54.8	11.00
PD085	48 mm (2")	54.8	13.30

ROLLER COVERS

- For use with all paints
- Core material: Plastic
- 2/pack




Model No.	Description	Length mm (Inches)	Diameter"	NAP mm	For Surface	Price /Each
KP590	Micro Fibre Perlon Rollers	100 (4)	3/4	10	Rough/Semi-Smooth/Smooth/Very Rough	3.75
KP591	Micro High Density Foam	100 (4)	3/4	10	Rough/Semi-Smooth/Smooth/Very Rough	4.25

MINI PAINT ROLLER FRAME

- Threaded handle allows for easy replacement and use of various handle lengths
- For 100 mm (4") roller cover
- Handle length: 5-3/4"
- Frame material: Metal - Zinc Plated
- Handle material: Plastic

Model No.	Overall Length"	Price /Each
KP586	16	3.43
KP587	10	3.01



POWER PAINTER® HANDHELD SPRAYERS

- Optimus Dual Tip Technology creates a vacuum effect between tips which draws more paint particles into a single spray pattern with less overspray
- Offers even paint distribution creating a consistent coverage
- Wider spray pattern covers more area in a single pass
- Rotatable nozzle allows up/down painting as well as side-to-side
- Ultra durable tungsten carbide spray tip ensures longer life
- Ideal for thin to thick bodied including unthinned latex
- Includes: carrying case, 6-ft suction set, spare atomizer valve, cleaning brush, lubricating oil, Quick flush adapter



Model No.	Mfg. No.	GPH (Gal per Hour)	Reservoir	Electronic Speed Control	Price /Each
KP291	0525000	5.4	1 Quart	-	196.00
KP292	0525027C	6.6	1.5 Quart	2-Speed Pattern Control	242.00

TWIN STROKE™ PISTON PUMP HIGH PERFORMANCE ELECTRIC AIRLESS SPRAY SYSTEMS

- Delivers even paint flow on both up and down strokes for a powerful and smooth operation
- All units feature a Quickflow™ pusher valves to allow for quick and easy priming every time
- ND957 is mounted on a rugged and durable stand with carrying handle, while NI446, NI433 and ND958 are mounted on a Space-Saver telescoping handle cart
- NI433 includes a ToolMate™ tool box



Model No.	Mfg. No.	Motor HP	Tips	GPM (Gallon per Minute)	Included Spray Gun	Price /Each
ND957	0523012	1/2	Supports a 0.015" Tip	0.25	GX-05 Spray Gun w/ Swivel	736.00
NI446	0523013	5/8	Supports a 0.017" Tip	0.32	GX-07 Metal Spray Gun w/ Filter	980.00
NI433	0523014	3/4	Supports a 0.019" Tip	0.35	GX-07 Metal Spray Gun w/ Filter	1185.00

SOFTSPRAY HVLP CONVERSION GUNS

Converts standard high pressure (1.5 HP and larger) air compressor into a SoftSpray HVLP spray system.

- Three-spray pattern click-in-air cap
- Two-stage trigger
- Stainless needle and nozzle
- Super fine atomization
- NBC non-bleeder gun
- 1 quart cup
- PTE (product transfer efficiency) 89%

Model No. NI448
Price/Each \$368.00



43-PC. SPRAY GUN KITS

PROFESSIONAL QUALITY, INDUSTRIAL STYLE WITH TRADITIONAL FIT & FEEL

Kit includes the following:

- 1 - Siphon feed spray paint gun and 33.8-oz. cup
- 1 - Siphon feed detail spray gun and 6.8-oz. cup
- 1 - Fine head detail air brush
- 1 - Air brush vinyl air hose
- 2 - Paint jars for air brush (1 with siphon tube)
- 1 - Aerosol propellant can adaptor/regulator
- 1 - 1/4" female adaptor for air brush
- 1 - 25' x 1/4" recoil air hose
- 1 - Air blower with hook
- 12-pc. assorted couplers
- 15 - Disposable paint filters
- 5-pc. spray gun cleaning kit
- 1 - Teflon® tape
- 1 - Wrench

Model No. THZ749
Price/Each \$99.20



PAINT & PAINTING SUPPLIES

PAINT PUTTY KNIVES & WALL SCRAPERS

FLEXIBLE PUTTY KNIVES

- For patching small holes and cracks



Model No.	Blade Description	Size"	Handle Description	Price /Each
TK912	Stainless Steel	1 1/4	Polypropylene	8.14
NP310	High-Carbon Steel	1 1/4	Ergo-Grip™	8.32
NP308	High-Carbon Steel	2	Ergo-Grip™	9.07

STIFF PUTTY KNIVES

- For scraping and chipping out old putty



FLEXIBLE WALL SCRAPERS

- For applying drywall compounds

STIFF WALL SCRAPERS

- For scraping old putty, paint, varnish, etc.

Model No.	Blade Description	Size"	Handle Description	Price /Each
NP316	Stainless Steel	1 1/4	Polypropylene	8.14
TK789	Brass	1 1/4	Ergo-Grip™	15.40
NP311	High-Carbon Steel	1 1/4	Ergo-Grip™	8.32
TK790	Brass	2	Ergo-Grip™	17.60
NP337	High-Carbon Steel	2	Ergo-Grip™	9.07

STIFF PUTTY KNIVES

NP316	Stainless Steel	1 1/4	Polypropylene	8.14
TK789	Brass	1 1/4	Ergo-Grip™	15.40
NP311	High-Carbon Steel	1 1/4	Ergo-Grip™	8.32
TK790	Brass	2	Ergo-Grip™	17.60
NP337	High-Carbon Steel	2	Ergo-Grip™	9.07

FLEXIBLE WALL SCRAPERS

NP300	High-Carbon Steel	3	Ergo-Grip™	10.60
-------	-------------------	---	------------	-------

STIFF WALL SCRAPERS

NP301	High-Carbon Steel	3	Ergo-Grip™	10.60
TQ032	Brass	3	Ergo-Grip™	20.00

FLEXIBLE TAPING KNIVES

- For taping drywall joints and applying drywall compounds



Model No.	Blade Description	Size"	Handle Description	Price /Each
TK914	Stainless Steel	4	Polypropylene	14.30
NP280	High-Carbon Steel	4	Ergo-Grip™	14.50
NP276	High-Carbon Steel	5	Ergo-Grip™	15.30
TK916	Stainless Steel	6	Polypropylene	20.10
NP270	High-Carbon Steel	6	Ergo-Grip™	16.60

COMBINATION 6-IN-1 TOOLS

- Cleans paint rollers, cleans out cracks, opens paint cans, scrapes, sets nails, applies dry wall compounds and spackling



NP290

COMBINATION 9-IN-1 TOOLS

- Cleans paint rollers, cleans out cracks, opens or closes paint cans, spreads putty, scrapes concave or convex surfaces, sets or pulls nails



NT067

COMBINATION 11-IN-1 TOOLS

- Sets drywall screws, opens bottles, cleans rollers, opens paint cans, spreads compound, scrapes, closes paint cans, scrapes concave surfaces, scrapes convex surfaces, pulls nails, cleans out cracks

Model No.	Blade Description	Size"	Handle Description	Price /Each
6-IN-1				
NP290	High-Carbon Steel	2 3/8	Ergo-Grip™	13.10
9-IN-1				
NT067	Stiff High Carbon Steel Blade	-	Ergo-Grip™	14.60
11-IN-1				
KP217	Stiff High Carbon Steel Blade	-	Ergo-Grip™	16.70




SEALING SPATULA

- Ideal for spreading or removing sealant and adhesives
- Manufactured with fiberglass reinforced plastic
- Exceptional durability
- Flexible tips
- Sold in packs of 5 spatulas in a clear plastic tube

Model No. TLV164

Price/Each \$42.45



aurora tools®

SCRAPERS

RETRACTABLE RAZOR SCRAPERS

- For scraping and cleaning windows and various surfaces
- Positive locking system
- Metal body
- Replaceable single-edge razor blade

Model No. TK897

Price/Each \$2.62



- For scraping and cleaning windows and various surfaces
- Positive lock system
- Plastic body
- Replaceable single-edge razor blade

Model No. TK895

Price/Each \$1.94



RAZOR SCRAPER BLADES

- Single-edge razor blades
- High-carbon steel, precision ground for long-lasting sharpness



Model No.	Description	Thickness"	Price /Each
TK896	Single-Edge Blades, Pack of 5	0.009	1.59
TK786	Single-Edge Blades, Pack of 100	0.009	16.40
TK787	Single-Edge Blades, Pack of 100	0.012	17.40

RAZOR SCRAPERS

- For scraping and cleaning windows and various surfaces
- Metal body
- Replaceable single-edge razor blade

Model No. TK894

Price/Each \$2.30



ERGONOMIC RAZOR SCRAPERS

- Scrapes and cleans glass, tiles and other smooth surfaces
- Ergo-Grip™ razor scraper with ergonomic rubberized contour
- Maximizes gripping effort and comfort
- Unique system facilitating blade change

Model No. NP323

Price/Each \$5.01



TK928



TK927




PLASTIC HANDLE WOOD SCRAPERS

Model No.	Replacement Blades 20/pck.	Handle Length"	Blade Size"	Uses	Price /Each
TK923	TK924	5 7/8	1	For Scraping Paint and Varnish	4.68
TK925	TK926	7 5/8	1 3/4	For Scraping Paint and Varnish	5.67
TK928	TK929	8 1/2	2 1/2	For Smoothing Wood Surfaces	6.36
TK927	TK929	14	2 1/2	For Smoothing Wood Surfaces	7.97

HEAVY-DUTY FLOOR SCRAPERS

- Foam grip handle
- Reinforced cast metal head maximizing strength
- Ideal to remove carpet, linoleum and other material from walls, floors or wood
- Replacement blades are made of high carbon steel and have two chisel and two square edges per blade

KP218



Model No.	Description	Price /Each
KP218	48" Heavy-Duty Floor Scraper	58.10
KP219	12" Heavy-Duty Floor Scraper	39.70
KP220	4" x 4" Replacement Blade For KP218 and KP219	11.30
KP221	6" x 4" Replacement Blade For KP218 and KP219	14.90

WALLBOARD SAWS

- For cutting drywall materials
- Utility saw with 6" heavy-duty steel blade
- Hardwood handle

Model No. TK793
Price/Each \$7.21



Richard

ERGO-GRIP™ WALLBOARD SAWS

- Rubberized Cushion ergonomic handle
- Curve of the handle allows maximum traction
- Guard keeps hand from slipping
- Cuts wallboard, PVC pipes and wood
- High quality, heavy-duty 6" steel blade

Model No. NT074
Price/Each \$14.60



Richard

EXTRA STRONG ERGO-GRIP™ WALLBOARD SAWS

- Cuts wallboard, PVC pipes, wood and other heavy-duty materials
- High quality steel blade is hardened, tempered and ground for more resistance
- Sharp cross teeth ensure fast powerful cut
- Cuts 50% faster than a conventional saw

Model No. NP335
Price/Each \$23.50



Richard

FINISHING TROWELS

- High-carbon spring steel



TK869

TK885

Model No.	Description	Size"	Price /Each
TK868	Cement	14 x 4	15.60
TK869	Cement	16 x 4	16.20
TK885	Drywall	10 x 4	14.20
TK886	Drywall	11 x 4 1/2	14.40
TK887	Drywall	12 x 4	14.70

HAND SANDERS & SANDING BLOCKS



TK856

TK781

NP279

Richard

Model No.	Size"	Description	Application	Price /Each
TK856	4 x 2 3/8	Polypropylene Handle Sanding Block	For Sanding Flat, Curved and Beveled Surfaces	4.59
TK781	5 x 2 3/4	Comfortable Hard Rubber Body Sanding Block	For Sanding Curved or Irregular Shapes	6.57
NP279	9 x 3 1/4	Ergo-Grip Drywall Handsander w/Easy Clamp System	For Hand Sanding of Drywall	16.20

ADHESIVE SPREADERS, CS-PRO SERIES

- For applying adhesive (follow adhesive manufacturer's recommendation for tool notch size and style)
- Blade surface is embossed with ridges for strength
- Cold-rolled satin-finished steel blades
- 3" blades already inserted in painted birch handle



TK861

TK866

TK858

Richard

Model No.	Spreader Description	Tooth Size"	Tooth Dimensions"	Price /Each
TK858	V Notch	3	1/16 x 3/64 x 13/64	3.11
NP326	V Notch	3	3/16 x 1/8 x 1/8	3.11
TK861	V Notch	6	1/32 x 1/64 x 15/64	2.54
TK860	V Notch	6	1/16 x 3/64 x 13/64	2.54
TK862	V Notch	6	3/16 x 1/8 x 1/8	2.54
TK866	V Notch	9	1/32 x 1/64 x 15/64	2.65
TK865	V Notch	9	1/16 x 3/64 x 13/64	2.65
TK867	V Notch	9	3/16 x 1/8 x 1/8	2.65

DRYWALL KNIVES

- For applying and feathering drywall compound



NT091

NT065

NT064

Richard

Model No.	Blade	Size"	Handle Description	Price /Each
TK900	Steel	6	Polypropylene	9.89
TK901	Steel	8	Polypropylene	10.80
NT091	Stainless Steel	8	Ergo-Grip™	14.40
TK898	Steel	10	Polypropylene	11.70
NT064	Stainless Steel	10	Ergo-Grip™	15.30
NT065	Stainless Steel	12	Ergo-Grip™	16.20

ALUMINUM HAWKS

- For carrying and holding compounds while applying to surfaces
- Foam callus preventor hugs the curves of the hand
- The hollow handle is designed to rest on scaffolding rods



NT070

Richard

Model No.	Description	Size"	Price /Each
NT070	Square	10	27.40
NT071	Square	13	32.61

SPONGE SANDERS WITH CLAWS

- Unique universal joint design prevents sponge from flipping
- Four open claw system for easy sanding sponge installation without damaging the sponge
- Aluminum body for professional use
- Female acme thread fits any standard pole
- 7 1/2" x 3 3/8"
- Ideal for drywall compound, wood and other materials
- Comes complete with one KP226 sanding sponge

Model No. KP222
Price/Each \$24.30

REPLACEMENT SANDING SPONGES

- Resistant, last longer than sandpaper
- Reusable, rinse clean with water
- Versatile, can be used wet or dry
- Rectangular sponges are ideal for sanding large surfaces
- Corner sponge is available in fine grit, is rigid to produce smooth, tight corners, flexible to sand slightly imperfect corners and eliminates gouging produced by the edges of regular sanders
- 8 7/8" x 4 3/4"

Richard

Model No.	Description	Dimensions"	Grit	Price /Each
KP223	4-Sided Drywall Sanding Sponge	8 7/8 x 4 3/4	Fine	6.00
KP224	4-Sided Drywall Sanding Sponge	8 7/8 x 4 3/4	Medium	6.00
KP225	2-Sided Drywall Sanding Sponge	8 7/8 x 4 3/4	Fine	5.52
KP226	2-Sided Drywall Sanding Sponge	8 7/8 x 4 3/4	Medium	5.52
KP227	3-Sided Triangular Corner Sanding Sponge	2 1/2 x 2 1/2 x 8 3/4	Fine	7.21



ZIPWALL® BARRIER SYSTEMS

- Provides a quick and easy dust barrier without the use of tape or a ladder, without damaging the surface
- Lightweight and easy to use
- Extendable poles can be used on vaulted or angled ceilings
- GripDisks™ eliminate slippage on hard floors
- Can be used with plastic up to 8 mm thick or with ZipWall® zippers
- Foam Railstm models feature a cross bar with a soft spongy edge that press firmly against the ceiling creating a tight seal



Model No.	Mfg. No.	Includes	Length of Pole	Price /Each
NT099	SLP2	2 Aluminum Poles and Parts	4'7" to 12'	250.00
NT100	KT20	2 Aluminum Poles and Parts	5'2" to 20'	411.00
KP613	4PL-KIT	4 Aluminum Poles and Parts, 2 Foam Rails, 2 Standard Zippers and a Carrying Bag	4'7" to 12'	545.00
KP135	SLP6	6 Aluminum Poles and Parts	4'7" to 12'	637.00
KP589	SLP4	4 Aluminum Poles and Parts, 2 Standard Zippers and a Carry Bag	4'7" to 12'	466.00



ACCESSORIES

Model No.	Mfg. No.	Includes	Price /Each
KP136	FR2	Two 5' Foam Rails Cross Bar and 2 T-Clips Adaptor	89.50
KP140	SDKP	Six 3" Foam Cross Bar, 6 T-Clips Adaptor and a Carrying Bag	357.00
NT101	AZ2	2 ZipWall® Standard Zippers	22.60
THZ766	CB1	Carrying Bag	109.00
KP147	NSP2	2/Pack Non-Skid Replacement Plate	28.20
KP329	TPH1	Replacement Head, Plate and Tether	36.60
KP148	GD2	Grip Disk™ for Holding Bottom of Poles Securely Over Smooth Surfaces	12.20
KP139	SC2	2 Side Clamps	87.90

PAINTER'S DROP SHEETS

- Contractor quality, 100% canvas cotton construction
- Protects floor and furniture from paint mishaps
- Available in wthree sizes to fit most rooms
- Bordered edges
- 8 oz



Model No.	Size'	Price /Each
KP040	4 x 12	12.20
KP041	10 x 11	24.40
KP042	12 x 15	40.40

PLASTIC SHEETS

PAINTER-CONTRACTOR GRADE

- Ideal for covering walls, furniture and large surfaces
- High density, lighter and tougher than regular plastic
- 9' x 400' roll in a convenient dispenser box, allows you to use only what you need, while protecting roll from dust and damage
- Resists bleed-through
- Easy to tape to a wall



Model No.	Size'	Price /Each
NI594	9 x 400	42.50

PLASTIC DROP SHEETS

- Available in three grades for a wide variety of applications
- Economy grade is ideal as a dust cover, furniture cover, chest liner and outdoor table cover
- Regular grade can be used as a drop sheet for paint as well as an outside rain cover
- Industrial grade recommended for use on construction sites as weather protection, window repair and equipment cover
- Size: 10' x 25'



Model No.	Description	Price /Each
NI622	Economy	8.75
NI623	Premium	14.50
NI624	Industrial	21.50

TACK CLOTHS

- Cleans any wood, metal or plaster surface of dust, dirt and sanding residue, ready for a smooth blemish free finish
- Size: 18" x 36"
- 24/case

Model No. JB988
Price/Each \$27.10



COTTON WIPING CLOTHS

- Cleans spills, dusting, polishing, waxing and paint cleanup
- Soft enough for your car and other delicate surfaces
- Made from 100% all new cotton material
- Pack of 8 rags

Model No. KP043
Price/Each \$6.26



COTTON PAINTER'S HOODS

- 100% bleached white cotton
- Made from breathable, non-itchy cotton
- One size fits all


Model No. KP334
Price/Each \$2.23



SANDBLASTING & FUME EXTRACTORS

SANDBLAST MEDIA ABRASIVES

- All abrasives are sold in 50-lb. bags
- Other grades of abrasives also available
- Steel grit and steel bead also available



GLASS BEADS

A popular media used primarily for dimensionally sensitive applications where tolerance and finish are your main concerns. Perfect for re-moving medium to light contamination without causing dimensional change, over stressing, imbedding or pitting. Used widely by automotive rebuilders, die and mold makers in the plating and aerospace industries.

Model No.	US Screen	Application	Price/Each
TG392	20-30	Coarse	56.50
TG393	30-40	Coarse	56.50
TG394	40-50	Coarse	56.50
TG398	50-70	Med. Coarse	56.50
TG399	70-80	Medium	56.50
TG400	70-100	Medium	56.50
TG401	80-120	Fine	56.50
TG402	100-170	Fine	56.50
TG403	140-230	Fine	56.50
BZ738	170-325	Fine	56.50

ALUMINUM OXIDE

Highly aggressive abrasive. Ideal for applications where tough contamination is encountered and surface removal of 0.0005" to 0.08" is acceptable. Resulting finish is ideal for painting, plating and coating. Grit sizes range from #16 (coarse) to #220 (fine).

Model No.	Grit	Application	Price/Each
TG404	16	Coarse	115.00
NP845	20	Coarse	115.00
TG405	24	Coarse	115.00
BZ740	30	Coarse	113.00
BZ739	36	Coarse	115.00
TG406	46	Med. Coarse	116.00
BZ741	54	Med. Coarse	115.00
TG407	60	Med. Coarse	116.00
TG408	70	Medium	116.00
TG409	80	Medium	115.00
NP846	90	Medium	116.00
TG410	100	Med. Fine	116.00
NP847	120	Med. Fine	115.00
TG411	150	Med. Fine	116.00
TG412	180	Fine	126.00
TG413	220	Fine	126.00

JETMAG (SYNTHETIC OLIVINE PYROXENE SAND)

The only true substitute to sand (silica), JetMag offers excellent sanding quality and is cost/performance ratio is highly competitive. It allows faster cleaning and reduces consumption, therefore it offers greater productivity in enclosed work places. Because of its chemical and mineral composition, JetMag is a non-toxic material and environment friendly. Less than 1% free silica.

Model No.	Description	Application	Price/Each
NP848	16-60	16 Mesh	19.95
NP849	30-60	24 Mesh	19.95
NP850	35-70	40 Mesh	19.95

PRESSURE ABRASIVE SANDBLASTERS

- Heavy-duty all steel construction
- Loading abrasive is made simple using the concave funnel top of the tank
- Safety pressure relief valve
- 1/2" (I.D.) x 8' abrasive feed hose
- Durable wheels and handle allow for easy mobility and flexible operation
- Includes media gun, 4 interchangeable nozzles (2, 2.5, 3 & 3.5 mm), water separator filter, protective blast hood and teflon tape
- 5 HP air compressor is recommended for optimal performance



Model No.	Mfg. No.	Tank Cap. gal.	Operating Pressure Range PSI	Required Compressor Output CFM	Max. Amount of Abrasive lbs.	Dimensions L" x W" x H"	Weight lbs.	Price /Each
TMA003	KSB-10	10	65-120	6-25	40	14 x 17 x 33 1/4	48	256.00
TMA004	KSB-20	20	65-120	6-25	80	15 3/4 x 20 x 35	56	301.00

SANDBLAST CABINETS

- Filtered fluorescent light
- Gun comes with different sized nozzles for different usage
- 2 rubber gauntlet gloves mounted in front



Model No.	BV745	BC894
Mfg. No.	KSB-110N-9	KSB-350
Fluorescent light	110 V	110 V
Maximum operating pressure	100 PSI	116 PSI
Required compressor output	5 CFM/PFM @ 80 PSI	15-25 CFM/PFM @ 40-80 PSI
Max. amount of abrasives	10 lbs.	35 lbs.
Cabinet dimensions	23" x 19" x 12" - 15"	37" x 26 3/4" x 17 1/2" - 25 1/2"
Dimensions (L x W x H)	23" x 19" x 19"	37" x 26 3/4" x 59"
Weight	36 lbs.	176 lbs.
Price/Each	\$226.00	\$812.00

ACCESSORIES

Model No.	Mfg. No.	Description	Price /Each
TEX180	KM-035	Replacement sandblast gun	60.10
TJZ760	KM-036	Replacement ceramic nozzle (4/Pkg.)	25.50
EA564	KM-097	Adhesive window protector for BV745 (5-pc. Kit)	26.90
EA565	KM-098	Adhesive window protector for BC894 (5-pc. Kit)	26.90



LIGHT INDUSTRIAL - ECONOBLAST SERIES SUCTION CABINETS

The Econoblast compact blast cleaning cabinet is offered in various convenient dimensions. These blast-cleaning cabinets are the most economical and versatile models available on the market. Built for occasional work, they are ideal for cleaning, finishing, deburring and etching. If you need an abrasive blasting cabinet and have a limited budget, the Econoblast will perform most tasks. for cleaning, deburring, stripping and deflashing.



SPECIFICATIONS:

- Dust bag standard - ventilation 400 CFM
- 1/3 HP, 3450 RPM, 115 V TEFC motor
- Natural latex gloves with nylon gauntlets
- Single door opening
- Window: 13" x 21" with plastic protector
- Halogen 250 W flood light
- Ceramic 5/16" nozzle, 5/32" air jet
- Trigger blasting control
- Will operate with a 5 HP industrial compressor
- 14-gauge expanded steel deck
- Convenient quick flush rubber plug
- Sturdy 13 gauge steel construction
- CSA approved
- Capacity: 300 lbs.
- Made in Canada
- Optional dust collector

Model No.	Dimensions"	Filtration Sq.Ft.	Price/Each
TG414	26 x 36	13	3501.00
NP839	26 x 36	50	5184.00
TG415	28 x 44	13	3803.00
NP840	28 x 44	50	5565.00
TG417	36 x 48	13	4356.00
NP842	36 x 48"	50	6146.00

SEMI-INDUSTRIAL - ECAB SERIES SUCTION CABINETS

The semi-industrial line of blast finishing cabinets is a mid-level line designed to deliver the same dependability and performance as the industrial units, but at a more economical price. Whatever the application, all that is necessary is an air compressor producing a minimum of 22 CFM, and several pounds of sandblasting media (glass beads, aluminum oxide, etc.). Use the semi-industrial Ecab cabinets for medium duty cleaning, etching, deburring, finishing, trimming, etc.



SPECIFICATIONS:

- Dust bag standard - Ventilation 400 CFM
- 1/2 HP, 3450 RPM, 115 V TEFC Motor
- Natural latex gloves with nylon gauntlets
- 13" x 21" window with plastic protector
- Single door opening
- 2 x 100 W halogen bulbs
- Ceramic 5/16" nozzle, 5/32" (34 CFM) air jet standard
- Foot pedal blasting control
- Regulator and gauge air control
- Adjustable louver air vent
- 1/8" perforated steel screen drawer
- Convenient rubber plug for quick flushing of recycler
- 14 gauge steel construction
- 3 1/2" diameter return hose
- Abrasive recycler included
- CSA approved
- Capacity: 300 lbs.
- Made in Canada

Model No.	Dimensions"	Filtration Sq.Ft.	Price/Each
TG419	26 x 36	13	4956.00
NP828	26 x 36	50	6709.00
NP829	28 x 36	100	8410.00
TG421	36 x 48	50	6058.00
NP833	36 x 48	100	8986.00

DUST COLLECTORS & DUST BAGS – SUCTION OR PRESSURE TYPE CABINETS

- Models **TG422** and **NP766** dust bags are standard dust filtration and reclamation system used with the Econoblast and Ecab series blast cleaning cabinets
- Model **TG418** dust collector is designed for medium duty blast cleaning operations
- Models **TG423** and **NP827** dust collectors are designed for heavy-duty applications and are the most efficient for preventing dust from escaping into the work environment and contaminating machines and work surfaces

Model No.	Description	Filtration Sq.Ft.	Motor HP	Fan CFM	Price /Each
TG418	Medium Duty Dust Collector	50	0.5	400	1932.00
TG423	Heavy-Duty Dust Collector	100	1	600	3445.00
NP827	Heavy-Duty Dust Collector	230	2	1200	5619.00
TG422	Dust Bag	13	0.33	400	105.00
NP766	Dust Bag	30	1	600	197.00



SANDBLASTING & FUME EXTRACTORS

80-LB. CAPACITY PORTABLE BLASTER

- Ideal for light maintenance jobs on machinery and road equipment
- Requires minimum 5 HP air compressor to operate
- CSA approved, made in Canada
- Capacity: 1.0 cu.ft
- Includes: Blast hose 8' long (3.04 m) and 1/2" I.D. (12.7 mm), with fittings. Ceramic nozzle, 1/8" (3.1 mm) orifice. Protective washers for nozzle and fittings. **BZ689** protective hood with replacement visor. **BZ685** remote control system.

Model No. TJZ979
Piping: 1/2"
Total height: 39"
Tank diameter: 12"
Capacity: 80 lbs.
Weight: 45 lbs.
Price/Each \$570.00



346® PORTABLE PRESSURE BLASTER

- Tank capacity of 4.1 cubic feet, 18" diameter
- Standard pressure release dead man control systems, for greater safety
- Abrasive metering valves will assure precise and easy control flow of abrasive
- Standard pneumatic dead man remote control system
- Convex top for built-in filling funnel
- Removable plunger with no threads
- Durable sealing plunger
- Extra low profile
- Large hand hole for easy access to inside of tank
- Lifting eyes
- Heavy duty piping
- Conical bottom
- Stabilizing support frame which eliminates wheel fatigue and pot tip over
- Large hard rubber wheels
- Air pressure gauge
- Water separator

TMA028 includes: Pneumatic sandblaster, 50' sandblasting hose, one tungsten carbide nozzle, Radex air purifier, 50' of air hose to feed air between air purifier and protective hood and Nova 2000 air supplied protective kit

TMA026 includes: 50' sandblasting hose and one tungsten carbide nozzle

TMA027 includes: Radex air purifier, 50' of air hose to feed air between air purifier and protective hood and Nova 2000 air supplied protective kit



Model No.	Mfg. No.	Description	Weight	Price/Each
TMA021	646101	Pneumatic Sandblaster Only	225 lbs.	3687.00
TMA026	734400	Portable Pressure Blaster Kit #1 (Sandblaster Not Included)	275 lbs.	867.00
TMA027	735000	Portable Pressure Blaster Kit #2	300 lbs.	1456.00
TMA028	-	Portable Pressure Blaster Complete Kit	500 lbs.	6003.00



NP768



BZ715



TG425

BZ692

NP776

NP773

BZ694

ACCESSORIES FOR SUCTION CABINETS

BLAST GUNS & NOZZLES

Model No.	Description	Dimensions"	For cabinets	Price/Each
TG424	With Ceramic Nozzle	5/16	Econo	319.00
TG425	With Ceramic Nozzle	5/16	Ecab, M	289.00
NP823	With Boron Carbide Nozzle	5/16	Ecab, M	431.00
BZ715	Gun Body Only	-	Econo	252.00
BZ719	Gun Body Only	-	Ecab, M	135.00

ACCESSORIES FOR SUCTION & PRESSURE CABINETS

Model No.	Description	Dimensions	Price/Each
NP768	Cabinet gloves – Leather Sleeves	30" x 8"	212.00
BZ690	Cabinet gloves – Nylon Sleeves	30" x 8"	80.40
BZ720	Replacement Laminated Window	22" x 14"	88.50
BZ681	Replacement Plastic Shields	23 3/4" x 18 3/4"	5.93
BZ682	Replacement Plastic Shields	20 3/4" x 12 7/8"	7.67
BZ684	Plastic Pail White	23 Liters	24.50
NP806	Blast Hose	I.D. 1/2", O.D. 1 3/16"	57.80
NP807	Blast Hose	I.D. 3/4", O.D. 1 1/2"	157.00
BZ699	Blast Hose Kit	NP806 and BZ700	125.00
BZ700	Quick Connect Stem Coupling for NP806	-	4.85
NP809	Quick Connect Stem Coupling for NP807	-	12.30

NOZZLES FOR BLASTING GUNS

STRAIGHT BARREL W/ TAPERED BODY –
 7/8" OD DIAMETER AT BASE, 1 1/4" LENGTH

Model No.	Description	Dimensions"	For cabinets	Price/Each
BZ691	Ceramic Nozzle	1/4	Econo	27.00
BZ692	Ceramic Nozzle	5/16	Econo	26.60
NP769	Tungsten Carbide Nozzle	1/4	Econo	128.00

STRAIGHT BARREL W/ TAPERED BODY –
 1 1/8" OD DIAMETER AT BASE, 1 3/8" LENGTH

Model No.	Description	Dimensions"	For cabinets	Price/Each
NP770	Ceramic Nozzle	1/4	Ecab, M	15.20
NP771	Ceramic Nozzle	5/16	Ecab, M	15.20
NP776	Ceramic Nozzle	3/8	Ecab, M	15.20
NP772	Ceramic Nozzle	7/16	Ecab, M	15.20
NP773	Tungsten Carbide Nozzle	1/4	Ecab, M	102.00
NP774	Boron Carbide Nozzle	1/4	Ecab, M	145.00
BZ694	Boron Carbide Nozzle	5/16	Ecab, M	145.00
NP775	Boron Carbide Nozzle	7/16	Ecab, M	145.00

SANDBLASTING & FUME EXTRACTORS



MOBILE FILTERS & MOBILE FILTERS ECO

- Mobile mechanical filter for welding fumes, grinding dust, etc
- Compact and flexible
- The extraction arm captures fume and dust at a distance of 30-50 cm (12-20") from the source and within an area of 0.5 m (20") diameter
- Black hood w/optimized airflow and ring handle and built in damper
- Flame proof PVC hose 160 mm (6.5") diameter
- This unit can also be fitted with an activated carbon filter which removes gases from polluted air

CONSTRUCTION:

- Unit made of powder painted steel sheet 16 ga.
- Fan 0,75 kW(1HP), 120 V, 1-phase, 2400 m³/hr (1400 CFM) free-blowing
- The unit filters 1250 m³/hr (700 CFM) through the hood
- Comes standard with 1-prefilter (spark-trap) and 1 washable (99% spun-bound polyester) cartridge filter (P-160)
- Active filter surface 14 m² (150+ ft²)
- Delivered complete with ON/OFF starter, cable, and plug
- Flameproof 6.5' PVC coated fibreglass hose
- **5-year limited warranty**

Model No.	Mfg. No.	Description	Price/Each
BA655	P-150/P-002	Mobile Filter w/2 m Extraction Arm	4473.00
BA656	P-150/P-003	Mobile Filter w/3 m Extraction Arm	4709.00
BA657	P-160	Replacement Filter Cartridge for BA655-BA656 (Cleanable with Compressed Air)	412.00
BA659	P-160-W	Replacement Filter Cartridge for BA655-BA656 (Washable with Soap and Hot Water, Suitable for Oily Smoke)	466.00
EA452	P-535/P-002	"Self Cleaning" Mobile Fume Extractor w/2 m Extraction Arm	4944.00
EA453	P-535/P-003	"Self Cleaning" Mobile Fume Extractor w/3 m Extraction Arm	5297.00
EA454	P-541	"Eco" Replacement Filter Cartridge for EA452-EA453 (Cleanable with Compressed Air)	424.00



MOBILE FUME EXTRACTORS W/SELF CLEANING FILTERS

For direct capture of dust, smoke and fumes. Suitable for the following applications:

- Dry Particulates
- Welding Smoke
- Fumes
- Carbon Dust
- Plastic Dust
- Ceramic Dust
- Woodworking
- Fibreglass
- Textiles
- Rubber Dust
- Grinding Dust
- Powders
- Dry Chemicals
- Composites
- Cotton Dust
- Synthetics

Dirty air enters the cabinet from the hose and is directed vertically downward which results in a 180° turn at the bottom of the unit, causing separation of heavier particles into the removable dust pan. Second stage cartridge filter, traps the remaining particles with up to 99% efficiency.

SPECIFICATIONS:

Construction: 16-gauge steel cabinet finished with 2 part chemical and oil resistant paint. Includes Ultra-Seal® filter mounting system, removable access door to filters and direct drive motor/blower, 6.7' externally self-supporting E-Z Arm™ high flow pickup arm, 8" fixed front and 5" rear swivel casters, power cord, and on-off switch.

Weight: 255 lbs. Shipping weight 400 lbs.

Airflow: 1200 CFM with 1.5 HP motor

Noise: 70 dBA / 73 dBA 1.5 HP

Electrical: 1.5 HP 115/1/60

Filter Seal: Ultra-Seal® with positive sealing filter locking mechanism for all main filters, optional HEPA filter and adsorber modules (when used). Slide tracks shall be used for prefilters only.



Model No.	Mfg. No.	Description	Price /Each
BA710	PCH-1-1.5	Self Cleaning Mobile Filter w/2-m arm	13753.00
BA667	7FR02020	Replacement Filter Cartridge	306.00
BA712	PCH-1-PG-5	0-5" Dial Pressure Gauge	352.00

Note: Other extractors also available

FANS FOR FUME EXTRACTORS

- Powerful, silent, energy efficient fans provide even airflow with the lowest possible power consumption
- Extra bracket required for use with booms (use BA694 for 6.5" boom and EA456 for 8" boom)

Model No.	Mfg. No.	Voltage/ Phases/Amp	Free-Blowing		Nominal (At-The-Hood) CFM	Price /Each
			HP	CFM		
EA263*	P-149-1	115/1/60	1.0	1200	1 @ 700 CFM	1353.00
EA562	P-149	115/1/60	1.5	1200	1 @ 700 CFM	1412.00
BA683	P-152-1	115/1/60	1.5	1400	1 @ 1000 CFM	1647.00
BA689	P-152-2	208-230-460/3/60	2.0	1700	2 @ 600 CFM or 1 @ 900 CFM	1647.00
BA693	P-152-3	575/3/60	2.0	1700	1 @ 600 CFM or 1 @ 900 CFM	1647.00
EA264	P-154-1	208-230-460/3/60	3.0	1800	3 @ 600 CFM or 2 @ 900 CFM	3179.00
EA265	P-154-2	575/3/60	3.0	1800	3 @ 600 CFM or 2 @ 900 CFM	2589.00
EA266	LD-130-1	208-230-460/3/60	5.0	2000	4 @ 600 CFM or 3 @ 900 CFM	5062.00
EA267	LD-130-2	575/3/60	5.0	2000	4 @ 600 CFM or 3 @ 900 CFM	5069.00
EA268	LD-150-1	208-230-460/3/60	7.5	3000	6 @ 600 CFM or 5 @ 900 CFM	6297.00
EA269	LD-150-2	575/3/60	7.5	3000	6 @ 600 CFM or 5 @ 900 CFM	6297.00

*Complete with Plug & Play



FUME EXTRACTOR ARMS

- An extractor arm extracts smoke, dust and gases directly at the source, before the contamination has spread in the premises and been inhaled
- Superior extraction arm and advanced design "Parallelogram" counter balancing system that eliminates the need for continual adjustment of friction joints and allows for an unparalleled ease of movement
- Ideal solution for most "source-capture" applications and specifically recommended for applications requiring an "easy to position" extractor that does not require constant adjustment
- Compact and smooth design, excellent for areas with low ceiling
- **5-year limited warranty**

Flexi construction: Internal supporting mechanism made of mild steel tubing, 3 spring-assisted joints to provide precise counterbalancing of the extractor's inner and outer arm. Comes with a black baked-on enamel steel hood w/ optimized airflow and ring handle, and built in damper and with black baked-on enamel wall bracket. Motor and fan not included.

lev-co

EXTRACTOR ARMS

Description	Flexi I, 6.5" dia Model No.	Mfg. No.	Price /Each	Flexi II, 8" dia Model No.	Mfg. No.	Price /Each
7' (2 m) Extractor Arm w/Wall Bracket	BA660	P-007	1101.00	BA978	P-143	1413.00
10' (3 m) Extractor Arm w/Wall Bracket	BA661	P-008	1295.00	BA979	P-144	1619.00
14' (4 m) Extractor Arm w/Wall Bracket	BA662	P-009	1531.00	BA980	P-145	1854.00
17' (5 m) Extractor Arm w/Wall Bracket	BA663	P-010	1707.00	BA985	P-146	2031.00



H MAX F SERIES COMBOS

- Boom and extractor arm combos
- Combos specially developed for welding, mixing of chemicals, grinding, and other applications when you need to reach over long distances
- Hoses are made of flame proof PVC with internal steel spiral
- Comes with Super-Flex® horizontal arm with ball bearing, extractor arm, hood with ring handle and built-in damper, wall bracket, hose and hood
- Fan and motor not included

H MAX F SERIES COMBOS

Description	Model No.	Price /Each
20' Boom & Extractor Arm Combo	BA675	2689.00
28' Boom & Extractor Arm Combo	BA680	3169.00

WALL FLEX & WALL FLEX ECO

NEW SELF-CLEANING UNIT NOW AVAILABLE

- Used to "at-Source" capture and filter a variety of airborne contaminants such as fumes, dust and gases
- Recognized as an excellent solution for the specific demands filtering source captured contaminants, the wall flex comes complete with a cleanable or self-cleaning filter and fan

CONSTRUCTION:

- Unit made of powder coated 12-14-16 ga. sheet steel
- Fan 0.75 kW (1HP), 120 V, 1-phase, 2400 m³/hr (1450 CFM) free-blowing
- Capacity: 1250 m³/hr (730 CFM) (With extraction arm)
- Standard with 1-prefilter and 1 washable 99% main filter (99.5% @ .5 micrometers)
- Complete with ON/OFF motor starter and overload protection
- 3.5 m (12') cable and plug
- Reverse Pulse-Jet filter cleaning units include:
 - Spark-proof impeller
 - Motor out of the air stream
 - Removable dust drawer
- **5-year limited warranty**
- **Always refer to owners manual before operating this type of equipment**

FEATURES & BENEFITS:

- "All Steel design" (not including hose) - No plastic to bend, melt or otherwise lose shape & deform
- Compact wall mount design - Saves on floor space
- Washable or self-cleaning filters - Avoid high cost replacement filters
- Available w/pulse jet filter cleaning system - Save on time required to clean the filters

lev-co

Arm not included



Model No.	Mfg No.	Description	Price /Each
BA697	P-026/P-149/115V/1PH	Wall Mounted Filter w/115/1/60; 1.5 HP Fan	2699.00
BA657	P-160	Replacement Filter Cartridge for BA697, BA698 and BA699 (Cleanable with compressed air)	412.00
BA659	P-160-W	Replacement Filter Cartridge for BA697, BA698 and BA699 (Washable with soap and hot water. . . Suitable for oily smoke)	466.00
EA454	P-541	Replacement Filter Cartridge for EA462, EA463 and EA464 (Cleanable With Compressed Air)	424.00

SANDBLASTING & FUME EXTRACTORS



PORTA-FLEX PORTABLE WELDING FUME EXTRACTORS WITH BUILT IN FILTER

- Suitable for welding in confined spaces or difficult to reach locations
- Perfect for service and repair work
- Efficient filtration
- The filter cartridge has long life and efficient filtration
- It is easy to change when it is full
- Uniquely easy to bring with you
- Porta-Flex has a weight of just 15kg
- It is extremely easy to carry with you as you roll the hose around the handle and fix the magnet nozzle to the outside of the filter box
- Two versions available
- Both come with flexible hose 2.5 m and filter cartridge is included with both



EA515, PORTA-FLEX 200 (1KW) 160M³/H

- EA515 comes standard with EA517 400 mm Porta-Flex nozzle
- Designed for use with the smokeless welding torches and lighter duty applications for collection of dust and smoke at the source
- Polluted air is drawn away and filtered through a 3-stage filtration system
- 28 lbs.

EA516, PORTA-FLEX 200 AUTO (1KW) 160M³/H & AUTOMATIC START/STOP .

- Collects dust and smoke at the source
- Polluted air is drawn away and filtered through a 3-stage filtration system
- The dual powered fan system assures consistent and effective performance
- The side selection of filter combinations allow the unit to be used in a variety of applications
- Comes complete with an "AUTO-START" control which turns on the collector when the welder strikes the arc.
- 28 lbs.

Model No.	Mfg. No.	Description	Price/Each
EA515	P-610	Porta-Flex 200 1-phase/1kW/115V/60Hz, 650(W)x250(D)x450mm(H)	2354.00
EA516	P-614	Porta-Flex 200 Auto 1-phase/1kW/115V/60Hz with automatic start/stop	3296.00
EA517	P-615	400mm Porta-Flex Nozzle with Magnetic Base	224.00
EA518	P-616	300mm Porta-Flex Nozzle with Magnetic Base	224.00
EA519	P-617	200mm Porta-Flex Nozzle with Magnetic Base	224.00
EA520	P-618	80mm Porta-Flex Nozzle with Magnetic Base	224.00
EA521	P-619	Replacement Main Filter for the Porta-Flex	409.00
EA522	P-620	Replacement HEPA Filter for the Porta-Flex	573.00



POWER CAT[®] PORTABLE BLOWERS

- Provides the extra power to tackle tough, industrial jobs
- Unique portable blower can be used for ventilating, cooling and heating the work space
- Removes fumes and smoke created during welding through addition of accessories
- Choice of 300 CFM model blower, or variable 1120/877 CFM unit
- Fitted with a duplex receptacle featuring 25', heavy-duty grounded extension cord
- 120 Volt/60 Hz motor
- Accessories sold separately



EA090

Model No.	Mfg No.	Blower	Lamp	Receptacle	Price /Each
EA090	A300	300 CFM	40 Watts	Duplex, Grounded	258.00
EA091	1200XL	High Speed – 1120 CFM Low Speed – 877 CFM	N/A	Duplex, Grounded Weather-Resistant	492.00

Model No.	Mfg. No.	Description	Price /Each
-----------	----------	-------------	-------------

FOR MODEL EA090

EA092	300DA	Duct accessory. 10' x 5" flexible duct with exhaust adaptor. Use to extend EA094 in 10' increments.	176.00
EA093	300EXT	Extension accessory. 10' x 6" flexible duct with connecting sleeve and clamp. Use to extend EA092 and EA094 in 10' increments.	158.00
EA094	300IA	Intake accessory. 10' x 6" flexible duct with quick-mount fittings at both ends.	227.00
EA095	300FE	Welding Fume Exhaust Nozzle. Clamps to EA094 to direct intake of welding fumes.	116.00

FOR MODEL EA091

EA096	1200EA	Extension accessory. Easily attaches to connect EA098 to unit.	144.00
EA097	1200IA	Intake Adaptor. Quick-mount fitting to attach duct to unit.	58.60
EA098	1200FD	Flexible Duct. 10' x 8" duct to be used with either EA096 or EA097.	236.00
EA099	1200DC	Duct Coupling. Clamp-on connector for additional EA098 ducts.	40.50
EA100	1200FE	Welding Fume Exhaust Nozzle. Clamps to EA098 for extraction of welding fumes.	112.00

ACCESSORIES FOR MODEL EA090



EA093

EA094

EA095

EA092

ACCESSORIES FOR MODEL EA091



EA100

EA097

EA099

EA098 & EA096



WELDING EQUIPMENT & SUPPLIES

