

PRODUCTS

Safety Data Sheet CAJUN KLEEN PRODUCTS LLC

CAJUN BROWN

MSDS Number: 101

 Revision Date:
 8/29/2014

 Page
 1
 of
 5

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Cajun Kleen Products, LLC 101 Royal Street West Monroe, LA 71291

Contact:	Cajun Kleen Products
Phone:	318-323-4244
Fax:	318-323-4299
Email:	info@cajunkleenproducts.com
Web:	www.cajunkleen.com

Product Name:	CAJUN BROWN
Revision Date:	8/29/2014
Version:	3
MSDS Number:	101
Product Code:	CBR
Product Use:	Industrial Cleaning Product

Emergency Contact: CHEMTEL 1-800-255-3924

2HAZARDS IDENTIFICATIONRoute of Entry:Eyes; Inhalation; Skin;Inhalation:Minimal respiratory tract irritation may occur with exposure to a large amount of material.Skin Contact:May cause burning. May cause irritation.Eye Contact:May cause irritation.Ingestion:Ingestion is not an applicable route of entry for intended use.HMIS III:H2/F0/PH1





RODUCTS

Safety Data Sheet CAJUN KLEEN PRODUCTS LLC

CAJUN BROWN

MSDS Number: 101

 Revision Date:
 8/29/2014

 Page
 2
 of
 5

Ingredients:

Cas #	Percentage	Chemical Name
1310-73-2 111-76-2		Caustic soda, etc., see Sodium hydroxide, etc. 2-Butoxyethanol

4	FIRST AID MEASURES	
Inhalation: If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.		
Skin Contact:	Promptly flush skin with water until all chemical is removed. Remove contaminated clothing and wash before reuse.	
	Wash with soap and water.	
Eye Contact:	Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate irrigation. Seek medical attention if problem persist	
Ingestion:	Do not induce vomiting. Drink large quantities of water. Seek medical attention, if problem persist.	

 5
 FIRE FIGHTING MEASURES

 Flash Point:
 N/A

Dry powder, foam, carbon dioxide. Use any standard agent - choose the one most appropriate for type of surrounding fire.

6 A

ACCIDENTAL RELEASE MEASURES

Avoid contact with eyes.

Pick up excess with inert absorbant material and place into separate waste container.

Use personal protection recommended in section 8.

Waste Disposal Method

8

Dispose of in accordance with local, state and federal regulations.

7	HANDLING AND STORAGE
Handling Precautions:	Avoid breathing vapors or mist. Avoid contact with eyes, skin, or clothing. Keep material out of reach of children. Launder contaminated clothing. Use approved containers only.
Storage Requirements:	Wash thoroughly after handling. Keep away from heat, sparks, and flames. Store in cool/dry area.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal Protective Equip: HMIS PP, B | Safety Glasses, Gloves



CAJUN BROWN

MSDS Number: 101

 Revision Date:
 8/29/2014

 Page
 3
 of
 5

Safety Data Sheet CAJUN KLEEN PRODUCTS LLC

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Dark Brown
Physical State:	Liquid
Odor:	Ammonia-like
Solubility:	Fully miscible
Spec Grav./Density:	1.1 g/cm
Viscosity:	Dynamic: Not Determined Kinematic: Not Determined
Heat Value:	Not determined
Boiling Point:	104 Deg C
Freezing/Melting Pt.:	Undetermined
Flammability:	Not applicable
Flash Point:	Not applicable
Partition Coefficient:	Not determined
Vapor Density:	Not determined
pH:	12.3
VOC:	Not determined
Evap. Rate:	Not determined
Auto-Ignition Temp:	Product is not selfigniting
Decomp Temp:	No decomposistion if used according to specifications

STABILITY AND REACTIVITY

Stability:Product is stable under normal conditions.Conditions to Avoid:Avoid Extreme HeatMaterials to Avoid:Do not mix with Bleach

TOXICOLOGICAL INFORMATION

Acute Toxicity:

10

11

Oral (LD 50): 2000 mg/kg (rat)

Inhalation (LC 50):

Skin irritation: Caustic effect on skin and mucous membranes

Eye irritation: Strong caustic effect

Sensitation: None known

Corrosive-Swallowing will lead to a strong caustic effect on mouth and throat and to the danger or perforation of esophagus and stomach

12

ECOLOGICAL INFORMATION

Readily biodegradable.





CAJUN BROWN

MSDS Number: 101

Revision Date: 8/29/2014 Page 4 of 5

Do not allow to reach sewage system, Follow area guidelines

13

DISPOSAL CONSIDERATIONS

Recommendation: consultation with the disposal agency and the relevant authorities; cleansing agent is water. Dispose of in accordance with local regulations.

14

TRANSPORT INFORMATION

DOT Class: Corrosive (8) #8

UN #: UN 1719, Class: 8, II, Proper Shipping Name: Caustic alkali liquid, n.o.s.

15 REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*Caustic soda, etc., see Sodium hydroxide, etc. (1310732 <3%) CERCLA, CSWHS, MASS, OSHAWAC, PA, TSCA, TXAIR

*Caustic soda, etc., see Sodium hydroxide, etc. (1310732 <3%) CERCLA, CSWHS, MASS, OSHAWAC, PA, TSCA, TXAIR

*2-Butoxyethanol (111762 <3%) HAP, MASS, OSHAWAC, PA, TSCA, TXAIR

*Formaldehyde (50000 5%) CERCLA, CSWHS, EHS302, EPCRAWPC, HAP, MASS, NJEHS, NJHS, NRC, OSHAHTS, OSHAPSM, PA, PROP65, SARA313, TOXICRCRA, TSCA, TXAIR, TXHWL

REGULATORY KEY DESCRIPTIONS

CERCLA = Superfund clean up substance CSWHS = Clean Water Act Hazardous substances MASS = MA Massachusetts Hazardous Substances List OSHAWAC = OSHA Workplace Air Contaminants PA = PA Right-To-Know List of Hazardous Substances TSCA = Toxic Substances Control Act TXAIR = TX Air Contaminants with Health Effects Screening Level

HAP = Hazardous Air Pollutants

EHS302 = Extremely Hazardous Substance EPCRAWPC = EPCRA Water Priority Chemicals NJEHS = NJ Extraordinarily Hazardous Substances NJHS = NJ Right-to-Know Hazardous Substances NRC = Nationally Recognized Carcinogens OSHAHTS = OSHA Hazardous and Toxic Substances OSHAPSM = OSHA Chemicals Requiring process safety management PROP65 = CA Prop 65 SARA313 = SARA 313 Title III Toxic Chemicals TOXICRCRA = RCRA Toxic Hazardous Wastes (U-List) TXHWL = TX Hazardous Waste List





CAJUN BROWN

MSDS Number: 101

 Revision Date:
 8/29/2014

 Page
 5
 of
 5

Author: JNM

This information is given in good faith and based on our current knowledge of the product. No guarranty of accuracy is made. Purchasers should make their own test to detemine the suitability of such products for their particular purpose.