

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b><i>Establishment Information</i></b>		
Facility Name <b>Club Aura</b>	Facility Type <b>Food Service Establishment</b>	
Licensee Name <b>Robin Truax</b>	Facility Telephone # <b>304</b>	
Facility Address <b>80 ` Aero St Martinsburg , WV</b>	Licensee Address <b>,</b>	
<b><i>Inspection Information</i></b>		
Inspection Type <b>Routine</b>	Inspection Date <b>06/13/2019</b>	Total Time Spent <b>0.75</b>

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b><i>Observed Critical Violations</i></b>
<b>Total # 1</b> <b>Repeated # 0</b>  <b>4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS</b> <b>This is a critical violation</b> <b>OBSERVATION:</b> Ice machine needs cleaned, mold inside

<b><i>Observed Non-Critical Violations</i></b>
<b>Total # 1</b> <b>Repeated # 0</b>  <b>4-502.11 - GOOD REPAIR AND CALIBRATION</b> <b>OBSERVATION:</b> Leak in the soada lines in the back bar, needs repaired, and floor needs cleaned.

<b><i>Inspection Outcome</i></b>

<b><i>Comments</i></b>

Disclaimer

Person in Charge  
**On file**

Sanitarian  
**Glenn GCO Ondick**