



ZMC Components


For Somfy Sonesse Ultra 50 DC Motor Applications

ZMC
WINDOW COVERING SUPPLIES





Somfy
DESIGNED FOR
SILENCE

Version: 1
Date: October 1st 2015




Features of Tube

- ✓ Built in fabric alignment guide for a perfect adjacent shade alignment when used with multi-banded applications
- ✓ Motor Drive and Crown key fits perfectly into the groove of the tube
- ✓ Max width 11' (2" groove motor tube)
13' (2 $\frac{3}{8}$ " tube)
- ✓ Adhesive double sided Tesa tape
- ✓ Built in groove that accepts the drive wheel raised key as well as the raised motor crown key with no addition crown required.
- ✓ 2 $\frac{3}{8}$ " Crown Compatible with both Sonesse Ultra 50 DC & AC motors.




Ultra Quiet Drive

2" Groove Tube Ultra Drive




available in
January 2016

2 $\frac{3}{8}$ " Groove Tube Ultra Drive




available in
January 2016

2.5" Groove Tube Ultra Drive




available in
January 2016

Features of Brackets / Indexable Couplers



- ✓ All idle end / intermediate brackets are adjustable (US Patent No. 7,854,419)
- ✓ Up to 6 mm precision adjustment. Ensures shades roll up perfectly straight
- ✓ Smooth and quiet operation with built in bearings
- ✓ 10 mm / 12 mm bearing available
- ✓ Equal light gap



available in
March 2016



available in
March 2016



available in
January 2016



available in
September 2016

- ✓ Simple and effective way of levelling the bottom bar
- ✓ Maintains equal light gap throughout the shade
- ✓ Retractable function for easy installation
- ✓ 10 mm / 12 mm shaft available



Table of Content



TUBE OPTIONS / FABRIC DROP



1/2" SCREEN Maximum Drop		Blackout Maximum Drop	
24" (610mm)		24" (610mm)	
24" (610mm)		24" (610mm)	
24" (610mm)		24" (610mm)	



5.5" Head Box System		Blackout Maximum Drop	
24" (610mm)		24" (610mm)	
24" (610mm)		24" (610mm)	
24" (610mm)		24" (610mm)	




7" Head Box System		Blackout Maximum Drop	
24" (610mm)		24" (610mm)	
24" (610mm)		24" (610mm)	
24" (610mm)		24" (610mm)	



Open Roll Motor Crackets		Blackout Maximum Drop	
24" (610mm)		24" (610mm)	
24" (610mm)		24" (610mm)	
24" (610mm)		24" (610mm)	

1-2

OPEN ROLL MOTOR BRACKETS





3-4

RETRACTABLE IDLE END & COUPLER




5-6

4" FASCIA SYSTEM




7-8

5.5" FASCIA SYSTEM




9-11

7" DUO SHADE FASCIA SYSTEM




12-14

5.5" SMART HEAD BOX



15-16

7" SMART HEAD BOX




17-18

Tube Options / Fabric Drop




Open Roll System




	Z-SCREEN Maximum Drop Tested with 4400 series Thickness 0.032" (0.81mm)	Blackout Maximum Drop Thickness 0.012" (0.32mm)
 RS-014	9.2m / 30ft	20.5m / 67ft
 RS-013	9.2m / 30ft	20.5m / 67ft
 RS-033	8m / 26ft	18m / 59ft

4" Fascia System




	Z-SCREEN Maximum Drop Tested with 4400 series Thickness 0.032" (0.81mm)	Blackout Maximum Drop Thickness 0.012" (0.32mm)
 RS-014	4.3m / 14ft	10m / 33ft
 RS-013	4.3m / 14ft	10m / 33ft

5.5" Fascia System




	Z-SCREEN Maximum Drop Tested with 4400 series Thickness 0.032" (0.81mm)	Blackout Maximum Drop Thickness 0.012" (0.32mm)
 RS-014	11.3m / 37ft	26.2m / 86ft
 RS-013	11.3m / 37ft	26.2m / 86ft
 RS-033	10.1m / 33ft	24.1m / 79ft




7" Duo Shade Fascia System

		Z-SCREEN Maximum Drop Tested with 4400 series Thickness 0.032" (0.81mm)	Blackout Maximum Drop Thickness 0.012" (0.32mm)
	RS-014	4.3m / 14ft	4.3m / 14ft
	RS-013	4.3m / 14ft	4.3m / 14ft
	RS-033	3.1m / 10ft	3.1m / 10ft



5.5" Head Box System

		Z-SCREEN Maximum Drop Tested with 4400 series Thickness 0.032" (0.81mm)	Blackout Maximum Drop Thickness 0.012" (0.32mm)
	RS-014	11.3m / 37ft	26.2m / 86ft
	RS-013	11.3m / 37ft	26.2m / 86ft
	RS-033	10.1m / 33ft	24.1m / 79ft







7" Head Box System

		Z-SCREEN Maximum Drop Tested with 4400 series Thickness 0.032" (0.81mm)	Blackout Maximum Drop Thickness 0.012" (0.32mm)
	RS-014	4.3m / 14ft	4.3m / 14ft
	RS-013	4.3m / 14ft	4.3m / 14ft
	RS-033	3.1m / 10ft	3.1m / 10ft



Open Roll Motor Brackets




		
ZMC:RS-014	ZMC:RS-013	ZMC:RS-033
6.7m / 22ft 17.37m / 57ft	6.7m / 22ft 17.37m / 57ft	6m / 20ft 13.41m / 49ft



SINGLE BAND APPLICATION



MULTI-BAND APPLICATION



#	DESCRIPTION	ITEM #	CATALOG PAGE
1	ST50 DC Motor Bracket with Spring Ring	RS-911	A-
2	Adj Idle End Bracket for ST50 DC Motor (10mm/12mm)	RS-921/931	A-
3	End Cap for ST50 DC Motor Bracket	RS-961	A-
4	Adj Inter Bracket for ST50 DC Motor(10mm/12mm)	RS-941/951	A-15/16
5	2" Grooved Tube Drive	RS-B47	A-15
6	Indexable Coupler (10mm/12mm)	RS-673/672	A-15/16
7	Retractable idle end	RS-801/802	A-15/16
8	Sonesse Ultra 50 DC Motor	Supplied by somfy	A
9	2" Grooved Tube	RS-B13	A-4a
10	2 3/8" Crown for ST50 AC/DC Motor	RS-975	A
11	2 3/8" Tube Drive	RS-192	
12	2 3/8" Motor Tube	RS-033	

Retractable Idle End & Coupler




Functional and easy to install “Retractable Idle End”

Step 1. Retract Idle End by turning wheel

Step 2. Insert into motor side

Step 3. Align Idle End, release spindle





Retractable
Idle End

Sonesse Ultra 50 DC Motor Bracket allows more fabric wrap


Maximum drop:
30 feet (9 meters)

Maximum diameter:
4.4" (112 mm)



Intermediate Brackets available for multi-band shades in both 10 / 12 mm


Intermediate Bracket



Intermediate Retractable Idle Ends
(Maximum motor torque: 50 Nm)



Idle End Brackets & Retractable Idle Ends available in 10 / 12 mm



Adjustable Idle End Brackets & Intermediate Brackets

Motor Adjustable
End Bracket

Motor Adjustable
Intermediate Bracket



With our adjustable brackets your shades will roll up perfectly straight. Only from ZMC



Bracket




RS-931
RS-921

Spacer



RS-041 (ID=12 mm)
RS-042 (ID=10 mm)

Pin End



Supplied by Somfy


COLORS AVAILABLE



4" Fascia System




		
ZMC:RS-014	ZMC:RS-013	ZMC:RS-033
4.3m / 14ft 17.37m / 57ft	4.3m / 14ft 17.37m / 57ft	3m / 10ft 13.41m / 49ft




4" Fascia System

Sonesse Ultra 50 DC Motor

available in
December 2015



#	DESCRIPTION	ITEM #	CATALOG PAGE
1	4" Curved Fascia End Cap	RS-UK*	A-7
2	4" Curved Fascia 16' x 6pcs	RS-SD*	A-7
3	4" Square Fascia End Cap	RS-UI*	A-7
4	4" Square Fascia 16' x 6pcs	RS-SC*	A-7
5	4" Curved Fascia with Fabric Inserts	RS-SU*	A-7
6	104mm Adhesive Backing for Insert Fabric	RS-085	A-7
7	66mm Adhesive Backing for Insert Fabric	RS-086	A-7
8	End Cap for 4" Curved Fascia w/fabric Insert	RS-VP*	A-7
9	4" adj. idle end bracket w/ 12mm bearing	RS-86*	A-4
10	Retractable Idle End 12 mm ¹	RS-802	A-16
11	Somfy drive	9206089 (6061350♦)	Supplied by Somfy
12	SOMFY Sonesse Ultra 50 DC Motor		Supplied by Somfy
13			
14	2" Motorized Tube	RS-014	A-4a




#	DESCRIPTION	ITEM #	CATALOG PAGE
1	4" Curved Fascia End Cap	RS-UK*	A-7
2	4" Curved Fascia 16' x 6pcs	RS-SD*	A-7
3	4" Square Fascia End Cap	RS-UI*	A-7
4	4" Square Fascia 16' x 6pcs	RS-SC*	A-7
5	Adj. 4" Fascia/cassette bracket ²	RS-UYA..E	A-3
6	12mm Idle End Bearing Zinc-Plate ¹	RS-806	A-3
7	Retractable Idle End (12mm) ¹	RS-802	A-16
8	Intermediate Retractable Idle End 12mm ¹	RS-804	A-16
9	4" Adj. Inter. fascia/bkt w/12mm Bearing ¹	RS-84*	A-4
10			
11	2" Motorized Tube	RS-014	A-4
12	SOMFY drive	9206089 (6061350♦)	Supplied by Somfy
13	SOMFY Sonesse Ultra 50 DC Motor		
14	SOMFY Motor Bracket	9206020 (6070522♦)	Supplied by Somfy


5.5" Fascia System



		
ZMC:RS-014	ZMC:RS-013	ZMC:RS-033
11.28m / 37ft 26.21m / 86ft	11.28m / 37ft 26.21m / 86ft	10.06m / 33ft 24.08m / 79ft




Up to 40' fabric drop with Bottom Closure Panel for easy maintenance



5.5" Bracket with Adjustable Center allows for various fabric roll diameter.

Bottom Closure Panel

can be easily removed for simple access to the roller shade system.



COLORS AVAILABLE



White




Anodized



Bronze


available in
March 2016

SINGLE-BAND APPLICATION




#	DESCRIPTION	ITEM #	CATALOG PAGE
1	5.5" Square Fascia	RS-SV*	A-2
2	3"/4"Bottom Closure Panel	RS-SR*/SS*	A-2
3	Spring Lock for 5.5" Square Fascia	RS-YC9	A-2
4	5.5" Universal Bracket	RS-YF1	A-2
5			
6	5.5" Square Fascia End Caps	RS-YE*/YD*	A-2
7	Idle End Insert Plate(12mm)for RS-YF1	RS-YC4	B-1
8	Retractable Idle End	RS-802	B-2
9	SOMFY Sonesse Ultra 50 DC Motor		Supplied by Somfy
10	2" Motorized Tube	RS-014	B-1
11	2"Groove Motor Tube	RS-013	B-1
12	2 3/8"Motor Tube	RS-033	B-1
13	Somfy Drive	9206089	Supplied by Somfy
14	2"Groove Tube Drive	RS-B47	B-1
15	2 3/8" Cown for Somfy 500 Series Motors	RS-975	B-1
16	2 3/8"Tube Drive	RS-192	B-1

5.5" Fascia System



available in
March 2016

MULTI-BAND APPLICATION



#	DESCRIPTION	ITEM #	CATALOG PAGE
1	5.5" Square Fascia	RS-SV*	A-2
2	3"/4"Bottom Closure Panel	RS-SR*/SS*	A-2
3	Spring Lock for 5.5" Square Fascia	RS-YC9	A-2
4	5.5" Universal Bracket	RS-YF1	A-2
5			
6	5.5" Square Fascia End Caps	RS-YE*/YD*	A-2
7	Intermediate Insert Plate (12mm) for RS-YF1	RS-YC5	B-1
8	Idle End Insert Plate(12mm)for RS-YF1	RS-YC4	B-1
9	Retractable Idle End	RS-802	B-2
10	Indexable Coupler	RS-672	B-2
11			Supplied by Somfy
12	2" Motorized Tube	RS-014	B-1
13	2"Groove Motor Tube	RS-013	B-1
14	2 3/8"Motor Tube	RS-033	B-1
15	Somfy Drive	9206089	Supplied by Somfy
16	2"Groove Tube Drive	RS-B47	B-1
17	2 3/8" Cown for Somfy 500 Series Motors	RS-975	B-1
18	2 3/8"Tube Drive	RS-192	B-1

7" Duo Shade Fascia System



		
ZMC:RS-014	ZMC:RS-013	ZMC:RS-033
4.27m / 14ft 4.27m / 14ft	4.27m / 14ft 4.27m / 14ft	3.05m / 10ft 3.05m / 10ft


available in
March2016



This sturdy and durable fascia is available in wide range of popular colors



Provides a clean and modern appearance to any location




Optional Side Channel Application for a complete blackout



Specifically designed for all industrial and commercial applications

available in
 March 2016

SINGLE-BAND APPLICATION





#	DESCRIPTION	ITEM #	CATALOG PAGE
1	7" Square Fascia	RS-SK*	A-11
2	7" Square Fascia End Cap	RS-WY*	A-11
3	7" Fascia Bracket	RS-WT*	A-11
4	7" Adj.Universal Insert Plates (5mm Low) for somfy	RS-YB8	A-12
5			
6			
7	Retractable Idle End 10mm/12mm	RS-801/RS-802	A-15/16
8	2"Grooved Tube Drive	RS-B47	A-4a
9	SOMFY Sonesse Ultra 50 DC Motor		Supplied by Somfy
10	2"Groove Motor Tube	RS-013	A-4a

7" Duo Shade Fascia System



available in
March 2016


MULTI-BAND APPLICATION



#	DESCRIPTION	ITEM #	CATALOG PAGE
1	7" Square Fascia	RS-SK*	A-11
2	7" Square Fascia End Cap	RS-WY*	A-11
3	7" Fascia Bracket	RS-WT*	A-11
4			
5			
6			
7			
8			
9	Indexable Coupler 10mm/12mm	RS-673/RS-672	A-17
10	2"Grooved Tube Drive	RS-B47	A-4a
11	Somfy Sonesse Ultra 50 DC Motor		Supplied by Somfy
12	2"Grooved Motor Tube	RS-013	A-4a

available in
March 2016

**AVAILABLE FOR SINGLE BAND AND
MULTI-BAND APPLICATIONS**



#	DESCRIPTION	ITEM #	CATALOG PAGE
1	Side Closure Panel	RS-SQ1	F-1
2	3"Bottom Closure Panel/4" Bot. Closure Panel	RS-SR1/RS-SS1	F-1
3	5.5" Universal Bracket	RS-YF1	F-1
4	Idle End Insert Plate (12mm)for RS-YF1	RS-YC4	F-2
5	2 3/8" Motor Tube	RS-033	F-2
6	2 3/8" Tube Drive	RS-192	F-2
7			
8	Sonesse Ultra 50 DC Motor		Supplied by Somfy
9	Somfy Drive	9206089	Supplied by Somfy
10	Crown for somfy 500 series	RS-975	F-2
11	Retractable Idler End with Pastic Wrench	RS-802	F-2
12	2" Motorized Tube	RS-014	F-2
13	2" Grooved Tube Drive	RS-B47	F-2
14	2" Groove Motor Tube	RS-013	F-2
15	Intermediate Insert Plate (12mm) for RS-YF1	RS-YC5	F-2
16	Indexable Coupler/Inter. Retract. Idle End(12mm)	RS-672/RS-804	F-2

5.5" Smart Head Box



available in
March 2016





Innovative design allows easy installation and a cost-effective option with huge savings on aluminum material


Can be used with 2" Tube, $2\frac{3}{8}$ " tube or larger tube diameter available

OLD DESIGN

NEW DESIGN



Patent Pending Bracket has an adjustable center which allows positioning of fabric closer to the window translating in heat lost reduction.




Bottom Closure panel can be easily removed for simple access to the roller shade system.

Available in 3" and 4" width.

available in
March 2016

SINGLE-BAND APPLICATION





#	DESCRIPTION	ITEM #	CATALOG PAGE
1	Side Closure Panel	RS-SQ1	F-1
2	3"Bottom Closure Panel/4" Bot. Closure Panel	RS-SR1/RS-SS1	F-1
3	7" Smart Head Box Bracket-left	RS-YB1	H-1
4			
5	7" Smart Head Box Bracket-Right	RS-YB0	H-1
6			
7	Somfy Sonesse Ultra 50 DC Motor	ST50 Motor	Supplied by Somfy
8	Somfy Drive	9206089	Supplied by Somfy
9	Retractable Idle End with Plastic Wrench	RS-802	F-2
10	2" Motorized Tube	RS-014	F-2
11	2" Grooved Tube Drive	RS-B47	F-2
12	2" Groove Motor Tube	RS-013	F-2
13	2 3/8" Tube Drive	RS-192	F-2
14	2 3/8" Crown for Somfy 500 Series Motors	RS-975	F-2
15	2 3/8" Motor Tube	RS-033	F-2

7" Smart Head Box



available in
March 2016

MULTI-BAND APPLICATION



#	DESCRIPTION	ITEM #	CATALOG PAGE
1	Side Closure Panel	RS-SQ1	F-1
2	3"Bottom Closure Panel/4" Bot. Closure Panel	RS-SR1/RS-SS1	F-1
3	7" Smart Head Box Bracket-left	RS-YB1	H-1
4			
5	Intermediate Insert Plate (12mm) for RS-YB1	RS-YB9	H-1
6	7" Smart Head Box Bracket-Right	RS-YB0	H-1
7			
8	Somfy Sonesse Ultra 50 DC Motor	ST50 Motor	Supplied by Somfy
9	Somfy Drive	9206089	Supplied by Somfy
10	Indexable Coupler/Inter. Retractable Idle End(12mm)	RS-672/RS-804	F-2
11	Retractable Idle End with Plastic Wrench	RS-802	F-2
12	2" Motorized Tube	RS-014	F-2
13	2" Grooved Tube Drive	RS-B47	F-2
14	2" Groove Motor Tube	RS-013	F-2
15	2 3/8" Tube Drive	RS-192	F-2
16	2 3/8" Crown for Somfy 500 Series Motors	RS-975	F-2
17	2 3/8" Motor Tube	RS-033	F-2

ZMC WINDOW COVERING SUPPLIES

40 Gaudaur Rd. Unit#3 Woodbridge

Ontario, Canada L4L 4S6

Phone: 905-856-3838

Fax: 905-856-3388

Website: www.zmc.ca



Somfy
DESIGNED FOR
SILENCE