

**West Virginia Department of
Health & Human Resources
Berkeley County Health
Department**



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information	
Facility Name Martins Hedgesville Deli/Bakery	Facility Type Food Service Establishment
Licensee Name Giant Food Stores, LLC	Facility Telephone # 304 754-9152
Facility Address 147 Roaring Lion Drive Hedgesville, WV	Licensee Address

Inspection Information		
Inspection Type Routine	Inspection Date March 03, 2020	Total Time Spent 2.25

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Hot Case	143
Deli Cooler	40
Henny Penny Hot Hold	164
Macaroni Case	39
Meat Case	38
Cheese Case 1	39
Ham Case	38
Pasta Bunker	39
Sub Case	38
Dips/Hummus/Spread	38

Warewashing Info						
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type	
3-Bay	Chemical		300	Quat		

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Priority Violations
Total # 1
Repeated # 0
5-202.13 - BACKFLOW PREVENTION, AIR GAP
OBSERVATION: Air gap or backflow preventer needed for proofer drain.

Observed Priority Foundation Items
Total # 0

Repeated # 0

Observed Core Violations

Total # 3

Repeated # 0

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Gasket on Deli Cooler door needs replaced (torn).

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside of microwave needs cleaned

6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION


OBSERVATION: Hood vents above fryers need cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge



Sanitarian



Keith Allison