

SOFT WINDOW FASHIONS





Roman Shades and Soft Designs

Index

Roman Shades	4
Curtains and Drapery Panels	24
Pole Mounted Valances	47
Board Mounted Valances	57
Upholstered Cornice Boards	63
Hardware	66
Trim	67
Measuring Instructions	70



Roman Shades

Roman Shades offer the fashion of soft drapery while


providing privacy and light control.



Roman Shade Styles

- Pictured are standard ROMAN SHADES with cord locks on back, no valances
- Valances are included on shades with these lift options only: CCO (outside mount only), Cords Forward and Top Down Bottom Up
- See page 18 for the lift systems





Soft Fold/Hobbled

Featured: SOFT FOLD ROMAN SHADE in UMA color WHEAT standard cord locks on back with Standard lining



*See page 18 for lift options.

The soft flow of this style is created by hobbling the face fabric onto the lining at regular intervals. This creates cascading soft folds at 6" intervals.

While still tailored, this style has a wonderfully soft feel. The flexibility of this style lends itself to use with all kinds of fabrics from more heavy, full-bodied to softer, more lightweight.

Please note that when using a pattern with a large repeat, the pattern will be interrupted at each pleat/fold.

- No decorative trim upgrades available
- For 6 different lining options, see p. 22-23
- Min. W: 12" Min. L: 16"
- Max. W: 120" Max. L: 120"

Reminder: When ordering for multiple windows in one room, choose and order the longest length to assure uniformity amongst all windows. Please refer to Point Break Point chart to know what to expect.

Pleat Break Points for Soft Fold/Hobbled Shades


only for Standard Cord Locks & CCO


Soft Fold/Hobbled Roman Shades						
	Length	Range	Top Pleat Size	Number of 61/4" Pleats	Botton	n Pleat
Range 1	13 ⁷ / ₈ "	20 ¹ / ₈ "	61/4"	2	11/2"	7 ⁵ / ₈ "
Range 2	20 1/4"	26 ³/ ₈ "	61/4"	3	11/2"	7 ⁵ / ₈ "
Range 3	26 ¹ / ₂ "	32 ⁵ / ₈ "	61/4"	4	11/2"	7 ⁵ / ₈ "
Range 4	32 ³/ ₄ "	38 ⁷ / ₈ "	61/4"	5	11/2"	7 ⁵ / ₈ "
Range 5	39"	45 ¹ / ₈ "	61/4"	6	11/2"	7 ⁵ / ₈ "
Range 6	45 ¹/₄"	51 ³/ ₈ "	61/4"	7	11/2"	7 ⁵ / ₈ "
Range 7	51 ¹/₂"	57 ⁵ / ₈ "	61/4"	8	11/2"	7 ⁵ / ₈ "
Range 8	57 ³/ ₄ "	63 ⁷ / ₈ "	61/4"	9	11/2"	7 ⁵ / ₈ "
Range 9	64"	70 ¹/ ₈ "	61/4"	10	11/2"	7 ⁵ / ₈ "
Range 10	70 ¹/₄"	76 ³/ ₈ "	61/4"	11	11/2"	7 ⁵ / ₈ "
Range 11	76 ¹/₂"	82 ⁵ / ₈ "	61/4"	12	11/2"	7 ⁵ / ₈ "
Range 12	82 ³/ ₄ "	88 ⁷ / ₈ "	61/4"	13	11/2"	7 ⁵ / ₈ "
Range 13	89"	95 ¹ / ₈ "	61/4"	14	11/2"	7 ⁵ / ₈ "
Range 14	95 ¹/₄"	101 ³/ ₈ "	6 ¹ / ₄ "	15	11/2"	7 ⁵ / ₈ "
Range 15	101 1/2"	107 ⁵ / ₈ "	6 ¹ / ₄ "	16	11/2"	7 ⁵ / ₈ "
Range 16	107 3/4"	113 7/8"	61/4"	17	11/2"	7 ⁵ / ₈ "
Range 17	114"	120″	61/4"	18	1¹/₂″	7 ⁵ / ₈ "

Pleat Break Diagrams

- Built from top down
- Useful for different size windows which are next to each other
- The bottom pleat will vary from 11/2" to 75/8"








Seamed Roman Shades

• Seamless Roman Shades are available up to a maximum of 48" wide. Beyond 48" wide, shades will be made with a varying width center panel and side panels seamed to a minimum of 9" wide on both sides.

Signature Window Coverings Roman Shades are in compliance with ANSI/WCMA A100.1-2010 (PS): 2nd Provisional American National Standard for Safety of Corded Window Covering Products

Plain Classic Pleated

Featured: PLAIN ROMAN SHADE in ASHTON STRIPE color NAVY standard cord locks on back with Standard lining



This is a structured contemporary look that requires minimal dressing. Stay pockets on the back of the shade create pleats which look great with most fabrics.

All fabrics look good with this style, but it should be noted that stay pockets do interrupt the prints. This shade stacks very efficiently due to the stay pockets.

- No decorative trim upgrades available
- For 6 different lining options, see p. 22-23
- Min. W: 12"
- Min. L: 16"
- Max. W: 120"
- Max. L: 120"

*See page 18 for lift options.

* Warning: Plain style with Blackout Liner runs the risk of light seepage through the stitch perforations at the horizontal pleat. TO AVOID, choose SOFT FOLD style with blackout liner.

Reminder: When ordering for multiple windows in one room, choose and order the longest length to assure uniformity amongst all windows. Please refer to Point Break Point chart to know what to expect.

Pleat Break Points for Plain Classic Pleated Shades


for Standard Cord Locks & CCO

Plain Classic Planta d Parray Charles						
Plain Classic Pleated Roman Shades						
	Length	Range	Bottom Pleat	Number of Pleats (not including bottom pleats)	Pleat Size	Total Pleats (including bottom pleat)
Range 1	12"	12 ¹/₄"	4 ¹/₄"	1	7 3/4" - 8"	2
Range 2	12 ³/ ₈ "	13 ¹/₄″	5 ¹/₄"	1	7 1/8" - 8"	2
Range 3	13 ³/ ₈ "	14 ¹/₄"	6 1/4"	1	7 1/8" - 8"	2
Range 4	14 ³/8"	20 1/4"	4 1/4"	2	5 ¹ / ₁₆ " - 8"	3
Range 5	20 3/8"	22 1/4"	6 1/4"	2	7 1/16" - 8"	3
Range 6	22 ³/ ₈ "	28 ¹/₄"	4 ¹/₄"	3	6 ¹ / ₁₆ " - 8"	4
Range 7	28 ³/ ₈ "	36 ¹ / ₈ "	4 ¹/₄"	4	6 ¹ / ₁₆ " - 8"	5
Range 8	36 ¹/₄"	44 ¹ / ₈ "	4 ¹/₄"	5	6 ³/ ₈ " - 8"	6
Range 9	44 ¹/₄"	52 ¹ / ₈ "	4 ¹/₄"	6	6 ¹¹ / ₁₆ " - 8"	7
Range 10	52 ¹ / ₄ "	60 ¹ / ₈ "	4 ¹/₄"	7	6 ⁷ / ₈ " - 8"	8
Range 11	60 ¹/₄"	68"	4 ¹/₄"	8	7" - 8"	9
Range 12	68 ¹/ ₈ "	76"	4 ¹/₄"	9	7 1/8" - 8"	10
Range 13	76 ¹/ ₈ "	84"	4 ¹/₄"	10	7 ³/ ₁₆ " - 8"	11
Range 14	84 ¹/ ₈ "	92"	4 ¹/₄"	11	7 1/4" - 8"	12
Range 15	92 ¹/ ₈ "	99 ⁷ / ₈ "	4 ¹/₄"	12	7 ⁵ / ₁₆ " - 8"	13
Range 16	100"	107 ⁷ / ₈ "	4 ¹/₄"	13	7 3/8" - 8"	14
Range 17	108"	115 ⁷ / ₈ "	4 ¹/₄"	14	7 ⁷ / ₁₆ " - 8"	15
Range 18	116"	120″	4 ¹/₄"	16	7" - 7 1/4"	17

Pleat Break Diagrams

- No pleat matching
- Pleat size depends on length ordered
- Built from bottom up with a fixed bottom pleat: mostly 4¹/₄"
- Bottom pleat could also be $5^{1}/4^{\prime\prime}$ or $6^{1}/4^{\prime\prime}$

 $4^{1}/_{4}$ " or $5^{1}/_{4}$ " or $6^{1}/_{4}$ "



Seamed Roman Shades

• Seamless Roman Shades are available up to a maximum of 48" wide. Beyond 48" wide, shades will be made with a varying width center panel and side panels seamed to a minimum of 9" wide on both sides.

Signature Window Coverings Roller shades construction are in compliance with ANSI/WCMA A100.1-2010 (PS): 2nd Provisional American National Standard for Safety of Corded Window Covering Products

Flat Fold

Featured: FLAT FOLD ROMAN SHADE in HAMLET color MOCHA standard cord locks on back with Standard lining



*See page 18 for lift options.

A simple, elegant, tailored design with no horizontal seams or stitching. This tailored style is an excellent choice for fabrics with large scale patterns that look best without interruption. When fully extended the entire pattern is displayed.

Small tack stitches used to attach the cord rings are visible on the face of the shade. When first installed this style should be pulled up fully and left in place several days to create "pleat memory".

- No decorative trim upgrades available
- For 6 different lining options, see p. 22-23
- Min. W: 12" Min. L: 16"
- Max. W: 120" Max. L: 120"

Reminder: When ordering for multiple windows in one room, choose and order the longest length to assure uniformity amongst all windows. Please refer to Point Break Point chart to know what to expect.


Pleat Break Points for Flat Fold Shades


for Standard Cord Locks & CCO

Flat Fold Roman Shades						
	Length	Range	Bottom Pleat Size	Number of 7" Pleats	Top Pleat	Size Range
Range 1	16"	20 3/4"	4"	2	2 ⁷ / ₈ "	9 ³/ ₄ "
Range 2	20 7/8"	27 ³/ ₄ "	4"	3	2 ⁷ / ₈ "	9 3/4"
Range 3	27 ⁷ / ₈ "	34 ³/ ₄ "	4"	4	2 ⁷ / ₈ "	9 3/4"
Range 4	34 ⁷ / ₈ "	41 ³/ ₄ "	4"	5	2 ⁷ / ₈ "	9 3/4"
Range 5	41 ⁷ / ₈ "	48 ³/ ₄ "	4"	6	2 ⁷ / ₈ "	9 3/4"
Range 6	48 7/8"	55 ³/ ₄ "	4"	7	2 ⁷ / ₈ "	9 3/4"
Range 7	55 ⁷ / ₈ "	62 ³/ ₄ "	4"	8	2 ⁷ / ₈ "	9 3/4"
Range 8	62 ⁷ / ₈ "	69 ³/ ₄ "	4"	9	2 ⁷ / ₈ "	9 3/4"
Range 9	69 ⁷ / ₈ "	76 ³/ ₄ "	4"	10	2 ⁷ / ₈ "	9 3/4"
Range 10	76 ⁷ / ₈ "	83 3/4"	4"	11	2 ⁷ / ₈ "	9 3/4"
Range 11	83 7/8"	90 ³/ ₄ "	4"	12	2 ⁷ / ₈ "	9 3/4"
Range 12	90 ⁷ / ₈ "	97 ³/ ₄ "	4"	13	2 ⁷ / ₈ "	9 3/4"
Range 13	97 ⁷ / ₈ "	104 ³/ ₄ "	4"	14	2 ⁷ / ₈ "	9 3/4"
Range 14	104 7/8"	111 ³/₄"	4"	15	2 ⁷ / ₈ "	9 3/4"
Range 15	111 7/8"	118 ³/ ₄ "	4"	16	2 ⁷ / ₈ "	9 3/4"
Range 16	118 ⁷ / ₈ "	120″	4"	17	2 ⁷ / ₈ "	4"

Pleat Break Diagrams

- Built from bottom up
- Useful for different size windows which are next to each other
- The top pleat will vary from 2⁷/₈" to 9³/₄"






Seamed Roman Shades

• Seamless Roman Shades are available up to a maximum of 48" wide. Beyond 48" wide, shades will be made with a varying width center panel and side panels seamed to a minimum of 9" wide on both sides.

Signature Window Coverings Roller shades construction are in compliance with ANSI/WCMA A100.1-2010 (PS): 2nd Provisional American National Standard for Safety of Corded Window Covering Products

European/Relaxed

Featured: EUROPEAN ROMAN SHADE in DAHLIA color SAFFRON standard cord locks on back with Standard lining



*See page 18 for lift options.

The sides of the shade curve upward when the shade is raised. This softens the entire look of the shade as the fabric gathers in random soft folds.

Small tack stitches used to attach the cord rings are visible on the face of the shade. When first installed this style should be pulled up fully and left in place several days to create "pleat memory".

- Be advised: This shade takes manual adjusting to achieve the desired effect. It is not recommended for frequent use, but more as a decorative shade.
- No decorative trim upgrades available
- Outside mount only.
- Note: 100% Silk, Wilmington, Neptune & Rhapsody are not recommended for this style.
- For 6 different lining options, see p. 22-23
- Min. W: 30"
- Min. L: 16"
- Max. W: 120"Max. L: 120"

One scoop under 60" W. Two scoops over 60" W.


Reminder: When ordering for multiple windows in one room, choose and order the longest length to assure uniformity amongst all windows. Please refer to Point Break Point chart to know what to expect.


Pleat Break Points for European/Relaxed Shades for Standard Cord Locks & CCO

European/Relaxed Roman Shades						
	Length	Range	Bottom Pleat Size	Number of 7" Pleats	Top Pleat	Size Range
Range 1	16"	20 3/4"	4"	2	2 ⁷ / ₈ "	9 3/4"
Range 2	20 7/8"	27 ³/ ₄ "	4"	3	2 ⁷ / ₈ "	9 3/4"
Range 3	27 ⁷ / ₈ "	34 ³/ ₄ "	4"	4	2 ⁷ / ₈ "	9 3/4"
Range 4	34 ⁷ / ₈ "	41 ³/ ₄ "	4"	5	2 ⁷ / ₈ "	9 3/4"
Range 5	41 ⁷ / ₈ "	48 3/4"	4"	6	2 ⁷ / ₈ "	9 3/4"
Range 6	48 7/8"	55 ³/ ₄ "	4"	7	2 ⁷ / ₈ "	9 3/4"
Range 7	55 ⁷ / ₈ "	62 ³ / ₄ "	4"	8	2 ⁷ / ₈ "	9 3/4"
Range 8	62 ⁷ / ₈ "	69 ³/ ₄ "	4"	9	2 ⁷ / ₈ "	9 3/4"
Range 9	69 ⁷ / ₈ "	76 ³/ ₄ "	4"	10	2 ⁷ / ₈ "	9 3/4"
Range 10	76 ⁷ / ₈ "	83 3/4"	4"	11	2 ⁷ / ₈ "	9 3/4"
Range 11	83 7/8"	90 ³/ ₄ "	4"	12	2 ⁷ / ₈ "	9 3/4"
Range 12	90 7/8"	97 ³/ ₄ "	4"	13	2 ⁷ / ₈ "	9 3/4"
Range 13	97 ⁷ / ₈ "	104 ³/ ₄ "	4"	14	2 ⁷ / ₈ "	9 3/4"
Range 14	104 7/8"	111 ³/₄"	4"	15	2 ⁷ / ₈ "	9 3/4"
Range 15	111 7/8"	118 3/4"	4"	16	2 ⁷ / ₈ "	9 3/4"
Range 16	118 7/8"	120"	4"	17	2 ⁷ / ₈ "	4"

Pleat Break Diagrams

- Built from bottom up
- Useful for different size windows which are next to each other
- The top pleat will vary from $2^{7/8}$ " to $9^{3/4}$ "





Seamed Roman Shades

• Seamless Roman Shades are available up to a maximum of 48" wide. Beyond 48" wide, shades will be made with a varying width center panel and side panels seamed to a minimum of 9" wide on both sides.

Signature Window Coverings Roller shades construction are in compliance with ANSI/WCMA A100.1-2010 (PS): 2nd Provisional American National Standard for Safety of Corded Window Covering Products

Front Slats

Featured: FRONT SLATS ROMAN SHADE in LEXI color CHINO standard cord locks on back with Standard lining



The face of the shade has slats sewn into pockets that give the shade a precise look. This is a structured, contemporary look that requires minimal dressing.

- No decorative trim upgrades available
- For 6 different lining options, see p. 22-23
 (Note: 95% Privacy Blackout is not available for this shade style)
- Min. W: 12"
 Max. W: 48"
 Max. L: 16"
 Max. L: 120"
- * NO WIDTHS OVER 48"W (due to the nature of the shade construction)

*See page 18 for lift options.

Reminder: When ordering for multiple windows in one room, choose and order the longest length to assure uniformity amongst all windows. Please refer to Point Break Point chart to know what to expect.


Pleat Break Points for Front Slats Shades

for Standard Cord Locks & CCO

Front Slats Roman Shades						
	Length	Range	Bottom Pleat	Number of Pleats (not including bottom pleats)	Pleat Size	Total Pleats (including bottom pleat)
Range 1	12"	12 ¹/₄"	4 ¹/₄"	1	7 3/4" - 8"	2
Range 2	12 ³/ ₈ "	13 ¹/₄"	5 ¹ / ₄ "	1	7 1/8" - 8"	2
Range 3	13 ³/ ₈ "	14 ¹/₄"	6 1/4"	1	7 1/8" - 8"	2
Range 4	14 ³/ ₈ "	20 1/4"	4 1/4"	2	5 ¹ / ₁₆ " - 8"	3
Range 5	20 3/8"	22 ¹/₄"	6 1/4"	2	7 ¹ / ₁₆ " - 8"	3
Range 6	22 3/8"	28 1/4"	4 1/4"	3	6 ¹ / ₁₆ " - 8"	4
Range 7	28 3/8"	36 ¹/ ₈ "	4 1/4"	4	6 ¹ / ₁₆ " - 8"	5
Range 8	36 ¹/₄"	44 ¹ / ₈ "	4 1/4"	5	6 ³/ ₈ " - 8"	6
Range 9	44 1/4"	52 ¹/ ₈ "	4 1/4"	6	6 ¹¹ / ₁₆ " - 8"	7
Range 10	52 ¹/₄"	60 ¹/ ₈ "	4 ¹/₄"	7	6 ⁷ / ₈ " - 8"	8
Range 11	60 ¹/₄"	68"	4 1/4"	8	7" - 8"	9
Range 12	68 ¹/ ₈ "	76"	4 1/4"	9	7 1/8" - 8"	10
Range 13	76 ¹/ ₈ "	84"	4 ¹/₄"	10	7 ³/ ₁₆ " - 8"	11
Range 14	84 ¹ / ₈ "	92"	4 1/4"	11	7 1/4" - 8"	12
Range 15	92 ¹/ ₈ "	99 ⁷ / ₈ "	4 1/4"	12	7 ⁵ / ₁₆ " - 8"	13
Range 16	100"	107 ⁷ / ₈ "	4 1/4"	13	7 3/8" - 8"	14
Range 17	108"	115 ⁷ / ₈ "	4 1/4"	14	7 ⁷ / ₁₆ " - 8"	15
Range 18	116″	120"	4 1/4"	16	7" - 7 1/4"	17

Pleat Break Diagrams

- No pleat matching
- Pleat size depends on length ordered
- Built from bottom up with a fixed bottom pleat: mostly 4¹/₄"
- Bottom pleat could also be $5^{1}/_{4}$ " or $6^{1}/_{4}$ "



Seamed Roman Shades

• Seamless Roman Shades are available up to a maximum of 48" wide. Beyond 48" wide, shades will be made with a varying width center panel and side panels seamed to a minimum of 9" wide on both sides.

Signature Window Coverings Roller shades construction are in compliance with ANSI/WCMA A100.1-2010 (PS): 2nd Provisional American National Standard for Safety of Corded Window Covering Products

Cordless Lift Option

Featured: CORDLESS ROMAN SHADE in CAMELOT color POMEGRANATE with Premium Privacy lining



*Two flat surcharges:

- Up to 48"
- From 48¹/₈"- 84"

The only hand-crafted fashion fabric ROMAN SHADE program with CORDLESS LIFT OPTION

- The #1 LIFT OPTION in blinds & shades
- 19 Fabrics Options:
 - * Ashton
 - * Bermuda
 - * Camelot
 - * Candia
 - * Coventry
 - * Dahlia
 - * Donetta
 - * Harrison Stripe
 - * Lexi
 - * Lyon
 - * Madison
 - * Polaris
 - * Raw Silk Crepe
 - * Regal Square
 - * Rio
 - * Silk
 - * Silkara
 - * Ticking Stripe
 - * Wilmington
- 2 best linings available:
 - * Standard Light Filtering
 - * 100% Premium Blackout
- 2 best roman styles:
 - * Soft Fold
 - * Plain
- Clean, stream-lined and contemporary
- The very BEST PRICE!
- Child and Pet Safe
- Min. W: 18"Min. L: 18"
- Max. W: 84"
 - Max. L: 84"

Reminder: When ordering for multiple windows in one room, choose and order the longest length to assure uniformity amongst all windows. Please refer to Point Break Point chart to know what to expect.

Pleat Break Points for Plain Classic Pleated Shades for Cordless Shades

Plain Classic Pleated Roman Shades - CORDLESS						
	Length	Range	Bottom Pleat	Number of Pleats (not including bottom pleats)	Pleat Size	Total Pleats (including bottom pleat)
Range 1	12"	12 ¹/₄"	4 ¹/₄"	1	7 3/4" - 8"	2
Range 2	12 ³/ ₈ "	13 ¹/₄"	5 ¹ / ₄ "	1	7 1/8" - 8"	2
Range 3	13 ³/ ₈ "	14 ¹/₄"	6 1/4"	1	7 1/8" - 8"	2
Range 4	14 ³/8"	20 1/4"	4 ¹/₄"	2	5 ¹ / ₁₆ " - 8"	3
Range 5	20 3/8"	22 1/4"	6 1/4"	2	7 ¹ / ₁₆ " - 8"	3
Range 6	22 ³/ ₈ "	28 1/4"	4 ¹/₄"	3	6 ¹ / ₁₆ " - 8"	4
Range 7	28 ³/ ₈ "	36 ¹/ ₈ "	4 ¹ / ₄ "	4	6 ¹ / ₁₆ " - 8"	5
Range 8	36 ¹/₄"	44 ¹ / ₈ "	4 ¹/₄"	5	6 ³/ ₈ " - 8"	6
Range 9	44 ¹/₄"	52 ¹/ ₈ "	4 ¹/₄"	6	6 ¹¹ / ₁₆ " - 8"	7
Range 10	52 ¹/₄"	60 ¹ / ₈ "	4 ¹ / ₄ "	7	6 ⁷ / ₈ " - 8"	8
Range 11	60 ¹ / ₄ "	68"	4 ¹/₄"	8	7" - 8"	9
Range 12	68 ¹ / ₈ "	76"	4 ¹/₄"	9	7 1/8" - 8"	10
Range 13	76 ¹/ ₈ "	84"	4 ¹ / ₄ "	10	7 ³/ ₁₆ " - 8"	11

Pleat Break Points for Soft Fold/Hobbled Shades for Cordless Shades

C (LE LIVILLE DE LA CORRIECC							
Soft Fold/Hobbled Roman Shades - CORDLESS							
	Length	Range	Bottom Pleat	Number of Pleat (not including bottom pleat)	Pleat Size	Total Pleats (including bottom pleat)	
Range 1	18"	22 ¹ / ₈ "	5" - 10 ⁷ / ₈ "	2	5 ¹ / ₄ " - 6"	3	
Range 2	22 ¹/₄"	28 ¹ / ₈ "	5" - 10 ⁷ / ₈ "	3	5 ¹ / ₄ " - 6"	4	
Range 3	28 ¹/₄"	34 ¹/ ₈ "	5" - 10 ⁷ / ₈ "	4	5 ¹ / ₄ " - 6"	5	
Range 4	34 ¹/₄"	40 ¹ / ₈ "	5" - 10 ⁷ / ₈ "	5	5 ¹ / ₄ " - 6"	6	
Range 5	40 ¹/₄"	46 ¹ / ₈ "	5" - 10 ⁷ / ₈ "	6	5 ¹ / ₄ " - 6"	7	
Range 6	46 ¹ / ₄ "	52 ¹ / ₈ "	5" - 10 ⁷ / ₈ "	7	5 ¹ / ₄ " - 6"	8	
Range 7	52 ¹/₄"	58 ¹/ ₈ "	5" - 10 ⁷ / ₈ "	8	5 ¹ / ₄ " - 6"	9	
Range 8	58 ¹/₄"	64 ¹ / ₈ "	5" - 10 ⁷ / ₈ "	9	5 ¹ / ₄ " - 6"	10	
Range 9	64 ¹/₄"	70 ¹/ ₈ "	5" - 10 ⁷ / ₈ "	10	5 ¹ / ₄ " - 6"	11	
Range 10	70 ¹/₄"	76 ¹ / ₈ "	5" - 10 ⁷ / ₈ "	11	5 ¹ / ₄ " - 6"	12	
Range 11	76 ¹/₄"	82 ¹ / ₈ "	5" - 10 ⁷ / ₈ "	12	5 ¹ / ₄ " - 6"	13	
Range 12	82 ¹/₄"	84"	5" - 10 ⁷ / ₈ "	13	5 ¹ / ₄ " - 6"	14	

Roman Shade Lift System Upgrade Options

OUTSIDE mount widths come exactly as measurement provided, with L brackets for mounting outside window frame INSIDE mount widths come with -1/4" factory deduction off measurement provided and pre-drilled holes



- Inside mount shown
- No valance
- 1/4" deduction taken by factory
- Min. 24"L
- 2" head board used
- Max. W 120"
- Max. L 120"



• Outside mount shown

- Includes valance with returns
- Shade will be exact measurement provided
- Head rail will be 1" wider than the shade for outside mount only
- Min. 24"L
- 2" head board used
- Max. W 120"
- Max. L 120"



- No valance at all
- 1/4" deduction taken by factory on inside mount
- Min. W 18" x 84"
- Min. L 18" x 84"
- Soft fold & plain only
- Select fabrics & linings only





- Outside mount valance has returns
- Inside mount valance has no returns
- 1/4" deduction taken by factory on inside mount
- Color coordinated cords used
- Max. W 120"
- Max. L 120"



- Includes valance
 - Outside mount valance has returns
 - Inside mount valance has no returns
- 1/4" deduction taken by factory on inside mount
- Head rail will be 1" wider than the shade for outside mount only
- White cords used because it is unattractive to have colored cords in the view when the top comes down
- Max. W 96"
- Max. L 96"
- NOTE: Shade length adjustable
 1 - 2" by raising or lowering the top head rail.



- Standard Lift cords back (no valance) & cords forward (includes valance) available
- Inside & outside mounts & CCO available
- Min. 48"W (two 24"W)



- Head rail is turned 90° to fit slim windows & doors
- For narrrow depth windows/ French Doors - 3/4" depth needed for inside mount
- Not available in CCO, TDBU or Cordless

Roman Shades

OUTSIDE mount widths come exactly as measurement provided, with L brackets for mounting outside window frame INSIDE mount widths come with -1/4" factory deduction off measurement provided and pre-drilled holes

Minimum/Maximum Sizes					
Style	Mini	mum	Maximum		
Style	Width	Length	Width	Length	
Flat Fold	12"	16"	120″	120"	
Relaxed/European	30"	16"	120"	120"	
Plain/Pleated Classic	12"	16"	120"	120"	
Waterfall/Soft Fold	12"	16"	120"	120"	
Front Slats	12"	16"	48"	120"	
Cordless	18"	18"	84"	84"	

^{**}Cordless in Classic Pleated and Soft Fold ONLY

Depth Required for Inside Mount				
Lift System	Flush Mount	Regular Mount		
Standard Cord Lock	11/2"	11/4"		
Cords Forward	11/2"	11/4"		
Top-Down Bottom Up	21/4"	2"		
ссо	21/4"	2"		
Cordless	2"	11/2"		
Up-Ended	3/4"	1/_"		

Continuous Cord Loop Lengths					
Shade Length	Chain Loop Drop Length (feet)	Chain Loop Drop Length (inches)			
Up to 36" L	2′	24"			
36¹/ ₈ "L - 54"L	3′	36"			
54 ¹ / ₈ "L - 72"L	4′	48"			
72¹/ ₈ "L - 90"L	5′	60"			
90¹/ ₈ "L - 120"L	6′	72"			

Dimensions					
Lift System Options	Head Rail Sizes	Outside Mount Brackets			
Standard Cord Lock	³ / ₄ "H x 1 ¹ / ₄ "D	1" x 1"L - bracket			
Up-Ended	11/4"H x 3/4"D	1" x 1"L - bracket			
Cords Forward	³ / ₄ "H x 1 ¹ / ₄ "D	1" x 1"L - bracket			
Top-Down/Bottom-Up	³/ ₄ "H x 2"D	1 ¹ / ₂ " x 1 ¹ / ₂ "L - bracket			
Continuous Cord Loop	³/ ₄ "H x 2"D	1 ¹ / ₂ " x 1 ¹ / ₂ "L - bracket			

^{**}Inside mount shades are supplied with pre-drilled holes in headrails without installation hardware.

Roman Shade Lift System Upgrade Options:

Cordless

- No valance at all
- ¼" deduction taken by factory on inside mount

CCO Inside Mount

- No valance at all
- ¼" deduction taken by factory on inside mount

CCO Outside Mount

- Includes valance with returns
- Shade will be exact measurement provided
- Head rail will be 1" wider than the shade for outside mount only

Cords Forward

• Includes valance

Outside mount valance has returns Inside mount valance has no returns

• ¼" deduction taken by factory on inside mount

Top-Down Bottom-Up

• Includes valance

Outside mount valance has returns

Inside mount valance has no returns

- 1/4" deduction taken by factory on inside mount
- Head rail will be 1" wider than the shade for outside mount only

2 on 1 Head Rail

- Measure the overall width of the window to be covered.
- Total width to cover should include the left shade, gap between shades, and right shade
- Measure the exact width of the area each blind is to cover.

Measure and specify the left blind first


ALLOW A MINIMUM GAP OF 1/4" BETWEEN BLINDS, OR SPECIFY A GAP UP TO 7"

- The total width of all blinds, plus the gap must equal the overall width.
- Only Standard (cords back no valance), Cords Forward (includes valance) & CCO (CCO outside mount includes valance) available
- Inside & Outside mounts available

Up-Ended Head Rail

- Head rail turned 90° to fit slim windows and doors
- Not available in CCO, TDBU, or Cordless

Valances are included on shades with these lift options only: CCO (outside mount only), CF, TDBU $\,$



Seamed Roman Shades

• Seamless Roman
Shades are available
up to a maximum of
48" wide. Beyond 48"
wide, shades will be
made with a varying
width center panel and
side panels seamed to a
minimum of 9" wide on
both sides.

Stack Heights for Roman Shades

for CCO and Standard Cord Locks

Stack Heights					
Flat Fold/Soft	Fold/European				
Shade Length	Stack Length				
24"	7" - 8"				
36"	7" - 8"				
42"	7" - 8"				
48"	7" - 8"				
54"	7" - 8"				
60"	7" - 8"				
62"	7" - 8"				
66"	7" - 8"				
72"	7" - 8"				
84"	71/2" - 81/2"				
96"	8" - 9"				

Stack Heights						
Plain, Fr	Plain, Front Slat					
Shade Length	Stack Length					
24"	8" - 9"					
36"	8" - 9"					
42"	8" - 9"					
48"	8" - 9"					
54"	8" - 9"					
60"	8" - 9"					
62"	8" - 9"					
66"	8" - 9"					
72"	8" - 9"					
84"	81/2" - 91/2"					
96"	9" - 10"					

Stack Heights for Roman Shades

for Cordless Shades

Stack Heights						
Plain CORDLESS						
Shade Length	Stack Length					
12-13"	7-8"					
13-14"	8-9"					
141/2-201/4"	8 ¹ / ₄ "					
201/2-221/4"	101/4"					
221/2-281/4"	83/4"					
281/2-361/4"	91/4"					
361/2-441/4"	93/4"					
441/2-521/4"	101/4"					
52 ¹ / ₂ -60 ¹ / ₄ "	10³/₄″					
601/2-68"	111/4"					
68 ¹ / ₈ - 76"	113/4"					
76 ¹ / ₈ - 84"	121/4"					

Stack Heights								
Soft Fold (Soft Fold CORDLESS							
Shade Length	Stack Length							
18 -19¹/₄"	10-11"							
19 ³ / ₈ - 20 ¹ / ₄ "	11-12"							
203/8 - 211/4"	12-13"							
21 ³ / ₈ -22 ¹ / ₈ "	13-14"							
221/4-231/4"	8-9"							
233/8-241/4"	9-10"							
24 ³ / ₈ -25 ¹ / ₄ "	10-11"							
25 ³ / ₈ -26 ¹ / ₄ "	11-12"							
26 ³ / ₈ -27 ¹ / ₄ "	12-13"							
27 ³ / ₈ -28 ¹ / ₈ "	13-14"							
281/4 - 291/4"	8-9"							
29 ³ / ₈ -30 ¹ / ₄ "	9-10"							
303/8 - 311/4"	10-11"							
313/8 - 321/4"	11-12"							
323/8-331/4"	12-13"							
33 ³ / ₈ -34 ¹ / ₈ "	13-14"							
341/4 - 351/4"	8-9"							
35 ³ / ₈ -36 ¹ / ₄ "	9-10"							
36 ³ / ₈ -37 ¹ / ₄ "	10-11"							
371/4 - 381/4"	11-12"							
38 ³ / ₈ -39 ¹ / ₄ "	12-13"							
39 ³ / ₈ -40 ¹ / ₈ "	13-14"							
401/4-411/4"	8-9"							
41 ³ / ₈ -42 ¹ / ₄ "	9-10"							
42 ³ / ₈ -43 ¹ / ₄ "	10-11"							
43 ³ / ₈ -44 ¹ / ₄ "	11-12"							
44 ³ / ₈ -45 ¹ / ₄ "	12-13"							
45 ³ / ₈ -46 ¹ / ₈ "	13-14"							
461/4-471/4"	8-9"							
47 ³ / ₈ - 48 ¹ / ₄ "	9-10"							
48 ³ / ₈ - 49 ¹ / ₄ "	10-11"							
49 ³ / ₈ -50 ¹ / ₄ "	11-12"							
50 ³ / ₈ -51 ¹ / ₄ "	12-13"							

Stack Heights							
Soft Fold COF	Soft Fold CORDLESS, cont'd						
Shade Length	Stack Length						
51 ³ / ₈ - 52 ¹ / ₈ "	13-14"						
52 ¹ / ₄ -53 ³ / ₈ "	8-9"						
53 ³ / ₈ -54 ¹ / ₄ "	9-10"						
54 ³ / ₈ - 55 ¹ / ₄ "	10-11"						
55 ³ / ₈ -56 ¹ / ₄ "	11-12"						
56 ³ / ₈ -57 ¹ / ₄ "	12-13"						
57 ³ / ₈ - 58 ¹ / ₈ "	13-14"						
581/4-591/4"	8-9"						
59 ³ / ₈ -60 ¹ / ₄ "	9-10"						
60 ³ / ₈ -61 ¹ / ₄ "	10-11"						
613/8-621/4"	11-12"						
62 ³ / ₈ -63 ¹ / ₄ "	12-13"						
63 ³ / ₈ -64 ¹ / ₈ "	13-14"						
64 ¹ / ₄ -65 ¹ / ₄ "	8-9"						
65 ³ / ₈ -66 ¹ / ₄ "	9-10"						
66 ³ / ₈ -67 ¹ / ₄ "	10-11"						
67 ³ / ₈ -68 ¹ / ₄ "	11-12"						
68 ³ / ₈ -69 ¹ / ₄ "	12-13"						
69 ³ / ₈ - 70 ¹ / ₈ "	13-14"						
701/4-711/4"	8-9"						
711/8-721/4"	9-10"						
72 ³ / ₈ -73 ¹ / ₄ "	10-11"						
73 ³ / ₈ -74 ¹ / ₄ "	11-12"						
74 ³ / ₈ - 75 ¹ / ₄ "	12-13"						
75 ³ / ₈ - 76 ¹ / ₈ "	13-14"						
761/4-771/4"	8-9"						
773/8-781/4"	9-10"						
78 ³ / ₈ -79 ¹ / ₄ "	10-11"						
79 ³ / ₈ -80 ¹ / ₄ "	11-12"						
803/8-811/4"	12-13"						
813/8-821/8"	13-14"						
821/4-831/4"	8-9"						
83³/ ₈ -84″	9-10"						

Lining Options



Lining Options

Lining

- Standard Basic light weight lining: 70% polyester/30% cotton
 - Protects fabric from the sun
 - Provides neutral color to outside


 - Provided at no additional charge





Thermal Sateen Lining

- Medium weight 100% polyester
- Smooth sheen finish
- Provides protection from heat & cold and protects from UV rays which could lead to fading
- 54"
- 1 pass acrylic latex foam backing
- +10% surcharge



Blackout appearance to Excellent drapability Lining

- Luxurious triple cloth woven-in blackout
- Standard . lining: 100% polyester
 Woven-in blackout lining gives slight grey appearance to white on outside

 - Blocks out 95% sunlight
 - Pinhole resistant due to woven construction
 - 54"
 - +10% surcharge



• Heavy weight lining: 100% polyester • Blocks out 100% sunlight

- Use for blackout on less opaque, light colored fabric

Premium • 54"

Lining

- Blackout 3 pass acrylic latex foam backing
 Although we take every precaution to
 - avoid piercing this lining, on the Plain shade style, light seepage may still occur through perforations, especially at the stitch line of the horizontal pleats.
 - +25% surcharge



White

Precise Widths now available for Pleated Panels & Rod Pockets

Reference the following to order

(provide the wall/window area to be covered):

Pleated Panels:

- Pleat Style (same as Pre-Set)
- Fabric (same as Pre-Set)
- Linings (same as Pre-Set)
- Face Window Width (Bracket to Bracket width)
- Select either Pair (will need 4" overlaps), Panel right or left draw (will need 2" overlap), or Stationary Panels (will not need overlap)
- Select Returns (No returns or 2" 7" by the half inch)
 - Pairs will have returns applied to both sides of the drapery
 - Panels/one-way draw will have returns applied to one side only
- Select Length (same as Pre-Set)
- Select Pre-Pinning (same as Pre-Set)
 - We will add up the face width, overlap, & returns for the total finished width
 - Pleated Panels will have the fullness built into the pleats
 - To price, find the width column for the total finished width (face width, overlap, & returns)

Rod Pocket Panels:

- Fabric (same as Pre-Set)
- Linings (same as Pre-Set)
- Face Window Width (Bracket to Bracket width)
- Select either Pair or Panel
- Select Returns (No returns or 2" 7" by the half inch)
 - Pairs will have returns applied to both sides of the drapery
 - Panels/one-way draw will have returns applied to one side only
- Select Length (same as Pre-Set)
- Select Header (same as Pre-Set)
 - We will add up the face width & returns for the total finished width
 - Rod Pocket Panels will have fullness built into the panel based on the total window width
 - To price, find the width column for the total finished width (face width & returns)





Curtains & Drapery Panels

Made-to-Measure Curtains & Drapery Panels offer simplicity with a soft edge.
Offered in the best selling styles.

Pre Set Widths vs. Precise Widths

Pre Set Widths

- 10% Less \$ than Precise Widths
- Easier to Order
- Same panels Signature Window Coverings has always offered
- Fullness will vary depending on window width from 2 to 3:1 ratio
- More or less material than optimally desired "imprecise"

Follow the Sizing Solutions Chart to Determine which of the seven panel widths will work for you.

Precise Widths

(provide the wall/window area to be covered)

- 10% More \$ than Pre Set Widths
- NEW!! Introduced June 2011
- Precise accuracy in panel widths
- 2 1/4 :1 fullness ratio for any width
- First measure the bracket to bracket width of your window.
- Add overlap on Pleated Pockets (NO OVERLAP ON ROD POCKETS):
 - 4" two-way draw pair
 - 2" one-way draw panel
 - 0" stationary panels
- Choose none (O") or 2" to 7" for returns:
 - Two-way draw will be applied to both sides
 - One-way draw will be applied to draw side
 - Stationary Panels will be applied to outside edge

EX: Pleated Precise Width Panels:

Window: 132"W bracket-to-bracket, Panel Length: 94"L Fabric: D Price Group (most expensive)

- Enter your bracket to bracket measurement: 132"W
- If you have selected pair, this must include a 4" overlap
- Choose your returns: 7'', for pair x 2 = 14''

Add these together: 132 + 4 + 14 = 150" Total Finished Width (Total Finished Width determines price)

<u>Precise Widths:</u> If you chose 4" Returns like those offered on Pre Set Panels, your total with is 144"W. 132" + 4" overlap + 8" (4" returns x 2) = 144"W

Pleated Panels

Available in 7 pre-set widths or precise widths:

- single panels/one-way draw to cover window widths up to 96"W
- pair of panels/two-way draw to cover window widths up to 192"W



Featured on 75"W double window:

- Two 48"W pleated panels
- 6"L PLEATED STATIONARY PLEATED PANELS in SIAM color BRUSH with Standard Blackout lining

Accessory components featured: Two 35"W Soft Fold Roman Shades in Rio color Putty

Featured right: TRADITIONAL 4"
PLEAT DRAPERY PANELS in RIO
color PUTTY, unlined

Note:

- Total finished width = bracket to bracket width + overlaps + returns
- Overlap
 - panels/one-way draw you must add 2" to the bracket to bracket width
 - pairs/two-way draw you must add 4" to the bracket to bracket width
- Returns
 - on panels/one-way draw, returns will be added to one side only
 - on pairs/two-way draw, returns will be added to both sides
 - returns x 1 = panels
 - returns x 2 = pairs

^{*} Panels come standard unlined. Upgrade to Standard, Thermal Sateen, Standard Blackout or Premium Blackout.

Pleated Panels

Available in 7 pre-set widths or precise widths:

- single panels/one-way draw to cover window widths up to 96"W
- pair of panels/two-way draw to cover window widths up to 192"W



Featured on 36"W window:

- One 48"W (two 24"W panels) pair stationary panels
- 6" PARISIAN PLEAT PANELS in SILK color HONEY with Thermal Sateen lining

Accessory components featured:

- Small Contoured Tiebacks in Silk color Honey with Wine/ Gold Cord upgrade
- Soft Fold Roman Shade in Silk color Honey

Note:

- Total finished width = bracket to bracket width + overlaps + returns
- Overlap
 - panels/one-way draw you must add 2" to the bracket to bracket width
 - pairs/two-way draw you must add 4" to the bracket to bracket width

Returns

- on panels/one-way draw, returns will be added to one side only
- on pairs/two-way draw, returns will be added to both sides
 - returns x 1 = panels
 - returns x 2 = pairs



Parisian: 6" pleats tacked top & bottom



Parisian: 4" pleats tacked top & bottom



Classic: 3" pleats tacked bottom only

^{*} Panels come standard unlined. Upgrade to Standard, Thermal Sateen, Standard Blackout or Premium Blackout.

Sheer Pinch Pleat Panels

Available in 7 pre-set widths or precise widths:

- single panels/one-way draw to cover window widths up to 96"W
- pair of panels/two-way draw to cover window widths up to 192"W





Parisian: 6" pleats tacked top & bottom



tacked top & bottom

Featured on 42"W window:

- Two 24"W stationary side panels
- 6" PARISIAN PLEAT PANELS in CREPE color IVORY
- Sheer materials: Voile - Snow & Ivory Crepe - Snow & Ivory Misty - Snow & Ivory
- Made to length to the 1/2" up to 108" max length

Note:


- Total finished width = bracket to bracket width + overlaps + returns
- Overlap
 - panels/one-way draw you must add 2" to the bracket to bracket width
 - pairs/two-way draw you must add 4" to the bracket to bracke width
- Returns
 - on panels/one-way draw, returns will be added to one side only
 - on pairs/two-way draw, returns will be added to both
 - returns x 1 = panels
 - returns x 2 = pairs



Classic: 3" pleats tacked bottom only

^{*} Sheers offered only unlined.

Pleated Panel Sizing Solutions for pre-set widths for all fabrics and sheers



- Once you have determined the panel width and number of panels needed to cover window width, consult price chart to choose specific length range and determine price.
- Bottom hem is 4"
- Side hems are 1.5"
- 4"L or 6"L Parisian and 3" Classic, triple fold pleats available
- 3 pre-pinned setting options:
 - Decorative Rod (1/2" down from top)
 - Ceiling (1¹/₄" down from top)
 - Traverse Rod (13/4" down from top)
- Panels come standard unlined. Upgrade to: Standard, Thermal Sateen, Standard Blackout or Premium Blackout lining.
- Our recommendation allows for fullness which is built into the pleated panels.

Coordinating Pleated Valance




- Can be used as a coordinating valance treatment or inserted between panels
- Choose from 4 pre-set units: 24"W, 48"W, 72"W, 96"W x 18" L or choose precise widths to cover window widths up to 96"W
- 4" Parisian or 6" Parisian, triple fold pleats
- Pre-pinning options: Ceiling (top), Decorative Rod (middle), Wall Mounted traversing hardware (bottom)
- No trim upgrades available for Coordinating Valances
- Like panels, Coordinating Valances come standard unlined. Upgrade to: Standard, Thermal Sateen, Standard Blackout or Premium Blackout lining.
- All coordinated products made of the same fabric should use the same lining.
- Bottom hem is 1.5"
- Side hems are 0.5"

Contoured Tiebacks

• Contoured Tiebacks are ordered separately as a pair

 Tiebacks may be upgraded with decorative cord or fringe on the bottom edge for a more custom look (see p.67-69 for options)







Pleated Panel Sizing Solutions for pre-set widths for all fabrics and sheers

charts for use with decorative hardware & rings or traversing hardware (chart accounts for standard 4" overlaps & 4" returns)

-	11.1		IDE EADDIC	DANIELO		04611
ΗL	11 1	$(() \leq $	JRE FARRIC.	PANELS - ap	nnroximately	/ Jil fullness
- 1				I / II 4 L L D U J	J D I O MILLIU LOLY	2. 1 101111033

		PRE-SET WIDTHS AVAILABLE						
TOTAL WIDTH TO COVER:		24"W	36"W	48"W	60"W	72"W	84"W	96"W
# of pleats per panel		5	8	11	14	17	20	23
# of rings needed per panel		7	10	13	16	19	22	25
14" - 36" W	S	2	or	1				
37" - 60" W	Panels		2	C	or	1		
61" - 84" W				2		or		1
85" - 108" W	# of				2			
109" - 132" W	this #					2		
133" - 156" W	Use						2	
157" - 180" W	_							2

STATIONARY FABRIC SIDE PANELS - approximately 2:1 fullness

		PRE-SET WIDTHS AVAILABLE						
TOTAL WIDTH TO COVER:		24"W	36"W	48"W	60"W	72"W	84"W	96"W
# of pleats per panel		5	8	11	14	17	20	23
# of rings needed per panel		7	10	13	16	19	22	25
24"- 48"W	10	2	or	1				
49"- 72"W	Panels		2	C	or	1		
73"- 96"W	f Pa			2		or		1
97"- 120"W	# of				2			
121"- 144"W	this					2		
145"- 168"W	Use						2	
169"- 192"W								2

FULL CLOSURE SHEER PANELS - approximately 3:1 fullness

		PRE-SET WIDTHS AVAILABLE						
TOTAL WIDTH TO COVER:		24"W	36"W	48"W	60"W	72"W	84"W	96"W
# of pleats per panel		6	11	15	19	24	28	33
# of rings needed per panel		8	13	17	21	26		35
14" - 36" W	S	2	or	1				
37" - 60" W	Panels		2	C	or	1		
61" - 84" W				2		or		1
85" - 108" W	# of				2			
109" - 132" W	this #					2		
133" - 156" W	Use						2	
157" - 180" W								2

STATIONARY **SHEER** SIDE PANELS - approximately 3:1 fullness

		PRE-SET WIDTHS AVAILABLE						
TOTAL WIDTH TO COVER:		24"W	36"W	48"W	60"W	72"W	84"W	96"W
# of pleats per panel		6	11	15	19	24	28	33
# of rings needed per panel		8	13	17	21	26	30	35
24"- 48"W	v	2	or	1				
49"- 72"W	Panels		2	C	or	1		
73"- 96"W				2		or		1
97"- 120"W	# of				2			
121"- 144"W	this					2		
145"- 168"W	Use						2	
169"- 192"W	ر							2

Precise Widths on **Fabric** Pleated Panels number of pleats based on widths ordered

Single Panel WITH RETURNS

Face	e W	Pleats	
17"	-	19 ⁷ / ₈ "	4
20"	-	23 ⁷ / ₈ "	5
24"	-	27 ⁷ / ₈ "	6
28"	-	317/8"	7
32"	-	35 ⁷ / ₈ "	8
36"	-	39 ⁷ / ₈ "	9
40"	-	437/8"	10
44"	-	47 ⁷ / ₈ "	11
48"	-	51 ⁷ / ₈ "	12
52"	-	55 ⁷ / ₈ "	13
56"	-	59 ⁷ / ₈ "	14
60"	-	637/8"	15
64"	-	67 ⁷ / ₈ "	16
68"	-	71 ⁷ / ₈ "	17
72"	-	75 ⁷ / ₈ "	18
76"	-	79 ⁷ / ₈ "	19
80"	-	837/8"	20
84"	-	87 ⁷ / ₈ "	21
88"	-	96"	22

Single Panel WITHOUT RETURNS

Face	e W	Pleats	
17"	-	19 ⁷ / ₈ "	3
20"	-	23 ⁷ / ₈ "	4
24"	-	27 ⁷ / ₈ "	5
28"	-	317/8"	6
32"	-	35 ⁷ / ₈ "	7
36"	-	39 ⁷ / ₈ "	8
40"	-	437/8"	9
44"	-	47 ⁷ / ₈ "	10
48"	-	51 ⁷ / ₈ "	11
52"	-	55 ⁷ / ₈ "	12
56"	-	59 ⁷ / ₈ "	13
60"	-	63 ⁷ / ₈ "	14
64"	-	67 ⁷ / ₈ "	15
68"	-	71 ⁷ / ₈ "	16
72"	-	75 ⁷ / ₈ "	17
76"	-	79 ⁷ / ₈ "	18
80"	-	837/8"	19
84"	-	87 ⁷ / ₈ "	20
88"	-	91 ⁷ / ₈ "	21
92"	-	96"	22

- \bullet From 96 $^{1}/_{8}$ " 192", must be 2-way draw
- To determine the number of pleats for 2-way draw/ split draw, take total face width divided by 2, look up number of pleats per panel

Precise Widths on **Sheer** Pleated Panels number of pleats based on widths ordered

Single Panel WITH RETURNS

Face Width Pleats 12" - 13 ¹¹ / ₁₆ " 4 13 ³ / ₄ " - 16 ⁷ / ₁₆ " 5 16 ¹ / ₂ " -19 ¹ / ₈ " 6 19 ¹ / ₄ " - 21 ¹⁵ / ₁₆ " 7 22" - 24 ¹¹ / ₁₆ " 8 24 ³ / ₄ " - 27 ⁷ / ₁₆ " 9 27 ¹ / ₂ " - 30 ¹ / ₈ " 10 30 ¹ / ₄ " - 32 ¹⁵ / ₁₆ " 11 33" - 35 ¹¹ / ₁₆ " 12 35 ³ / ₄ " - 38 ⁷ / ₁₆ " 13 38 ¹ / ₂ " - 41 ¹ / ₈ " 14
$13^{3}/_{4}" - 16^{7}/_{16}" \qquad 5$ $16^{1}/_{2}" - 19^{1}/_{8}" \qquad 6$ $19^{1}/_{4}" - 21^{15}/_{16}" \qquad 7$ $22" - 24^{11}/_{16}" \qquad 8$ $24^{3}/_{4}" - 27^{7}/_{16}" \qquad 9$ $27^{1}/_{2}" - 30^{1}/_{8}" \qquad 10$ $30^{1}/_{4}" - 32^{15}/_{16}" \qquad 11$ $33" - 35^{11}/_{16}" \qquad 12$ $35^{3}/_{4}" - 38^{7}/_{16}" \qquad 13$ $38^{1}/_{2}" - 41^{1}/_{8}" \qquad 14$
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
$ \begin{array}{ccccccccccccccccccccccccccccccccc$
$22'' - 24^{11}/_{16}'' \qquad 8$ $24^{3}/_{4}'' - 27^{7}/_{16}'' \qquad 9$ $27^{1}/_{2}'' - 30^{1}/_{8}'' \qquad 10$ $30^{1}/_{4}'' - 32^{15}/_{16}'' \qquad 11$ $33'' - 35^{11}/_{16}'' \qquad 12$ $35^{3}/_{4}'' - 38^{7}/_{16}'' \qquad 13$ $38^{1}/_{2}'' - 41^{1}/_{8}'' \qquad 14$
$24^{3}/_{4}" - 27^{7}/_{16}" \qquad 9$ $27^{1}/_{2}" - 30^{1}/_{8}" \qquad 10$ $30^{1}/_{4}" - 32^{15}/_{16}" \qquad 11$ $33" - 35^{11}/_{16}" \qquad 12$ $35^{3}/_{4}" - 38^{7}/_{16}" \qquad 13$ $38^{1}/_{2}" - 41^{1}/_{8}" \qquad 14$
$27^{1}/_{2}" - 30^{1}/_{8}" \qquad 10$ $30^{1}/_{4}" - 32^{15}/_{16}" \qquad 11$ $33" - 35^{11}/_{16}" \qquad 12$ $35^{3}/_{4}" - 38^{7}/_{16}" \qquad 13$ $38^{1}/_{2}" - 41^{1}/_{8}" \qquad 14$
30 ¹ / ₄ " - 32 ¹⁵ / ₁₆ " 11 33" - 35 ¹¹ / ₁₆ " 12 35 ³ / ₄ " - 38 ⁷ / ₁₆ " 13 38 ¹ / ₂ " - 41 ¹ / ₈ " 14
33" - 35 ¹¹ / ₁₆ " 12 35 ³ / ₄ " - 38 ⁷ / ₁₆ " 13 38 ¹ / ₂ " - 41 ¹ / ₈ " 14
35 ³ / ₄ " - 38 ⁷ / ₁₆ " 13 38 ¹ / ₂ " - 41 ¹ / ₈ " 14
381/2" - 411/8" 14
41 ¹ / ₄ " - 43 ¹⁵ / ₁₆ " 15
44" - 46 ¹¹ / ₁₆ " 16
46 ³ / ₄ "- 49 ⁷ / ₁₆ " 17
49 ¹ / ₂ " - 52 ¹ / ₈ " 18
52 ¹ / ₄ " - 54 ¹⁵ / ₁₆ " 19
55" - 57 ¹¹ / ₁₆ " 20
57 ³ / ₄ " - 60 ⁷ / ₁₆ " 21
60 ¹ / ₂ " - 63 ¹ / ₈ " 22
63 ¹ / ₄ " - 65 ¹⁵ / ₁₆ " 23
66" - 6811/16" 24
68 ³ / ₄ " - 71 ⁷ / ₁₆ " 25
711/2" - 741/8" 26
74 ¹ / ₄ " - 76 ¹⁵ / ₁₆ " 27
77" - 79 ¹¹ / ₁₆ " 28
793/4" - 827/16" 29
821/2" - 851/8" 30
85 ¹ / ₄ " - 87 ¹⁵ / ₁₆ " 31
88" - 90 ¹¹ / ₁₆ " 32
903/4" - 937/16" 33
931/2" - 96 34

Single Panel WITHOUT RETURNS

Face Width	Pleats
12" - 13 ⁷ / ₁₆ "	2
131/2" - 161/8"	3
16 ¹ / ₄ " - 18 ¹⁵ / ₁₆ "	4
19" - 21 ¹¹ / ₁₆ "	5
213/4" - 247/16"	6
24 ¹ / ₂ " - 27 ¹ / ₈ "	7
27 ¹ / ₄ " - 29 ¹⁵ / ₁₆ "	8
30" - 32 ¹¹ / ₁₆ "	9
32 ³ / ₄ " - 35 ⁷ / ₁₆ "	10
35 ¹ / ₂ " - 38 ¹ / ₈ "	11
38 ¹ / ₄ " - 40 ¹⁵ / ₁₆ "	12
41" - 4311/16"	13
43³/ ₄ " - 46 ⁷ / ₁₆ "	14
461/2"- 491/8"	15
491/4" - 5115/16"	16
52" - 54 ¹¹ / ₁₆ "	17
54 ³ / ₄ " - 57 ⁷ / ₁₆ "	18
57 ¹ / ₂ " - 60 ¹ / ₈ "	19
601/4" - 6215/16"	20
63" - 65 ¹¹ / ₁₆ "	21
65 ³ / ₄ " - 68 ⁷ / ₁₆ "	22
681/2" - 711/8"	23
711/4" - 7315/16"	24
74" - 76 ¹¹ / ₁₆ "	25
76 ³ / ₄ " - 79 ⁷ / ₁₆ "	26
791/2" - 821/8"	27
821/4" - 8415/16"	28
85" - 87 ¹¹ / ₁₆ "	29
87 ³ / ₄ " - 90 ⁷ / ₁₆ "	30
901/2" - 931/8"	31
931/4" - 9515/16	32
96	33

- From 96¹/₈" 192", must be 2-way draw
- To determine the number of pleats for 2-way draw/split draw, take total face width divided by 2, look up number of pleats per panel

Sheer Rod Pocket Panels

Available in 7 pre-set widths or precise widths:

- single panels/one-way draw to cover window widths up to 96"W
- pair of panels/two-way draw to cover window widths up to 192"W



Featured on 36"W window as under-treatment:

- Two 75"W panels
- SHEER ROD POCKET PANELS in CREPE color IVORY shirred onto basic white drapery rod

Accessory components featured:


- 6" Parisian Pleat Panels in Silk color Honey with Thermal Sateen lining
- Coordinating 6" Parisian Pleat Valance in Silk color Honey with Thermal Sateen lining
- Savannah Roman Shade color lvory
- Contoured Tiebacks with Red/ Gold Cord upgrade

Note:

- Total finished width = bracket to bracket width + returns
- Returns
 - on panels/one-way draw, returns will be added to one side only
 - on pairs/two-way draw, returns will be added to both sides
 - returns x 1 = panels
 - returns x 2 = pairs

^{*} Sheers offered only unlined.

Sheer Rod Pocket Panel Sizing Solutions for pre-set widths for all fabrics and sheers



• Pocket / Header options available:

For use with up to 1" basic rod:

- 11/2" Pocket / 11/2" Header
- 1½" Pocket / No Header

For use with $1\frac{1}{4}$ " max. diameter decorative rods or $2\frac{1}{2}$ " basic rod:

- 3" Pocket / 3" Header
- 3" Pocket / No Header
- Sheer materials:

Voile - Snow & Ivory

Crepe - Snow & Ivory

Misty - Snow & Ivory



Featured on 1" single basic rod:

• 1½" Pocket / 1½" Header in CREPE color IVORY

- Made to length to the 1/2" up to 108" long max.
- Our pre-set width sheers allow for an approximate 3 : 1 fullness.

		PRE-SET WIDTH				AVAILABLE			
TOTAL WIDTH TO COVER:		50"W	75"W	100"W	125"W	150"W	175"W	200"W	
24"- 33.5"W	Use this # of Panels	2	or	1					
33.5"- 50"W			2	or		1			
50"- 66.5"W				2		or		1	
66.5"- 83.5"W					2				
83.5"- 100"W						2			
100"- 116.5"W							2		
116.5"- 133.5"W								2	

Rod Pocket Panels

Available in 7 pre-set widths or precise widths:

- single panels/one-way draw to cover window widths up to 96"W
- pair of panels/two-way draw to cover window widths up to 192"W



^{*} Panels come standard unlined. Upgrade to Standard, Thermal Sateen, Standard Blackout or Premium Blackout.

- returns x 1 = panels - returns x 2 = pairs

Rod Pocket Panel Sizing Solutions for pre-set widths

- Once you have determined the panel width and number of panels needed to cover window width, consult price chart to choose specific length range and determine price.
- Bottom hem is 4"
- Side hems are 1.5"
- Our recommendations allow for an approximate 2.25: 1 fullness
- Pocket / Header options available:

For use with up to 1" basic rod:

- 11/2" Pocket / 11/2" Header
- 11/2" Pocket / No Header

For use with 11/4" max. diameter decorative rods or $2^{1/2}$ " basic rod:

- 3" Pocket / 3" Header
- 3" Pocket / No Header

		PRE-SET WIDTHS AVAILABLE						
TOTAL WIDTH TO COVER:		50"W	75"W	100"W	125"W	150"W	175"W	200"W
30"- 40"W	Use this # of Panels	2	or	1				
41"- 60"W			2	or		1		
61"- 80"W				2		or		1
81"- 100"W					2			
101"- 120"W						2		
121"- 140"W							2	
141"- 160"W								2

Coordinating Tailored Rod Pocket Valance



- Can be used as a coordinating valance treatment or inserted between panels
- Choose from 4 pre-set units: 50"W, 100"W, 150"W or 200" W x 15" L (includes pocket, not header) or precise widths to cover window widths up to 96"W
- No trim upgrades available for Coordinating Valances
- Like panels, Coordinated Valances come standard unlined. Upgrade to: Standard, Thermal Sateen, Standard Blackout or Premium Blackout
- All coordinated products made of the same fabric should use the same lining
- Bottom hem is 1.5"
- Side hems are 0.5"
- Pocket / Header options available:

1.5" Pocket / 1.5" Header 1.5" Pocket / No Header

3" Pocket / 3" Header

3" Pocket / No Header



Contoured Tiebacks

• Contoured Tiebacks are ordered separately as a pair

Tiebacks may be upgraded with decorative cord or fringe on the bottom edge for a more custom look (see p.67-69 for options)

		Small		Мес		Large		
		50"W	75″W	100"W	125"W	150"W	175"W	200"W
Small	5"W x 26"L	×	Х	Х				
Medium	5"W x 33"L				Х	Х		
Large	5"W x 44"L						Х	Х

Back Tab Panels

Available in pre-set widths only



^{*} Panels come standard unlined. Upgrade to Standard, Thermal Sateen, Standard Blackout or Premium Blackout.

Back Tab Panel Sizing Solutions

- Once you have determined the panel width and number of panels needed to cover window width, consult price chart to choose length range and determine price.
- Bottom hem is 4"
- Side hems are 1.5"
- 4"L x 2"W tabs spaced approximately 9" from tab center to next tab center
- Our recommendations allow for an approximate minimum of 2.25 : 1 fullness

				PRE-SET \	NIDTHS A	/AILABLE		
TOTAL WIDTH TO COV	ER:	50"W	75"W	100"W	125"W	150"W	175"W	200"W
30"- 40"W		2	or	1				
41"- 60"W	<u> </u>		2	C	r	1		
61"- 80"W	. Panels			2		or		1
81"- 100"W	; # of				2			
101"- 120"W	e this					2		
121"- 140"W	Use						2	
141"- 160"W								2

Coordinating Back Tab Valance



- Coordinating Valances are ordered separately
- Can be used as a coordinating valance treatment or inserted between panels
- Choose from 4 pre-set units: 50"W, 100"W, 150"W or 200" W x 18" L
- No trim upgrades available for Coordinating Valances
- Like panels, Coordinating Valances come standard unlined. Upgrade to: Standard, Thermal Sateen, Standard Blackout or Premium Blackout lining.
- All coordinated products made of the same fabric should use the same lining
- Bottom hem is 1.5"
- Side hems are 0.5"



- Contoured Tiebacks are ordered separately as a pair
- Tiebacks may be upgraded with decorative cord or fringe on the bottom edge for a more custom look (see p.67-69 for options)

34			Small		Med	dium	Lai	ge
		50"W	75″W	100"W	125"W	150"W	175"W	200"W
Small	5"W x 26"L	×	×	×				
Medium	5"W x 33"L				X	X		
Large	5"W x 44"L						X	Х

Grommet Panels

Available in pre-set widths only



Featured left on 36"W window:

- Two 50"W panels on each of the two rods of a Double-Bracket Rod System in Satin Nickel.
- Front: GROMMET PANEL in UMA color GRAPHITE, unlined (with Satin Nickel
- Back: GROMMET PANEL in DAHLIA color STONE, unlined (with Satin Nickel grommets)

Accessory components featured:

• Soft Fold Roman Shade in Dahlia color Stone with Privacy lining

Featured below on 36"W windows:

• Four 50"W Grommet Panels in Uma color Sand (with Satin Nickel

* NOTE: Grommet Panels on Double Rod system featured above do not slide easily. It is best used as a decorative stationary side panel ensemble.

^{*} Panels come standard unlined. Upgrade to Standard, Thermal Sateen, Standard Blackout or Premium Blackout.

Grommet Panels

Available in pre-set widths only



Featured on 36"W window:

- Two 50"W panels
- GROMMET PANEL in GEM color SIENNA, unlined (with Satin Nickel grommets)

Accessory components featured:

 Coordinating 50"W Grommet Valance in Gem color Sienna, unlined

^{*} Panels come standard unlined. Upgrade to Standard, Thermal Sateen, Standard Blackout or Premium Blackout.

Grommet Panel Sizing Solutions for pre-set widths

- Once you have determined the panel width and number of panels needed to cover window width, consult price chart to choose length range and determine price.
- Bottom hem is 4"
- Side hems are 1.5"
- Our recommendations allow for an approximate 2.25 : 1 fullness
- Grommets offered in 3 finishes. Size of outer diameter: 2.5", size of inner diameter: 1.5".
- Only rods and poles 1¼" diameter and less can be used to hang these grommet panels.
- Final length is from top inside diameter of grommet to bottom of panel.

				PRE-SET \	MIDTHS A	VAILABLE		
TOTAL WIDTH TO COV	ER:	50"W	75"W	100"W	125"W	150"W	175"W	200"W
30"- 40"W		2	or	1				
41"- 60"W	<u>\O</u>		2	0	or	1		
61"- 80"W	f Panels			2		or		1
81"- 100"W	# of				2			
101"- 120"W	Jse this					2		
121"- 140"W	Use						2	
141"- 160"W								2

Grommet Finishes



antique brass



oil rubbed bronze



satin nickel

Coordinating Grommet Valance



- Can be used as a coordinating valance treatment or inserted between panels
- Choose from 4 pre-set widths: 50"W, 100"W, 150"W or 200" W x 18" L
- No trim upgrades available for Coordinating Valances
- Like panels, Coordinating Valances come standard unlined.
 Upgrade to: Standard, Thermal Sateen, Standard Blackout or Premium Blackout lining.
- All coordinated products made of the same fabric should use the same lining
- Bottom hem is 1.5"
- Side hems are 0.5"



Contoured Tiebacks

- Contoured Tiebacks are ordered separately as a pair
- Tiebacks may be upgraded with decorative cord or fringe on the bottom edge for a more custom look (see p.67-69 for options)

-10			Small			lium	Large	
- 111		50"W	75″W	100"W	125"W	150"W	175"W	200"W
Small	5"W x 26"L	Х	Х	×				
Medium	5"W x 33"L				X	Х		
Large	5"W x 44"L						Х	х

Soft Wave Fold Drapery & Track System

Available in precise widths only, made with 1.8: 1 fullness (80% fullness):

- single panels/one-way draw to cover window widths up to 104"W
- pair of panels/two-way draw to cover window widths up to 208"W



Featured on a 96"W 2-way double track system, wall-mounted over three 24"W windows with 4" molding around each, using double wall-mount brackets:

- Front track: 96"Wx120"L 2-way draw panels in Ikat Ombre Horizontal, color Coconut
- Back track: 96"Wx120"L 2-way draw panels in Raw Silk Crepe, color Pebble

Accessory components featured:

- Front Slats Roman Shade in Lexi color Chino
- Single panels/one-way draw:
 - Min. W: 23" Min. L: 24"
 - Max. W: 104" Max. L: 120"
- Pair of panels/two-way draw:
 - Min. W: 23" Min. L: 24"
 - Max. W: 208" Max. L: 120"
- Track is included in length and price, cut precisely to the ¹/₂"
- Batons are included for moving panels - cut to the ¹/₂'


* Provide the total wall/window area to be covered

^{*} Panels come standard unlined. Upgrade to Standard, Thermal Sateen, Standard Blackout or Premium Blackout.

Soft Wave Fold Drapery Track System Bracket Options


Note wall projection clearances on illustrations below:

Single ceiling-mounted bracket




*use 2 for double track effect

Single wall-mounted bracket



Double wall-mounted bracket



tracks is 2"


Note: If ceiling-mounted double track is needed, use two single ceiling-mounted brackets, one in front of the other.

• $8^{1}/_{2}$ " - 9" of projection clearance out from window/wall is needed. To mount to the two single brackets, allow 3" between brackets so the two window treatments can easily pass each other

Attaching Drapery to Track System

- Metal post tape is attached to top of panels and snaps into carriers on the track.
- Metal post tape may be visible at top of drapery, particularly on sheers.
- Note: 1/4" light gap exists between top of drapery and track.





Soft Fold & Track System only availabe in Precise Widths PANELS & TRACK INCLUDED

Reference the following to order: (provide the wall/window area to be covered):

Available in precise widths only, made with 1.8 : 1 fullness (80% fullness):

- single panels/one-way draw to cover window widths up to 104"W
- pair of panels/two-way draw to cover window widths up to 208"W
- single panels/one-way draw:
 - Min. W: 23" Min. L: 24"
 - Max. W: 104" Max. L: 120"
- pair of panels/two-way draw:
 - Min. W: 36" Min. L: 24"
 - Max. W: 208" Max. L: 120"
- To achieve a double track system, order 2 systems then specify wall or ceiling mount brackets
- If ceiling-mounted double track is needed, use two single ceiling-mounted brackets, one in front of the other.
 - 81/2" 9" of projection clearance out from window/wall is needed. To mount the two single brackets, allow 3" between brackets so the two window treatments can easily pass each other
- For One-Way Draw, tracks up to 86"W include 4 brackets, tracks 86"W - 104"W include 6 brackets
- For Two-Way Draw, tracks up to 86"W include 4 brackets, tracks up to 104"W include 6 brackets, tracks up to 172"W include 8 brackets, tracks 86" - 104" include 12 brackets
- Track is included in length measurement and price, cut precisely to the ¹/₂"
- Standard wands are included for moving panels (see chart on following page)
- Custom length wands also available cut to the $\frac{1}{2}$

Soft Fold & Track System

PANEL/WAND LENGTH INFO:

	ndard Length		ndard Length
Panel Length (inches)	Wand Length (inches)	Panel Length (inches)	Wand Length (inches)
12	10	90	42
13	11	91	43
14	12	92	44
15	13	93	45
16	14	94	46
17	15	95	47
18	16	96	48
19	17	97	49
20	18	98	50
21	19	99	51
22	20	100	52
23	21	101	53
24	22	102	54
25	23	103	55
26	24	104	56
27	25	105	57
28	26	106	58
29	27	107	59
30	28	108	60
31	29	109	61
32	30	110	62
33	31	111	63
34 - 80	32	112	64
81	33	113	65
82	34	114	66
83	35	115	67
84	36	116	68
85	37	117	69
86	38	118	70
87	39	119	71
88	40	120	72
89	41		

Lining Options

for Drapery Panels & their coordinating Valances and

Pole Mounted Valances

*All Drapery comes UNLINED



Standard Lining

- Basic light weight lining:
 70% polyester/30% cotton
- Protects fabric from the sun
- Provides neutral color to outside
- 54"
- +15% surcharge

Thermal Sateen Lining

- Medium weight 100% polyester
- Smooth sheen finish
- Insulating rayon flock provides protection from heat & cold and protects from UV rays which could lead to fading
- 54"
- 1 pass acrylic latex foam backing
- +25% surcharge

Standard Blackout Lining

- Luxurious triple cloth woven-in blackout lining: 100% polyester
- Woven-in blackout lining gives slight grey appearance to white on outside
- Excellent drapability
- Blocks out 95% sunlight
- Pinhole resistant due to woven construction
- 54"
- +25% surcharge

Premium Blackout Lining

- Heavy weight lining: 100% polyester
- Blocks out 100% sunlight
- Use for blackout on less opaque, light colored fabric
- 54"
- 3 pass acrylic latex foam backing
- Although we take every precaution to avoid piercing this lining, on the Plain shade style, light seepage may still occur through perforations, especially at the stitch line of the horizontal pleats.
- +30% surcharge



Ivory



White



Ivory



White



White



White



Pole Mounted Valances

Use a Pole Mounted Valance alone or layered over blinds, shades, and drapery. Decorative Pole Mounted Valances add interest and soften hard window coverings.

Tuxedo Pleat Valances


Available in precise widths only, made with 1.5: 1 fullness





Featured on 36"W window:


- TUXEDO PLEAT VALANCE in Chenille Damask, color Peacock hung from basic single continental valance rod behind Chenille Damask, color Peacock PLEATED DRAPERY PANELS, hung from 2" Mahogany Fluted Wood Pole
- 3" Rod Pocket, no header
- 18" length including 3" rod pocket
- Unlined upgrade to Standard Thermal Sateen, Privacy or Premium Privacy
- Includes self-bias tape
- No decorative trim or fringe available



Scalloped Valances

Featured on 36"W window: SCALLOPED VALANCE in SILK color HONEY with WINE/GOLD CORD and TASSEL with 3" pocket/3" header

Now available in precise widths to cover window widths from 12" - 96"W




- Pre-set unit width: 78"W x 18"L at longest point from bottom of rod pocket
- Order 1 unit for every 40" of window width
- Unlined upgrade to Thermal Sateen, Standard Blackout or Premium Blackout

Rod Pocket & Header Options:

- 1.5" Pocket / 1.5" Header
- 3" Pocket / 3" Header
- Includes 1/2" self-bias tape and coordinating tassel

Upgrade to:

• Cord or fringe to the bottom edge for a more custom look (see p.67-69 for options)



Double Layer Scalloped Valance

Now available in precise widths to cover window widths from 12" - 96"W



Featured back:

 DOUBLE LAYER SCALLOPED VALANCE

Featured front:

 DOUBLE LAYER SCALLOPED VALANCE



Double Layer Scalloped Valance Pre-Set Unit Width 78"W x 15"L

- 78"W x 15"L from bottom of Rod Pocket
- Order 1 for every 40" of window width
- Comes Standard Unlined no lining upgrades
- Double layer effect combines coordinating patterns and colors 1.5" Pocket / 1.5" Header
- Color combinations illustrated on next page
- Valances are sewn together at the rod pocket
- Shirrs to about half the stated width on a decorative pole
- Includes coordinating pattern 1/2" self bias tape
- NO trim upgrades available

Rod Pocket & Header

Options:

- 3" Pocket / 3" Header

21 Fabric Color Combinations Available



- Coventry/Primrose Ticking Stripe/Red
- 2. Coventry/Chambray Ticking Stripe/Blue
- 3. Findlay/Shadow Uma/Teak
- 4. Findlay/Saddle Uma/Wheat
- 5. Findlay/Seaglass Uma/Bone
- 6. Essence/Smoke Dahlia/Mocha
- 7. Essence/Onyx Dahlia/Black
- 8. Neptune/Brick Waterloo/Brick
- 9. Neptune/Sage Waterloo/Olive
- 10. Neptune/Ebony Waterloo/Black
- 11. Rhapsody/Brick Waterloo/Brick
- 12. Rhapsody/Beige Waterloo/Olive
- 13. Regal Square/Mustard Dahlia/Saffron
- 14. Regal Square/Moonlight Dahlia/Black
- 15. Regal Square/Parchment Dahlia/Butter
- 16. Regal Square/Spa Dahlia/Saffron
- 17. Regal Square/Winter White/Dahlia/Pearl
- 18. Carmina/Hemp Troika/Hemp
- 19. Carmina/Cocoa Troika/Cocoa
- 20. Candia/Prussian Dahlia/Rouge
- 21. Candia/Twilight Dahlia/Butter

Shaped Valance



Featured on 36"W window:

 One WATERFALL VALANCE and one pair of 104" (52"W each) x 36"L SHAPED VALANCES

Accessory components featured:

 Two 50"W Rod Pocket Panels with 3" pocket and 3" header

Shaped Valance

- Shaped Valances sold as a pair
- 104"W pair (52"W each) x 36"L, 63"L, or 84"L
- Pair with Ascots or Waterfalls or use alone
- Standard with self lining no lining upgrades

Rod Pocket & Header Options:

- 1.5" Pocket / 1.5" Header
- 3" Pocket / 3" Header
- Includes 1/2" self-bias tape edge

Upgrade to:

 Cord or fringe to the bottom edge for a more custom look (see p.67-69 for options)

Waterfall Valance



Featured on 36"W window:

 One WATERFALL VALANCE and one pair of 104" (52"W each) x 36"L SHAPED VALANCES

Accessory components featured:

 Two 50"W Rod Pocket Panels with 3" pocket and 3" header

Waterfall Valance

- 68"W x 38"L
- Shirrs to 23"W x 20"L on a decorative pole
- Order 1 unit for every 23" of window width
- Unlined upgrade to Standard Thermal Sateen, Privacy or Premium Privacy

Rod Pocket & Header Options:

- 1.5" Pocket / 1.5" Header
- 3" Pocket / 3" Header
- Includes 1/2" self-bias tape edge

Upgrade to:

 Cord or fringe to the bottom edge for a more custom look (see p.67-69 for options)

Tuck Valances

Now available in precise widths to cover window widths from 12" - 96"W



Featured on 36"W window:


- One TUCK VALANCE
- 78"W x 14"L from bottom of rod pocket
- Order 1 unit for every 40" of window width
- For best effect, use basic white valance rods for this style
- Unlined upgrade to Standard Thermal Sateen, Privacy or Premium Privacy

Rod Pocket & Header Options:

- 1.5" Pocket / 1.5" Header
- 3" Pocket / 3" Header
- Includes 1/2" self-bias tape and coordinating tassel

Upgrade to:

 Cord or fringe to the bottom edge for a more custom look (see p.67-69 for options)



Blouson Valances

Now available in precise widths to cover window widths from 12" - 96"W




Featured on 36"W window:


- BLOUSON VALANCE stuffed with tissue paper hanging above a BLOUSON VALANCE in its flat state. Hanging on two seperate valance rods.
- 78"W x 15"L from bottom of rod pocket
- Order 1 unit for every 40" of window width
- Unlined no lining upgrades
- Tubular pocket can be stuffed with tissue for pouf effect or left flat for tailored effect
- No tassel, cord, or fringe upgrades

Rod Pocket & Header Options:

- 1.5" Pocket / 1.5" Header
- 3" Pocket / 3" Header



Ascot Valances



Featured on 36"W window:


- Two over one ASCOTS VALANCES
- 50"W x 21"L from bottom of rod pocket
- Order 1 unit for every 20" of window width
- Unlined upgrade to Standard Thermal Sateen, Privacy or Premium Privacy
- Mix and match patterns or all solid

Rod Pocket & Header Options:

- 1.5" Pocket / 1.5" Header
- 3" Pocket / 3" Header
- Includes 1/2" self-bias tape and coordinating tassel

Upgrade to:

• Cord or fringe to the bottom edge for a more custom look (see p.67-69 for options)





Board Mounted Valances

Soften and frame windows with these classic valance treatments.

These pre-fabricated constructions are simple to install.

Use over other treatments for a layered look.


Euro Relaxed

Featured: EURO RELAXED BOARD MOUNTED VALANCE in Donetta, color Licorice over three 24"W (inside mounted) Damask Front Slats style roman shade, color Onyx Also: two Donetta, color Licorice Grommet Panels, outside & four Wilmington, color Ebony Grommet Panels, inside



- Minimum width: 30" W
- Maximum width: 144"W made to the exact ¹/₂"
- Sides have a length of 14"
- Scoop drops to 20"
- Entire valance is lined with standard lining.
- Two returns available: 4" or 7"
 - 4" return recommended for mounting over blinds & shades
 - 7" return recommended for mounting over drapery treatments
- Standard with self tape on edge
- No decorative trim or fringe upgrade available

Three 24"W windows with 4" molding (total window: 96"W)



^{*} Product details (pieces, pleats, parts & widths) displayed in photo may vary depending on size ordered.

Width	30"-60"	From 60 ¹ / ₂ " to 90"	From 90/2" to 120"	From 120/2" to 144"
# of scoops	1	2	3	4



Gallant

Featured: GALLANT BOARD MOUNTED VALANCE in COLBURN color MINERAL with SPA BLUE FRINGE




36"W window with a 3-piece construction.

- Minimum width: 24"W
- Board Mounted Valances are made to the exact 1/2"
- Length: standard 18"L
- Pleat width will vary
- Board mounted valances are lined with standard lining
- Standard with 1/2" self cord at top edge
- Includes 1/2" self bias tape along bottom edge
- Two returns available: 4" or 7"
 - 4" return is recommended for mounting over blinds & shades
 - 7" return is recommended for mounting over drapery treatments




36"W window with a 3-piece construction.



Upgrade to:

 Fringe or cord along bottom edge for a more custom look (see p.67-69 for options)



* Product details (pieces, pleats, parts & widths) displayed in photo may vary depending on size ordered.

Width	Up to 42"	From 42 ¹ / ₈ " to 66"	From 66 ¹ / ₈ " to 102"	From 102 ¹ / ₈ " to 126"	From 126 ¹ / ₈ " to 144"
# of Sections	3	4	7	9	10
Max Section Width	14"	16¹/₂"	141/2"	14"	141/2"

Elegance

Featured: NEPTUNE color EBONY with BLACK/CAMEL FRINGE Accessory components featured: Soft Fold Roman Shade in Silk color Honey



- Minimum width: 48" wide
- Swag drop: 18"
- Board Mounted Valances are made to the exact 1/2"
- Swags are lined with Standard lining
- Standard with 1/2" self cord at top edge
- Includes 1/2" self bias tape along bottom edge
- Two returns available: 4" or 7"
 - 4" return is recommended for mounting over blinds & shades
- 7" return is recommended for mounting over drapery treatments

Upgrade to:

 Decorative fringe or cord to bottom edges for a more custom look (see p.67-69 for options)



43"W window with a 3-piece construction.





* Product details (pieces, pleats, parts & widths) displayed in photo may vary depending on size ordered.

Width	Up to 63"	From 63 ¹ / ₄ " to 110"	From 110 ¹ / ₄ " to 144"
# of Pieces	3	5	7

Grace

Featured: GRACE BOARD MOUNTED VALANCE in SILK color BLUE NOTE




36"W doorway with one Grace valance swaq and two cascades.

- Minimum width: 30" wide
- Board Mounted Valances are made to the exact 1/2"
- Swags are lined with Standard lining
- Cascades are self lined
- Choose 36", 63", 84", 96" or 108"L cascades
- Style is assembled with a central front swag with additional swags spread out on both sides behind the central swag
- Cascades mounted under the swags
- Swag drop: choose 18" or 22"L
- Two returns available: 4" or 7"
- 4" return is recommended for mounting over blinds & shades
- 7" return is recommended for mounting over drapery treatments
- Standard with 1/2" self cord at top edge
- Swags and cascades include 1/2" self bias tape edge

Upgrade to:

 Decorative fringe or cord to bottom edge for a more custom look (see p.67-69 for options)



* Product details (pieces, pleats, part	LS
& widths) displayed in photo may v	arv
depending on size ordered.	,

Width	Up to 44"	From 44 ¹ / ₂ " to 66"	From 66 ¹ / ₂ " to 90"	From 90 ¹ / ₂ " to 138"	From 138 ¹ / ₂ " to 180"
# of Swags	1	2	3	5	7

Chantilly

Featured: CHANTILLY BOARD MOUNTED VALANCE




43"W window with Chantilly valance with 2 swags and 3 jabots + the side cascades.

- Minimum width: 36" wide
- Board Mounted Valances are made to the exact 1/2"
- Swags are lined with Standard lining
- Cascades are self lined
- Swag drop: 18"
- Jabot: 12" L
- Cascades: 36" L
- Two returns available: 4" or 7"
 - 4" return is recommended for mounting over blinds & shades
 - 7" return is recommended for mounting over drapery treatments
- Standard with 1/2" self cord at top edge
- Trimmed with 1/2" self bias tape edge

Upgrade to:

 Decorative fringe or cord to bottom edge for a more custom look (see p.67-69 for options)



* Product details (pieces, pleats, parts & widths) displayed in photo may vary depending on size ordered.

Width	Up to 50"	From 50 ¹ / ₂ " to 74"	From 74 ¹ / ₂ " to 98"	From 98 ¹ / ₂ " to 122"	From 122 ¹ / ₂ " to 146"
# of Swags	2	3	4	5	6
# of Jabots	3	4	5	6	7



Upholstered Cornice Boards

Upholstered Cornice Boards add architectural interest.

Create the look of added length to windows by mounting above the frame.

Use over other layered treatments to conceal hardware with a graceful finish.

Arched

Featured: ARCHED CORNICE BOARD in NEPTUNE color SAGE

Modern

Featured: MODERN CORNICE BOARD in SILK color SANDSTONE




- Upholstered Cornice Boards are made to the exact 1/2"
- Upholstery fiber fill and decorative fabric are supported by an all wood frame
- Matching dust cap cover is always included
- Lines of cornice shape will elongate with wider widths
- Drop length: choose 12" or 16"
- Minimum width: 24"
- Two returns available: 4" or 7"
 - 4" return is recommended for mounting over blinds and shades
- 7" return is recommended for mounting over drapery treatments
- Includes 1/2" self cording along bottom edge
- Must add a minimum of + 2" to your window frame width when ordering

Upgrade to:

• Decorative cord or fringe along the bottom edge (seep.67-69 for options)





- 52"W & above will have vertical seams. Fabric will not be railroaded; it is only made up the roll.
- Upholstered Cornice Boards 72"W and above will be hinged.

Tailored

Featured: TAILORED CORNICE BOARD in ASHTON STRIPE color CAMEL

Shaped

Featured: SHAPED CORNICE BOARD in HAMLET color MARASCHINO




- Upholstered Cornice
 Boards are made to the
 exact 1/2"
- Upholstery fiber fill and decorative fabric are supported by an all wood frame
- Matching dust cap cover is always included
- Lines of cornice shape will elongate with wider widths
- Drop length: choose12" or 16"
- Minimum width: 24"
- Two returns available: 4" or 7"
 - 4" return is recommended for mounting over blinds and shades
 - 7" return is recommended for mounting over drapery treatments
- Includes 1/2" self cording along bottom edge
- Must add a minimum of + 2" to your window frame width when ordering

Upgrade to:

 Decorative cord or fringe along the bottom edge (see p.67-69 for options)





- 52"W & above will have vertical seams. Fabric will not be railroaded; it is only made up the roll.
- Upholstered Cornice Boards 72"W and above will be hinged.

11/4" Metal Decorative Window Hardware

• 3 Rod Set Sizes • 7 Finial Styles • 3 Finishes



Dover Finials

Wiotai III	(L)
Length	31/2"
Diameter/wic	dth 27/8"
Packaged	pair
Stock#	MDF0000



Georgian Finials

Length	37/8"	
Diameter/wid	lth 2"/16	"
Packaged	pair	-
Stock#	MGF0000)



Ball Finials

Length	31/8"
Diameter/wid	dth 21/4"
Packaged	pair
Stock#	MBF0000



Hampton Finials

Length	35/8"
Diameter/widt	:h 2"
Packaged	pair
Stock#	MHF0000



Pearl Finials

Length	35/8"
Diameter/wid	th 2"/16"
Packaged	pair
Stock#	MPF0000



Scroll Finials

Length	3"
Diameter/wid	th 2 ⁷ / ₁₆ "
Packaged	pair
Stock#	MCF0000



Square Finials

Length	31/8"
Diameter/wid	th 27/16"
Packaged	pair
Stock#	MQF0000

End Caps

Packaged	pair
Stock#	MEC0000

40" Extension Rod & One Standard Bracket

Packaged	1 each
Stock#	MER0000



5" Extension Bracket

Ext. to Back of Front Rod	5"
Packaged	1 each
Stock#	MEB0000

Double Bracket

	Ext. to Back of Front Rod	5"
	To Back of Rear Road	21/2"
	Packaged	1 each
Г	Stock#	MDB0000



Double Bracket

Rings with Clips

Packaged	7 each
Length	23/4"
Stock#	MCR0000



Eyelet + clip adds 3" of length (so deduct 3" from the panel length)

Eyelet only adds 2" of length (so deduct 2" from the panel length)

1¹/₄" Rod Set Sizes

28" - 48"	2	MRS2848
48" - 86"	3	MRS4886
86" - 120"	4	MRS86120

Projection is 3" to the back of the rod & 41/2" to the front of the rod





Cord • Fringe • Tassels



TRIMS AVAILABLE: • 3/8" Decorative Cord • 21/2" Loop Fringe • 3" Tassel

Suggested Trim Colors

Fabric Name	Color	Trim & Cord Colors	Price Group
Ashton Stripe	Ivory	Linen, Spa Blue	A
Ashton Stripe	Beige	Linen	A
Ashton Stripe	Camel	Jungle	A
Ashton Stripe	Chocolate	Black/Camel, Choc./Spa	A
Ashton Stripe	Khaki	Jungle	A
Ashton Stripe	Nugget	Soft Gold	A
Ashton Stripe	Navy	Navy/Gold	A
Ashton Stripe	Wine	Wine/Gold	A
Ashton Stripe	Aubergine	Plum/Sage	A
Ashton Stripe	Greysmoke	Charcoal/Silver	A
Bermuda	White	Black/Natural	В
Bermuda	Mushroom	Spa Blue	В
Bermuda	Beige	Soft Gold	В
Bermuda			В
	Sage	Spa Blue	
Camelot Camelot	Powder Pearl	Linen	A
Camelot	Tussah	Soft Gold	A
Camelot	Antique	Soft Gold	A
Camelot	Shadow Mist	Charcoal/Silver	A
		Spa Blue	A
Camelot	Lichen	Jungle	A
Camelot	Navy	Navy/Gold	A
Camelot	Pomegranate	Rust Multi	A
Camelot	Eggplant	Wine/Gold, Plum/Sage	A
Camelot	Raisin	Plum/Sage	A
Camelot	Walnut	Black/Camel	A
Candia	Prussian	Wine/Gold, Navy/Gold	D
Candia	Twilight	Jungle	D
Carmina	Cocoa	Black/Camel	С
Carmina	Hemp	Jungle	С
Chenille Damask	Pewter	Charcoal/Silver	С
Chenille Damask	Peacock	N/A	С
Chenille Damask	Cinnabar	Wine/Gold	С
Coventry	Primrose	Wine/Gold	Α
Coventry	Chambray	Spa Blue	Α
Dahlia	Pearl	Linen, Spa Blue	В
Dahlia	Natural	Spa Blue, Black/Natural	В
Dahlia	Butter	Soft Gold, Spa Blue	В
Dahlia	Saffron	Soft Gold	В
Dahlia	Stone	Black/Natural	В
Dahlia	Mocha	Black/Camel, Chocolate/ Spa	В
Dahlia	Rouge	Wine/Gold	В
Dahlia	Black	Charcoal/Silver, Black/ Natural, Black Camel	В
Donetta	Cascade	Spa Blue	С
Donetta	Licorice	Black/Natural	С
Donetta	Barley	Soft Gold	С
Essence	Onyx	Black/Natural	С
Essence	Smoke	N/A	С
Findlay	Saddle	Soft Gold, Black/Camel	С
Findlay	Seaglass	Spa Blue	С
Findlay	Shadow	Black/Camel	С
Flourish	Vine	Jungle	D
riourisn	vine	Jurigie	ט

Fabric Name	Color	Trim & Cord Colors	Price Group
Flourish	Sumac	Rust Multi	D
Flourish	Bark	Black/Camel	D
Harrison Stripe	Vintage Red	Rust Multi	В
Harrison Stripe	Graphite	Charcoal/Silver	В
Herringbone	Cream	Linen, Spa Blue	А
Herringbone	Grey	Charcoal/Silver	А
Herringbone	Camel	Linen, Soft Gold	А
Herringbone	Chocolate	Black/Camel, Choc./Spa	А
Ikat Ombre Horizontal Stipe	Coconut	Jungle	В
Ikat Ombre Horizontal Stipe	Tiki	Black/Camel, Soft Gold	В
Ikat Vertical	Coconut	Jungle	В
Ikat Vertical	Tiki	Black/Camel, Soft Gold	В
Lexi	White	Black/Natural	В
Lexi	Cream	Spa Blue, Soft Gold	В
Lexi	Chino	Chocolate/Spa	В
Lexi	Cafe	Jungle	В
Lexi	Grey	Charocal/Silver	В
Lexi	Sky	Spa Blue, Choc./Spa	В
Lyon	Wine	Plum/Sage	Α
Lyon	Ivory	Spa Blue	Α
Lyon	Golden	Soft Gold, Black/Camel	Α
Lyon	Lt. Blue	Spa Blue, Choc./Spa	Α
Madison	Cotton	Spa Blue	Α
Madison	Linen	Spa Blue	А
Madison	Cashmere	Jungle	А
Neptune	Sage	Jungle	В
Neptune	Ebony	Black/Camel	В
Neptune	Brick	Rust Multi	В
Parma	Pearl	Linen, Spa Blue	D
Parma	Bamboo	Jungle	D
Parma	Platinum	Charcoal/Silver	D
Polaris	Snow	Linen/Spa Blue	В
Polaris	Linen	Plum/Sage	В
Polaris	Mushroom	Spa Blue, Jungle	В
Polaris	Saddle	Soft Gold, Black/Camel	В
Polaris	Crimson	Wine/Gold	В
Polaris	Azure	Charc./Silver, Navy/Gold	В
Raw Silk Crepe	Oyster	Spa Blue, Choc./Spa	В
Raw Silk Crepe	Sand	Spa Blue, Jungle	В
Raw Silk Crepe	Pebble	Black/Camel, Jungle	В
Raw Silk Crepe	Water	Spa Blue, Choc./Spa	В
Regal Square	Parchment	Linen, Spa Blue	В
Regal Square	Moonlight	Black/Natural	В
Regal Square	Spa	Spa Blue	В
Regal Square	Mustard	Black/Camel, Soft Gold	В
Regal Square	Winter White	Black/Natural	В
Rhapsody	Beige	Soft Gold/Jungle	В
Rhapsody	Brick	Rust Multi	В

Suggested Trim Colors

Fabric Name	Color	Trim & Cord Colors	Price Group
Rio	Winter White	Linen	A
Rio	Cream	Linen	Α
Rio	Putty	Soft Gold	Α
Rio	Camel	Soft Gold	Α
Rio	Tobacco	Black/Camel	Α
Rio	Seaspray	Spa Blue	Α
Rio	Atlantic	Navy/Gold	Α
Rio	Charcoal	Charcoal/Silver	А
Silk	Cotton	Linen	D
Silk	Whisper	Linen, Spa Blue, Soft Gold	D
Silk	Sandstone	Linen	D
Silk	Khaki	Jungle, Spa Blue	D
Silk	Blue Note	Chocolate/Spa, Spa Blue	D
Silk	Clare	Wine/Gold	D
Silk	Honey	Soft Gold, Wine/Gold, Black/Camel, Navy/Gold	D
Silk	Espresso	Chocolate/Spa, Black/ Camel	D
Silk	Slate	Charcoal/Silver	D
Silk	Plum	Plum/Sage	D
Silkara	Marble	Linen, Spa Blue	В
Silkara	Sterling	Charcoal/Silver	В
Silkara	Cashew	Linen	В
Silkara	Harvest	Rust/Multi	В
Silkara	Myrtle	Chocolate/Spa	В
Silkara	Earth	Jungle	В
Ticking Stripes	Red	Wine/Gold	А
Ticking Stripes	Blue	N/A	А
Troika	Cocoa	Black/Camel, Soft Gold	С
Troika	Hemp	Jungle	С
Uma	Off-White	Black/Natural	В
Uma	Sand	Linen	В
Uma	Bone	Spa Blue	В
Uma	Graphite	Black/Natural	В
Uma	Wheat	Soft Gold	В
Uma	Teak	Jungle	В
Velveteen	Antique	Black/Camel, Soft Gold	Α
Velveteen	Quartz	Spa Blue	A
Velveteen	Cordovan	Plum/Sage	A
Velveteen	Grey	Jungle	A
Waterloo	Natural	Linen	В
Waterloo	Sand	Soft Gold	В
Waterloo	Olive	Jungle	В
Waterloo	Brick	Rust Multi	В
Waterloo	Black	Black/Camel	В
Wilmington	White	Linen	A
Wilmington	Cream	Soft Gold	A
Wilmington	Natural	Linen	A
Wilmington	Buff	Linen	A

Fabric Name	Color	Trim & Cord Colors	Price Group
Wilmington	Bramble	Linen	A
Wilmington	Moss	Jungle	А
Wilmington	Spicy Red	Wine/Gold	A
Wilmington	Nugget	Soft Gold, Black/Camel, Wine/Gold	А
Wilmington	Mulberry	Plum/Sage	А
Wilmington	Mink	Chocolate/Spa	А
Wilmington	Navy	Navy/Gold	A
Wilmington	Ebony	Black/Camel, Black/ Natural	Α

How To Measure


Measure carefully using a steel tape measure to assure accuracy.

Roman Shades Inside Mount

- The Roman Shade will hang within the window frame providing a clean, built-in look
- Minimum window depth required: 1¹/₂".
 Measure:

Width – in 3 places (top, middle & bottom) & use the narrowest dimension.

Length – in 3 places (left, center & right) & use the longest dimension.



Outside Mount

- The Roman Shade will hang outside the window frame or molding.
- To be used when there is not enough window depth for an inside mount.
- Mount to surrounding wall, ceiling or window frame/molding
- No minimum window depth required. *Measure:* The width & length of window area you want to cover.
- If space allows, we recommend adding 1"-11/2" of width and height to each side of window (2"-3" total) to reduce light penetration from edges of shade.

Drapery Panels ALL PANELS ARE SOLD AS SINGLE PANELS AND IN PAIRS.


• They are sold in 7 pre-set widths and are made to length to the $\frac{1}{2}$ " up to 200"L.

(Note: Pleated Panels and Rod Pockets are also available in precise widths).

Width:

Measure: The width of the window area you would like to cover.

- Take time to plan your installation and get the measurements correct.
- We recommend adding an additional 4"-6" to each side from the edge of the window glass. This allows the drapery panels, when pulled to their sides, to clear the window allowing more natural light in. It also prevents light gaps at edge of window.
- Consider the basic or decorative hardware you'll be using to hang the panels from.
- Finials add another 6" 8" (3"- 4" for each finial on both ends of the pole) to the total space of window/wall area you will need.
- Consult our SIZING SOLUTIONS charts for selecting the correct pre-set panel width and number of panels to order.
- Our recommendations allow for fullness that is already built into the panels.




How To Measure (Cont'd)

Measure carefully using a steel tape measure to assure accuracy.

Length:

- Finished panel length is measured from the top of the drapery panel to the bottom for pinch pleats, or tabs.
- For rod pocket panels, the finished panel length is measured from top of rod pocket to the bottom & does not include the header.
- For grommet panels, the finished panel length is measured from top inside of the grommet to bottom of the panel.
- The finished panel length you provide to the $^{1}/_{2}$ " will be the exact measurement the drapery panel will be made to.
- Special consideration should be given to the additional length gained by hanging the panels from decorative poles & rings.



- It is recommended to mount the pole approximately 4" above the window frame.
- If the panel is being mounted directly onto a pole through the rod pocket, grommets or tabs, no additional length is added.
- When using rings to attach drapery panel (usually Rod Pockets & Pleated Panels) with rod, please note:

METAL RINGS:

Eyelet + clip adds 3" of length (so deduct 3" from the panel length)

Eyelet only adds 2" of length (so deduct 2" from the panel length)

Sheer Under Treatment Lengths:

- It is recommended to order sheers with NO HEADER when they are being used as an under treatment. It is recommended to order sheers slightly shorter in length than the Drapery Panels they will be mounted under.
- So the sheer under treatment is not visible behind the top & bottom edge of the outer drapery panels, mount sheer drapery hardware 1" lower than the decorative hardware used for the outer panels.
- When hanging, the sheer should be 1/2" shorter than the outer panel.

Drapery Panel Length Advice:

- You can specify any length desired to the ¹/₂"
- Floor Length panels should be 1/2" above the floor for easy operation.
- Puddle Length panels should have another 6"-10" of length to pool the fabric on the floor.

This length is not recommend for high traffic areas or drapery that needs to be opened and closed often.

How To Measure (Continued)

Measure carefully using a steel tape measure to assure accuracy.

Pole Mounted Valances

- Pole Mounted Valances are sold as pre-set sizes in single units.
- Each style has a unique shape & size.
- Refer to each of the specific styles (p.47-56) to determine the number of valances needed.
- As with the Drapery Panels, consideration must be given to the hardware the valances will be hung from.

Board Mounted Valances & Upholstered Cornice Boards


• These styles have Pre-set drop lengths available. (Refer to p. 57-65)

For Upholstered Cornice Boards:

• Add a minimum of 2" to the trim to trim/window edge to window edge measurement to compensate for the width of the wood sideboards + the fiberfill batting.

EXAMPLE:

For a tight to window frame fit: If window width is 100" wide add 2". 102" wide outside will be 100" inside the cornice box.



For Board Mounted Valances:

- NO extra inches needed.
- The top wood board used equals the exact width specified. NO wood side boards are used in these styles, fabric hangs off the edge of the top board.
- Then consider adding an additional 1"-6" to each side for either Board Mounted Valances or Upholstered Cornice Boards over OUTSIDE mounted UNDER TREATMENTS like drapery panels (including the drapery hardware width) or blinds/shades. Take that measurement as your total width and then follow the instructions above.

REMINDER:

Two return (depth) sizes are available:

- 4" for mounting over blinds and shades
- 7" for mounting over drapery treatments.

Decorative Hardware Poles For Mounting Drapery Panels & Valances

- Measure the window/wall area you want to cover with drapery panels/pole mounted valances.
- We recommend mounting hardware 4" above and 4"-6" beyond each side of the window frame, if space allows.

REMINDER:

Clip rings will add 2"- 4" of length to your panels.

Refer back to *Drapery Panels: Length* section for more details.

