



PESC Compliant JSON

Version 1.0.0

August 27, 2018

*A publication of the
Technical Advisory Board*
Postsecondary Electronic Standards Council (PESC)

© Postsecondary Electronic Standards Council (PESC) 2018. All Rights Reserved.

This document may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. This document itself, however, may not be modified in any way except when expressly approved by PESC for the purpose of developing standards and specifications.

Executive Summary

Business Problem

Currently, PESC provides standards for the electronic exchange of Transcripts, Application for Admission, Electronic Portfolios, Test Scores, Common Credentials, and other standards. These standards provide exchange partners to have a basis for creating exchange software and for interpreting the data sent to them. These standards currently support Electronic Data Exchange (EDI) and eXtensible Markup Language (XML) formats. With the recent increased use of Javascript Object Notation (JSON) as an exchange medium for web services and other data exchanges, users of PESC standards have expressed the desire to use JSON as an exchange medium.

Solution

PESC has embarked on a phased approach to provide PESC Compliant exchanges of PESC standards using JSON. The first phase is to provide rules for interpreting XML schema standards in the generation and parsing of JSON. While this might appear to be a manual process, the EdExchange project, using Java technology, has demonstrated that the XML schema can be used to automate the creation of programming language objects which then enforce the constraints of the schema on the generation of JSON, as well as determine the validity of an incoming JSON instance. This document provides detailed rules and examples that will assist the PESC community in generating and consuming PESC compliant JSON. Our experience with EdExchange is that most of these rules are implicit in tools such as JAXB, and those that are not implemented by default can be implemented by configuration options.

The second phase of this project is to explore the application of PESC standards through JSON schema language, JSON-LD, and/or OpenAPI specifications. In addition, PESC will continue to search for the holy grail of a modeling language that will act as Chomsky's "deep structure" [3] for standards so that one specification will encapsulate the constraints on any type of serialization and provide for the translation between them. This phase is not in the scope of this document.

Table of Contents

Executive Summary..... ~~ii~~

Table of Contents ~~ii~~

Tables and Figure~~Error! Bookmark not defined.~~~~ii~~

1 Introduction..... ~~32~~

1.1 Overview ~~32~~

1.2 Purpose ~~32~~

1.3 Scope ~~32~~

1.4 Intended Audience ~~32~~

1.5 Assumptions ~~2~~

2 XML Schema Simplification ~~23~~

3 JSON Generation and Translation Rules ~~23~~

3.1 Requirements for Rules ~~23~~

3.2 Rules..... ~~33~~

3.2.1 Attribute, Complex Content ~~34~~

3.2.2 Attribute, Simple Content ~~44~~

3.2.3 XML Types to JSON Types ~~55~~

3.2.4 Repeatable Element..... ~~55~~

3.2.5 XML List Type ~~66~~

3.2.6 Nillable Elements ~~66~~

3.2.7 Required Empty Tag..... ~~66~~

3.2.8 Sequence and Choice..... ~~77~~

3.2.9 Union Types ~~77~~

3.2.10 Facets..... ~~77~~

3.2.11 XPath Expressions..... ~~87~~

3.2.12 XML Features Not Translated ~~88~~

4 Tools Support ~~88~~

Appendix A: Revision History ~~98~~

Appendix B: References ~~98~~

1 Introduction

1.1 Overview

This document describes a set of rules for the creation of JSON exchanges that must be followed if an exchange is to be considered PESC compliant. PESC uses XML Schema Language to specify the data model for its various standards (e.g., High School Transcript). The rules in this document instruct the implementer how to interpret the XML Schema as a data model for JSON exchanges. In addition, the document summarizes guidelines for simplifying XML Schema to promote consistency between XML and JSON serializations.

1.2 Purpose

The purpose of this document is to establish JSON as a viable format for PESC data exchanges without sacrificing standardization. There have been many attempts to define translation rules between XML and JSON. Most of these rely on direct syntactical transformations without reference to an underlying data model, thus resulting in difficult interpretations and excessive type checking on the part of the receiving application code. For example, a repeatable element in XML schema that is a single element in an XML instance document, would be rendered in JSON as a name-value pair (e.g., {"A": 3}, but if the element was repeated, it would be serialized as a JSON array (e.g., {"A": [3, 4]}). The receiving program then must do type checking and process the two cases differently. In the data model aware situation, the type would always be an array and type checking would not be needed.

This document is the first step in establishing JSON as a standard of exchange for PESC. The next step is exploring alternative expression of data and validation models that would complement or replace XML Schema Language. Some of the alternatives that PESC will explore include JSON Schema, JSON-LD, and the Content Assembly Mechanism (CAM).

1.3 Scope

This document applies to the exchange of JSON formatted content for any PESC standard.

1.4 Intended Audience

The audience for this document is managers and programmers wishing to exchange JSON content compliant with the PESC data model for any of its standards.

1.5 Assumptions

The reader should have knowledge of XML, XML Schema, and JSON. For a review of these topics, the following sites have easy to read tutorials:

- XML: <https://www.w3schools.com/xml/>
- XML Schema: https://www.w3schools.com/xml/schema_intro.asp
- JSON: <http://www.json.org/>

2 XML Schema Simplification

In order to align with technology trends in information exchange while still supporting PESC's existing standards, the standards for both XML and JSON should promote expression of comparable semantics, simplicity of translation, and ease of implementation. Thus, the education community can have a choice of exchange formats without sacrificing interoperability. To accomplish this objective, the following requirements should be followed when creating new XML schemas for PESC standards:

- Do not define mixed elements with complex content
- Limit the use of attributes
- Use a single namespace if possible so that name conflicts will not occur in JSON
- Do not define global elements in XML schemas as this will require namespace qualification of elements in instance documents.
- An element name should not be used twice in a sequence; however, an element can be repeatable.

3 JSON Generation and Translation Rules

3.1 Requirements for Rules

- JSON exchange data shall comply with RFC8259, The JavaScript Object Notation (JSON) Data Interchange Format[2]
- With the exception of the use of the name "value", no names in JSON will be reserved or have special meaning in the translation to or generation of JSON.
- JSON exchanges shall follow the data models as expressed in XML schemas as interpreted by the rules below.
- Any information for translating from JSON back to XML shall not be contained in the JSON itself. For example, "@" or "_" will not appear before attribute names to denote that name was associated with an XML attribute. This will allow programmers to view PESC JSON as they would for any application natively using JSON.
- If a name appears in JSON, the value should always be of the same type (string, number, boolean, object, or array) or the value may be null under defined circumstances (see 3.2.8 Nillable Elements).
- If an element is optional, it may be omitted from the JSON. This may require existence checking by a receiving program.

3.2 Rules

As with XML, it is understood that exchange partners may decide that certain rules as specified below do not fit their business models or tools. The JSON produced by violating these rules would not be considered PESC compliant and may not work in an exchange expecting such compliance; however, PESC still encourages that exchanges use standards as guidelines even if not compliant. PESC would also appreciate feedback as to the reasons for the deviations so that standards may be improved

The examples below assume element A, which is part of a complex type, is being defined by a type definition

```
<xs:complexType name="top">
  <xs:sequence>
    <xs:element name="A" type="AType" minOccurs="0" nillable="true"/>
  </xs:sequence>
</xs:complexType>
```

3.2.1 Name Collisions

There may be rare cases where a schema element defines both an attribute and a child element with the same name or an attribute on a simple content element with the name "value", which is reserved for specific purposes. This will cause a name conflict, which is not allowed in JSON objects. To resolve this conflict, the attribute name should be preceded by an underscore (i.e. "_").

3.2.2 Optional Values, Arrays, or Objects

If the following rules would result in empty JSON values ("", [], {}), the name-value pair for that element may be omitted from the JSON if the element in XML is not required. Examples of this are given below for the various rules.

3.2.3 Complex Content with Attribute

Attributes on a complex element with complex content will be treated as another name-value pair in the objects properties. The attribute should always appear first in the object properties list.

Schema:

```
<xs:complexType name="top">
  <xs:sequence>
    <xs:element name="A" type="AType" minOccurs="0" nillable="true"/>
  </xs:sequence>
</xs:complexType>
```

```
<xs:complexType name="AType">
  <xs:sequence>
    <xs:element name="B" type="xs:string" minOccurs="0"/>
  </xs:sequence>
  <xs:attribute name="attr" type="xs:string" use="optional"/>
</xs:complexType>
```

Translation:

text2 → "A":{"attr": "text", "B": "text2"}
 → "A":{"attr": "text"}
<A>text2 → "A":{"B": "text2"}
<A/> → "A": {} or A is omitted

Generation:

attr="text" and B="text2" → "A":{"attr": "text", "B": "text2"}
attr="text" and B=no data → "A":{"attr": "text"}
attr=no data and B=no data → "A":{} or A is omitted.

3.2.4 Simple Content with Attribute

The simple content with an attribute will be converted into a JSON object named for the simple element. If the attribute is optional according to the schema, the attribute will be generated only if it has a value; however, even if the attribute is not present, the JSON serialization will always be an object with a "value" property.

Schema:

```
<xs:complexType name="top">
  <xs:sequence>
    <xs:element name="A" type="AType" minOccurs="0" nillable="true"/>
  </xs:sequence>
</xs:complexType>

<xs:complexType name="AType">
  <xs:simpleContent>
    <xs:extension base="xs:string">
      <xs:attribute name="attr" use="optional"/>
    </xs:extension>
  </xs:simpleContent>
</xs:complexType>
```

Translation:

text2 → "A":{"attr": "text", "value": "text2"}
<A>text2 → "A": {"value": "text2"}
<A/> → "A": {"value": ""} (since an empty tag is meaningful)

Generation:

A="text" and attr=no data → "A": {"value": "text"}
A="text" and attr="text2" → "A": {"attr": "text2", "value": "text"}
A=empty string and attr=no data → "A": {"value": ""} if A is an optional child
A=no data and attr=no data → omit A

Formatted: Font: Bold

3.2.5 XML Types to JSON Types

The schema type determines the type of a JSON value.

xs:string, xs:token, etc.

<A>3.3 → "A": "3.3"

xs:integer, xs:decimal, etc.

<A>3.3 → "A": 3.3

xs:boolean

<A>true → "A": true

xs:date, xs:time, xs:dateTime to JSON String using ISO 8601 string format

<A/>1990-09-02T03:03:00-0500 → "A": "1990-09-02T03:03:00-0500"

3.2.6 Repeatable Element

The values of a repeatable element are translated to a JSON array even if the element only has one instance.

Schema:

```
<xs:complexType name="top">
  <xs:sequence>
    <xs:element name="A" type="AType" minOccurs="0" nillable="true"/>
  </xs:sequence>
</xs:complexType>

<xs:complexType name="AType">
  <xs:sequence>
    <xs:element name="B" type="xs:string" minOccurs="0" maxOccurs="unbounded">
    <xs:element name="C" type="xs:string" minOccurs="0">
  </xs:sequence>
</xs:complexType>
```

Translation:

```
<A>
  <B>text1</B>
  <B>text2</B>
  <C>text3</C>
</A>→
"A":{"B":["text1", "text2"], "C": "text3"}
```

```
<A>
  <B>text1</B>
  <C>text3</C>
</A>→
"A":{"B": ["text1"], "C": "text3"}
```

Generation:

B="text1" only and C="text3" → "A":{"B":["text1"], "C": "text3"}

B=no data and C="text3" → "A":{"C": "text3"}

B=no data and C=no data → "A":{} or omitted

3.2.7 XML List Type

If the schema specifies a list then the space separated list is specified as an array.

Schema:

```
<xs:element name="A" type="AType" minOccurs="0" nillable="true"/>
<xs:simpleType name="AType">
  <xs:list itemType="xs:integer"/>
</xs:simpleType>
```

Translation:

<A>1 2 3 → "A": [1, 2, 3]

Generation:

A = a list of "C", "CD", and "E" → ["C", "CD", "E"]

A = no data → "A": [] or omitted

3.2.8 Nillable Elements

Elements defined with the xs:nillable="true" (by default xs:nillable is false) may carry xsi:nil attribute in the instance documents. These elements will be assigned the value of null in JSON. The xsi:nil will not be treated as an attribute for translation purposes.

Schema:

```
<xs:element name="A" type="AType" minOccurs="0" nillable="true"/>
<xs:simpleType name="AType" type="xs:integer"/>
```

Translation:

<A xsi:nil="true"/> → "A": null

<A xsi:nil="false"/> or <A/> is not valid XML for this integer simple type so it cannot not appear in valid XML. Translation will not be necessary.

Generation:

A=no data → omitted

A=null value to be transmitted → "A": null

3.2.9 Required Empty Simple Element

If an element is required (minOccurs > 0) and the element is not nillable or xsi:nil is false, the empty tag (e.g., <A/> or <A>) will be translated into the empty string if the empty string is allowed by the type definition (e.g., xs:string with minLength="0"). If the XML instance document being translated is valid, the empty tag cannot occur for any type that does not include the empty string, and thus there will be no need for translation.

Translation:

<A/>→"A": "" if a string with minLength="0"
<A/>→"A": [""] if repeatable and a string with minLength="0"
<A/> cannot exist in a valid XML instance document if its type does not include the empty string

3.2.10 Required Empty Complex Content Element

3.2.11 Sequence and Choice

XML schemas can specify that child elements be presented in a particular order through the xs:sequence and xs:choice constructs. JSON objects do not have an explicit order to their properties. Indeed, some JSON tools will alphabetize the property names for display. It is desirable, but not required, that sequences and choices with multiple elements be serialized into JSON in the same order as specified in the model. In the case where translation from JSON to XML is required, it may be important to keep the element order as defined in the schema. Programmers should not assume that properties are in a particular order.

3.2.12 Union Types

The xs:union schema element allows for the defined element to be one of several types. For translation, this requires that the value be interpreted by determining the most specific constraint of the XML element value. For example, an integer is more constrained than a string. Processing of the union type requires type checking when parsing the JSON string so it should be discouraged in XML schemas.

Schema:

```
<xs:complexType name="top">
  <xs:sequence>
    <xs:element name="A" type="AType" minOccurs="0" nillable="true"/>
  </xs:sequence>
</xs:complexType>

<xs:simpleType name="AType">
  <xs:union memberTypes="xs:string xs:integer" />
</xs:simpleType>
```

Translation:

```
<A>3</A>→"A": 3
<A>450-3</A>→"A": "450-3"
```

Generation:

```
A=number 34→"A": 34
A=string 345-→"A": "345"
```

3.2.13 Facets

When generating JSON serializations, facets, which are used in XML schemas to further constrain the value of a simple type, should be used to assure the JSON values are within bounds for an exchange.

Strings:

xs:length, xs:minLength, xs:maxLength, xs:enumeration, xs:pattern, xs:whitespace

Numbers:

xs:totalDigits, xs:fractionDigits, etc. xs:minInclusive, xs:maxInclusive

Commented [MDM1]: Create examples

3.2.14 XPath Expressions

Some PESC standards use XPath expressions to identify a particular element in an XML instance document. While there could be an interpretation of XPath for JSON, JSON tools are using other expressions to identify elements in a more straight-forward manner. JSONPath appears to be implemented in most programming languages. Since XPath expressions appear to be just strings in XML, it may require schema-specific code to identify and translate XPath to JSONPath.

```
/AcademicEPortfolio/Competencies[CompetencyID="Competency1"] →  
$.AcademicEPortfolio.Competencies[?(@.CompetencyID == "Competency1")] or  
$["AcademicEPortfolio"]["Competencies"][?(@.CompetencyID == "Competency1")]
```

Commented [MDM2]: Add link to json path

3.2.15 XML Features Not Translated

XML has several notations that do not have a corresponding construct in JSON. Therefore, to meet the "no special names" requirement, the following XML notations will not be translated from XML to JSON.

- Processing instructions
- Comments
- xsi attributes: xsi:lang, xsi:type, xsi:schemaLocation

4 Tools Support

Commented [MDM3]: More examples needed

To assist with the creation of data model aware JSON, various software tools may be used to encode the XML schema rules into language objects that can then be serialized into JSON, XML or other language. Our experience with these tools indicates that they may not enforce all constraints in their objects and that some additional code or post processing may need to be provided to meet this specification.

Currently, a combination of JAXB (Java object model creation from XML Schema) and MoXY (JSON serialization) have been successfully used to create data model aware JSON. The PESC EdExchange program uses this tool to create JSON for transcript exchanges.

The xmlschema package for Python has been used to translate between XML instance documents and JSON using the XML schema to drive the translation. This solution appears to implement most of the rules above. It has the advantage that XML is translated into Python dictionaries where additional transformations can be applied before converting to JSON. Unfortunately, some XML Schema Language constructs such as xs:union are not supported.

Formatted: Font: Bold

Appendix A: Revision History

DATE	SECTION/ PAGE	DESCRIPTION	Version	MADE BY
2/20/18	Whole Document	Initial Revision	0.1	Michael Morris
2/24/18	Rules Section	Added more complete examples	0.2	Michael Morris

Appendix B: References

[1] PSEC, PESC Standards Forum for Education, PESC Policies and Procedures, 2015
[2] IETF, RFC8259, The JavaScript Object Notation (JSON) Data Interchange Format, 2018
[3] Chomsky, Noam, Current Issues in Linguistic Theory, 1964