## ATX GRIP TALON REMOTE HEAD SPECS

Recordable/ Repeatable Motion Control

Paired with hand wheels for discrete cinema style pan & tilt, the Talon Head offers extremely stable and dynamic true motion control capability in a compact, affordable package.

Designed and built by Academy Award winning motion picture engineers, the Cinema Pro, aka The Talon, has been chosen by DPs and producers around the world for its smoothness, stability, and versatile feature set. In production for many years now, the Cinema Pro is extremely reliable, easy to set up and operate, and capable of imperceptibly slow or lightning fast moves with no sacrifice in stability. Carrying an impressive set of standard features and a proud pedigree, the Cinema Pro outperforms the competition at a fraction of the price and works with a huge range of film and video cameras.

2 Axis (Pan, Tilt) Control 2 Axis Handwheels Joystick Height 19.5" Width 12" Depth 6" Weight 21 lbs Camera weight 50lbs standard, up to 85lbs w/ optional outrigger cradle + support bearings Camera clearance Vertical – Camera pointing straight down/up: 11" from center of cam plate to base. Horizontal – Camera pointing level horizon, underslung: 15.5" min / 17.5" max. With 2" head extension: Vertical 13", Horizontal 17.5" min / 19.5" max. With 5" head extension: Vertical 16", Horizontal 20.5" min / 22.5" max Pan/Tilt speed Up to 210 degrees/second Mechanical travel Unlimited rotation for each axis **Power Requirements** 24VDC regulated, 10A max, absolute min/max 20VDC-30VDC



