

bird species I have seen

U.K tally:	287
US tally:	393
Total world:	1,500

world list

1. Abyssinian ground hornbill
2. Abyssinian longclaw
3. Abyssinian white-eye
4. Acorn woodpecker
5. African black-headed oriole
6. African drongo
7. African fish-eagle
8. African harrier-hawk
9. African hawk-eagle
10. African mourning dove
11. African palm swift
12. African paradise flycatcher
13. African paradise monarch
14. African pied wagtail
15. African rook
16. African white-backed vulture
17. Agami heron
18. Alexandrine parakeet
19. Amazon kingfisher
20. American avocet
21. American bittern
22. American black duck
23. American cliff swallow
24. American coot
25. American crow
26. American dipper
27. American flamingo
28. American golden plover
29. American goldfinch
30. American kestrel
31. American mag
32. American oystercatcher
33. American pipit
34. American pygmy kingfisher
35. American redstart
36. American robin
37. American swallow-tailed kite
38. American tree sparrow
39. American white pelican
40. American wigeon
41. Ancient murrelet
42. Andean avocet
43. Andean condor

44. Andean flamingo
45. Andean gull
46. Andean negrito
47. Andean swift
48. Anhinga
49. Antillean crested hummingbird
50. Antillean euphonia
51. Antillean mango
52. Antillean nighthawk
53. Antillean palm-swift
54. Aplomado falcon
55. Arabian bustard
56. Arcadian flycatcher
57. Arctic redpoll
58. Arctic skua
59. Arctic tern
60. Armenian gull
61. Arrow-headed warbler
62. Ash-throated flycatcher
63. Ashy-headed goose
64. Ashy-headed laughing thrush (endemic)
65. Asian black bulbul
66. Asian openbill
67. Asian palm-swift
68. Asian paradise flycatcher
69. Asian woolly-necked stork
70. Atlantic puffin
71. Augur buzzard
72. Austral blackbird
73. Austral negrito
74. Austral thrush
75. Australasian pelican
76. Australasian pipit
77. Avocet
78. Azure-headed jay
79. Azure-winged magpie
80. Bahama mockingbird
81. Bahama woodstar
82. Bahama yellowthroat
83. Baillon's crake
84. Baird's sandpiper
85. Bald eagle
86. Baltimore oriole
87. Bananaquit
88. Band-tailed pigeon
89. Bank myna
90. Barbuda warbler
91. Bare-eyed pigeon
92. Bare-faced ibis
93. Bare-throated tiger-heron

94. Bar-headed goose
95. Barn owl
96. Barn swallow
97. Barnacle goose
98. Barred buttonquail
99. Barred owl
100. Barred warbler
101. Barrow's goldeneye
102. Bar-tailed godwit
103. Bar-winged cinclodes
104. Bat falcon
105. Bay wren
106. Bay-breasted warbler
107. Bearded tit (reedling)
108. Belted kingfisher
109. Berylline hummingbird
110. Bewick's swan
111. Bicoloured wren
112. Bimaculated lark
113. Black currawong
114. Black eagle
115. Black guillemot
116. Black kite
117. Black oystercatcher
118. Black phoebe
119. Black redstart
120. Black skimmer
121. Black stork
122. Black swan
123. Black swift
124. Black tern
125. Black vulture
126. Black-and-white monjita
127. Black-and-white warbler
128. Black-and-yellow silky flycatcher
129. Black-bellied sandgrouse
130. Black-bellied whistling duck
131. Black-billed wood-hoopoe
132. Black-browed reed-warbler
133. Blackburnian warbler
134. Blackcap
135. Black-capped chickadee
136. Black-capped donacobious
137. Black-cheeked woodpecker
138. Black-chested buzzard-eagle
139. Black-chested jay
140. Black-chinned hummingbird
141. Black-chinned siskin
142. Black-collared hawk
143. Black-collared starling

144. Black-cowled oriole
145. Black-crested bulbul
146. Black-crowned night heron
147. Black-crowned palm-tanager
148. Black-eared kite
149. Black-eared wheatear
150. Black-faced antthrush
151. Black-faced bunting
152. Black-faced grassquit
153. Black-faced ibis
154. Black-fronted piping-guan
155. Black-headed grosbeak
156. Black-headed gull
157. Black-headed heron
158. Black-headed ibis
159. Black-headed oriole
160. Black-headed saltator
161. Black-headed tody flycatcher
162. Black-headed weaver
163. Black-hooded sierra-finch
164. Black-naped monarch
165. Black-naped oriole
166. Black-necked grebe
167. Black-necked swan
168. Blackpoll warbler
169. Blackstart
170. Black-striped sparrow
171. Black-tailed godwit
172. Black-throated blue warbler
173. Black-throated diver
174. Black-throated green warbler
175. Black-throated grey warbler
176. Black-throated laughingthrush
177. Black-throated mango
178. Black-throated sparrow
179. Black-throated thrush
180. Black-throated trogon
181. Black-whiskered bulbul
182. Black-whiskered vireo
183. Black-winged kite
184. Black-winged lovebird
185. Black-winged stilt
186. Blue grosbeak
187. Blue ground-dove
188. Blue jay
189. Blue magpie
190. Blue rock thrush
191. Blue tit
192. Blue-and-yellow tanager
193. Blue-black grassquit

194. Blue-black grosbeak
195. Blue-breasted bee-eater
196. Blue-cheeked bee-eater
197. Blue-crowned motmot
198. Blue-faced malkoha
199. Blue-grey gnatcatcher
200. Blue-grey tanager
201. Blue-headed vireo
202. Blue-naped mousebird
203. Blue-tailed bee-eater
204. Blue-tailed emerald
205. Bluethroat
206. Blue-winged goose
207. Blue-winged macaw
208. Blue-winged teal
209. Blue-winged warbler
210. Boat-billed flycatcher
211. Boat-billed heron
212. Boat-tailed grackle
213. Bobolink
214. Bohemian waxwing
215. Bonaparte's gull
216. Bonelli's eagle
217. Booted eagle
218. Booted warbler
219. Brahminy kite
220. Brambling
221. Brant
222. Brazilian teal
223. Brent goose
224. Brewer's blackbird
225. Brewer's sparrow
226. Bridled quail-dove
227. Bright-rumped attila
228. Bristle-crowned starling
229. Broad-billed tody
230. Broad-tailed hummingbird
231. Broad-winged hawk
232. Bronzed cowbird
233. Bronze-tailed plumeleteer
234. Bronze-winged jacana
235. Bronzy hermit
236. Brown booby
237. Brown creeper
238. Brown dipper
239. Brown jay
240. Brown noddy
241. Brown parisoma
242. Brown pelican
243. Brown scrubwren

244. Brown shrike
245. Brown skua
246. Brown snake-eagle
247. Brown thrasher
248. Brown-and-yellow marshbird
249. Brown-backed mockingbird
250. Brown-breasted flycatcher
251. Brown-capped babbler
252. Brown-chested martin
253. Brown-crested flycatcher
254. Brown-eared bulbul
255. Brown-headed barbet
256. Brown-headed cowbird
257. Brown-hooded gull
258. Brown-hooded parrot
259. Brown-necked raven
260. Brown-rumped seedeater
261. Brown-throated parakeet
262. Brunnich's guillemot
263. Buff-breasted sandpiper
264. Bufflehead
265. Buff-necked ibis
266. Buff-throated foliage-gleaner
267. Bull-headed shrike
268. Bullock's oriole
269. Burrowing owl
270. Burrowing parrot
271. Cackling goose
272. Cactus wren
273. California gnatcatcher
274. California gull
275. California quail
276. Calliope hummingbird
277. Canada goose
278. Canada warbler
279. Canary-winged finch
280. Canivet's emerald
281. Canvasback
282. Canyon wren
283. Cape May warbler
284. Caribbean dove
285. Caribbean elaenia
286. Caribbean grackle
287. Caribbean martin
288. Carolina chickadee
289. Carolina wren
290. Carrion crow
291. Caspian gull
292. Caspian tern
293. Cassin's vireo

294. Cattle egret
295. Cattle tyrant
296. Cave swallow
297. Cayman parrot
298. Cedar waxwing
299. Cerulean warbler
300. Cetti's warbler
301. Ceylon frogmouth
302. Ceylon rufous babbler
303. Ceylon woodshrike
304. Chaffinch
305. Chalk-browed mockingbird
306. Chestnut bulbul
307. Chestnut piculet
308. Chestnut sparrow
309. Chestnut-backed chickadee
310. Chestnut-bellied sandgrouse
311. Chestnut-coloured woodpecker
312. Chestnut-headed oropendula
313. Chestnut-mandibled toucan
314. Chestnut-naped francolin
315. Chestnut-sided warbler
316. Chiguanco thrush
317. Chilean flamingo
318. Chilean flicker
319. Chilean giant hummingbird
320. Chilean mockingbird
321. Chilean swallow
322. Chiloé wigeon
323. Chimango caracara
324. Chimney swift
325. Chinese bulbul
326. Chinese pond-heron
327. Chipping sparrow
328. Chotoy spinetail
329. Chough
330. Chukar
331. Cinereous tit
332. Cinnamon bittern
333. Cinnamon teal
334. Cinnamon-bellied ground-tyrant
335. Cinnamon-chested bee-eater
336. Cirl bunting
337. Clamorous reed warbler
338. Clapper rail
339. Clark's nutcracker
340. Clay-coloured robin
341. Clay-coloured sparrow
342. Coal tit
343. Cocoa thrush

344. Cocoli heron
345. Collared aracari
346. Collared crow
347. Collared treepie
348. Common black hawk
349. Common blackbird
350. Common bronzewing
351. Common bulbul
352. Common bullfinch
353. Common bush tanager
354. Common buzzard
355. Common camaroptera
356. Common chiffchaff
357. Common coot
358. Common crossbill
359. Common cuckoo
360. Common fiscal
361. Common goldeneye
362. Common grackle
363. Common grasshopper warbler
364. Common greenshank
365. Common ground-dove
366. Common gull
367. Common iora
368. Common kestrel
369. Common kingfisher
370. Common linnet
371. Common moorhen
372. Common myna
373. Common nighthawk
374. Common nightingale
375. Common parauque
376. Common pochard
377. Common poorwill
378. Common raven
379. Common redpoll
380. Common redshank
381. Common redstart
382. Common sandpiper
383. Common scoter
384. Common shelduck
385. Common snipe
386. Common spoonbill
387. Common swift
388. Common tailorbird
389. Common tern
390. Common tody-flycatcher
391. Common whitethroat
392. Common wood pigeon
393. Common yellowthroat

394. Connecticut warbler
395. Copper's hawk
396. Coppersmith barbet
397. Cormorant
398. Corn bunting
399. Corncrake
400. Cory's shearwater
401. Coscoroba swan
402. Crag martin
403. Creamy-bellied thrush
404. Crescent honeyeater
405. Crested bobwhite
406. Crested caracara
407. Crested drongo
408. Crested duck
409. Crested finchbill
410. Crested francolin
411. Crested guan
412. Crested lark
413. Crested orendula
414. Crested serpent-eagle
415. Crested treeswift
416. Crimson rosella
417. Crimson-backed tanager
418. Crimson-crested woodpecker
419. Crimson-fronted parakeet
420. Crow-billed drongo
421. Cuban blackbird
422. Cuban bullfinch
423. Cuban crow
424. Cuban emerald
425. Cuban grassquit
426. Cuban green woodpecker
427. Cuban martin
428. Cuban pewee
429. Cuban tody
430. Cuban trogon
431. Curlew sandpiper
432. D'Orbigny's chat-tyrant
433. Dark-eyed junco
434. Dark-fronted babbler
435. Dark-necked tailorbird
436. Daurian redstart
437. Dead Sea sparrow
438. Desert lark
439. Desert warbler
440. Desert wheatear
441. Dolphin gull
442. Dotterel
443. Dot-winged antwren

444. Double-collared seedeater
445. Double-crested cormorant
446. Downy woodpecker
447. Dunlin
448. Dunnock
449. Dusky antbird
450. Dusky flycatcher
451. Dusky robin
452. Dusky thrush
453. Dusky warbler
454. Dusky-capped flycatcher
455. Eared dove
456. Eastern black redstart
457. Eastern bluebird
458. Eastern great tit
459. Eastern kingbird
460. Eastern meadowlark
461. Eastern screech owl
462. Eastern spot-billed duck
463. Eastern spotted dove
464. Eastern towhee
465. Eastern wood-pewee
466. Eastern yellow wagtail
467. Egyptian goose
468. Eider
469. Elegant crested-tinamou
470. Elegant euphonia
471. Eleonora's falcon
472. Emerald toucanet
473. Ethiopian siskin
474. Eurasian collared dove
475. Eurasian crane
476. Eurasian curlew
477. Eurasian hobby
478. Eurasian jackdaw
479. Eurasian jay
480. Eurasian oystercatcher
481. Eurasian reed warbler
482. Eurasian siskin
483. Eurasian sparrowhawk
484. Eurasian starling
485. Eurasian teal
486. Eurasian tree sparrow
487. Eurasian treecreeper
488. Eurasian wigeon
489. Eurasian woodcock
490. European bee-eater
491. European golden plover
492. European goldfinch
493. European greenfinch

494. European nightjar
495. European robin
496. European roller
497. European starling
498. European storm petrel
499. European turtle dove
500. Evening grosbeak
501. Evermann's redstart
502. Eyebrowed thrush
503. Eye-ringed flatbill
504. Fan-tailed raven
505. Fasciated antshrike
506. Fascinated tiger heron
507. Ferruginous duck
508. Field flicker
509. Field wren
510. Fieldfare
511. Firecrest
512. Fire-eyed diucón
513. Firewood-gatherer
514. Fish crow
515. Flame robin
516. Flame-coloured tanager
517. Flame-throated warbler
518. Forest wagtail
519. Fork-tailed flycatcher
520. Fork-tailed sunbird
521. Forster's tern
522. Fox sparrow
523. Fox-kestrel
524. Fulvous whistling-duck
525. Fulvous-vented euphonia
526. Gadwall
527. Galah
528. Gambel's quail
529. Gannet
530. Garden warbler
531. Garganey
532. Giant cowbird
533. Giant kingbird
534. Giant wood-rail
535. Gila woodpecker
536. Gilded flicker
537. Glaucous gull
538. Glaucous-winged gull
539. Glittering-bellied emerald
540. Glossy ibis
541. Goldcrest
542. Golden-bellied flycatcher
543. Golden-breasted starling

544. Golden-breasted woodpecker
545. Golden-collared manakin
546. Golden-crowned kinglet
547. Golden-crowned sparrow
548. Golden eagle
549. Golden-fronted woodpecker
550. Golden-hooded tanager
551. Golden parrotbill
552. Golden-spotted ground-dove
553. Golden-winged cacique
554. Golden-winged warbler
555. Goosander
556. Grace's warbler
557. Graceful prinia
558. Great bittern
559. Great black-backed gull
560. Great blue heron
561. Great bustard
562. Great cormorant
563. Great crested grebe
564. Great egret
565. Great grebe
566. Great grey shrike
567. Great horned owl
568. Great kiskadee
569. Great northern diver
570. Great reed warbler
571. Great shearwater
572. Great skua
573. Great spotted woodpecker
574. Great tinamou
575. Great tit
576. Great white pelican
577. Great-crested flycatcher
578. Greater Antillean grackle
579. Greater blue-eared glossy starling
580. Greater coucal
581. Greater flameback
582. Greater flamingo
583. Greater rhea
584. Greater roadrunner
585. Greater sand plover
586. Greater spotted eagle
587. Greater thornbird
588. Greater white-fronted goose
589. Greater yellowlegs
590. Great-tailed grackle
591. Green-backed tit
592. Green bee-eater
593. Green hermit

594. Green heron
595. Green honeycreeper
596. Green imperial-pigeon
597. Green jay
598. Green kingfisher
599. Green parakeet
600. Green sandpiper
601. Green violet-ear
602. Green woodpecker
603. Green-backed firecrown
604. Green-backed heron
605. Green-backed sparrow
606. Green-billed coucal
607. Green-breasted mango
608. Green-crowned brilliant
609. Green-headed tanager
610. Green-throated carib
611. Green-winged saltator
612. Green-winged teal
613. Grenada flycatcher
614. Grey-backed shrike
615. Grey catbird
616. Grey francolin
617. Grey go-away bird
618. Grey hawk
619. Grey-headed swamphen
620. Grey heron
621. Grey hornbill
622. Grey hypocolius
623. Grey jay
624. Grey kingbird
625. Grey partridge
626. Grey phalarope
627. Grey plover
628. Grey shrike-thrush
629. Grey thrasher
630. Grey treepie
631. Grey trembler
632. Grey vireo
633. Grey wagtail
634. Grey woodpecker
635. Grey-breasted martin
636. Grey-breasted prinia
637. Grey-breasted seedsnipe
638. Grey-breasted wood wren
639. Grey-capped emerald dove
640. Grey-cheeked thrush
641. Grey-crowned palm-tanager
642. Grey-crowned rosy finch
643. Grey-headed batis

644. Grey-headed chacalaca
645. Grey-headed fish-eagle
646. Grey-headed gull
647. Grey-headed sparrow
648. Grey-headed swamphen
649. Grey-hooded sierra-finch
650. Greyish saltator
651. Greylag goose
652. Grey-necked wood-rail
653. Griffon vulture
654. Groove-billed ani
655. Groundscraper thrush
656. Guillemot
657. Guira cuckoo
658. Gull-billed tern
659. Hairy woodpecker
660. Hamerkop
661. Hammond's flycatcher
662. Harlequin duck
663. Harris's hawk
664. Hawaiian coot
665. Hawaiian duck
666. Hawaiian stilt
667. Hawfinch
668. Heermann's gull
669. Helmeted guineafowl
670. Hemprich's hornbill
671. Hen harrier
672. Henslow's sparrow
673. Hermit thrush
674. Herring gull
675. Hill myna
676. Hill swallow
677. Hispaniolan lizard-cuckoo
678. Hispaniolan woodpecker
679. Hoffman's woodpecker
680. Honduran emerald
681. Honey buzzard
682. Hooded crow
683. Hooded merganser
684. Hooded oriole
685. Hooded puffin
686. Hooded vulture
687. Hooded warbler
688. Hooded wheatear
689. Hoopoe
690. House crow
691. House finch
692. House martin
693. House sparrow

694. House wren
695. Hudsonian godwit
696. Hume's wheatear
697. Iberian chiffchaff
698. Iceland gull
699. Icterine warbler
700. Imperial cormorant
701. Indian cormorant
702. Indian peafowl
703. Indian pitta
704. Indian pond heron
705. Indian pygmy woodpecker
706. Indian robin
707. Indian roller
708. Indian silverbill
709. Indian swiftlet
710. Indigo bunting
711. Intermediate egret
712. Isabelline wheatear
713. Jabiru stork
714. Jack snipe
715. Jamaican becard
716. Jamaican crow
717. Jamaican elaenia
718. Jamaican euphonia
719. Jamaican mango
720. Jamaican oriole
721. Jamaican tody
722. Jamaican woodpecker
723. James flamingo
724. Japanese pygmy woodpecker
725. Japanese wagtail
726. Japanese white-eye
727. Java sparrow
728. Jerdon's bushlark
729. Jerdon's leafbird
730. Juniper titmouse
731. Keel-billed toucan
732. Kelp gull
733. Kentish plover
734. Kentucky warbler
735. Killdeer
736. King eider
737. King rail
738. Kittiwake
739. Kittlitz's murrelet
740. Knot
741. Kori bustard
742. Ladder-backed woodpecker
743. Lammergeier

744. Lance-tailed manakin
745. Lapland bunting
746. Lappet-faced vulture
747. Lapwing
748. Large-billed crow
749. Large-billed leaf warbler
750. Lark-like bushrunner
751. Laughing dove
752. Laughing gull
753. Layard's parakeet
754. Leach's petrel
755. Least bittern
756. Least grebe
757. Least sandpiper
758. Legge's flowerpecker
759. Legge's hawk-eagle
760. Lesser Antillean bullfinch
761. Lesser Antillean Flycatcher
762. Lesser black-backed gull
763. Lesser goldfinch
764. Lesser greenlet
765. Lesser grey shrike
766. Lesser kestrel
767. Lesser kiskadee
768. Lesser nighthawk
769. Lesser redpoll
770. Lesser rhea
771. Lesser scaup
772. Lesser seed-finch
773. Lesser spotted woodpecker
774. Lesser whistling duck
775. Lesser whitethroat
776. Lesser yellow-headed vulture
777. Lesser yellowlegs
778. Lesser yellownape woodpecker
779. Levant sparrowhawk
780. Limpkin
781. Lincoln's sparrow
782. Lineated woodpecker
783. Little auk
784. Little bee-eater
785. Little bittern
786. Little blue heron
787. Little bunting
788. Little cormorant
789. Little egret
790. Little grebe
791. Little green bee-eater
792. Little gull
793. Little hermit

794. Little owl
795. Little pied flycatcher
796. Little plover
797. Little stint
798. Little swift
799. Little tern
800. Little weaver
801. Loggerhead kingbird
802. Loggerhead shrike
803. Long-billed dowitcher
804. Long-eared owl
805. Long-tailed duck
806. Long-tailed fiscal
807. Long-tailed hermit
808. Long-tailed meadowlark
809. Long-tailed shrike
810. Long-tailed skua
811. Long-tailed tit
812. Long-tailed tyrant
813. Long-winged harrier
814. Louisiana waterthrush
815. Lovely cotinga
816. Lucy's warbler
817. Maccoa duck
818. MacGillivray's warbler
819. Magellanic oystercatcher
820. Magnificent frigatebird
821. Magnolia warbler
822. Magpie
823. Magpie robin
824. Magpie tanager
825. Maguari stork
826. Malabar pied hornbill
827. Mallard
828. Manchurian reed-warbler
829. Mandarin duck
830. Mangrove cuckoo
831. Manx shearwater
832. Marabou
833. Marbled murrelet
834. Marico sunbird
835. Marsh harrier
836. Marsh sandpiper
837. Marsh tit
838. Marsh warbler
839. Marsh wren
840. Masked gnatcatcher
841. Masked lapwing
842. Masked laughingthrush
843. Masked shrike

844. Masked tityra
845. Masked wagtail
846. Masked yellowthroat
847. Meadow pipit
848. Mealy parrot
849. Melodious blackbird
850. Merlin
851. Mexican mallard
852. Mistle thrush
853. Mocking chat
854. Monk parakeet
855. Monk parakeet
856. Montagu's harrier
857. Montezuma's oropendula
858. Moorhen
859. Moorland francolin
860. Mosque swallow
861. Mottled duck
862. Mottled owl
863. Mottled swift
864. Mountain bluebird
865. Mountain caracara
866. Mountain chickadee
867. Mountain parakeet
868. Mountain wren
869. Mourning dove
870. Mourning warbler
871. Mourning wheatear
872. Mouse-coloured tyrannulet
873. Moustached warbler
874. Muscovy duck
875. Mute swan
876. Namaqua dove
877. Nashville warbler
878. Nene goose
879. Neotropic cormorant
880. New Holland honeyeater
881. Nicaraguan grackle
882. Northern barred-woodcreeper
883. Northern cardinal
884. Northern flicker
885. Northern fulmar
886. Northern goshawk
887. Northern harrier
888. Northern jacana
889. Northern mockingbird
890. Northern parula
891. Northern rough-winged swallow
892. Northern scrub-flycatcher
893. Northern waterthrush

894. Northern wheatear
895. Nuttall's woodpecker
896. Ocellated antbird
897. Olivaceous cormorant
898. Olive bee-eater
899. Olive pigeon
900. Olive sunbird
901. Olive thrush
902. Olive-backed pipit Olive-sided flycatcher
903. Olive-throated parakeet
904. Orange-bellied nightingale thrush
905. Orange-bellied trogon
906. Orange-billed babbler
907. Orange-billed sparrow
908. Orange-breasted green-pigeon
909. Orange-chinned parakeet
910. Orange-crowned warbler
911. Orangequit
912. Orchard oriole
913. Oriental darter
914. Oriental magpie-robin
915. Oriental reed warbler
916. Oriental skylark
917. Oriental turtle dove
918. Osprey
919. Ostrich
920. Ovenbird
921. Pacific black duck
922. Pacific diver
923. Pacific golden plover
924. Pacific wren
925. Pacific-slope flycatcher
926. Paddyfield pipit
927. Pale martin
928. Pale-billed flowerpecker
929. Pale-billed woodpecker
930. Pale-crested woodpecker
931. Palestine sunbird
932. Pale-vented pigeon
933. Pallas's Grasshopper Warbler
934. Pallid harrier
935. Pallid swift
936. Palmchat
937. Panama flycatcher
938. Patagonian sierra-finch
939. Pearly-eyed thrasher
940. Pectoral sandpiper
941. Pelagic cormorant
942. Penduline tit
943. Peregrine

944. Phainopepla
945. Pheasant
946. Pheasant-tailed jacana
947. Pied flycatcher
948. Pied kingfisher
949. Pied wagtail
950. Pied-billed grebe
951. Pigeon guillemot
952. Pileated woodpecker
953. Pine siskin
954. Pine warbler
955. Pink-backed pelican
956. Pink-footed goose
957. Piñon jay
958. Pintail
959. Pin-tailed sandgrouse
960. Piratic flycatcher
961. Plain chachalaca
962. Plain prinia
963. Plain wren
964. Plain xenops
965. Plain-brown woodcreeper
966. Plain-colored tanager
967. Plain-colored woodcreeper
968. Plumbeous ibis
969. Plush-crested jay
970. Pomarine skua
971. Prairie warbler
972. Prong-billed barbet
973. Prothonotary warbler
974. Ptarmigan
975. Puna hawk
976. Puna plover
977. Puna rhea
978. Puna yellow-finch
979. Purple gallinule
980. Purple heron
981. Purple sandpiper
982. Purple sunbird
983. Purple-rumped sunbird
984. Purple-throated carib
985. Purple-throated euphonia
986. Purple-throated fruitcrow
987. Purple-throated mountain gem
988. Pygmy nuthatch
989. Pyrrhuloxia
990. Rainbow lorikeet
991. Razorbill
992. Red grouse
993. Red kite

994. Red shoveler
995. Red-backed hawk
996. Red-backed shrike
997. Red-bellied woodpecker
998. Red-billed blue magpie
999. Red-billed firefinch
1000. Red-billed hornbill
1001. Red-billed leiothrix
1002. Red-billed pigeon
1003. Red-billed scythebill
1004. Red-billed streamertail
1005. Red-billed tropicbird
1006. Red-breasted blackbird
1007. Red-breasted merganser
1008. Red-breasted nuthatch
1009. Red-capped lark
1010. Red-capped manakin
1011. Red-cheeked cordon-bleu
1012. Red-chested sunbird
1013. Red-crested cardinal
1014. Red-crested finch
1015. Red-crested pochard
1016. Red-crowned ant-tanager
1017. Red-crowned woodpecker
1018. Reddish egret
1019. Red-eyed dove
1020. Red-eyed vireo
1021. Red-faced cormorant
1022. Red-faced malkoha
1023. Red-flanked bluetail
1024. Red-footed booby
1025. Red-footed falcon
1026. Red-gartered coot
1027. Red-headed sapsucker
1028. Red-headed woodpecker
1029. Red-knobbed coot
1030. Red-legged honeycreeper
1031. Red-legged partridge
1032. Red-legged thrush
1033. Red-lored amazon
1034. Red-necked grebe
1035. Red-necked phalarope
1036. Red-necked pigeon
1037. Red-rumped cacique
1038. Red-rumped swallow
1039. Red-shouldered blackbird
1040. Red-shouldered hawk
1041. Red-tailed comet
1042. Red-tailed hawk
1043. Red-tailed shrike

1044. Red-tailed wheatear
1045. Red-throated ant-tanager
1046. Red-throated diver
1047. Red-throated pipit
1048. Red-vented bulbul
1049. Red-wattled lapwing
1050. Red-whiskered bulbul
1051. Redwing
1052. Red-winged blackbird
1053. Red-winged starling
1054. Reed bunting
1055. Reed cormorant
1056. Rhinoceros auklet
1057. Richard's pipit
1058. Ridgway's hawk
1059. Ring ouzel
1060. Ring-billed gull
1061. Ringed kingfisher
1062. Ringed plover
1063. Ring-necked dove
1064. Ring-necked duck
1065. Ring-necked parakeet
1066. Roadside hawk
1067. Robust woodpecker
1068. Rock dove/Feral pigeon
1069. Rock martin
1070. Rock pipit
1071. Rook
1072. Roseate spoonbill
1073. Roseate tern
1074. Rose-breasted grosbeak
1075. Rose-coloured starling
1076. Rose-ringed parakeet
1077. Rosy-patched bush-shrike
1078. Rouget's rail
1079. Rough-legged buzzard
1080. Royal tern
1081. Ruby-crowned kinglet
1082. Ruby-throated hummingbird
1083. Ruby-topaz hummingbird
1084. Ruddy duck
1085. Ruddy ground-dove
1086. Ruddy quail-dove
1087. Ruddy shelduck
1088. Ruddy-tailed flycatcher
1089. Rueppel's black chat
1090. Rueppel's griffon
1091. Rueppel's long-tailed starling
1092. Rufescent tiger-heron
1093. Ruff

1094. Rufous hornero
1095. Rufous hummingbird
1096. Rufous motmot
1097. Rufous-and-white wren
1098. Rufous-bellied thrush
1099. Rufous-capped babbler
1100. Rufous-capped warbler
1101. Rufous-collared sparrow
1102. Rufous-crowned sparrow
1103. Rufous-naped lark
1104. Rufous-naped wren
1105. Rufous-sided warbling-finch
1106. Rufous-tailed hummingbird
1107. Rufous-tailed shrike
1108. Rufous-tailed solitaire
1109. Russet-throated puffbird
1110. Rustic bunting
1111. Rusty blackbird
1112. Rusty flower-piercer
1113. Rusty-collared seedeater
1114. Rusty-margined guan
1115. Sabine's gull
1116. Sacred ibis
1117. Sad flycatcher
1118. Saffron finch
1119. Saffron-billed sparrow
1120. Sage sparrow
1121. Sand martin
1122. Sanderling
1123. Sandhill crane
1124. Sandwich tern
1125. Sardinian warbler
1126. Savanna hawk
1127. Savannah sparrow
1128. Say's phoebe
1129. Sayaca tanager
1130. Scale-crested pygmy-tyrant
1131. Scaly-breasted munia (aka Nutmeg manakin)
1132. Scaly-breasted thrasher
1133. Scaly-headed parrot
1134. Scaly-naped pigeon
1135. Scarlet minivet
1136. Scarlet tanager
1137. Scarlet-headed blackbird
1138. Scarlet-rumped cacique
1139. Scaup
1140. Scott's oriole
1141. Scrub tit
1142. Seaside sparrow
1143. Sedge warbler

1144. Sedge wren
1145. Semipalmated plover
1146. Semipalmated sandpiper
1147. Sepia-capped flycatcher
1148. Serendib scops-owl
1149. Serin
1150. Shag
1151. Sharpbill
1152. Sharp-shinned hawk
1153. Sharp-tailed grouse
1154. Shelley's starling
1155. Shikra
1156. Shore lark
1157. Short-billed dowitcher
1158. Short-billed minivet
1159. Short-billed pigeon
1160. Short-eared owl
1161. Short-toed eagle
1162. Shoveler
1163. Siberian stonechat
1164. Silvereye
1165. Silvery-cheeked hornbill
1166. Sky lark
1167. Slate-coloured seedeater
1168. Slaty-legged crake
1169. Slaty-tailed trogon
1170. Slavonian grebe
1171. Small minivet
1172. Small-billed elaenia
1173. Smew
1174. Snail kite
1175. Snow bunting
1176. Snow goose
1177. Snowy egret
1178. Snowy owl
1179. Snowy-bellied hummingbird
1180. Social flycatcher
1181. Socotra cormorant
1182. Socotra sparrow
1183. Solitary black cacique
1184. Solitary sandpiper
1185. Sombre rock-chat
1186. Sombre tit
1187. Song sparrow
1188. Song thrush
1189. Sooty robin
1190. Sooty shearwater
1191. Sooty tyrannulet
1192. Sooty-fronted spinetail
1193. South American snipe

1194. South American stilt
1195. South American tern
1196. Southern lapwing
1197. Southern nightingale-wren
1198. Southern screamer
1199. Spanish sparrow
1200. Speckled mousebird
1201. Speckled pigeon
1202. Spectacled bulbul
1203. Spectacled tyrant
1204. Spectacled warbler
1205. Spot-billed duck
1206. Spot-billed pelican
1207. Spot-breasted plover
1208. Spot-flanked gallinule
1209. Spotted antbird
1210. Spotted crane
1211. Spotted flycatcher
1212. Spotted nothura
1213. Spotted redshank
1214. Spotted sandpiper
1215. Spotted towhee
1216. Spot-winged pigeon
1217. Spot-winged thrush
1218. Spur-winged goose
1219. Spur-winged lapwing
1220. Squacco heron
1221. Squirrel cuckoo
1222. Sri Lanka barbet
1223. Sri Lanka hanging-parrot
1224. Sri Lanka junglefowl
1225. Sri Lanka myna
1226. Sri Lanka red-backed woodpecker
1227. Sri Lanka scimitar-babbler
1228. Sri Lanka spurfowl
1229. Sri Lanka thrush
1230. Sri Lanka white-eye
1231. Sri Lanka wood pigeon
1232. Steller's jay
1233. Steppe eagle
1234. Stock pigeon
1235. Stonechat
1236. Stone-curlew
1237. Strange-tailed tyrant
1238. Strawberry waxbill
1239. Streaked saltator
1240. Streak-headed woodcreeper
1241. Streaky seedeater
1242. Streamer-tailed tyrant
1243. Stripe-crowned spinetail

1244. Striped cuckoo
1245. Striped-tailed hummingbird
1246. Stripe-throated hermit
1247. Strong-billed honeyeater
1248. Stub-tailed spadebill
1249. Subalpine warbler
1250. Sulphur-crested cockatoo
1251. Summer tanager
1252. Superb fairy-wren
1253. Surf scoter
1254. Swainson's hawk
1255. Swainson's thrush
1256. Swainson's warbler
1257. Swallow-tailed manakin
1258. Swallow-tanager
1259. Swamp sparrow
1260. Tacazze sunbird
1261. Tawny eagle
1262. Tawny owl
1263. Tawny pipit
1264. Tawny-shouldered blackbird
1265. Temminck's cormorant
1266. Temminck's seedeater
1267. Temminck's stint
1268. Tengmalm's owl
1269. Tennessee warbler
1270. Thekla lark
1271. Thick-billed crow
1272. Thick-billed raven
1273. Three-striped warbler
1274. Three-toed woodpecker
1275. Thrush-nightingale
1276. Toco toucan
1277. Townsend solitaire
1278. Townsend's warbler
1279. Tree pipit
1280. Tree sparrow
1281. Tree swallow
1282. Tricoloured blackbird
1283. Tricoloured heron
1284. Tri-coloured munia
1285. Tristram's starling
1286. Tropical boubou
1287. Tropical kingbird
1288. Tropical mockingbird
1289. Tropical parula
1290. Tropical peewee
1291. Troupial
1292. Trumpeter swan
1293. Tufted duck

1294. Tufted puffin
1295. Tufted titmouse
1296. Tundra bean goose
1297. Turkey vulture
1298. Turnstone
1299. Turquoise-browed motmot
1300. Twite
1301. Two-banded warbler
1302. Unicolored blackbird
1303. Upland goose
1304. Upland sandpiper
1305. Variable antshrike
1306. Variable seedeater
1307. Variable sunbird
1308. Varied thrush
1309. Varied tit
1310. Veery
1311. Velvet-fronted nuthatch
1312. Velvet scoter
1313. Verdin
1314. Vermilion flycatcher
1315. Vervain hummingbird
1316. Village weaver
1317. Vinous-breasted myna
1318. Vinous-throated parrotbill
1319. Violaceous euphonia
1320. Violaceous trogon
1321. Violet sabrewing
1322. Violet-bellied hummingbird
1323. Violet-green swallow
1324. Virginia rail
1325. Vitelline warbler
1326. Von der Decken's hornbill
1327. Warbling vireo
1328. Water pipit
1329. Water rail
1330. Wattled ibis
1331. Wattled jacana
1332. Wedge-billed woodcreeper
1333. Wedge-tailed eagle
1334. West Indian whistling-duck
1335. West Indian woodpecker
1336. Western bluebird
1337. Western grebe
1338. Western gull
1339. Western kingbird
1340. Western meadowlark
1341. Western sandpiper
1342. Western scrub-jay
1343. Western slaty-antshrike

1344. Western spindalis
1345. Western swamphen
1346. Western tanager
1347. Western turtle-dove
1348. Western wood-pewee
1349. Whimbrel
1350. Whinchat
1351. White ibis
1352. White monjita
1353. White stork
1354. White wagtail
1355. White-backed black tit
1356. White-banded mockingbird
1357. White-barred piculet
1358. White-bearded manakin
1359. White-bellied antbird
1360. White-bellied drongo
1361. White-billed starling
1362. White-breasted nuthatch
1363. White-breasted waterhen
1364. White-browed bulbul
1365. White-browed crake
1366. White-browed fantail
1367. White-browed sparrow-weaver
1368. White-capped water redstart
1369. White-cheeked pintail
1370. White-cheeked starling
1371. White-cheeked turaco
1372. White-chinned thrush
1373. White-collared manakin
1374. White-collared pigeon
1375. White-collared seedeater
1376. White-collared swift
1377. White-crowned parrot
1378. White-crowned pigeon
1379. White-crowned sparrow
1380. White-crowned wheatear
1381. White-eared bulbul
1382. White-eyed parakeet
1383. White-eyed vireo
1384. White-faced ibis
1385. White-faced whistling-duck
1386. White-fronted parrot
1387. White-fronted swift
1388. White-headed buffalo-weaver
1389. White-headed marsh-tyrant
1390. White-headed munia
1391. White-headed woodpecker
1392. White-necked jacobin
1393. White-necked puffbird

1394. White-rumped sandpiper
1395. White-rumped shama
1396. White-rumped swallow
1397. White-rumped swift
1398. White-shouldered tanager
1399. White-tailed eagle
1400. White-tailed emerald
1401. White-tailed hawk
1402. White-tailed starfrontlet
1403. White-tailed trogon
1404. White-throated dipper
1405. White-throated hummingbird
1406. White-throated kingfisher
1407. White-throated magpie-jay
1408. White-throated sparrow
1409. White-throated swift
1410. White-tipped dove
1411. White-tufted grebe
1412. White-whiskered puffbird
1413. White-winged becard
1414. White-winged black tern
1415. White-winged cliff chat
1416. White-winged coot
1417. White-winged dove
1418. White-winged parakeet
1419. White-winged snow finch
1420. Whooper swan
1421. Wild turkey
1422. Willet
1423. Williamson's sapsucker
1424. Willow flycatcher
1425. Willow sparrow
1426. Willow tit
1427. Willow warbler
1428. Wilson's phalarope
1429. Wilson's plover
1430. Wilson's snipe
1431. Wilson's storm petrel
1432. Wilson's warbler
1433. Winding cisticola
1434. Wood duck
1435. Wood nuthatch
1436. Wood sandpiper
1437. Wood stork
1438. Wood thrush
1439. Wood warbler
1440. Woodchat shrike
1441. Woodcock
1442. Woodland kingfisher
1443. Woodlark

1444. Worm-eating warbler
1445. Wren
1446. Wrenlet
1447. Wryneck
1448. Yellow “mangrove” warbler
1449. Yellow flycatcher
1450. Yellow oriole
1451. Yellow wagtail
1452. Yellow warbler
1453. Yellow wattlebird
1454. Yellow-backed oriole
1455. Yellow-bellied elaenia
1456. Yellow-bellied flycatcher
1457. Yellow-bellied sapsucker
1458. Yellow-bellied seedeater
1459. Yellow-bellied waxbill
1460. Yellow-billed babbler
1461. Yellow-billed blue magpie
1462. Yellow-billed cardinal
1463. Yellow-billed cuckoo
1464. Yellow-billed duck
1465. Yellow-billed pintail
1466. Yellow-billed siskin
1467. Yellow-billed tern
1468. Yellow-breasted chat
1469. Yellow-browed bulbul
1470. Yellow-browed warbler
1471. Yellow-crowned night heron
1472. Yellow-eared toucanet
1473. Yellow-faced grassquit
1474. Yellow-fronted barbet
1475. Yellow-green tyrannulet
1476. Yellowhammer
1477. Yellow-headed blackbird
1478. Yellow-headed caracara
1479. Yellowish pipit
1480. Yellow-legged gull
1481. Yellow-naped amazon
1482. Yellow-rumped cacique
1483. Yellow-rumped siskin
1484. Yellow-rumped warbler
1485. Yellow-tailed black cockatoo
1486. Yellow-tailed oriole
1487. Yellow-tailed warbler
1488. Yellow-throated euphonia
1489. Yellow-throated honeyeater
1490. Yellow-throated petronia
1491. Yellow-throated vireo
1492. Yellow-throated warbler
1493. Yellow-winged blackbird

1494. Yellow-winged tanager
1495. Yucatán vireo
1496. Yucatán woodpecker
1497. Zebra dove
1498. Zenaida dove
1499. Zitting cisticola
1500. Zone-tailed hawk

United Kingdom list

1. Mute swan
2. Bewick's swan
3. Whooper swan
4. Tundra bean goose
5. Pink-footed goose
6. White-fronted goose
7. Greylag goose
8. Greater Canada goose
9. Barnacle goose
10. Brent goose
11. Egyptian goose
12. Shelduck
13. Mandarin duck
14. Wigeon
15. Gadwall
16. Teal
17. Mallard
18. Pintail
19. Garganey
20. Shoveler
21. Red-crested pochard
22. Pochard
23. Ring-necked duck
24. Ferruginous duck
25. Tufted duck
26. Scaup
27. Eider
28. Long-tailed duck
29. Common scoter
30. Velvet scoter
31. Goldeneye
32. Smew
33. Red-breasted merganser
34. Goosander
35. Ruddy duck
36. Red-legged partridge
37. Red grouse
38. Grey partridge
39. Pheasant
40. Great northern diver
41. Red-throated diver

42. Black-throated diver
43. Fulmar
44. European storm petrel
45. Wilson's storm petrel
46. Cory's shearwater
47. Great shearwater
48. Manx shearwater
49. Sooty shearwater
50. Great skua
51. Arctic skua
52. Gannet
53. Cormorant
54. Shag
55. Bittern
56. American bittern
57. Cattle egret
58. Little egret
59. Great egret
60. Grey heron
61. Purple heron
62. Glossy ibis
63. Spoonbill
64. Little grebe
65. Great crested grebe
66. Red-necked grebe
67. Slavonian grebe
68. Black-necked grebe
69. Red kite
70. White-tailed eagle
71. Marsh harrier
72. Hen harrier
73. Montagu's harrier
74. Northern goshawk
75. Pallid harrier
76. Sparrowhawk
77. Buzzard
78. Rough-legged buzzard
79. Honey buzzard
80. Golden eagle
81. Osprey
82. Water rail
83. Corncrake
84. Spotted crake
85. Moorhen
86. Coot
87. Crane
88. Stone-curlew
89. Black-winged stilt
90. Avocet
91. Oystercatcher

92. Grey plover
93. Golden plover
94. American golden plover
95. Ringed plover
96. Little ringed plover
97. Lapwing
98. Kentish plover
99. Whimbrel
100. Curlew
101. Black-tailed godwit
102. Bar-tailed godwit
103. Turnstone
104. Knot
105. Ruff
106. Dotterel
107. Curlew sandpiper
108. Sanderling
109. Dunlin
110. Purple sandpiper
111. Little stint
112. Temminck's stint
113. Buff-breasted sandpiper
114. Pectoral sandpiper
115. Grey phalarope
116. Wilson's phalarope
117. Common sandpiper
118. Spotted sandpiper
119. Green sandpiper
120. Spotted redshank
121. Greenshank
122. Lesser yellowlegs
123. Marsh sandpiper
124. Wood sandpiper
125. Redshank
126. Jack snipe
127. Long-billed dowitcher
128. Woodcock
129. Snipe
130. Puffin
131. Black guillemot
132. Razorbill
133. Guillemot
134. Little tern
135. Black tern
136. White-winged black tern
137. Sandwich tern
138. Gull-billed tern
139. Common tern
140. Roseate tern
141. Arctic tern

142. Sabine's gull
143. Kittiwake
144. Bonaparte's gull
145. Black-headed gull
146. Little gull
147. Mediterranean gull
148. Common gull
149. Lesser black-backed gull
150. Herring gull
151. Yellow-legged gull
152. Caspian gull
153. Iceland gull
154. Glaucous gull
155. Great black-backed gull
156. Rock dove
157. Stock dove
158. Woodpigeon
159. Collared dove
160. Turtle dove
161. Oriental turtle dove
162. Cuckoo
163. Barn owl
164. Little owl
165. Tawny owl
166. Long-eared owl
167. Short-eared owl
168. Nightjar
169. Swift
170. Hoopoe
171. Bee-eater
172. Kingfisher
173. Wryneck
174. Green woodpecker
175. Great spotted woodpecker
176. Lesser spotted woodpecker
177. Kestrel
178. Red-footed falcon
179. Merlin
180. Hobby
181. Peregrine
182. Ring-necked parakeet
183. Red-backed shrike
184. Great grey shrike
185. Woodchat shrike
186. Masked shrike
187. Chough
188. Magpie
189. Jay
190. Jackdaw
191. Rook

192. Carrion crow
193. Hooded crow
194. Raven
195. Goldcrest
196. Firecrest
197. Blue tit
198. Great tit
199. Coal tit
200. Marsh tit
201. Penduline tit
202. Bearded tit
203. Woodlark
204. Skylark
205. Shore lark
206. Sand martin
207. Crag martin
208. Swallow
209. Red-rumped swallow
210. House martin
211. Cetti's warbler
212. Long-tailed tit
213. Yellow-browed warbler
214. Dusky warbler
215. Wood warbler
216. Chiffchaff
217. Iberian chiffchaff
218. Great reed warbler
219. Willow warbler
220. Blackcap
221. Garden warbler
222. Barred warbler
223. Lesser whitethroat
224. Whitethroat
225. Dartford warbler
226. Grasshopper warbler
227. Booted warbler
228. Sedge warbler
229. Reed warbler
230. Marsh warbler
231. Waxwing
232. Nuthatch
233. Treecreeper
234. Wren
235. Starling
236. Rose-coloured starling
237. Dipper
238. Ring ouzel
239. Blackbird
240. Fieldfare
241. Song thrush

242. Redwing
243. Black-throated thrush
244. Mistle thrush
245. Spotted flycatcher
246. Robin
247. Nightingale
248. Bluethroat
249. Red-flanked bluetail
250. Pied flycatcher
251. Black redstart
252. Redstart
253. Whinchat
254. Stonechat
255. Wheatear
256. Dunnock
257. House sparrow
258. Tree sparrow
259. Yellow wagtail
260. Eastern yellow wagtail
261. Grey wagtail
262. Pied wagtail
263. Tree pipit
264. Meadow pipit
265. Richard's pipit
266. Rock pipit
267. Water pipit
268. Brambling
269. Chaffinch
270. Hawfinch
271. Bullfinch
272. Greenfinch
273. Linnet
274. Twite
275. Lesser redpoll
276. Common redpoll
277. Common crossbill
278. Serin
279. Goldfinch
280. Siskin
281. Corn bunting
282. Yellowhammer
283. Reed bunting
284. Snow bunting
285. Lapland bunting
286. Little bunting
287. Rustic bunting

United States list

1. Acorn woodpecker
2. American avocet

3. American bittern
4. American black duck
5. American cliff swallow
6. American coot
7. American crow
8. American dipper
9. American golden plover
10. American goldfinch
11. American kestrel
12. American magpie
13. American oystercatcher
14. American pipit
15. American redstart
16. American robin
17. American tree sparrow
18. American White pelican
19. American wigeon
20. Ancient murrelet
21. Anhinga
22. Arcadian flycatcher
23. Arctic redpoll
24. Arctic skua
25. Arctic tern
26. Ash-throated flycatcher
27. Bald eagle
28. Baltimore oriole
29. Band-tailed pigeon
30. Bank swallow
31. Barred owl
32. Belted kingfisher
33. Black oystercatcher
34. Black phoebe
35. Black skimmer
36. Black swift
37. Black vulture
38. Black-and-white warbler
39. Blackburnian warbler
40. Black-capped chickadee
41. Black-chinned hummingbird
42. Black-crowned night heron
43. Black-headed grosbeak
44. Black-headed gull
45. Black-necked stilt
46. Blackpoll warbler
47. Black-throated blue warbler
48. Black-throated grey warbler
49. Black-throated green warbler
50. Black-throated sparrow
51. Black-whiskered vireo
52. Blue grosbeak

53. Blue jay
54. Blue-grey gnatcatcher
55. Blue-headed vireo
56. Blue-winged teal
57. Blue-winged warbler
58. Boat-tailed grackle
59. Bobolink
60. Bonaparte's gull
61. Brambling
62. Brent (Brant)
63. Brewer's blackbird
64. Brewer's sparrow
65. Broad-tailed hummingbird
66. Broad-winged hawk
67. Brown booby
68. Brown creeper
69. Brown noddy
70. Brown pelican
71. Brown thrasher
72. Brown-headed cowbird
73. Brunnich's guillemot
74. Bufflehead
75. Bullock's oriole
76. Burrowing owl
77. Cackling goose
78. Cactus wren
79. California gull
80. California quail
81. Calliope hummingbird
82. Canada goose
83. Canada warbler
84. Canvasback
85. Canyon wren
86. Cape May warbler
87. Carolina chickadee
88. Carolina wren
89. Caspian tern
90. Cassin's vireo
91. Cattle egret
92. Cedar waxwing
93. Cerulean warbler
94. Chestnut-backed chickadee
95. Chestnut-sided warbler
96. Chimney swift
97. Chipping sparrow
98. Cinnamon teal
99. Clapper rail
100. Clark's nutcracker
101. Clay-coloured sparrow
102. Common black hawk

103. Common goldeneye
104. Common grackle
105. Common ground dove
106. Common gull
107. Common moorhen
108. Common nighthawk
109. Common poorwill
110. Common raven
111. Common redpoll
112. Common snipe
113. Common tern
114. Common yellowthroat
115. Connecticut warbler
116. Copper's hawk
117. Cormorant
118. Dark-eyed junco
119. Double-crested cormorant
120. Downy woodpecker
121. Dunlin
122. Dusky flycatcher
123. Eastern bluebird
124. Eastern kingbird
125. Eastern meadowlark
126. Eastern screech owl
127. Eastern towhee
128. Eastern wood-pewee
129. Eider
130. Eurasian collared dove
131. European starling
132. Evening grosbeak
133. Fish crow
134. Forster's tern
135. Fox sparrow
136. Fulvous whistling-duck
137. Gadwall
138. Gambel's quail
139. Glaucous gull
140. Glaucous-winged gull
141. Glossy ibis
142. Golden eagle
143. Golden-crowned kinglet
144. Golden-crowned sparrow
145. Golden-winged warbler
146. Goosander
147. Grace's warbler
148. Grey jay
149. Grey vireo
150. Grey-cheeked thrush
151. Grey-crowned rosy finch
152. Greater black-backed gull

153. Great blue heron (also, Würdemann's heron (subspecies); also Great-white heron)
154. Great horned owl
155. Great northern diver
156. Great egret
157. Great-crested flycatcher
158. Greater roadrunner
159. Greater white-fronted goose
160. Greater yellowlegs
161. Great-tailed grackle
162. Green heron
163. Green-winged teal
164. Grey catbird
165. Grey kingbird
166. Grey plover
167. Grey-headed gull
168. Guillemot
169. Gull-billed tern
170. Hairy woodpecker
171. Hammond's flycatcher
172. Harlequin duck
173. Harris's hawk
174. Hawaiian duck
175. Henslow's sparrow
176. Hermit thrush
177. Herring gull
178. Hooded merganser
179. Hooded puffin
180. Hooded warbler
181. House finch
182. House sparrow
183. House wren
184. Hudsonian godwit
185. Iceland gull
186. Indigo bunting
187. Juniper titmouse
188. Kentucky warbler
189. Killdeer
190. King eider
191. King rail
192. Kittiwake
193. Kittlitz's murrelet
194. Knot
195. Lapland bunting
196. Laughing gull
197. Leach's petrel
198. Least bittern
199. Least sandpiper
200. Lesser black-backed gull
201. Lesser goldfinch
202. Lesser nighthawk

203. Lesser scaup
204. Lesser yellowlegs
205. Limpkin
206. Lincoln's sparrow
207. Little blue heron
208. Little tern
209. Loggerhead shrike
210. Long-billed dowitcher
211. Long-eared owl
212. Long-tailed duck
213. Louisiana waterthrush
214. Lucy's warbler
215. MacGillivray's warbler
216. Magnificent frigatebird
217. Magnolia warbler
218. Magpie
219. Mallard
220. Mangrove cuckoo
221. Marbled murrelet
222. Marsh wren
223. Merlin
224. Monk parakeet
225. Moorhen
226. Mottled duck
227. Mountain bluebird
228. Mountain chickadee
229. Mourning dove
230. Mourning warbler
231. Mute swan
232. Nashville warbler
233. Nene goose
234. Northern cardinal
235. Northern flicker
236. Northern harrier
237. Northern mockingbird
238. Northern parula
239. Northern rough-winged swallow
240. Northern waterthrush
241. Nuttall's woodpecker
242. Olive-sided flycatcher
243. Orange-crowned warbler
244. Orchard oriole
245. Osprey
246. Ovenbird
247. Pacific diver
248. Pacific wren
249. Pacific-slope flycatcher
250. Pectoral sandpiper
251. Pelagic cormorant
252. Peregrine

253. Phainopepla
254. Pheasant
255. Pied-billed grebe
256. Pigeon guillemot
257. Pileated woodpecker
258. Pine siskin
259. Pine warbler
260. Piñon jay
261. Pintail
262. Prairie warbler
263. Prothonotary warbler
264. Purple gallinule
265. Pygmy nuthatch
266. Red-bellied woodpecker
267. Red-breasted merganser
268. Red-breasted nuthatch
269. Reddish egret
270. Red-eyed vireo
271. Red-faced cormorant
272. Red grouse
273. Red-headed sapsucker
274. Red-headed woodpecker
275. Red-necked grebe
276. Red-necked phalarope
277. Red-shouldered hawk
278. Red-tailed hawk
279. Red-throated diver
280. Red-winged blackbird
281. Rhinoceros auklet
282. Ring-billed gull
283. Ring-necked duck
284. Rock dove/Feral pigeon
285. Roseate spoonbill
286. Rose-breasted grosbeak
287. Rough-legged buzzard
288. Royal tern
289. Ruby-crowned kinglet
290. Ruby-throated hummingbird
291. Ruddy duck
292. Rufous hummingbird
293. Rufous-crowned sparrow
294. Rusty blackbird
295. Sage sparrow
296. Sanderling
297. Sandhill crane
298. Savannah sparrow
299. Say's phoebe
300. Scarlet tanager
301. Scaup
302. Scott's oriole

303. Seaside sparrow
304. Semipalmated plover
305. Semipalmated sandpiper
306. Sharp-shinned hawk
307. Sharp-tailed grouse
308. Short-billed dowitcher
309. Shoveler
310. Slavonian grebe
311. Snail kite
312. Snow goose
313. Snowy egret
314. Snowy owl
315. Solitary sandpiper
316. Song sparrow
317. Sooty shearwater
318. Spotted sandpiper
319. Spotted towhee
320. Steller's jay
321. Summer tanager
322. Surf scoter
323. Swainson's hawk
324. Swainson's thrush
325. Swainson's warbler
326. Swallow
327. Swallow-tailed kite
328. Swamp sparrow
329. Tengmalm's owl
330. Tennessee warbler
331. Three-toed woodpecker
332. Townsend solitaire
333. Townsend's warbler
334. Tree swallow
335. Tricoloured blackbird
336. Tricoloured heron
337. Trumpeter swan
338. Tufted puffin
339. Tufted titmouse
340. Turkey vulture
341. Turnstone
342. Upland sandpiper
343. Varied thrush
344. Veery
345. Verdin
346. Vermilion flycatcher
347. Violet-green swallow
348. Virginia rail
349. Warbling vireo
350. Waxwing
351. Western bluebird
352. Western grebe

353. Western gull
354. Western kingbird
355. Western meadowlark
356. Western sandpiper
357. Western scrub-jay
358. Western tanager
359. Western wood-pewee
360. Whimbrel
361. White ibis
362. White-breasted nuthatch
363. White-crowned pigeon
364. White-crowned sparrow
365. White-eyed vireo
366. White-fronted swift
367. White-headed woodpecker
368. White-rumped sandpiper
369. White-throated sparrow
370. White-throated swift
371. White-winged dove
372. White-winged parakeet
373. Wild turkey
374. Willet
375. Williamson's sapsucker
376. Willow flycatcher
377. Wilson's snipe
378. Wilson's warbler
379. Wood stork
380. Wood thrush
381. Woodcock
382. Worm-eating warbler
383. Wren
384. Wrentit
385. Yellow warbler
386. Yellow-bellied flycatcher
387. Yellow-bellied sapsucker
388. Yellow-billed cuckoo
389. Yellow-breasted chat
390. Yellow-headed blackbird
391. Yellow-rumped warbler
392. Yellow-throated vireo
393. Yellow-throated warbler

U.K. butterfly species list

1. Adonis blue
2. Black hairstreak
3. Brimstone
4. Brown argus
5. Brown hairstreak
6. Chalkhill blue
7. Clouded yellow

8. Comma
9. Common blue
10. Dark-green fritillary
11. Dingy skipper
12. Duke of Burgundy
13. Essex skipper
14. Gatekeeper
15. Glanville fritillary
16. Grayling
17. Green hairstreak
18. Green-veined white
19. Grizzled skipper
20. Heath fritillary
21. Holly blue
22. Large blue
23. Large skipper
24. Large white
25. Long-tailed blue
26. Marbled white
27. Meadow brown
28. Mountain ringlet
29. Orange tip
30. Painted lady
31. Peacock
32. Purple emperor
33. Purple hairstreak
34. Red Admiral
35. Ringlet
36. Silver-spotted skipper
37. Silver-studded blue
38. Silver-washed fritillary
39. Small blue
40. Small copper
41. Small heath
42. Small pearl-bordered fritillary
43. Small skipper
44. Small tortoiseshell
45. Small white
46. Speckled wood
47. Swallowtail
48. Wall
49. White admiral
50. White-letter hairstreak
51. Wood white

Isle of Grain, Kent: 16 September, 1984 As per Alex Carlisle's notes, "took Jo and Terry to the Isle of Grain. Saw an **ARCTIC SKUA** at sea and (a) Buff-breasted sandpiper on a small pool."

Beddington Sewage Farm, Hackbridge, Surrey: September 24-30, 1984 On one evening of these dates, **LESSER YELLOWLEGS** (new species for the U.K.)

Argeles Plage, France: July 1985 European bee-eater; Hoopoe, and Cirl bunting

Spain: December 2001 Purple swamphen (in Córdoba) and White stork (in Zafra)

Melbourne, Australia, and Tasmania: January 2002 Masked lapwing; Cormorant; Australasian pelican; Pacific black duck; Common bronzewing; Sulphur-crested cockatoo; Yellowtailed black cockatoo; Galah; Crimson rosella; Rainbow lorikeet; Black currawong; Wedge-tailed eagle; Black swan; Superb fairywren; Field wren; Scrub tit; Australasian pipit; Brown scrubwren; Silvereeye; Flame robin; Dusky robin; New Holland honeyeater; Yellow-throated honeyeater; Crescent honeyeater; Strong-billed honeyeater; Grey shrike-thrush, and Yellow wattlebird

El Salvador, Guatemala, Costa Rica and Nicaragua: June 2002

Cartago—Mealy parrot

Monteverde—American swallow-tailed kite (flying beneath me during a zipline tour); Azure-headed jay; Black-and-yellow silky flycatcher; Black-bellied whistling duck; Elegant euphonia; Eye-ringed flatbill; Flame-coloured tanager; Flame-throated warbler; Golden-bellied flycatcher; Green hermit; Green-crowned brilliant; Grey hawk; Groove-billed ani; Hoffman's woodpecker; Little hermit; Masked tityra; Orange-bellied nightingale thrush; Orange-bellied trogon; Prong-billed barbet; Purple-throated mountain gem; Scale-crested pygmy-tyrant; Short-billed pigeon; Striped-tailed hummingbird; Three-striped warbler; Violet sabrewing; White-shouldered tanager; White-throated magpie-jay; White-winged dove; Wood stork; Yellow-naped amazon; Yellow-tailed warbler, and Yellow-throated euphonia

Selva Verde—Chestnut-mandibled toucan; Fascinated tiger heron; Grey-necked wood-rail; Green kingfisher, and Keel-billed toucan

Volcán del Viejo—Blue-crowned motmot

On the road to Liberia—Jabiru stork

Other locations— American dipper; Anhinga; Band-tailed pigeon; Black-headed tody flycatcher; Black vulture; Blue-grey tanager; Bronzed cowbird; Bronzy hermit; Brown booby; Brown-chested martin; Brown jay; Cattle egret; Chestnut-coloured woodpecker; Chestnut-headed oropendula; Clay-coloured robin; Common bush tanager; Common ground dove; Crested caracara; Crimson-fronted parakeet; Dusky-capped flycatcher; Eastern meadowlark; Emerald toucanet; Great-blue heron; Great kiskadee; Great-tailed grackle; Great egret; Green-backed heron; Green violet-ear; Grey-breasted wood wren; Magnificent frigatebird; Montezuma's oropendula; Nicaraguan grackle; Northern jacana; Olivaceous cormorant; Osprey; Red-lored amazon; Ringed kingfisher; Royal tern; Ruddy quail-dove; Rufous-collared sparrow; Rufous-naped wren; Snowy egret; Sooty robin; Tropical kingbird; Turquoise-browed motmot; Turkey vulture; White-tailed emerald; White-winged dove; Yellow-eared toucanet; Yellow-faced grassquit, and Yellow flycatcher

Panama: April 2003 Berylline hummingbird; Black phoebe; Black-cowled oriole; Black-striped sparrow; Blue-black grassquit; Blue-grey tanager; Collared aracari; Common ground-dove; Crested oropendula; Crimson-backed tanager; Golden-fronted woodpecker; Great kiskadee; Great tailed grackle; Green parakeet; Grey-headed chacalaca; Hoffman's woodpecker; Keel-billed toucan; Lesser kiskadee; Lesser seedfinch; Orange-billed sparrow; Red-billed pigeon; Red-billed tropicbird; Red-breasted blackbird; Red-capped manakin; Red-

crowned woodpecker; Ringed kingfisher; Ruddy ground-dove; Rufous-and-white wren; Rufous-capped warbler; Saffron finch; Sharpbill; White-bellied antbird; Yellow-billed siskin; Yellow-faced grassquit; Yellowish pipit, and Yellow-naped amazon

Hawaii: December 2004

(Note: in late 2016, the American Birding Association voted to add certain Hawaiian birds to the official ABA list; the ones I have seen of those birds are written in red below; some birds below I have not made red as I have seen them elsewhere in the ABA region; the final Hawaiian list of birds able to be added to the ABA list is supposed to be finalised by the end of 2017)

Chinaman's Hat, O'ahu—Pacific golden plover

Diamondhead, O'ahu—Strawberry waxbill

Hanalei, Kauai—Hawaiian stilt (endangered in Hawaii; also seen in Poi'pu, Kauai); Nene goose, and Red-whiskered bulbul

James Campbell National Wildlife Refuge, O'ahu—Black-crowned night heron; Cattle egret; Common moorhen (endangered in Hawaii); Hawaiian coot, and **Hawaiian duck**

Manoa Falls, O'ahu—White-rumped shama

Waimea Beach, O'ahu—Japanese white-eye

Other locations—Common myna; Java sparrow; Red-crested cardinal; Red-vented bulbul; Eastern spotted dove, and Zebra dove

Chile: December 2004

Bahia de Última Esperanza—Brown skua; Brown-hooded gull; Dolphin gull, and South American tern

Cerro Castillo en route to Torres del Paine—Andean condor and Andean flamingo

Cueva del Milodón—Canary-winged finch; Chimango caracara; Grey-breasted seedsnipe; Grey-hooded sierra-finch; Patagonian sierra-finch; Sedge wren, and Yellow-winged blackbird

Glacier Serrano—Green-backed firecrown

Hacienda Los Lingues—Chilean giant hummingbird

Patagonia, near Rubens Hotel—Coscoroba swan; Crested duck, and Lesser rhea

Puerto Natales—Austral blackbird; Baird's sandpiper; Black-necked swan; Magellanic oystercatcher, and Red-backed hawk on a large rock by the shore

Punta Arenas—Imperial cormorant; Kelp gull; Southern lapwing, and Upland goose

Rio Serrano—Ashy-headed goose; Bar-winged cinclodes; Black-faced ibis (also called Buff-necked ibis), and Chilean flicker

Puritana River, en route to El Tatio—Puna rhea

Salar de Atacama—Andean avocet; Chilean flamingo; James flamingo Puna plover, and Wilson's phalarope

Sendero Ascendio—Cinnamon-bellied ground-tyrant, and Fire-eyed diucón

Torres del Paine—Black-chested buzzard-eagle; Black-chinned siskin; Chiloé wigeon; Long-tailed meadowlark; Olivaceous cormorant; Pectoral sandpiper; Red shoveler; Red-gartered coot; White-tufted grebe; White-winged coot; Yellow-billed pintail, and Yellow-rumped siskin

various locations—American kestrel; Austral blackbird; Austral negrito; Austral thrush; Cattle egret; Chilean mockingbird; Chilean swallow; Crested caracara; Eared dove; House sparrow, and Rufous-collared sparrow

Central Park, New York City, New York, USA: Dec. 26, 2004 On Cherry Hill, just off of the 72nd St. Transverse, was a **TENGMALM'S OWL** (new species for US; in US, named

Boreal owl), adult sitting in tree and widely seen by park birder. First sighting ever in New York City

Shinnecock Inlet, Southampton, Long Island, New York, USA: Jan. 30, 2005 On the tip of the water break next to the coastguard's station, with narrow inlet breaching two spits and bay behind. Immediate sighting of **BRUNNICH'S GUILLEMOT** (new species for US), in near-to-breeding plumage; second example, winter plumage, flew in wake of boat towards the sea and dropped down to give good sightings, but then was lost. **SURF SCOTER** (new species for US), close to shore, as were **RED-THROATED DIVER** (new species for US); Red-necked grebe, **LONG-TAILED DUCK** (new species for US), five Brant; (also four Harbour seals). Greater black-backed Gull; Herring Gull; and Song sparrow, all seen on land Baldwin County Park, Baldwin, Long Island, New York, USA: Jan. 30, 2005 No sign of the Harris sparrow seen here in weeks previous. Numerous White-throated sparrow, Downy woodpecker, Brown thrasher and Merlin perched in tree

Atlantic City, New Jersey, USA: Feb. 16, 2005 Marshes by Chelsea Heights Great blue heron; Goosander; Red-breasted merganser; Bufflehead; Brant; Swamp sparrow

Central Park, New York City, New York, USA: Feb. 22, 2005 Red-tailed hawk; Red-bellied woodpecker; Downy woodpecker; Black-capped chickadee; Tufted titmouse; White-breasted nuthatch; Fox sparrow; White-throated sparrow; Song sparrow; Dark-eyed junco; Northern cardinal; Red-winged blackbird (two); American black duck, and Shoveler

Central Park, New York City, New York, USA: March 7, 2005 White-breasted nuthatch; Red-bellied woodpecker; Downy woodpecker; Black-capped chickadee; **WOOD DUCK** (new species for US, and Shoveler

Central Park, New York City, New York, USA: March 12, 2005 White-breasted nuthatch; Downy woodpecker; Black-capped chickadee; **AMERICAN WOODCOCK** (new species for US), four examples (Tanner's Spring, The Over, Indian Cave (two)); Shoveler; Brown creeper, Dark-eyed junco; **RUSTY BLACKBIRD** (new species for US, Upper Lobe); Red-tailed hawk; House finch; Tufted titmouse; Fox sparrow (near Warbler Rock); Red-winged blackbird

Fort Myers/Sanibel Island, Florida, USA: March 22-24, 2005 Some birds seen on other days apart from when they are first listed.

Punta Rassa; March 22—Yellow-rumped warbler; Palm warbler; Osprey (two on nest, plus two young; c. 10 Osprey seen during the three days); Anhinga; Magnificent frigatebird; Red-bellied woodpecker; **MOTTLED DUCK** (new species for US); House Sparrow; Cardinal; American crow; **WOOD STORK** (new species for US; two individuals); Glossy Ibis; White Ibis; Tricoloured heron; Little blue heron; Brown pelican; Mockingbird; European starling; Boat-tailed grackle; Common grackle; Great egret, and Snowy egret; **SHORT-BILLED DOWITCHER** (new species for US); Laughing gull; Ring-billed gull; **EURASIAN COLLARED DOVE** (new species for US); Common moorhen

Punta Rassa; March 23—Great blue heron; White pelican (c. 70 birds); **BLACK VULTURE** (new species for US; confirmed sightings, seen on same days as sightings of Turkey vulture); Yellow-crowned night heron; **SPOTTED SANDPIPER** (new species for US, wading along beach); Double-crested cormorant; Belted kingfisher; **CASPIAN TERN** (new species for US, in Fort Myers Harbour), and Grey catbird

J.N. “Ding” Darling National Wildlife Refuge, Sanibel Island; March 24—REDDISH EGRET (new species for US, just the one, dancing madly); **ROSEATE SPOONBILL** (new species for US, c. 12 birds, some flying in to roost in mangrove trees); Killdeer; Dunlin, Sanderling; Turnstone; Willet; Cattle egret; **ROYAL TERN** (new species for US); Forster’s tern; Knot; Least sandpiper; Greater yellowlegs; **BLUE-WINGED TEAL** (new species for US; c. 50 birds); Pied-billed grebe. Also, one alligator

Central Park, New York City, New York, USA: March 29, 2005 During a run, saw two birders at the grassy patch on the northwest side of where the 102nd St. Transverse joins the Loop. In one evergreen tree, of two, were three Eastern screech owl, one adult, with two young

Forest Park, Queens, New York, USA: March 31, 2005 At the Water Hole at the northwest side of the park, in early evening, was a male **PROTHONOTARY WARBLER** (new species for US) in full breeding plumage. Flew into vision, sat on a bush for five seconds and then deeper in a bush for five minutes of excellent views. Disappeared for 10 minutes before being relocated bathing in the swampy water. Also, Carolina wren and Hairy woodpecker. Warbler first seen at 5:20 p.m. on a windless, cloudy day, then again at 5:35

Central Park, New York City, New York, USA: April 6, 2005 At the north end of the park. Four Eastern screech owl in evergreens; along loch, wonderful sights of **LOUISIANA WATERTHRUSH** (new species for US), with eye stripe very white; also Song sparrow. On Great Hill, two Golden-crowned kinglet and flock of Dark-eye juncos; on the way home in Morningside Park, first Eastern phoebe of the year. Also, wonderful view of perched Red-tailed hawk

Central Park, New York City, New York, USA: April 8, 2005 First warblers of Central Park this year, Palm warblers and very drab Pine warblers; also, the reported **YELLOW-THROATED WARBLER** (new species for US) At 6 p.m. on north side of Great Lawn. Amazing views of very Nuthatch-like behaviour scaling up tree trunks and Flycatcher-like behaviour hunting insects in sorties. Peregrine seen swooping over said birds; small flock of Chipping sparrow, and first Red-breasted nuthatch of year

Central Park, New York City, New York, USA: April 9, 2005 I and another birder rediscovered the yellow-throated warbler, seen this time at east side of Turtle Pond. Also Cedar waxwing. At the Azalea Pond, immature **COOPER’S HAWK** (new species for US). Much discussion as to whether it might have been an immature Sharp-shinned hawk, but consensus was that streaking and large head and neck pointed to Cooper’s

Forest Park, Queens, New York, USA: April 14, 2005 At the Water Hole again, quite the spot this year. The male Prothonotary warbler remains, probably the same one as was seen on April 6, although two others have been sighted. Only one present today, but the views were much better than previous. It seems quite used to birdwatchers as it searched for insects no more than 10 feet away. Brilliant yellow. Also, present, was **SWAINSON’S WARBLER** (new species for US), for which most birdwatchers were present. Views were amazingly close, the bird sometimes no more than five feet away searching the underside of leaves for insects. Occasionally, remained stock still for two or three minutes. Flew, but was relocated on east side of waterhole, but it was never in the company of the Prothonotary warbler, as it preferred drier material away from water hole. Also, Downy woodpecker

Mill Creek Marsh, Secaucus, New Jersey: April 13, 2005 Palm warbler; Red-winged blackbird; Eastern phoebe; Tree Swallow on this relatively recently restored area of marshland by the New Jersey Turnpike

Central Park, New York City, New York, USA: April 16, 2005 Another male Prothonotary warbler turned up in the west side of the Lake, close to the Upper Lobe. Also, at the same spot a Blue-grey gnatcatcher. A little further around, in the Cave, was an Orange-crowned warbler. Up by the Loch was a White-eyed vireo

South Florida, USA: April 17-20, 2005

On Dania Beach—three **GULL-BILLED TERN** (new species for US), many Royal tern and Brown pelican; in the grounds of the Doral Resort, Spa & Golf Course in Doral, Miami, was a Loggerhead shrike

In late afternoon, at **Bill Baggs State Park, Cape Florida, Key Biscayne**—Black-throated blue warbler; Blackpoll warbler; Ovenbird; Prairie warbler. Many Red-bellied woodpecker, and several White ibis

On route to the Everglades—Cattle egrets, Great egret, Great-blue heron, Black vulture, Turkey vulture. Near the Miccosukkee Indian Restaurant, at well-known site, flying **SNAIL KITE** (new species for US). On Loop Road, **BARRED OWL** (new species for US, great views); **LIMPKIN** (new species for US; perched in tree) and **RED-SHOULDERED HAWK** (new species for US; really close). Peregrine and several alligators, including young. (Also, two otters) On drive home, two Swallow-tailed kite, and Black-crowned night heron

On route to Key West—at Wild Bird Center, in Tavernier, White Ibis; Brown pelican, Great white heron (new sub-species for US), Great egret, Royal tern and 14 **BLACK-NECKED STILT** (new species for US)

At Fort Zachery State Park in Key West—on beach: Sanderling and Turnstone; in scrub land by fort and near car park: Black-and-white warbler; Prairie warbler; Grey catbird; Grey kingbird (new species for US); Indigo bunting. Two Osprey on nest platform in far corner, and in tatty bush cover **BOBOLINK** (new species for US; hard to pin down but eventually a great view; I believe a female was in male's company, but that was even harder to confirm). Also, Common yellowthroat

On Little Sugarloaf Key—in well-documented site, two **MANGROVE CUCKOO** (new species for US; good view of one, which then dropped down and out of sight. Other was a bird rushing through the mangrove as I was being bitten to death by mosquitoes)

In Fairchild Botanical Garden, Coral Gables, Miami—Red-shouldered hawk; Common moorhen; Anhinga; Green heron

In Tree Tops State Park, Davie, near Fort Lauderdale—Tricoloured heron; Green heron; **PURPLE GALLINULE** (new species for US; good sight but deep in reeds) and **COMMON SNIPE** (new species for US; deep in reeds but visible)

Central Park, New York City, New York, USA: April 22-24, 2005 Overcast, seasonably cool weekend with some rain, heavy on Saturday night. Also, the wind was in the wrong direction for migration to this spot: Northern rough-winged swallow; Barn swallow; several Northern flicker, one Blue-grey gnatcatcher; Black-crowned night-heron; Palm warbler; lots of Yellow-rumped warbler, half a dozen or so Black-and-white warbler; Hermit thrush; Eastern towhee; Blue-headed vireo; White-throated sparrow, Eastern kingbird; still around in late April, Dark-eyed junco, Ruddy duck and Bufflehead Mill Creek Marsh, Secaucus, New Jersey: April 26, 2005 Warmer than weekend but still windy. Several Brown-headed cowbird; two Spotted sandpiper; Savannah sparrow

Central Park, New York City, New York, USA: May 1, 2005 Started at 8:30 a.m. with steady rain, which stopped at 8:50. Continued overcast and very cold for the time of year, so much so that the hands were a little numb at 11; following a cup of coffee, returned to birding and, soon after, to a sunny, beautiful day with temperatures in the mid-60s. Four Cedar waxwing along Reservoir. At Turtle Pond, Tree swallow; Barn swallow; Northern rough-winged swallow; Eastern towhee; Yellow warbler; while on path towards Belvedere Castle, Magnolia warbler; Northern flicker. In the Rambles, Chimney swift; Brown thrasher (very high); Wood thrush; several Veery; Grey catbird; Eastern towhee; Baltimore oriole; Hermit thrush, Song sparrow; Field sparrow; White-throated sparrow; Black-throated blue warbler; Black-Throated green warbler; Black-and-white warbler; Ovenbird; Northern waterthrush, as well as a second Yellow warbler by the Boathouse. Along lower lobe of the Lake, nesting Green heron; two Eastern screech owl. Palm warbler and Red-Bellied Woodpecker along Delacourt Oval, and five Ruddy duck, one male, four females, on Reservoir. On the Pool, another Northern waterthrush, while along and above the Loch, Blue-grey gnatcatcher; American redstart; House wren; second Baltimore oriole, this one at head height, singing; right at the end of the day a wonderful male Rose-breasted grosbeak on the Great Hill. In total, 52 species

Central Park, New York City, New York, USA: May 6-8, 2005 Dull weekend, with bad light. Went running on Saturday instead of birding, a good move as reports for this day were low. Friday was dull, too, but there was some brightening up by Sunday. On Friday, highlights were Solitary sandpiper and Black-throated blue warbler, while on Sunday at the Maintenance Field saw a male **BLUE-WINGED WARBLER** (new species for US) singing and displaying with excellent views and, my own discovery, a male Orchard oriole, very low down and out in the opening. Both the warbler and oriole often disappeared into the thick but re-emerged several times. Also present in the Ramble were Northern flicker, Black-and-white warbler, Wood thrush, and Green heron, hunting at the Azalea Pond, while at Tanner's Spring were Eastern towhee and Northern parula

Central Park, New York City, New York, USA: May 10, 2005 A bright early evening in which I had no more than an hour to bird watch before a running class. In the Rambles, an American redstart; first Scarlet tanager of the year. Then a report came in of a species that was first seen in the Rambles at midday, which led to me running two miles in 15 minutes to see **KENTUCKY WARBLER** (new species for US) in the North Woods, off a path that led off right from the Loch. I think it was a male, but it did not show as much black marking to the head as perhaps a male might have but more than perhaps a female would do. The bird was jumping up continually on both sides of the path and gave great views

Central Park, New York City, New York, USA: May 13, 2005 A dull evening (one of many this year), in which the only notables were Red-eyed vireo, male and female Black-throated blue warbler, Cedar waxwing, Ovenbird, Black-throated green warbler, Magnolia warbler and Spotted sandpiper in the Turtle Pond

Forest Park, Queens, New York, USA: May 14, 2005 Arrived at 11:30 a.m. following the Queens half-marathon (1:29:12; 6:47 pace), but the day was productive. The waterhole in the park is a great deal smaller than when I came here in late March and mid-April, but an artificial bathing pool brought in many species, including Indigo bunting; Nashville warbler; Blackburnian warbler. Also around were Northern Parula; Lincoln's sparrow; female Downy woodpecker, American redstart, Scarlet tanager and first-year **SUMMER TANAGER** (new

species for US). Additional species included Northern waterthrush; Blackpoll warbler, and Chestnut-sided warbler

Central Park, New York City, New York, USA: May 15, 2005 Just an hour in the North Woods, but I did see my first Canada warbler of the year, as well as Black-throated green warbler; Magnolia warbler; Least flycatcher; Red-eyed vireo; female Scarlet tanager. Later on in **Croton Point Park, Croton-on-Hudson (on the Hudson River)**—I saw 10-plus Yellow warbler (probably breeding here); Baltimore oriole; pair of Brown thrasher; Blackpoll warbler; American goldfinch; Chipping sparrow; Savannah sparrow; Song sparrow; Eastern wood-pewee, and Eastern phoebe

Central Park, New York City, New York, USA: May 22, 2005 The sun tried to break through but never quite made it. In the North Woods were two Baltimore oriole; Wood thrush; Magnolia warbler; Canada warbler; Chestnut-sided warbler, but the highlights today were a Wilson's warbler; adult **MARSH WREN** (new species for US). It was hard to locate, but I finally had some excellent views of its curved beak, dark cap and white eye-stripe

Central Park, New York City, New York, USA: May 28-30, 2005 The weather was beautiful all weekend, but the season is gearing to a close, with an American redstart the only warbler seen during an hour's walk on Sunday. Friday was good, the highlights being a late Yellow-throated warbler; Nashville warbler. Other warblers seen were female Black-throated blue warbler; female Blackpoll warbler; Common yellowthroat; Black-and-white warbler; four Wilson's warbler, and Canada warbler. Also seen were White-breasted nuthatch; female Scarlet tanager; Tufted titmouse; Ovenbird; Red-eyed vireo; Warbling vireo; three **OLIVE-SIDED FLYCATCHER** (new species for US), one in Strawberry Fields, the second in the Rambles, the third along the Loch. Also present in large numbers was Swainson's thrush

Westminster West, Vermont, USA: June 4-5, 2005 Most birds stayed way up in the tops of the trees in this very wooded area. Family of Eastern phoebe nesting in the garden of Francesca's cousin Magdi; Ruby-throated hummingbird regularly came to the feeder, as did Black-capped chickadee. Also Hermit thrush; American goldfinch; Song sparrow; Chipping sparrow, and Hairy woodpecker

Hong Kong/China/Macao: June 2005 Barn swallow; Black kite; Magpie; Black-crowned night-heron; Red-billed blue magpie; Chinese bulbul; Chinese pond-heron; Common kingfisher; Daurian redstart; Fork-tailed sunbird; Greater coucal; Intermediate egret; Japanese white-eye; Large-billed crow; Little grebe; Magpie robin; Masked laughingthrush; Pallid swift; Red-whiskered bulbul; Rose-ringed parakeet; Spot-billed duck; Eastern spotted dove; Sulphur-crested cockatoo; Tree sparrow; White wagtail, and Zitting cisticola

Spain, August 2006 Around Cuéllar and Sepulveda, north Spain—Griffon vulture; Eurasian bee-eater; European roller

Central Park, New York City, New York, USA: Sept. 6, 2005 On the East Side, just east of the Wildflower Meadow, on the path that leads off from the 102nd Street Transverse, a **CONNECTICUT WARBLER** (new species for US). Several of this warbler, rare for New York City, have been recorded this year

Central Park, New York City, New York, USA: Sept. 23, 2005 At Wagner Cove, Magnolia warbler; Black-and-white warbler; Black-throated blue warbler; Wilson's warbler;

American redstart; also Ruby-crowned kinglet; Rufous-sided towhee. At the Oven, three House wren; two Marsh wren; Brown thrasher, and Ruby-throated hummingbird

England, Dec. 2005 Off M4 on the road to Lambourne in Oxfordshire—RED KITE (new species for U.K.), three individuals seen flying around solitary house and adjacent fields Aldington, Kent—Bullfinch, male and female

Arizona, USA: Jan. 2006 Chloride—GREATER ROADRUNNER (new species for US), seen as it avoided my car in Chloride, Ariz, stretching its neck out in typical style Agua Fria River, just south of Wickenburg—**HARRIS'S HAWK** (new species for US), chestnut wings and legs and white and black tail clearly visible; scuttling in sage bush **SHORE LARK** (new species for US), and north of Wickenburg, five or six **CACTUS WREN** (new species for US), one seemingly acting as a sentinel on top of a road sign

Panama: March 29-April 9 Great tinamou; Pied-billed grebe; Brown pelican; Neotropic cormorant; Anhinga; Magnificent frigatebird; Great blue heron; Great egret; Snowy egret; Little blue heron; Cattle egret; White ibis; Green heron; Green-backed heron (subspecies of Green heron); Black vulture; Turkey vulture; Osprey; Snail kite; Grey hawk; Mallard; Crested caracara; Yellow-headed caracara; Grey-headed chachalaca; Crested guan; Purple gallinule; Wilson's plover; Southern lapwing; American oystercatcher; Wattled jacana; Lesser yellowlegs; Sanderling; Laughing gull; Royal tern; Pale-vented pigeon; White-tipped dove; Ruddy ground-dove; Orange-chinned parakeet; Red-lore amazon; Squirrel cuckoo; Grove-billed ani; Little hermit; Violet-bellied hummingbird; White-necked jacobin; Black-throated mango; Rufous-tailed hummingbird; Bronze-tailed plumeleteer; Snowy-bellied hummingbird; White-tailed trogon; Violaceous trogon; Black-throated trogon; Slaty-tailed trogon; Blue-crowned motmot; Rufous motmot; Ringed kingfisher; Belted kingfisher; Green kingfisher; American pygmy kingfisher; Black-cheeked woodpecker; Red-crowned woodpecker; Lineated woodpecker; Crimson-crested woodpecker; Plain xenops; Plain-brown woodcreeper; Northern barred-woodcreeper; Fasciated antshrike; Western slaty-antshrike; Dot-winged antwren; Dusky antbird; Spotted antbird; Ocellated antbird; Stub-tailed spadebill; Yellow-green tyrannulet; Yellow-bellied elaenia; Sepia-capped flycatcher; Common tody-flycatcher; Black-headed tody-flycatcher; Ruddy-tailed flycatcher; Long-tailed tyrant; Bright-rumped attila; Panama flycatcher; Great kiskadee; Lesser kiskadee; Tropical kingbird; Grey kingbird; Fork-tailed flycatcher; Purple-throated fruitcrow; Golden-collared manakin; Lance-tailed manakin; Red-capped manakin; Grey-breasted martin; Mangrove swallow; Black-chested jay; Brown jay; Bay wren; House wren; Tropical mockingbird; Yellow warbler; Yellow "mangrove" warbler (subspecies of above); Chestnut-sided warbler; Black-and-white warbler; Northern waterthrush; Plain-colored tanager; Crimson-backed tanager; Blue-grey tanager; White-shouldered tanager; Golden-hooded tanager; Green honeycreeper; Red-legged honeycreeper; Fulvous-vented euphonia; Scarlet tanager; Red-throated ant-tanager; Streaked saltator; Blue-black grosbeak; Black-striped sparrow; Variable seedeater; Yellow-bellied seedeater; Great-tailed grackle; Northern oriole; Yellow-backed oriole; Scarlet-rumped cacique; Yellow-rumped cacique; Crested oropendola, and House sparrow

Montauk and area, Long Island, New York: USA, April 2006 Seen off tip of Montauk, with probably 30 to 40 Lesser scaup, along with four Surf Scoter, was pair of **EIDER** (new species for US). Lincoln sparrow seen acting furtively in brambles 200 metres or so back from the lighthouse car park. In the town of North Sea, saw Osprey on nest, mating

Central Park, New York, New York, USA: Apr. 25, 2006 First visit to Central Park this year. Palm warbler and Yellow-rumped warbler present, also female Ruby-crowned kinglet and both Northern waterthrush and Louisiana waterthrush in same area, the Oven. Also Swamp sparrow and Hermit thrush

Central Park, New York, New York, USA: Apr. 28, 2006 Winds were not in a favourable direction all weekend. Did see a Rufous-sided towhee at Tanner's Spring and several Hermit thrush. Also, one Eastern Phoebe

Central Park, New York, New York, USA: Apr. 30, 2006 In the North Woods. Red-breasted nuthatch in same tree as Black-and-white warbler. Also Red-bellied woodpecker, Red-tailed hawk

Central Park, New York, New York, USA: May 6, 2006 Excellent day, with more than seven hours of birding. Almost two hours were spent at the same spot in Strawberry Field, where I spotted Red-eyed vireo; Blue-headed vireo; White-eyed vireo; Warbling vireo, two Ruby-throated hummingbird; male Tennessee warbler; Nashville warbler; Magnolia warbler; Prairie warbler; Northern parula; three Blackburnian warbler. Elsewhere, notable sights included Baltimore oriole; Wilson's warbler; Eastern screech owl; White-crowned sparrow; Blue-winged warbler; Chestnut-sided warbler; Black-and-white warbler; American redstart; Canada warbler; a bathing Scarlet tanager and, on the Reservoir, a Slavonian grebe. Also the first of the year's Grey catbird; Ovenbird; Swainson's thrush and Common yellowthroat, and, along the Great Lawn, a Rose-breasted grosbeak

Central Park, New York, New York, USA: May 11, 2006 Overcast. Birds were there, but between 5:30 and 8 one needed to search. Sparrows in abundance, including Chipping sparrow; Swamp sparrow and White-crowned sparrow. Eastern phoebe; several Baltimore oriole; one Rufous-sided towhee; Wilson's warbler; Black-throated blue warbler; Magnolia warbler, and Chestnut-sided warbler

Central Park, New York, New York, USA: May 12, 2006 I spent 105 minutes yesterday looking for a particular bird in a Tulip tree in the Shakespeare Garden, to no avail. Spent 45 minutes today doing the same at the same tree, which contained Scarlet tanager; six Baltimore oriole; Rose-breasted grosbeak; male Black-throated blue warbler and a dozen Yellow-rumped warbler, before I saw the yellow and black chest of a male Cape May warbler, only my second ever. The bird then displayed prominently for five minutes before disappearing, which echoes its performance in this tree of the last two days, according to other witnesses

Central Park, New York, N.Y., USA: May 12-14, 2006 Sunny afternoon on Friday, the 12th. Yellow-crowned night-heron a nice find in the extreme south of the park and the first Worm-eating warbler found in the Rambles. On the Sunday, a duller, quieter day, I saw my first Yellow warbler of the year, as well as a second Cape May warbler and Hooded warbler, my first for several years. The highlight was a **YELLOW-BILLED CUCKOO** (new species for US) in the Rambles, at the Captain's Bench. A female Rose-breasted grosbeak was present at Tanner's Spring, as was a Grey-cheeked thrush

Florida Keys, Fla., USA: May 15-19, 2006

Fort Zachary State Park, Key West—Cattle egret; Grey kingbird; juvenile Blackpoll warbler

Key West Botanical Garden, Stock Island—**WHITE-CROWNED PIGEON** (new species) in two flocks of three birds. Quite shy, but on this rainy day there was no one else present besides me, and the staff at the reception said it was the first time this species has returned since last year's hurricane. Also Great-crested flycatcher, and, so quickly, my second-ever Yellow-billed cuckoo

Long Key State Park—American redstart; Black-and-white warbler; single examples of American golden plover and Wilson's plover. Deeper in the mangrove, I saw Northern waterthrush and **BLACK-WHISKERED VIREO** (new species for US)

Hawk's Cay—I saw, incredibly, my third-ever Yellow-billed cuckoo, not much higher than head-height in hotel grounds. Key Colony Golf Course—two **BURROWING OWL** (new species for US), which were easily approachable

Dagny Johnson Key Largo Hammock Botanical State Park—my second-ever Black-whiskered vireo. In both occurrences, the black whisker was very evident, and in the second case so were plagues of mosquitoes

Central Park, New York, New York, USA: May 20, 2006 What seemed like a quiet day produced numerous warblers, many of them female, including Blackburnian warbler; Blackpoll warbler; Black-throated green warbler; Also spotted was a male Prairie warbler and male and female American redstart (very numerous); Canada warbler; and Wilson's warbler. In the north end of the park was a Northern flicker and a Veery

Central Park, New York, USA: May 27, 2006 The migration season seems pretty much over. Very little around, but I did see a beautiful Magnolia warbler; female American Redstart; and Red-eyed vireo

Jamaica Bay Wildlife Refuge, New York, USA: May 28, 2006 A twitch for three **FULVOUS WHISTLING-DUCK** (new species for US) reported earlier that morning. Very easy to find, a small crowd watching them between benches six and seven on the West Pond. Other species included Willet; Greater black-backed gull; Herring gull; Least Sandpiper; Snowy egret; Osprey (on nest); Glossy ibis, and a beautiful Little blue heron, the light shining perfectly on it. Also another great find, a **WHITE-RUMPED SANDPIPER** (new species for US)

Wave Hill, The Bronx, New York, USA: May 29, 2006 Two Cedar waxwing in a tree of this botanical garden

Cold Spring, New York, USA: across August 2006 House- and pet-sitting on and off for three weeks. Great blue heron; Blue-grey gnatcatcher; Blackpoll warbler (many); Black-capped chickadee; male Rose-breasted grosbeak; two Ruby-throated hummingbird; Scarlet tanager (singing wildly, bobbing in each direction); Willow flycatcher; Hairy woodpecker; Downy woodpecker; Peregrine mobbing Blue Jay; American goldfinch; American redstart; male Indigo bunting at Cargill Reservoir; Cooper's Hawk sitting on wire; (pet Helmeted guineafowl) **Trip to Doodletown**—spectacular Indigo bunting; lots of Willow flycatcher; Louisiana waterthrush; White-breasted nuthatch. Northern flicker, and Baltimore oriole **Manitoga Reserve**—Downy woodpecker, Hairy woodpecker and one **PILEATED WOODPECKER** (new species for US) at top of dead tree

Cabo San Lucas area, Baja California Sur, Mexico: August 21-24, 2006 Hooded oriole; Pyrrhuloxia (evidently not similar in coloration to the Cardinal); Vermilion flycatcher (extraordinary; I saw just the one male, and briefly at that); Grey thrasher (this caused me

some confusion, as all the Sibley guide distribution maps had no thrasher in southern Baja. That it was a thrasher was not of concern, and then this morning I saw that one of Baja's endemics was this species, which goes no farther north, hence no inclusion in Sibley); Belted kingfisher (this was odd. Again, there was no mistaking what this was. One online guide said that a few do summer in its winter range, where they can find water, which might mean that the two aforementioned ponds were permanent); Greater yellowlegs (Sibley has very few waders present in summer, but this and the following I definitely ID'ed); Pectoral sandpiper; Wilson's plover (the only plover present in Baja in summer); Killdeer (several); Brown pelican (hundreds, even though Sibley suggests none should be in Baja in August); Osprey; Mexican mallard (subspecies; they look like Mallard, but with no striking drakes; California quail (a family close to the hotel. I thought, oh, Gambel's, as I have seen that species in Arizona and Nevada, but a reading of Sibley says that the two species, ranges do not overlap); Caspian tern; Heermann's gull (ID'ed by range; there are very few gulls in Baja in August. Actually, Sibley says there is only one); Greater roadrunner; White-winged dove; Cactus wren; California gnatcatcher; Verdin (this is a wonderful bird; I saw five or six); Western scrub-jay (my first Blue jay variation, in a palm tree right in front of the hotel lobby); Gila woodpecker (many woodpeckers, almost everywhere. with lots of holes in cacti); Ladder-backed woodpecker, and Gilded flicker

Argentina: September 3-24, 2006 Greater rhea; Spotted nothura; Elegant crested-tinamou; Great grebe ;Anhinga; Neotropical cormorant; Cooi heron; Rufescent tiger-heron; Great egret; Cattle egret; Black-crowned night-heron; Maguari stork; Jabiru; Plumbeous ibis; Buff-necked ibis; Bare-faced ibis; White-faced ibis; Southern screamer; White-faced whistling-duck; Brazilian teal; Andean condor; Lesser yellow-headed vulture; Black vulture; Snail kite; Long-winged harrier; Black-collared hawk; Roadside hawk; Savanna hawk; White-tailed hawk; Red-backed hawk; Puna hawk; Mountain caracara; Crested caracara; Chimango caracara; Yellow-headed caracara; Peregrine; Aplomado falcon; American kestrel; Black-fronted piping-guan; Rusty-margined guan; Limpkin; Giant wood-rail; Grey-necked wood-rail; White-winged coot; Moorhen; Purple gallinule; Spot-flanked gallinule; Wattled jacana; South American stilt; Southern lapwing; South American snipe; Andean gull; Yellow-billed tern; Spot-winged pigeon; Eared dove; Ruddy ground-dove; Golden-spotted ground-dove; White-tipped dove; Blue ground-dove; Blue-winged macaw; White-eyed parakeet; Monk parakeet; Mountain parakeet; Scaly-headed parrot; Burrowing parrot; Guira cuckoo; Squirrel cuckoo; Burrowing owl; White-collared swift; Andean swift; White-throated hummingbird; Red-tailed comet; Glittering-bellied emerald; Ringed kingfisher; Amazon kingfisher; Green kingfisher; Toco toucan; Field flicker; Golden-breasted woodpecker; White-barred piculet; Robust woodpecker; Pale-crested woodpecker; White-bearded manakin; Swallow-tailed manakin; Temminck's seedeater; White-winged becard; Black-and-white monjita; White monjita; Andean negrito; D'Orbigny's chat-tyrant; Strange-tailed tyrant; Streamer-tailed tyrant; White-headed marsh-tyrant; Sooty tyrannulet; Cattle tyrant; Spectacled tyrant; Piratic flycatcher; Great kiskadee; Boat-billed flycatcher; Vermilion flycatcher; Variable antshrike; Rufous hornero; Stripe-crowned spinetail; Sooty-fronted spinetail; Firewood-gatherer; Chotoy spinetail; Planalto woodcreeper; Red-billed scythebill; Plush-crested jay; Grey-breasted martin; White-rumped swallow; House Wren; Mountain wren; Black-capped donacobious; Brown-backed mockingbird; White-banded mockingbird; Chalk-browed mockingbird; Creamy-bellied thrush; Rufous-bellied thrush; Chiguanco thrush; Greater thornbird; House sparrow; Lark-like bushrunner; Masked gnatcatcher; Black-chinned siskin; Two-banded warbler; Tropical parula; Masked yellowthroat; Golden-winged cacique; Red-rumped cacique; Solitary black cacique; Giant cowbird; Unicolored blackbird; Scarlet-headed blackbird; Brown-and-yellow marshbird; Rufous-collared sparrow; Black-hooded sierra-

finch; Rufous-sided warbling-finch; Saffron finch; Puna yellow-finch; Red-crested finch; Double-collared seedeater; Rusty-collared seedeater; Saffron-billed sparrow; Red-crested cardinal; Yellow-billed cardinal; Magpie tanager; Sayaca tanager; Swallow-tanager; Green-headed tanager; Blue-and-yellow tanager; Red-crowned ant-tanager; Rusty flower-piercer; Purple-throated euphonia; Violaceous euphonia; Greyish saltator, and Green-winged saltator

Central Park, New York City, New York, USA: October 5, 2006 Cape May warbler; immature White-crowned sparrow; Field Sparrow, and Dark-eyed Junco

Bear Mountain area, New York, USA: October 8, 2006 A bright, sunny day in the Tompkins Cove area. Blackpoll warbler; Yellow-rumped warbler; also Willow flycatcher; Hairy woodpecker, and, of most interest, two Eastern bluebird, only the second time I have ever seen them

Central Park, New York City, New York, USA: October 10, 2006 In the Wildflower Meadow at the north end of the park, I saw Blue grosbeak, only my second time—again—that I have seen this species. This was a first-winter bird so contained absolutely no blue. Also, Black-capped chickadee; Rufous-sided towhee, and Song sparrow

Central Park, New York, New York, USA: October 31, 2006 Excellent sighting of the uncommon **HENSLOW'S SPARROW** (new species for US) in the Pinetum. Luckily, I was running in the area when I saw two excited birdwatchers, otherwise I would have missed this

Riverside Park, New York, New York, USA: January 7, 2007 At 92nd Street, two immature Red-headed woodpeckers. Good views, at 115th Street, of immature Cape May warbler (really should not be here at all this time of year). Flying at eye-height in the trees of the park when viewed from the drive; also present Yellow-bellied sapsucker; Downy woodpecker, and Red-tailed hawk

Mill Creek Marsh, Secaucus, New Jersey, USA: February 22, 2007 Mostly iced-over water courses. Five or six Fox sparrow; 16 or so Goosander; six or so Hooded merganser; two Gadwall, and one Hairy woodpecker

North England: April 18-23, 2007 Chaffinch; Greenfinch; Goldfinch; Redwing (Bamburgh Castle, Northumberland); **BARNACLE GOOSE** (new species for U.K.); Mallard; Shoveler; Sky lark; Reed bunting (Bamburgh Castle, Northumberland); Wheatear (Bamburgh Castle, Northumberland); Dipper (River Aln, Alnwick, Northumberland); Canada goose; Eider (Lindisfarne, Northumberland); Kittiwake (Bamburgh Castle, Northumberland); Greater black-backed gull; Lesser black-backed gull; Herring gull; Black-headed gull; Robin; Blackbird; House sparrow; Swallow; House martin; Spotted flycatcher; Blue tit; Great tit; Coal tit; Long-tailed tit; Pied wagtail; Grey wagtail (River Aln, Alnwick, Northumberland); Carrion crow; Jackdaw; Green woodpecker; Grey heron; Sparrowhawk; Common buzzard; Oystercatcher; Pheasant (hundreds of them), and Lapwing

Forest Park, Queens, New York, USA: April 26, 2007 Steady drizzle; first birding of the season. Black-and-white warbler; Yellow-rumped warbler; Northern waterthrush; Pine warbler; Eastern towhee, and Black-capped chickadee

Forest Park, Queens, New York, USA: April 27, 2007 Clear. Louisiana waterthrush

Central Park, New York, USA: April 29, 2007 (cloudy, bad light, turning to intermittent sunshine) Yellow-billed cuckoo (North Woods); Worm-eating warbler (The Loch); Nashville warbler (The Oven); Solitary sandpiper (The Loch); Great northern diver (amazingly close views, this time); Black-and-white warbler; Palm warbler; Pine warbler; Northern waterthrush; Yellow-bellied sapsucker; Northern flicker; Ovenbird; Veery; Wood thrush; Hermit thrush; Swamp sparrow; Baltimore oriole; Red-winged blackbird, and Eastern towhee

Central Park, New York, USA: April 30, 2007 (sunny evening) Hairy woodpecker; Green heron

Central Park, New York, USA: May 5, 2007 (early morning) Yellow-billed cuckoo (Azalea Pond); Worm-eating warbler (Azalea Pond); Tennessee warbler (Captain's Bench); American redstart; Common yellowthroat; Blue-headed vireo (Azalea Pond; Strawberry Field); Yellow-throated warbler (Azalea Pond; Strawberry Field); Prairie warbler (Azalea Pond; Strawberry Field); Veery; Hermit thrush; Magnolia warbler (Cherry Hill); Black-throated blue warbler (Strawberry Field); Black-capped night-heron; Downy woodpecker, and Savannah sparrow (Strawberry Field)

Central Park, New York, USA: May 7, 2007 (sunny evening) An incredibly social and cooperative Kentucky warbler, all the way out in the open in Strawberry Field. It was very actively feeding on flies, bouncing up and down as is its nature and at one point bouncing over my shoe

Garden City Golf Club, Garden City, New York, USA: May 9, 2007 (lunch break) Swainson's thrush

Central Park, New York, USA: May 9, 2007 (half an hour in park only; sunny evening) Warbling vireo

Riverside Park, New York, USA: May 12, 2007 Baltimore Oriole; Red-bellied woodpecker; Downy woodpecker; Crested titmouse; Swainson's thrush, three male and one female; Scarlet tanager, and 19 species of warbler—Yellow-rumped warbler; Yellow warbler; Blue-winged warbler; Blackburnian warbler; Black-and-white warbler; Black-throated blue warbler; Black-throated green warbler; Worm-eating warbler; Common yellowthroat; American redstart; Ovenbird; Wilson's warbler; Pine warbler; Northern parula; Northern waterthrush; Magnolia warbler; Black-and-white warbler; Chestnut-sided warbler, and Blackpoll warbler

Central Park, New York, USA: May 19, 2007 (overcast) Male Cape May warbler; Canada Warbler, and Bay-breasted warbler, my first for several years

Antigua & Barbuda, Caribbean: June 9-13, 2007 Black-winged stilt; White-crowned pigeon; Red-necked pigeon; Lesser Antillean bullfinch; Antillean crested hummingbird; Green-throated carib; Bananaquit; Black-faced grassquit; White-cheeked pintail; Magnificent frigatebird; Roseate tern; Royal tern; Caribbean elaenia; Caribbean grackle; Caribbean martin; Antillean Euphonia; Purple-throated carib; Barbuda warbler; Broad-winged hawk; Lesser Antillean Flycatcher (berlepschii); Zenaida Dove; Common Ground Dove; American kestrel; Yellow warbler; Lesser yellowlegs; Tricoloured heron; Yellow-crowned night heron, and Black-crowned night heron

Edwin B. Forsythe National Wildlife Refuge, Oceanville, New Jersey, USA: July 1, 2007 Osprey, **SEASIDE SPARROW** (new species for US); Gull-billed tern, and **KING RAIL** (new species for US)

Greenland (Ilulissat and Nuuk): July 12-16, 2007 I was under the impression this would be a birding Mecca, but many Web sites disabused me of that idea. With all that space, birds can truly be a long way from any one of the 60,000 residents, so why be near people? But here are some new species seen, plus one other bird, having never really birded before in north England or north Europe Black Guillemot; Little auk; Glaucous gull; Iceland gull; Common raven; Snow bunting; Lapland bunting; Pomarine skua; Long-tailed skua, and Shore lark

Smith Island, Md., and Tangier Island, Va., and points between. USA: August 3-5, 2007 Seen on three-day kayaking trip with stops in Smith and Tangier islands: Osprey (many, if not hundreds); Black skimmer; White-rumped sandpiper; Pectoral sandpiper; Sanderling; Turnstone; American oystercatcher; Seaside sparrow (many); Green heron; Tricoloured heron; Great blue heron; Yellow-crowned night heron; Black-crowned night heron; Snowy egret; Common egret; **CLAPPER RAIL** (new species for US); Royal tern; Arctic tern; Greater black-backed gull; Peregrine; Brown pelican (hundreds), and Glossy ibis

Northern Ireland and Republic of Ireland; Saturday-Wednesday, June, 2007 Grey heron; Gannet; Northern fulmar; Stonechat; Rock pipit; Kittiwake, and **CORNCRAKE** (new species for U.K.), quite the sighting in this country, in Glenarriff, Glens of Antrim, the first seen in the area for quite some time, although reintroduction efforts are under way and thorough

Jamaica Bay, New York, NY USA: September 9, 2007 Two Pied-billed grebe; Hudsonian godwit; Wilson's phalarope, and Red-necked phalarope; both phalaropes in winter plumage and often passing across one another to provide contrast in identification. Western form of Willet and three Ruddy duck

China (Beijing, Beijing area and Gobi Desert near to Dunhuang): September 2007 Azure-winged magpie; Bar-headed goose; Magpie; Black-browed reed-warbler; Black-faced bunting; Chinese pond-heron; Forest wagtail; Hen harrier; Large-billed crow; Manchurian reed-warbler; Olive-backed pipit; Pallas's grasshopper warbler; Red-billed blue magpie; Eastern spotted dove; Tree sparrow; Vinous-throated parrotbill; White wagtail; Willow tit, and Yellow-throated warbler (three individuals)

Bahamas: January 2008 Yellow-throated warbler; Bahama mockingbird; Bahama yellowthroat; Loggerhead kingbird; White-crowned pigeon; Bahama woodstar; Cuban emerald; Red-legged thrush, and Red-breasted merganser

Prospect Park, New York, USA: February 3, 2008 Pintail (female) and Sharp-shinned hawk

Jamaica: March 2008

Mandeville area—Cattle egret; White-crowned pigeon; Black-throated blue warbler; Yellow-faced grassquit; Black-faced grassquit; Jamaican mango; Bananaquit; Greater Antillean grackle; Jamaican euphonia; Bahama mockingbird; Northern mockingbird; Jamaican elaenia; Jamaican crow; Smooth-billed ani; Turkey vulture, and American kestrel

Marshall's Pen, Mandeville—Green-backed heron; Red-billed streamertail; Jamaican tody; White-winged dove; Caribbean dove; Olive-throated parakeet; Jamaican woodpecker; American redstart; Sad flycatcher; White-chinned thrush; Rufous-tailed solitaire; Arrow-headed warbler; Orangequit, and Jamaican oriole

Black Morass River—Osprey; Great egret; Snowy egret; Little blue heron; Saffron warbler; West Indian whistling-duck, and Black-crowned night heron

YS Falls—Red-billed streamertail and Vervain hummingbird

Port Kaiser road—Antillean nighthawk

Central Park, New York City, NY, USA: March 25, 2008 Eastern screech-owl (in hollow of tree at the junction of the 102nd St. Transverse and the Loop. on the inner side of the loop)

Central Park, New York City, NY, USA: March 29, 2008 Immature Western tanager, a rarity for the park. It is considered that the bird is a male. It had the distinctive wing barring, but there was no red on the head at all. Also, a House finch and very attractive male Yellow-bellied sapsucker

Tompkins Square Park, New York City, NY, USA: April 1, 2008 In a most unlikely spot, a male **SCOTT'S ORIOLE** (new species for US), which is the same bird that was in January and February often seen in nearby Union Square Park. It is decidedly more adult in plumage now (compared with photos posted of the Union Square Park bird), but as this is the first recorded incidence of this bird in New York State, it is certainly the same one. The head is black, but there is some mottling of black and brown on the nape that sometimes looks green. Two white wing bars are evident. It now has bugs to fit on but flew to yards from me as it tapped at sap scratchings that it had made in a small viburnum bush. Also, Eastern phoebe, a definite harbinger of Spring

Honduras: April 2008

West Bay/Lighthouse Point—White-crowned pigeon; Canivet's emerald; Yellow-bellied elaenia; Olive-sided flycatcher; Brown-crested flycatcher, and Grey hawk

Carambola Gardens—Yellow warbler; Summer tanager; Yucatán vireo; Yucatán woodpecker; Black-and-white warbler, and Green-breasted mango

Oak Ridge—Belted kingfisher; Magnificent frigatebird; Caspian tern, and Brown pelican

Pollytilly Bight—Ovenbird

Pico Bonito—Hooded warbler; Chestnut-sided warbler; Magnolia warbler; American redstart; Black-throated green warbler; Honduran emerald; Yellow-tailed oriole; Mealy parrot; White-crowned parrot; Brown jay; Lovely cotinga; White-collared manakin; Melodious blackbird; Wedge-billed woodcreeper; Violaceous trogon; Piratic flycatcher; Masked tityra; Striped cuckoo; Clay-coloured robin; Blue-headed vireo; Yellow-throated euphonia, and Black-cowled oriole

Río Cangregal—Green kingfisher; Keel-billed toucan; Montezuma's oropendola; Black phoebe, and Grey-breasted martin

Cuero y Salado—Ringed kingfisher; Black-throated trogon; Great blue heron; Little blue heron; Boat-billed heron; Green heron; Bat falcon; Common black hawk; Buff-throated foliage-gleaner; Prothonotary warbler; Golden-fronted woodpecker; White-whiskered puffbird; White-necked puffbird; Sandwich tern; Red-throated ant-tanager; Variable seedeater; American pygmy kingfisher; Rufescent tiger-heron; Northern jacana, and Muscovy duck

Útila—Indigo bunting; Smooth-billed ani, and Townsend's warbler; (also Spinner dolphins)

Central Park, New York City, NY, USA: April 19, 2008 Prairie warbler; Yellow-rumped warbler; Blue-headed vireo, and Ruby-crowned kinglet (one flashed ruby crown)

Prospect Park, Brooklyn, NY, USA: April 20, 2008 Wood duck; Brown creeper; Blue-headed vireo; Pine warbler; Black-capped chickadee; Downy woodpecker; Northern flicker; 10 flyover Glossy ibis, and Palm warbler

New England, USA: April 25-28, 2008 Eastern phoebe; Song sparrow; Black-capped chickadee; Goldfinch; Eider (Biddeford Pool and Popham Beach, Me.); Surf scoter (Biddeford Pool); Yellow-bellied sapsucker (Stockbridge, Mass.); Pileated woodpecker (Stockbridge, Mass.), and Osprey; also, (Atlantic grey seal: 30, Popham Beach); (American black bear: Hancock Shaker Village, Hancock, Mass.)

Garden City, Long Island, NY, USA: May 6, 2008 (lunchtime) Great-crested flycatcher; Baltimore oriole; Bronzed cowbird; Scarlet tanager; Northern parula, and Black-and-white warbler

Prospect Park, Brooklyn, NY, USA: May 11, 2008 CERULEAN WARBLER (new species for US) was the highlight, seen in the Lookout, with excellent views; also seen were Black-and-white warbler; Northern parula; Black-throated green warbler (several); Black-throated blue warbler; Yellow-rumped warbler; American redstart; Ovenbird (several); Magnolia warbler; Chestnut-sided warbler, and Yellow warbler. Other species included Red-tailed hawk; Spotted sandpiper; Rose-breasted grosbeak; Downy woodpecker; Least flycatcher; White-eyed vireo; Grey-cheeked thrush; Monk parakeet, and Osprey

Garden City, Long Island, NY, USA: May 13, 2008 (lunchtime) Great-crested flycatcher; Baltimore oriole (male and female); Scarlet tanager; Northern parula; Eastern phoebe; Least flycatcher, and Chimney swift

Garden City, Long Island, NY, USA: May 14, 2008 (lunchtime) Great-crested flycatcher; Baltimore oriole (male and female); Eastern phoebe; Least flycatcher (at nest); Eastern kingbird; Canada warbler, Blackpoll warbler, Magnolia warbler, Warbling vireo; Ovenbird; Wood thrush; Brown-headed cowbird, and Black-throated blue warbler

Central Park, New York, NY, USA: May 15, 2008 (afternoon) Baltimore oriole; Scarlet tanager; Northern parula; Black-and-white warbler; Black-throated blue warbler, Yellow-rumped warbler, American redstart; Ovenbird; Magnolia warbler; Chestnut-sided warbler; Red-tailed hawk; Rose-breasted grosbeak, Blackpoll warbler, Blue-headed vireo; Wood thrush; Veery; Swainson's thrush; White-breasted nuthatch; Ruby-throated hummingbird; Swamp sparrow; Chipping sparrow, and Northern waterthrush

Prospect Park, Brooklyn, NY, USA: May 17, 2008 Black-and-white warbler; Black-throated blue warbler; Yellow-rumped warbler; Ovenbird (several); Magnolia warbler; Rose-breasted grosbeak; Baltimore oriole; Scarlet tanager; Chimney swift; Canada warbler; Wood thrush; Veery; Swainson's thrush, and Eastern kingbird

Garden City, Long Island, NY, USA: May 19, 2008 (overcast and windy) Great-crested flycatcher; American redstart; Red-tailed hawk; Downy woodpecker, and Canada warbler

Garden City, Long Island, NY, USA: May 20, 2008 (rain) Two Scarlet tanager

Prospect Park, Brooklyn, NY, USA: May 25, 2008 Blackburnian warbler; Chestnut-sided warbler; Tennessee warbler; Magnolia warbler; Canada warbler; American redstart; Black-throated green warbler; Orchard oriole (male and female); Black-capped chickadee; House finch; Cedar waxwing; Veery; Ovenbird, and Swainson's thrush

Garden City, Long Island, NY, USA: May 27, 2008 Alder flycatcher

Die Biesbosch, The Netherlands: June 30, 2008 Common spoonbill and Water rail, neither species I have seen in the U.K.

Prospect Park, Brooklyn, NY, USA: Sept. 14, 2008 Blue-winged warbler; Grey catbird; Blue-grey gnatcatcher; Yellow-bellied sapsucker; Downy woodpecker; American redstart; Black-and-white warbler, and Canada warbler
Prospect Park, Brooklyn, NY, USA: Oct. 4, 2008 Northern waterthrush; Magnolia warbler; Ruby-crowned kinglet, and Red-tailed hawk

Cherry Apartments, Garden City, NY, USA: Oct. 7, 2008 Sitting proud as day on the top of a small bush in the middle of a lawn in the middle of a planned community sat a **CLAYCOLOURED SPARROW** (new species for US)

Northern Portugal: Oct. 11-14, 2008 Chiffchaff; Siskin; Green woodpecker; Great-spotted woodpecker; Black redstart; Robin; Bonelli's eagle; Red kite; Great tit, and Stonechat

Garden City, NY, USA: Oct. 20, 2008 First Dark-eyed junco (three in total) of the season

Somerset (Shapwick Marsh, Ham Wall, Chew Valley Lake, etc.): Dec. 4-7, 2008
Chiffchaff; Merlin; Marsh harrier; Sparrowhawk; Peregrine (near Lambourn, Wiltshire); Chaffinch; Bullfinch; Siskin; Goldcrest; Common Redpoll; Mute swan; Great-crested grebe; Little grebe; Tufted duck; Pochard; Mallard; Common coot; Moorhen; Grey heron; Kingfisher; House sparrow; Dunnock; European starling—2 million in roosting; Black-headed sparrow; Herring gull; Rook; Common crow; Jackdaw; Pheasant; Blackbird; Blue tit; Long-tailed tit; Goosander; Robin; Magpie, and Lapwing

Kisenna Pond, Flushing, Queens, New York, USA: January 2, 2009 In a triangle of grass between a main road and an exit ramp was a **CAACKLING GOOSE** (new species for US) and **PINK-FOOTED GOOSE** (3rd record for New York State; first record for New York City; new species for US)

Dominican Republic: February 2009

Parque Nacional de los Haïteses and Parque Nacional del Este—Grey kingbird; Loggerhead kingbird; Red-footed booby; American kestrel; Hispaniolan woodpecker; Hispaniolan lizard-cuckoo; Palmchat; White-cheeked pintail; Cattle egret; Common egret; Little blue heron; Bananaquit; Yellow-faced grassquit; Ridgway's hawk; Antillean mango; Vervain hummingbird; Village weaver; Antillean palm-swift; Caribbean martin; Broad-billed tody; Black-crowned palm-tanager; Grey-crowned palm-tanager; Limpkin; Magnificent frigatebird; Cave swallow; Osprey; Black-crowned night heron; Solitary sandpiper; Black-whiskered vireo; Prairie warbler; Black-throated blue warbler; Brown pelican; Turkey vulture; Smooth-billed ani; Greater Antillean grackle; Northern parula; American redstart, and Scaly-breasted munia (aka Nutmeg manakin)

Prospect Park, Brooklyn, NY, USA: April 5, 2009 Black-capped chickadee; Palm warbler; Pine warbler; Northern flicker; American kestrel, and Wood duck

Prospect Park, Brooklyn, NY, USA: April 12, 2009 Northern flicker; Palm warbler; Pine warbler; Hermit thrush; Blue-grey gnatcatcher; Osprey (with fish); Belted kingfisher, and Brown creeper

Garden City Golf Club, Garden City, NY, USA: April 16, 2009 (lunch break) Red-bellied woodpecker; Northern flicker; Eastern phoebe, and Red-tailed hawk

Central Park, New York City, New York, USA: April 16, 2009 Yellow-throated warbler at the Boat Pond, off 72nd St.; it's been here for six days now; my second U.S. record of this species

Prospect Park, Brooklyn, NY, USA: April 18-19, 2009 43 species seen. Red-bellied woodpecker; Pine warbler; Palm warbler; Black-and-white warbler; Magnolia warbler (very, very early); Louisiana waterthrush; Eastern phoebe; **AMERICAN BITTERN** (new species for US), high in tree over The Ravine; Dark-eye junco; Savannah sparrow; Swamp sparrow; White-throated sparrow, and Hermit thrush

Prospect Park, Brooklyn, NY, USA: April 25-26, 2009 A fantastic weekend, with 53 species seen. Reported Townsend's warbler, but not seen by me. Eastern towhee; Yellow-throated warbler (my 3rd US record); Prairie warbler; Hooded warbler; Prothonotary warbler; Orchard oriole; Baltimore oriole; Hairy woodpecker; Ruby-throated hummingbird; House wren; Golden-crowned kinglet; Black-throated green warbler; Yellow warbler; Pine warbler; Palm warbler; Black-and-white warbler; Bronzed cowbird; Merlin; Tufted duck; Grey catbird, and Blue-grey gnatcatcher

Prospect Park, Brooklyn, NY, USA: April 27, 2009 Evening birding, and a little disappointing, except for the Lookout area. Blue-headed vireo and Yellow-throated warbler, both at eye level; Eastern Towhee and many of those seen on my last outing, except for the three underlined A-listers

Prospect Park, Brooklyn, NY, USA: April 29, 2009 Evening birding and on a chillier day than the previous three of heatwave. Again, a little disappointing, except for Blue-headed vireo and Blue-grey gnatcatcher, until right at the end when I saw two Brown thrasher and two male Indigo bunting low in a bush

Prospect Park, Brooklyn, NY, USA: May 2, 2009 A grey, drizzly morning, but the birding was good. Veery; Indigo Bunting (only one and in the same spot as on April 29, 2009); Northern waterthrush; Common yellowthroat; two Scarlet tanager; Chestnut-sided warbler; Blackburnian warbler; Black-throated green warbler; Black-throated blue warbler; Wood Thrush; Hermit thrush; Ovenbird, and Red-eyed vireo

Riverside Park, New York City, NY, USA: May 4, 2009 The dire weather continues, but a report came in of an increasingly rare species, so I twitched it after work. In an oak tree opposite 115th St. and Riverside Drive was a **GOLDEN-WINGED WARBLER** (new species for US). It flew to an adjacent tree and for five minutes was frantically tugging at seeds. It gave two decent views that allowed for identification before flying off and not returning

Grand Cayman, Cayman Islands: May 2009 Pied-billed grebe; Red-footed booby; Magnificent frigatebird; Green heron; Great blue heron; Great egret; Tricolored heron; West Indian whistling-duck; Purple gallinule; American coot; Black-necked stilt; Spotted sandpiper; Turnstone; Royal tern; Cayman parrot (subspecies of Cuban parrot); White-crowned pigeon; Zenaida dove; White-winged dove; Common ground-dove; Caribbean dove; Rose-throated parrot; Smooth-billed ani; West Indian woodpecker (*Melanerpes superciliaris caymanensis* subspecies); Loggerhead kingbird; Eastern wood-pewee; Purple martin; Barn swallow; Northern mockingbird (*Mimus polyglottos orpheus* subspecies); Bananaquit; Vitelline warbler (endemic); Greater Antillean grackle, and Western spindalis

Prospect Park, Brooklyn, NY, USA: May 23-25, 2009 **ARCADIAN FLYCATCHER** (new species for US); Northern waterthrush; Magnolia warbler; Red-tailed hawk; Green heron; Blackpoll warbler; American redstart; Yellow-rumped warbler; Baltimore oriole; Orchard oriole; Indigo bunting; Tennessee warbler; six Tricoloured heron flying over; Scarlet tanager, and Yellow-breasted flycatcher

California: June 4-13, 2009 **WESTERN GREBE** (new species for US); **AMERICAN AVOCET** (new species for US); Brown pelican; Double-crested cormorant; **PELAGIC CORMORANT** (new species for US); Green heron; Canada goose; **CINNAMON TEAL** (new species for US); Mallard; Turkey vulture; Red-tailed hawk; Killdeer; Black-necked stilt; Spotted sandpiper; **WESTERN GULL** (new species for US); **CALIFORNIA GULL** (new species for US); Caspian tern; Mourning dove; Eurasian collared dove; **BAND-TAILED PIGEON** (new species for US); **LESSER NIGHTHAWK** (new species for US); **COMMON POORWILL** (new species for US); **BLACK SWIFT** (new species for US); **WHITE-FRONTED SWIFT** (new species for US); **CALLIOPE HUMMINGBIRD** (new species for US); Hairy woodpecker; **ACORN WOODPECKER** (new species for US); **NUTTALL'S WOODPECKER** (new species for US); **WHITE-HEADED WOODPECKER** (new species for US); **WILLIAMSON'S SAPSUCKER** (new species for US); **RED-HEADED SAPSUCKER** (new species for US); **CALIFORNIA QUAIL** (new species for US); **WESTERN SCRUB-JAY** (new species for US); Steller's jay; Common raven; Common crow; Violet-green swallow; Barn swallow; **WESTERN WOOD-PEEWEE** (new species for US); Brown creeper; **PYGMY NUTHATCH** (new species for US); **PACIFIC SLOPE FLYCATCHER** (new species for US); **BLACK PHEOBE** (new species for US); **SAY'S PHEOBE** (new species for US); **CHESTNUT-BACKED CHICKADEE** (new species for US); **WRENTIT** (new species for US); **MOUNTAIN BLUEBIRD** (new species for US); **WESTERN BLUEBIRD** (new species for US); **AMERICAN PIPIT** (new species for US); House wren; American robin; Northern mockingbird; Nashville warbler; **McGILLIVRAY'S WARBLER** (new species for US); Western tanager; **BLACK-HEADED GROSBEAK** (new species for US); **SPOTTED TOWHEE** (new species for US); **SAGE SPARROW** (new species for US); **BREWER'S SPARROW** (new species for US); Rufous-headed sparrow; Dark-eyed junco; Bullock's oriole; **WESTERN MEADOWLARK** (new species for US); **TRICOLOURED BLACKBIRD** (new species for US); Red-winged blackbird; Brewer's blackbird; Great-tailed grackle, and House sparrow

Svalbard/Spitsbergen, Norway: August 21-28, 2009 Eider; Little auk; Brunnich's guillemot; Rock ptarmigan; Atlantic puffin; Great skua; Long-tailed skua; Arctic skua; Glaucous gull; Sabine's gull; Northern fulmar; Kittiwake; Snow bunting; Pink-footed goose and Barnacle goose

Belize: October 17-23, 2009 Brown pelican; Neotropic cormorant; Anhinga; Magnificent frigatebird; Bare-throated tiger-heron; Great blue heron; Great egret; Snowy egret; Little blue heron; Tricoloured heron; Cattle egret; Agami heron; Yellow-crowned night-heron; White ibis; Roseate spoonbill; Black vulture; Turkey vulture; Black-bellied whistling-duck; Osprey; Snail kite; Black-collared hawk; Roadside hawk; Bat falcon; Plain chachalaca; Limpkin; Black-necked stilt; Northern jacana; Laughing gull; Pale-vented pigeon; Ruddy ground-dove; Olive-throated parakeet; Brown-hooded parrot; White-crowned parrot; White-fronted parrot; Red-lore amazon; Mottled owl; Common parouque; Long-tailed hermit; Stripe-throated hermit; Canivet's emerald; Rufous-tailed hummingbird; Black-headed trogon; Slaty-tailed trogon; Blue-crowned motmot; Belted kingfisher; American pygmy kingfisher; Keel-billed toucan; Golden-fronted woodpecker; Lineated woodpecker; Pale-billed woodpecker; Streak-headed woodcreeper; Black-faced antthrush; Tropical peewee; Vermillion flycatcher; Bright-rumped Attila; Dusky-capped flycatcher; Great crested flycatcher; Great kiskadee; Boat-billed flycatcher; Social flycatcher; Tropical kingbird; Fork-tailed flycatcher; White-eyed vireo; Yellow-throated vireo; Red-eyed vireo; Lesser greenlet; Green jay; Brown jay; Mangrove swallow; Plain wren; Wood thrush; Clay-coloured robin; Grey catbird; Tropical mockingbird; Tennessee warbler; Nashville warbler; Magnolia warbler; Black-throated blue warbler; Black-throated green warbler; Yellow-rumped warbler; Yellow-throated warbler; Black-and-white warbler; Prothonotary warbler; Ovenbird; Northern waterthrush; Louisiana waterthrush; Common yellowthroat; Hooded warbler; Red-throated ant-tanager; Summer tanager; Blue-grey tanager; Yellow-winged tanager; Yellow-throated euphonia; Slate-coloured seedeater; White-collared seedeater; Variable seedeater; Green-backed sparrow; Black-headed saltator; Rose-breasted grosbeak; Red-winged blackbird; Great-tailed grackle; Melodious blackbird, and Montezuma oropendola

Central Park, New York, New York, USA: November 21, 2009 GREAT HORNED OWL (new species in US) in the Ramble near the Rustic Shelter

Caribbean (St. Lucia/Barbados/Martinique/U.S. Virgin Islands/Bahamas): March 19-24, 2010 Brown booby; Magnificent frigatebird; Bananaquit; Bahama mockingbird; Bahama mockingbird; Western spindalis; American kestrel; Osprey; Turkey vulture; Brown pelican; Great blue heron; Cattle egret; White-cheeked pintail; American oystercatcher; Black-necked stilt; Sanderling; Laughing gull; Zenaida dove; Key West quail-dove; Burrowing owl; Green-breasted mango; Grey kingbird; Cuban pewee; Caribbean martin; Pearly-eyed thrasher; Palm warbler, and Grey trembler

Turkey: April 2-11, 2010 Common buzzard; Marsh harrier; Levant sparrowhawk; Lesser kestrel; Peregrine; White stork; Ring-necked parakeet; Grey heron; Little owl; Common hoopoe; Common magpie; Great tit; Goldfinch; Chiffchaff; Coal tit; Sombre tit; Desert lark; Crested lark; Whinchat; Northern wheatear; Willow sparrow; Reed bunting, and White-winged snow finch

Garden City Golf Club: May 4, 2010 (lunch break) Common yellowthroat; Ovenbird; Pine warbler; Grey catbird; Hairy woodpecker; Eastern kingbird; Rose-breasted grosbeak, and Hermit thrush

Garden City Golf Club, Wednesday, May 5, 2010 (lunch break) Yellow-rumped warbler; Black-throated blue warbler; Ovenbird; Blackpoll warbler, and Black-and-white warbler

Garden City Golf Club: May 7, 2010 (lunch break) Northern parula; American redstart, and Red-bellied woodpecker

Prospect Park, Brooklyn, NY, USA: May 9, 2010 Windy evening with a chill and mostly grey light. Two Carolina wren; House wren; Magnolia warbler; Eastern kingbird; American redstart; Black-capped chickadee; Hermit thrush; Ovenbird, and Eastern towhee

Central Park, Wednesday: May 12, 2010 Cloudy, bad light, grey, drizzle. Hermit thrush; Ovenbird; Louisiana waterthrush; Northern waterthrush; Common yellowthroat; American redstart; Hooded warbler (female); Nashville warbler; Blue-winged warbler; Canada warbler; Black-and-white warbler; and Blue jay

Garden City Golf Club: May 13, 2010 (lunch break) Northern parula; Magnolia warbler; Yellow-rumped warbler; Black-and-white warbler; Chipping sparrow; Baltimore oriole, and Hermit thrush

Prospect Park, Brooklyn, NY, USA: May 14, 2010 (late afternoon) Black-throated green warbler; Dark-eyed junco; Cedar waxwing; Chimney swift, and Veery

Prospect Park, Brooklyn, NY, USA; May 15, 2010 (7 p.m.-1 p.m.) Glorious day, 59 species in total. Blackburnian warbler; Cape May warbler; Least flycatcher; Northern flicker; Red-bellied woodpecker; Eastern wood-peewee; Bay-breasted warbler; Mourning warbler; Green heron; Red-tailed hawk; Ruby-throated hummingbird; Nashville warbler; Tennessee warbler; Chestnut-sided warbler; Black-and-white warbler; Northern parula; Yellow-rumped warbler; Black-throated blue warbler; Ovenbird; Swainson's thrush; Grey-cheeked thrush; Canada warbler; White-eyed vireo; Red-eyed vireo; Scarlet tanager; Baltimore oriole; Yellow-breasted flycatcher; Great-crested flycatcher; Magnolia warbler; Blackpoll warbler; Wilson's warbler; American redstart; Common yellowthroat; Louisiana waterthrush; Northern waterthrush; Brown-headed cowbird; Indigo bunting; Yellow-bellied flycatcher; White-throated sparrow; White-breasted nuthatch, and Yellow-throated vireo

Central Park, New York: May 15, 2010 (8 a.m.–1 p.m.) Canada warbler; Bay-breasted warbler; Cape May warbler; Black-and-white warbler; Black-throated blue warbler; Ruby-throated hummingbird; Magnolia warbler; Yellow-rumped warbler; Canada warbler; Black-crowned night heron; American redstart; Northern parula; Northern waterthrush; Ovenbird; Common Yellowthroat; Red-eyed vireo; Blackburnian warbler; Baltimore oriole; Great northern diver; Rose-breasted grosbeak; Scarlet tanager; Eastern wood-pewee; Swainson's thrush, and Solitary sandpiper

Prospect Park, Brooklyn, NY, USA: May 22, 2010 (early afternoon) Olive-sided flycatcher; Canada warbler; Semipalmated sandpiper; Red-winged blackbird; Swainson's thrush; Blackpoll warbler; Common yellowthroat, and Magnolia warbler

Wilton and Branchville, Conn, and Doodletown, New York: May 27, 2010 Swamp sparrow; Song sparrow; Black-crowned night-heron; White-breasted nuthatch; Wild turkey; Common raven; Louisiana waterthrush; Blue-grey gnatcatcher; Eastern phoebe, and Eastern wood-peewee

Jamaica Bay Wildlife Refuge, Broad Channel, Queens, New York: May 30, 2010 Osprey; Great egret; Snowy egret ; Yellow-crowned night heron; Glossy ibis; Black duck;

Forster's tern; Laughing gull; Willet; Dunlin; Sanderling; Semipalmated plover; Grey catbird; Yellow warbler; Great crested flycatcher; Song sparrow; Tree swallow; Cedar waxwing; Black-throated blue warbler; Eastern towhee; Wood thrush; Oystercatcher; Great blue heron, and Short-billed dowitcher

Curaçao: June 2-6, 2010 American kestrel; Bananaquit; Bare-eyed pigeon; Black-faced grassquit; Blue-tailed emerald; Brown-crested flycatcher; Brown pelican; Brown-throated parakeet; Crested bobwhite; Crested caracara; Common ground-dove; Eared dove; Green heron; Groove-billed ani; Magnificent frigatebird; Neotropical cormorant; Northern scrub-flycatcher; Osprey; Red-necked pigeon Ruby-topaz hummingbird; Rufous-collared sparrow; Saffron finch; Scaly-naped pigeon; Small-billed elaenia; Tropical mockingbird; Troupial; White-tipped dove; Yellow oriole, and Yellow warbler

Northern coast and Tayrona National Park, Colombia: August 2010 Bicoloured wren; Brown-throated parakeet; Little blue heron; Russet-throated puffbird; Southern nightingale-wren; White-tailed starfrontlet; Long-tailed hermit; Mouse-colored tyrannulet; Zone-tailed hawk; Chestnut piculet; Southern lapwing, and Crimson-crested woodpecker

Aruba: August 2010 American kestrel; Bananaquit; Bare-eyed pigeon; Black-faced grassquit; Black-necked stilt; Brown-throated parakeet; Burrowing owl; Green heron; Groove-billed ani; Magnificent frigatebird; Neotropical cormorant; Rufous-collared sparrow; Tropical mockingbird; Troupial; White-tipped dove; Yellow oriole, and Whimbrel
Grenada: September 2010 Antillean crested hummingbird; Grenada flycatcher; Cocoa thrush, and Broad-winged hawk

Ebber Gorge and Cheddar Reservoir, Somerset: Nov. 26, 2010 Wigeon; Mute swan; Tufted duck; Coot; Moorhen; Great-crested grebe; Little grebe; Pochard; Nuthatch; Goldcrest; Bullfinch; Treecreeper; Common raven; Common buzzard; Kestrel; Red kite; Carrion crow; Rook; Goldcrest; Great-spotted woodpecker; Greenfinch; Chaffinch; Blue tit; Great tit; Long-tailed tit; Pheasant, and Fieldfare

Central Park, New York City, New York, USA: Dec. 11, 2010 In the Maintenance Yard area of central Park, a Varied thrush, second for me and certainly the first on the East Coast. This bird has been here for a week, and it stayed for approximately two weeks afterwards. Great views in good sunshine

Martha's Vineyard, Mass., USA: March 24-27, 2011 Northern cardinal; Common grackle; European starling; House sparrow; Mallard; White-winged scoter; Shore lark (50+); Savannah sparrow (six); Eider; American black duck; Goldeneye (four); **NORTHERN HARRIER** (new species for US); Osprey (four, and the first week they came back, apparently); Great egret; Red-tailed hawk; Merlin; Double-crested cormorant; Bufflehead; Song sparrow; White-breasted nuthatch; Blue jay; American goldfinch; Great northern diver; Hooded merganser; Red-breasted merganser (many); Greater black-backed gull; Ring-billed gull; Herring gull; Oystercatcher; Sanderling; Grey plover; Dunlin; Scaup; Black-capped chickadee; Northern flicker; Red-bellied woodpecker; American crow; Mute swan; Carolina wren (three); House wren, and Mourning dove

Columbia Bottom Conservation Area, St. Louis County, Mo., USA; April 6, 2011 Peregrine; Red-tailed hawk; Cooper's hawk; **WILSON'S SNIPE** (new species for US);

Killdeer; American goldfinch; Lesser yellowlegs; Greater yellowlegs; Brown thrasher; Blue-winged teal; Grey heron, and Shoveler

Prospect Park, Brooklyn, NY, USA: April 17, 2011 A little windy, but sunny. First day of birding, in the late afternoon, in new spring-migration year. Hermit thrush; Brown creeper; Pine warbler; Palm warbler; Common yellowthroat; Northern parula. Also Peregrine flying over edge of Greenwood Cemetery

Havana, Viñales, and Trinidad, Cuba: April 21-May 1, 2011 Cuban trogon; Cuban tody; West Indian woodpecker; Cuban pewee; Cuban bullfinch; Cuban emerald; Cuban green woodpecker; Northern mockingbird; Giant kingbird; Loggerhead kingbird; Killdeer; Cuban martin; Turkey vulture; Black vulture; Red-tailed hawk; Red-shouldered blackbird; Cuban grassquit; Red-winged blackbird; Tawny-shouldered blackbird; American kestrel; Western spindalis; Red-legged thrush; Common black hawk; Grey kingbird; Yellow warbler; White-collared swift; Cuban blackbird; Cattle egret; Great egret; Green heron; Tricoloured heron; Great blue heron; Black-necked stilt; Least grebe; Brown pelican; Neotropic cormorant; Magnificent frigatebird; Little blue heron; Snowy egret; Helmeted guineafowl; Purple gallinule; Laughing gull; Cuban crow; Yellow-throated vireo, and Great Antillean grackle

Prospect Park, Brooklyn, NY, USA: May 8, 2011 66 species total, including 21 warblers. American redstart (male and female); Bay-breasted warbler (on Lookout Hill, two paths above Wellhouse); Black-and-white warbler; Black-throated blue warbler (male and female); Black-throated green warbler (male and female); Blue-winged warbler (near Lullwater Bridge); Cape May warbler (saw four; one birder saw five and heard eight); Chestnut-sided warbler; Common yellowthroat; Hooded warbler (west of Wellhouse; for 15 minutes or so in full view on path); Louisiana waterthrush (Lower Pool); Magnolia warbler; Nashville warbler; Northern parula (male and female); Northern waterthrush (five); Ovenbird; Pine warbler (Quaker Cemetery); Tennessee warbler (Quaker Cemetery); Worm-eating warbler (immediately south of Quaker Cemetery and, later, west side of Lookout Hill; probably same bird); Yellow warbler, and Yellow-rumped warbler. Other species were Black-capped chickadee; Blue-grey gnatcatcher; Eastern kingbird; Great-crested flycatcher; Green heron; Hermit thrush. House wren; Indigo bunting (male); Northern flicker; Northern oriole; Northern rough-winged swallow; Peregrine; Pine siskin; White-breasted nuthatch; Red-eyed vireo; Red-tailed hawk; Rose-breasted grosbeak; Scarlet tanager; Spotted sandpiper; Veery, and Wood thrush

Prospect Park, Brooklyn, NY, USA; May 14, 2011 50 species total; harder birding today, leaden light. Northern parula; Yellow warbler; Chestnut-sided warbler; Magnolia warbler; Black-throated blue warbler; Black-throated green warbler; Yellow-rumped warbler; Cape May warbler; Blackpoll warbler; Black-and-white warbler; American redstart; Ovenbird; Common yellowthroat; Yellow-breasted chat (second one ever; first in well over 10 years); Red-eyed vireo; Warbling vireo; Blue-headed vireo; Yellow-throated vireo; Orchard oriole (male and female); Baltimore oriole; Scarlet tanager; Peregrine; Red-tailed hawk; Chimney swift; Veery; Rose-breasted grosbeak (male and female); Hairy woodpecker, and Downy woodpecker

Grand Canyon, Ariz., USA: May 21-23, 2011 Before, during and after my rim-to-rim-to-rum run across and back across the Grand Canyon with my friend Alex Mittnacht—American crow; American dipper; Black phoebe; **BLACK-THROATED SPARROW** (new species for US); Black vulture; Broad-tailed hummingbird. **CANYON WREN** (new species for US);

CASSIN'S VIREO (new species for US); **CLARK'S NUTCRACKER** (new species for US); Common raven; **GRACE'S WARBLER** (new species for US); **LUCY'S WARBLER** (new species for US); **PIÑON JAY** (new species for US); Pygmy nuthatch; Say's phoebe; Spotted towhee; Steller's jay; Vermilion flycatcher; Western bluebird; Western sandpiper; Western scrub-jay; Western tanager; **WHITE-THROATED SWIFT** (new species for US); **YELLOW-HEADED BLACKBIRD** (new species for US), and Yellow-rumped warbler

Prospect Park, Brooklyn, NY, USA: May 28, 2011 Very quiet, marking the end of the season. Cedar waxwing (four); male Orchard oriole; Northern waterthrush, and Red-eyed vireo

Rockefeller State Park, Sleepy Hollow, NY, USA: June 9, 2011 Wonderful views of perched, singing Kentucky warbler; also Blue-winged warbler and several Rufous-sided towhee

St. Kitts and Nevis: July 13-July 16, 2011 Magnificent frigatebird; Brown pelican; Little tern; Kentish (Snowy) plover; American kestrel; Red-winged hawk; Green-throated carib; Bridled quail-dove; Grey kingbird; Yellow-crowned night-heron; Great-blue heron; Black-necked stilt; Purple gallinule; Cattle egret; Turnstone; Snowy egret; Semipalmated plover; Sanderling; Zenaida dove; Common ground-dove; Scaly-naped pigeon; Antillean crested hummingbird; Lesser Antillean flycatcher; Caribbean martin; Tropical mockingbird; Scaly-breasted thrasher; Palm warbler; Black-faced grassquit, and Lesser Antillean bullfinch

Coney Island, Brooklyn, NY, USA; July 31, 2011 An absolute star has come to American soil for only its second-ever recording, a **GREY-HEADED GULL** (new species for US), sitting on a lamppost or on the beach and occasionally squabbling with Laughing gull. Many birders—to the amusement of beachgoers—including one who had flown in from Chicago. Brilliant views Manitou/Garrison, Hudson Valley, NY, USA: Sept. 4, 2011 Red-bellied woodpecker; Downy woodpecker; Hairy woodpecker; Pileated woodpecker; White-breasted nuthatch; Red-shouldered hawk; Tennessee warbler; Black-throated green warbler; Black-capped chickadee, and Red-eyed vireo

Providenciales and North Caicos, Turks & Caicos Islands: Oct. 7-12, 2011 Black-winged stilt; White-crowned pigeon; White-cheeked pintail; Royal tern; Caribbean elaenia; American kestrel; Tricoloured heron; Yellow-crowned night heron; Black-crowned night heron; Green heron; American flamingo; Yellow-billed cuckoo (probably at least 40 on North Caicos alone); West Indian whistling duck; Osprey; Kentish plover; Bahama woodstar (on North Caicos); Eastern wood peewee; Grey kingbird; Bahama mockingbird; Yellow-throated warbler (on my balcony), and Brown pelican

Central Park, New York City, NY, USA: Nov. 25, 2011 Went to see the reported Black-throated grey warbler, but to no avail; I did see an Orange-crowned warbler, though, low to the ground, flitting and feeding around a bush

Central Park, New York City, NY, USA: Dec. 28, 2011 Barred owl, only my second, with great views in the Pinetum area alongside the Great Lawn

Prospect Park, Brooklyn, NY, USA: Dec. 30, 2011 Sharp-shinned hawk and Great blue heron

Prospect Park, Brooklyn, NY, USA: Jan. 2, 2012 Downy woodpecker; Hairy woodpecker; red-bellied woodpecker; White-breasted nuthatch; House finch; Pied grebe; Hooded merganser, and Red-tailed hawk

Central Japan: Feb. 11-19, 2012 American wigeon; Mallard; Eastern Spot-billed duck; Shoveler; Common pochard; Tufted duck; Goosander; Little grebe; Grey heron; Little egret; Temminck's cormorant; Cormorant; Merlin; Black-eared kite; Golden eagle; Turnstone (wintering). Japanese pygmy woodpecker; Great spotted woodpecker; Bull-headed shrike; Eurasian jay; Azure-winged magpie; Carrion crow; Large-billed crow; Eastern great tit; Coal tit; Varied tit; Long-tailed tit; Brown-eared bulbul; Red-billed leiothrix; Eurasian nuthatch; White-cheeked starling; Dusky thrush; Daurian redstart; Brown dipper; Eurasian tree sparrow; White wagtail, and Japanese wagtail

American Museum of Natural History, Manhattan, New York, USA: Feb. 28, 2012 Rufous hummingbird seen at feeder (the bird has miraculously wintered in New York City, in a mild winter; this being my first Eastern Seaboard sighting of this species) at 4:30 p.m. to 4:45 p.m.; fed at feeder, perched on nearby branches and sallied once into the air

High Weald Way, Kent/Sussex: April 15, 2012 One Yellowhammer near Groombridge, followed by five or six along a hedgerow near Frant

Palazzo, Marche, Italy: July 2012 Short-toed eagle

Shapwick March, Somerset: September 1, 2012 OSPREY (new species for U.K.). (Also Slow worm and Adder)

Hyde Park, London: February 2, 2013 First for Central London, two Bearded tit; also Fieldfare and Redwing

Ethiopia: March 23-April 6, 2013 (some birds seen in more than one location)

Addis Ababa—Wattled ibis; Black kite; Hooded vulture; Lappet-faced vulture; African paradise flycatcher; Speckled mousebird; Grey-headed batis; Olive sunbird; Tacazze sunbird; Brown-rumped seedeater, and Streaky seedeater

Lalibela and Lalibela Hudad—Lammergeyer; Brown snake-eagle; African hawk-eagle; African white-backed vulture; Rueppel's griffon; Fox-kestrel; Chestnut-naped francolin; Moorland francolin; Speckled pigeon; White-collared pigeon; Western turtle-dove; Ring-necked dove; African mourning dove; Black-winged lovebird; Mottled swift; Little bee-eater; Blue-breasted bee-eater; Blue-cheeked bee-eater; Cinnamon-chested bee-eater; Hemprich's hornbill; Abyssinian ground hornbill; Grey woodpecker; Red-capped lark; Rufous-naped lark; African pied wagtail; Rueppel's black chat; Sombre rock-chat; Mocking chat; Black cap (male and female); Lesser whitethroat; Groundscraper thrush; Winding cisticola; Brown parisoma; White-backed black tit; Variable sunbird; Red-chested sunbird; Marico sunbird; African black-headed oriole; Fan-tailed raven; Red-winged starling; White-billed starling; Greater blue-eared glossy starling; Rueppel's long-tailed starling; Grey-headed sparrow; Socotra sparrow; Black-headed weaver; Little weaver; Baglafaecht weaver; Red-cheeked cordon-bleu, and Ethiopian siskin

Great Rift Valley—Ostrich; Cormorant; Reed cormorant; Great white pelican; Pink-backed pelican; Black-headed heron; Hamerkop; Marabou; White-faced whistling-duck; Maccoa duck; Yellow-billed duck; African fish-eagle; Red-knobbed coot; Spur-winged lapwing; Grey go-away bird; Red-billed hornbill; African palm swift; Pied kingfisher; Woodland kingfisher;

Von der Decken's hornbill; Red-rumped swallow; Thrush-nightingale; Olive thrush; Long-tailed fiscal; Common fiscal; White-browed sparrow-weaver, and Red-eyed dove

Bale Mountains/Harena Forest—Sacred ibis; Egyptian goose; Spur-winged goose; Blue-winged goose; Ruddy shelduck; Augur buzzard; Tawny eagle; Steppe eagle; Rouget's rail; Spot-breasted plover; Grey-headed gull; Olive pigeon; Blue-naped mousebird; Silvery-cheeked hornbill; Thekla lark; Abyssinian longclaw; Common bulbul; Common camaroptera; African paradise monarch; Tropical boubou; Thick-billed raven; African drongo, and Yellow-bellied waxbill

Awash National Park—African harrier-hawk; Crested francolin; Helmeted guineafowl; Arabian bustard; Kori bustard; Wood sandpiper; Laughing dove; White-rumped swift; Little swift; Olive bee-eater; White-winged cliff chat; African rook; White-headed buffalo-weaver, and Rosy-patched bush-shrike

Other areas—Little egret; White stork (near to Sof Omar Caves); White-cheeked turaco (near to Gelesso); Black-billed wood-hoopoe (on the road to Dinsho); Mosque swallow (village of Sheikh Hussein); Abyssinian white-eye (Harer); Bristle-crowned starling (Sof Omar Caves); Shelley's starling (on the road to Harer); Golden-breasted starling (near to the Wabe Shebele River); Chestnut sparrow (Harer); Yellow-throated petronia (Harer), and Red-billed firefinch (Harer)

(Also Oryx; Boror's reedbuck; Warthog; Olive baboon; Geleda baboon; Bale monkey; Vervet monkey; Colobus monkey; Mountain nyala; Lesser kudu; Ethiopian wolf; Abyssinian hare; Giant mole rat; Black-backed jackal; Salt's dik; Camel, and Hippopotamus)

Dulwich Park, London: April 15, 2013 In the American Garden, numerous Willow warbler; Greenfinch; Long-tailed tit; Coal tit; Blue tit; Great tit; Ring-necked parakeet, and male **PIED FLYCATCHER** (new species for U.K.), I believe the first to be seen in London in 2013

Rome, Italy: April 25-May 3, 2013 Sardinian warbler

Hampshire: May 4-6, 2013 New Forest—Cuckoo; Stonechat, and Skylark

Buckler's Hard—Curlew

Ovington—Grey wagtail

Weeting Heath, Norfolk / Lakenheath Fen, Suffolk: May 26, 2013

Weeting Heath—**STONE CURLEW** (new species for U.K.) and Green woodpecker

Lakenheath Fen—**EURASIAN CRANE** (new species for UK); male **RED-FOOTED FALCON** (new species for U.K.); **CETTI'S WARBLER** (new species for U.K.); Cuckoo; Bittern; Reed bunting; Greater spotted woodpecker; Sedge warbler; Garden warbler; Lesser whitethroat; Whitethroat; Hobby (five or six); Great crested grebe; Linnet; Bearded tit; Common buzzard; Rook; Jackdaw

Brandon—Mandarin duck

Peckham Rye Park, London: June 3, 2013 Female **LONG-TAILED DUCK** (new species for UK) and about 10 feet away in the most unlikely spot, a very small pond in an ornamental garden in a suburban park

Chew Valley Lake, Somerset: December 7, 2013 **BLACK-THROATED DIVER** (new species for U.K.); two **PINK-FOOTED GOOSE** (new species for U.K.); another Long-tailed duck; Red-breasted merganser; Goosander; Common gull; Teal; Mistle thrush; Little

egret; Redwing; Grey wagtail; Little grebe; Great-crested grebe, and Cormorant with a fishing hook through its beak on which was hooked a fish

Sydenham Woods, London: December 19, 2013 FIRECREST (new species for U.K.), just up the hill from my home

Cleveland, Ohio: January 5-11, 2014 Bitterly cold, with two days being -33°C. **SNOWY OWL** (new species for US); **GLAUCOUS GULL** (new species for US); **ICELAND GULL** (new species for US); Thayer's gull, a new subspecies for me, of Iceland gull); possibly 3,000 Red-billed merganser; several hundred Goosander, and Rough-legged buzzard

Broadmead Brook, near Marshfield, Gloucestershire: February 22, 2014 RED-FLANKED BLUETAIL (new species for U.K.), most likely, male, with blue seemingly increasing along rump and back; yellowhammer, and Common raven. (Also at the Folly Farm Centre, Stowey, my first time seeing Badger, at dusk, one dominant male emerging from sett for one-minute merely to, seemingly, mark its territory before disappearing back underground

Pangbourne and Goring/Streatley, Berkshire and Oxfordshire: April 18-19, 2014 Red kite; Kestrel; Reed bunting, Lapwing; first Swallow of year; Cuckoo (heard, first of year); Treecreeper; Nuthatch; Red-legged partridge; Chiffchaff, and Blackcap. (Also Hare; Grass snake; and Slow worm)

Skye, Inner Hebrides, and Fortingall area, mainland Scotland: July 5-19, 2014
Skye—Common greenshank; Common sandpiper; Common raven; **WHITE-TAILED EAGLE** (new species for U.K.); **GOLDEN EAGLE** (new species for U.K.); Gannet; Northern fulmar; **RED-THROATED DIVER** (new species for U.K.); **BLACK GUILLEMOT** (new species for U.K.); Guillemot; **RAZORBILL** (new species for U.K.); Cormorant; **SHAG** (new species for U.K.); Grey wagtail; Pied wagtail; female Cuckoo; Oystercatcher; Wheatear; House martin; Jackdaw; Hooded crow; Skylark; Grey heron; Greater black-backed gull; Lesser black-backed gull; Common gull; Common tern; Arctic tern; Chaffinch; Goldfinch; Rock pipit; Meadow pipit; Water pipit; Whinchat; Stonechat; Swallow; Common redpoll; Twite; **KITTIWAKE** (new species for U.K.); Corn bunting; Kestrel; Common buzzard; Wren, and Rock dove. (Also: flowers: Common spotted orchid; Northern marsh orchid; Bog asphodel, and Lesser heath orchid. Animals: Common seal; Grey seal; Red deer; Six-spotted burnet, and Common rustic)

Fortingall—Raven; Grey wagtail; Pied wagtail; Oystercatcher; Wheatear; House martin; Jackdaw; Hooded crow; Skylark; Meadow pipit; Whinchat; Stonechat; Swallow; Common buzzard; Wren; Pheasant; Common partridge; Treecreeper; Red-legged partridge; Goldcrest; Greater spotted woodpecker; Eurasian siskin, and **COMMON CROSSBILL** (new species for U.K.). (Also: animals: Red deer; Red squirrel; Pine marten (in woods at start of Glen Lyon)

Kentucky, Tennessee, Ohio, USA August 8-20, 2014

Kentucky and Tennessee—Eastern meadowlark; Indigo bunting, and Savannah sparrow. (Also Bison and Elk)

Ohio—Cedar waxwing; Solitary sandpiper; Tricoloured heron, and Green heron

Alexandra Palace, London: August 31, 2014 WRYNECK (new species for U.K.); Redstart, Spotted flycatcher, Chiffchaff; Common whitethroat, and Whinchat

Dunbar to North Berwick, East Lothian, and Edinburgh, Scotland: December 6, 2014
ROUGH-LEGGED BUZZARD (new species for U.K.); Goldeneye; red-breasted merganser; Goosander; Teal; Eider; Stonechat; Wren; Yellowhammer; Goldcrest; Goldfinch; Chaffinch; Kittiwake; Purple sandpiper; Curlew; Lapwing; Redshank; Greenshank; Knot; Chiffchaff; Grey wagtail; Oystercatcher; Ringed plover; Rook; Kestrel; Pheasant, and Little grebe

Hydra, Greece: October 2015 Blue-rock thrush

Somerset: December 12-14, 2014 **GREAT EGRET** (new species for U.K.); Little egret (five at Chew Valley Lake); Kingfisher; Goosander; Red-breasted merganser; Bittern; Goldeneye; Sparrowhawk; Common buzzard, and Red-breasted goose, considered likely escape or from a feral population

Cleveland, Ohio: January, 2015 Bitterly cold, but not as bad as January 2014, in the low - 20s°C. **ARCTIC REDPOLL** (new species for US), at lighthouse at Wendy Park, Cleveland. Also Snowy owl, with an excellent view on top of mast near Mentor-on-the-Lake by Lake Erie

Malta, Gozo and Camino, Malta: May 7-12, 2015 Blue rock thrush; Sardinian warbler; Spectacled warbler; Spanish sparrow; Spotted flycatcher, and Icterine warbler in mist netting station on Comino

Somerset Levels: May 15-16, 2015 Great egret (two, most likely nesting); Little egret; Marsh harrier; Hobby (at least 30); Sedge warbler; Reed warbler; Blackcap; Common whitethroat; Barn owl, and Dipper

Toledo and surroundings, Spain: November 7-8, 2015 Great bustard (30-35 individuals); Eurasian crane (250-300 individuals); Pallid harrier; Spoonbill (10); White stork (six); Zitting cisticola; Stonechat; Pochard; Marsh harrier; Red kite (three); Corn bunting; Red-legged partridge; Great crested grebe, and Little grebe

Rainham Marshes RSPB Reserve, Purfleet, Essex: November 15, 2015 **WATER PIPIT** (new species for U.K.); Meadow pipit; Stonechat; Pintail; Teal; Gadwall, and Common snipe

Albufera Marshes, Valencia, Spain: January 2, 2016 Crag martin, 40 or so, and one Swallow well out of season. Also Glossy ibis; Kingfisher; Black redstart (three); Redstart; Chiffchaff; Red-legged partridge; Black-necked stilt; Cattle egret; Little egret; Great egret; Grey heron; Marsh harrier; Shoveler; Shelduck, and Meadow pipit

Cleveland and area, Ohio: January 9, 2016 Unseasonably warm. **BRAMBLING** (new species for US; 2nd state record for Ohio), Remsen Road, near Allardale Park, at bird feeder of a house standing alone in Granger Township near to Medina; female **KING EIDER** (new species for US) on Lake Erie off Euclid; also there a Slavonian grebe); **BLACK-HEADED GULL** (new species for US; amusing, considering how many million probably seen in Europe, with U.S. birders understandably very excited, at Wendy Park, Cleveland. Lastly, off-season sighting of Ovenbird in downtown Cleveland at Chester Avenue and 12th Street

Al Ain, United Arab Emirates: February 6-7, 2016 Bank myna; Bimaculated lark; Black-winged kite; Blue rock thrush; European roller; Graceful prinia; Green bee-eater; Grey

francolin; Hoopoe; Hume's wheatear; Indian silverbill; Masked wagtail; Pale martin; Purple sunbird; Redstart; Red-tailed wheatear; Red-vented bulbul; Red-wattled lapwing, and White-eared bulbul

Beddington Sewage Farm, Hackbridge, Surrey: February 14, 2016 Slightly overcast with sunny intervals; not too chilly. **YELLOW-LEGGED GULL** (new species for U.K.), and Redpoll

Iceland (Reykjavik area): February 29-March 2, 2016 Redpoll; Redwing; Eider; Long-tailed duck (first time seeing males of the species); Whooper swan; Pink-footed goose; Glaucous gull; Great skua; Iceland gull; Northern fulmar, and Eider subspecies (*Somateria mollissima borealis*)

Germany (from train on way from Berlin to Prague): March 5, 2016 Approximately 50 Eurasian crane

Saint-Saphorin to Lutry, Switzerland: March 13, 2016 Dipper

Southwark Park, Surrey Docks, London: April 3, 2016 Shoveler; female Common scoter; two Grey wagtail, and two Little grebe

Crossness Nature Reserve, Belvedere, Kent: April 10, 2016 **RING OUZEL** (new species for U.K.); Kestrel; Teal, and Shelduck

Brent Reservoir, Hendon, London: April 17, 2016 **YELLOW-BROWED WARBLER** (new species for U.K.), seen at 11 a.m. after 90-minute wait. The bird was seen in this location for almost two weeks, but this was the last time it was seen; it is believed to be the same individual that turned up for a week in December

Puglia, Italy: April 30-May 3, 2016 Punta Prosciutto—Pied flycatcher; Spotted flycatcher; Wood sandpiper, in our rented house's very small pond; Willow warbler; Squacco heron; Whinchat; Stonechat, and Yellowhammer—15 Kestrel all hovering above the same field

Otford, Kent: May 10, 2016 **ORIENTAL TURTLE DOVE** (new species for U.K.) at the corner of The Butts and The Old Walk; 12th recorded sighting for the U.K.; Nightingale in wooded area to the back of houses

Hodder's Combe, Quantocks, Somerset: May 20, 2016 **WOOD WARBLER** (new species for U.K.). three or four seen, excellent views from above the bird on two occasions; male singing heartily); Pied flycatcher, male and female around nest boxes; male Redstart; Cuckoo (one seen, three or four heard); Garden warbler; Treecreeper; Greater spotted woodpecker; Green woodpecker; Spotted flycatcher, and Kestrel

Beverley Brook, Barnes, London: May 22, 2016 **IBERIAN CHIFFCHAFF** (new species for U.K.; seen well; called only once, sort of a half call); also Wren; nesting Blackcap

London Wetland Centre, Barnes, London: May 28, 2016 Little ringed plover; Sand martin; House martin, and Lapwing. (Also Bee orchid)

Thursley Common, Surrey: May 29, 2016 WOODLARK (new species for U.K.; pair of Linnet (pair), and Stonechat. The intention was to find Dartford warbler, which are present here, but no luck

London Wetland Centre, Barnes, London: June 4, 2016 Sand martin; Lapwing; Cetti's warbler; Reed warbler; Whitethroat; Reed bunting; Green woodpecker, and Common tern, but no sign all day of Little bittern, which had been present for six days (it was not seen since)

River Colne, Wivenhoe, and adjacent woodland, Essex: June 5, 2016 Shelduck; Common tern; Whitethroat; Reed bunting; Linnet; Yellowhammer; Greenfinch, and Chaffinch

Brent Reservoir, Hendon, London: June 11, 2016 SPOTTED SANDPIPER (new species for U.K.) seen from hide after about 15 minutes' wait. Was seen all day after first being reported early in the morning, but it was not seen on the 12 June or thereafter. Also Little-ringed plover; pair of Stock dove, and Green sandpiper

Timsbury, Greylake and Collard Hill (The Poldens), Somerset Levels: June 25, 2016 Great egret; Little egret; Glossy ibis (x2); Marsh harrier; Cuckoo; Redshank; Garden warbler (brief views); Reed warbler; Cetti's warbler; Kestrel, and Buzzard. (Also Shrew; Grass snake; Large blue (butterfly); Marbled white; Small magpie ... also in moth trap: Eared hawkmoth; Elephant hawkmoth; Privet hawkmoth; Burnished brass; Heart and dart; Buff ermine; Buff arches; Silver Y, and Mottled beauty)

Staines Reservoir, Middlesex: July 16, 2016 BLACK-NECKED GREBE (new species for U.K.), in summer plumage; four Linnet, and Common tern

Mendip Hills, Somerset, and other local sites: July 30-31, 2016 Mostly sunny, warm but not hot; searching for butterflies, with 23 species seen, seven of which were new to me. Red kite; female Redstart; two pairs of Bullfinch, one male sallying from and to branch; Raven; Buzzard; Kestrel; Coal tit; Blackcap, and Long-tailed tit

Suffolk and Norfolk: August 6-7, 2016

Minsmere RSPB Reserve—No sign of the Purple swamphen, which is the first for U.K. and had been seen the evening before, but **WATER RAIL** (new species for U.K.);

MEDITERRANEAN GULL (new species for UK), and two Lesser whitethroat

Dunwich Heath—**DARTFORD WARBLER** (new species for U.K.)

Titchwell RSPB Reserve—**SPOONBILL** (new species for U.K.); juvenile Bearded tit; Ruff, and Black-tailed godwit

Ohio, USA: September 9-11, 2016

McGee Marsh, Port Clinton—Black-throated blue warbler; American redstart; Blackpoll warbler; Sandhill crane; Great blue heron; Tricoloured heron; Black-capped chickadee; Bald eagle; Ruby-throated hummingbird; American goldfinch; House finch, and Red-winged blackbird

Wendy Park, Cleveland—Yellow warbler; Magnolia warbler; Bay-breasted warbler; Blackpoll warbler; Black-and-white warbler; American redstart; Tennessee warbler; Cape May warbler; Blackburnian warbler; Yellow-bellied flycatcher; Willow flycatcher; Swainson's thrush; Northern flicker; Warbling vireo, and Caspian tern

Lakefront Reserve, Cleveland—Common yellowthroat; Wilson's warbler; Connecticut warbler; Cape May warbler; Blackburnian warbler; Magnolia warbler; Bay-breasted warbler; Blackpoll warbler; Canada warbler; Red-eyed vireo; Swainson's thrush; Northern flicker; Warbling vireo; Black-crowned night-heron, and Ruby-throated hummingbird

Prospect Park, Brooklyn, New York, USA: September 20, 2016 Virginia rail seen after three attempts, in phragmites reeds close to the Wheelhouse. Good views for perhaps two minutes only

Brent Reservoir, Hendon, London: October 1, 2016 FERRUGINOUS DUCK (new species for U.K.), a drake; Pintail; Shoveler; Pochard, and Chiffchaff

Rainham RSPB Reserve, Purfleet, Essex: October 8, 2016 Jack snipe; Common snipe; Little egret; Lapwing; Wigeon; Teal; Shelduck; Shoveler; Little grebe; Stonechat, and Reed bunting. (Also weasel and a very accommodating Water vole)

Rainham RSPB Reserve, Purfleet, Essex: October 23, 2016 CATTLE EGRET (new species for U.K.), took some searching for but, first, a distance view, and, then, quite close views; Kingfisher; Raven; Little egret; Barn owl; Reed bunting, and Stonechat and Whinchat in the same binoculars' frame

Cam Valley, Somerset, and other local sites: November 5-7, 2016 Dipper (near Combe Hay); Redwing (30 or 40); possible Waxwing (Timsbury; saw bird of right size and movement, with a pale, yellowish band at base of tail, but not possible to confirm); Lesser yellowlegs (Cheddar Reservoir; 2nd ever for me in U.K.); first time seeing trilogy of egrets, Cattle (Westhay Moor), Great white (ditto) and Little egret; Water rail (Westhay Moor), and Marsh harrier

Rome, Italy: Christmas to New Year's 2017 Treecreeper and several Black redstart

Broadfield, near Crawley, West Sussex: January 7, 2017 On Beachy Road, a suburban street, **ROSE-COLOURED STARLING** (new species for U.K.), a first-year bird, but one that appears to be moulting fast, with pinkish tones emerging and speckled, black throat

Poulter Park, Mitcham, and Beddington Sewage Farm, Hackbridge, Surrey: January 14, 2017 Siberian chiffchaff (new sub-species for U.K.), two examples along River Wandle; also Chiffchaff; Grey wagtail; Pied wagtail, and **CASPIAN GULL** (new species for U.K.)

Canonbury, London: January 15, 2017 22 Waxwing (I went to see them on 14 January, but dipped); miserable weather, but very regular sightings on the same two berry trees on Poet's Road. (First Waxwing sighting for me for more than 30 years)

Liwa, Western Regions and Abu Dhabi, Yas Island golf course, United Arab Emirates: February 2017 Alexandrine parakeet; Hoopoe; Bluethroat; Golden plover; Whimbrel; Curlew; Greenshank; Bar-tailed godwit; Black-winged stilt; Bimaculated lark; Black-eared wheatear; Chestnut-bellied sandgrouse; Desert warbler; Desert wheatear; Graceful prinia; Greater flamingo; Greater sand plover; Green sandpiper; Grey francolin; Grey hypocolius; Isabelline wheatear; Laughing dove; Lesser grey shrike; Namaqua dove; Oriental skylark; Red-vented bulbul; Red-wattled lapwing; Rufous-tailed shrike; Tree pipit; Western reef-egret; Honey buzzard, and Eastern black redstart

London Wetland Centre, Barnes, London: February 11, 2017 Green woodpecker; two Bittern, one flying after losing a squabble, and Pintail

Rainham RSPB Reserve, Purfleet, Essex: February 12, 2017 Avocet (14); two Short-eared owl; four Common snipe, and Black-tailed godwit

Brent Reservoir, Hendon, London: March 16, 2017 RING-NECKED DUCK (new species for U.K.), a drake; Scaup; Pintail; Shoveler; Teal, and Gadwall

Dungeness RSPB Reserve, Lydd, Kent: March 19, 2017 Very blustery. Ring-necked duck (yes, a second); **LONG-EARED OWL** (new species for U.K.); **ICELAND GULL** (new species for U.K.); Tree sparrow

London Wetland Centre, Barnes, London: April 2, 2017 GLAUCOUS GULL (new species for U.K.); Common snipe, 2 x Ruddy duck; Little ringed plover, and Redshank. (Also Peacock butterfly)

Rainham RSPB Reserve, Purfleet, Essex: April 8, 2017 Warm, 22°, calm day. One male Bearded tit (photographed); Jack snipe; Common snipe; possibly 30 Redshank; Yellow wagtail; Marsh harrier, and best views I've had of Cetti's warbler. (Also Orange tip)

Reykjavik, North Iceland, Lake Mývatn, Iceland: April 13-23, 2017 Barrow's goldeneye (Laxá River); Snow bunting (Borgarvirki and Ólafsfjörður); Harlequin duck (Blöndóus); Slavonian grebe (Reykjahlíð and Varmahlíð); Goosander (hard to see in Iceland; Vesturhópsbólur); Red-breasted merganser; Mallard; Wigeon; Tufted duck; Long-tailed duck; Eider; Whooper swan; Barnacle goose; Pink-footed goose; Greylag goose; Gannet; Oystercatcher; Redshank; Dunlin; Curlew; Ptarmigan; Redwing; Blackbird (unusual in Iceland); Purple sandpiper; Golden plover; European starling; Feral pigeon/Rock dove; Raven; Merlin; White-tailed eagle (Snaefellsnes); Cormorant; Black guillemot; Guillemot; Greater black-backed gull; Lesser black-backed gull; Herring gull; Black-headed gull; Iceland gull; Glaucous gull; Redpoll; Common snipe; Red-throated diver, and Great northern diver

Ras al-Khor, Dubai, United Arab Emirates: April 25, 2017 Socotra cormorant; female Purple sunbird; Straited heron; Greenshank; Kentish plover; Little ringed plover; Dunlin; Whimbrel; Greater flamingo; Common myna; Hoopoe; Black-winged stilt; Western reef-egret; Grey heron; Eurasian collared dove; Great egret; Green sandpiper, and Sociable plover

Epping Forest, Essex: May 14, 2017 Two pairs of Mandarin duck on Blackweir Hill Pond

The Thames, Belvedere/Abbey Wood, London: April 20, 2017 Did not see the Bonaparte's gull I came to see, but Common gull; Hobby, and Kestrel. (Also, Common seal, a first for me in London)

London Wetland Centre, Barnes, London: April 21, 2017 Common snipe (very close from Peacock Hide); House martin, and Sand martin

Strumpshaw Fen and Buckenham Marsh, Norfolk: April 27, 2017 MONTAGU'S HARRIER (new species for U.K.); Kingfisher; Cetti's warbler; Sedge warbler; Marsh

harrier; Common tern; Whitethroat; 10 Avocet; Rook, and four Redshank. (Also Swallowtail and Orange tip)

London Wetland Centre, Barnes, London: April 28, 2017 Redshank; two Little ringed plover, and Reed warbler. (Also Green hairstreak)

Arne RSPB Reserve, Arne and area, Dorset: June 10-11, 2017 Curlew; Black-tailed godwit; **ATLANTIC PUFFIN** (new species for U.K.) at Dancing Ledge; Green woodpecker; Rock pipit, and Linnet. (Also, Lime hawkmoth; Poplar hawkmoth, and Sika deer)

Minsmere RSPB Reserve, Saxmundham, Suffolk: June 24-25, 2017

Minsmere—50+ Mediterranean gull; two Spotted redshank; four Kittiwake; three Barnacle goose; Sandwich tern; Common tern; three Bittern; Marsh harrier; Hobby; numerous Avocet; 20+ Knot; 50+ Black-tailed godwit; Little egret; Yellowhammer; Sparrowhawk, and Tawny owl, almost driving into the windscreen at night. (Also Stoat)

Hazlewood Marshes—Great egret; Avocet; two Red kite (Also Purple emperor, Theberton Wood, and Essex skipper, Snape Warren RSPB Reserve)

Staines Reservoir, Middlesex: July 1, 2017 ROSEATE TERN (new species for U.K.), 1st-summer (?), all black bill, black cap, pale wings; seven or eight Little-ringed plovers out of a reported 19); Common tern, and two Black-necked grebe in full summer plumage

Slimbridge, Gloucestershire: July 15, 2017 Ruff, including one male with partial collar; Eurasian crane (there is a breeding program here); Black-tailed godwit; two Little ringed plover, including one juvenile; Redshank; Green sandpiper; distant Peregrine; Common buzzard; Blackcap, and Reed warbler

Cliffe Marshes, Kent: July 22, 2017 MARSH SANDPIPER (new species for U.K.); Black-winged stilt, an adult with four chicks (according to BBC, 22 nesting attempts between 1983 and 2016 have only resulting in fledglings from three nests), the presence of nesting birds at Cliffe only made common knowledge when the Marsh sandpiper was discovered; Spoonbill (one of two reported); Black-tailed godwit; Ruff; Common sandpiper; Redshank; Green sandpiper, and Avocet. At one point, Grey heron, Avocet and Spoonbill all in the same spot

East Leake Cemex Quarry, East Leake, Nottinghamshire: July 29, 2017 EUROPEAN BEE-EATER (new species for U.K.). Saw five of reported seven that had built three nests, but the news in the mid part of a very rainy, cool August resulted, reportedly, in no fledglings; also Common buzzard; Hobby, and Kestrel

Rainham RSPB Reserve, Purfleet, Essex: July 30, 2017 PECTORAL SANDPIPER (new species for U.K.); Green sandpiper; Greenshank, and juvenile Bearded tit

Tennessee/Ohio: August 5 and 13-14, 2017

Enterprise State Park, Chattanooga—**CAROLINA CHICKADEE** (new species for US)
Wilderness Road, near Funk, Ohio—Indigo bunting; Pileated woodpecker; seven White-rumped sandpiper, and 20 Sandhill crane

Beaver Marsh, Peninsula, Ohio—**LEAST BITTERN** (new species for US), really good views and at 2:30 p.m., the bird staying still and visible or skulking and half-visible for 15 minutes; also Wood duck; Red-winged blackbird, and Willow flycatcher. (Also Otter; Groundhog; Snapping turtle; Monarch butterfly; Grey hairstreak; Pipeline swallowtail;

Silver-spotted skipper (US-named species (*Epargyreus clarus*), not the same as the European one)); Eastern tiger swallowtail, and Fiery skipper

Oare Marshes Nature Reserve, Oare, Faversham, Kent: August 26, 2017 LONG-BILLED DOWITCHER (new species for U.K.); **BONAPARTE'S GULL** (new species for U.K.), the same bird I failed to see on April 20, 2017; Little stint (first for many years); Spotted redshank; Redshank; Bar-tailed godwit (three); Black-tailed godwit (hundreds); Yellow-wagtail; Ringed plover; Dunlin; Knot; Ruff, and 100 to 200 Golden plover

Rainham RSPB Reserve, Purfleet, Essex: September 16, 2017 Whinchat; Wheatear; Hobby; Black tern; juvenile Cuckoo; Green sandpiper; Kestrel; Scaup; Green woodpecker; Chiffchaff, and Stonechat

Ingrebourne Valley, Hornchurch, Essex: September 23, 2017 SPOTTED CRAKE (new species for U.K.), seen immediately and for 10 minutes, before it disappeared into reeds. Also three Common snipe flying overhead

Estanque del Pujol, El Saler, Valencia, Spain: October 1, 2017 Greater flamingo (10 or so); Black-capped night-heron; Black-winged stilt, and Woodchat shrike. Also numerous Swallow, and a few House martin

Oare Marshes Nature Reserve, Oare, Faversham, Kent: October 7, 2017 WILSON'S PHALAROPE (new species for U.K.), spinning and very evident among the larger Lapwing; Little stint and Long-billed dowitcher still there, and maybe 100 Avocet. Out on Faversham Creek was a Black-necked grebe

London Wetland Centre, Barnes, London: October 30, 2017 Female brambling above but not on feeders; also Bittern

London Wetland Centre, Barnes, London: November 12, 2017 I re-discovered the female Ring ouzel seen the day before, for seconds on a grassy area along the Sheltered Lagoon trail and then in thicket behind. The rediscovered bird was seen by one other birder. Also Bittern; two female Goldeneye; three Common gull

Sri Lanka: 18 November-3 December, 2017

Dickoya/Castlereigh—Hill swallow; Barn swallow; Blue-tailed bee-eater; Coppersmith barbet; Forest wagtail; Sri Lanka red-backed woodpecker (endemic); White-bellied drongo; Thick-billed crow; Common tailorbird; Plain prinia; Red-vented bulbul; Yellow-billed babbler; Oriental magpie-robin; Sri Lanka white-eye (endemic); Cinerous tit

Sinharaja Rainforest—Sri Lanka spurfowl (endemic); Sri Lanka junglefowl (endemic); Black eagle; Legge's hawk-eagle; Sri Lanka wood pigeon (endemic); Grey-capped emerald dove; Orange-breasted green-pigeon; Sri Lanka green-pigeon (endemic); Green imperial-pigeon; Sri Lanka hanging-parrot (endemic); Rose-ringed parakeet; Red-faced malkoha (endemic); Green-billed coucal (endemic); Greater coucal; Serendib scops-owl (endemic); Ceylon frogmouth; Crested treeswift; Little green bee-eater; Grey hornbill (endemic); Brown-headed barbet; Yellow-fronted barbet (endemic); Sri Lanka barbet (endemic); Indian pygmy woodpecker; Lesser yellownape woodpecker; Common iora; Scarlet minivet; Small minivet; Crested drongo (endemic); Black-headed oriole; Blue magpie (endemic); Grey-breasted prinia; Black-crested bulbul; Asian black bulbul; Yellow-browed bulbul; Large-billed leaf warbler; Sri Lanka scimitar-babbler (endemic); Dark-fronted babbler; Orange-billed babbler

(endemic); Ashy-headed laughing thrush (endemic); Brown-capped babbler (endemic); Hill myna; Sri Lanka myna (endemic); Sri Lanka thrush (endemic); Spot-winged thrush (endemic); Black-naped monarch; Asian paradise flycatcher; Brown-breasted flycatcher; Pale-billed flowerpecker; Legge's flowerpecker (endemic); Grey wagtail; Ceylon rufous babbler (endemic), and Layard's parakeet (endemic)

Udawalawe/Weli-oya—Barred buttonquail; Intermediate egret; Asian openbill; Cattle egret; Asian woollyneck stork; Indian cormorant; Black-headed ibis; Oriental darter; Indian pond heron; Grey-headed fish-eagle; Slaty-legged crake; Lesser whistling-duck; Purple swamphen; Black-winged stilt; Pheasant-tailed jacana; Indian roller; Common kingfisher; Malabar pied hornbill; Velvet-fronted nuthatch; Indian robin; Tri-coloured munia, and Jerdon's bushlark
Ahaspokuna—Indian peafowl; Blue-faced malkoha; Little swift; Asian palm-swift; Brown shrike; Indian pitta; Jerdon's leafbird, and Paddyfield pipit

Unakuruwa/Tangalle—Greater flameback; Purple-rumped sunbird; Ceylon woodshrike (endemic); White-browed fantail; White-browed bulbul; Gull-billed tern; White-breasted waterhen; Little tern, and Common tern

Galle—Curlew and common sandpiper

Other sites—Purple heron; Little egret; Spot-billed pelican; Little cormorant; Great cormorant; Shikra; Brahminy kite; Crested serpent-eagle; Red-wattled lapwing; Rock dove/Feral pigeon; Eastern spotted dove; Indian swiftlet; White-throated kingfisher; House crow; Common myna, and Purple sunbird

Titchfield Haven, Stubbington, Hampshire: December 12, 2017 BARRED WARBLER (new species for U.K.); a first-year bird seen just behind the visitor centre. Also Kingfisher; Buzzard; Redwing; Redshank; Turnstone; Sanderling; Ringed plover; Eider and Oystercatcher

London Wetland Centre, Barnes, London: December 13, 2017 Mostly miserable weather, but during a sunny window of 10 minutes the best views of a Bittern I have ever had.

Dungeness RSPB Reserve, Lydd, Kent: December 17, 2017 A pleasant, sunny day, turning rainy in afternoon. Dartford warbler, near to Britannia pub; Tree sparrow; Long-eared owl; Goosander; Goldeneye; Great egret; Marsh harrier; male Brambling

St Andrew's Churchyard, Bramfield, Hertfordshire: January 7, 2018 HAWFINCH (new species for U.K.); 26 were reported. No idea how many I saw, but striking males, as well as females, in this irruption in several parts of the U.K.; also Goldcrest; Fieldfare; Chaffinch; Greenfinch; Long-tailed tit, and Red kite

Pulborough Brooks RSPB, Pulborough, Sussex; 14 January, 2018 My first visit to this RSPB reserve, and a great day. **TUNDRA BEAN GOOSE** (new species for U.K.) and **TEMMINCK'S STINT** (new species for U.K.), the latter seen through a fellow birder's scope. Grey and dumpy appearance, with a clear differentiation between head and breast. Active, and then it flew first left, showing white tail feathers, and then right and into deep cover. Also Goldcrest; Bewick's swan, and two **RUDDY SHELDUCK** (new species for U.K.), but one I will regard as an escapee unless told otherwise—no record of this species as been accepted on the British list since the mid-20th Century. NOTE: Bean goose, as of the first day of 2018, has been split into two separate species, Tundra bean goose and Taiga bean goose, which I have not seen

Walthamstow Wetlands Reserve, London; 21 January, 2018 Very cold, with a mixture of quick thick snow and incessant rain, but during a break from either, a 90-minute wait resulted in **LITTLE BUNTING** (new species for U.K. and my 250th U.K. species). Saw the bird for no more than 10 seconds, but approximately 10 birders were there. Conditions meant birds, including Reed bunting and Dunnock, were sheltering in scrub and hardly venturing out. Also seen were Kingfisher; Peregrine falcon, and Common redshank

Staines Reservoir, Surrey; 26 January, 2018 SHORE LARK (new species for U.K.) seen on the banks of the south reservoir. This bird has been seen at the reservoir on and off for several months and is in fact the American sub-species American horned lark, so if one day the birding eggheads decide to separate all or some of the many subspecies of “Horned lark,” notably in this case *Eremophila alpestris* or *Eremophila alpestris hoyti* (the Staines bird is likely to be one of those two sub-species) I will just have to see a British shore lark and get to add an armchair tick of the bird I saw today

Al-Wathba Nature Reserve, Al-Wathba, Abu Dhabi, United Arab Emirates My first time here, and what transpired as one of the most memorable days ever at this reserve. The 19th-ever Moustached warbler for the UAE and the 31st-ever Baillon’s crake, with both these birds new for me anywhere.

Rainham RSPB Reserve, Purfleet, Essex: February 3, 2018 Pintail; Common snipe; Little egret; Cetti’s warbler; Redwing

Puertomingalvo, Spain: February 17-19, 2018 Cirl bunting; Common crossbill; Griffon vulture

Millwall Outer Dock, Canary Wharf, London: March 18, 2018 Shag (juvenile, but a great sighting in London); Mediterranean gull

Musandam Peninsula, Oman: April 14-15 Rose-ringed parakeet; Indian roller; Common redstart; Red-tailed shrike; Woodchat shrike; Desert wheatear; Common tern

Al Hamra Resort, Ras al Khaimah, United Arab Emirates: April 16-19 Hoopoe; Indian roller; Graceful prinia; Red-vented bulbul; White-eared bulbul; Green sandpiper; Red-wattled plover; Purple sunbird

Carlton Marshes, Oulton Broad South, Suffolk: April 28, 2018 A slightly chilly day, unseasonal. **AMERICAN BITTERN** (new species for U.K.), a wait of five hours or so. It has been reported for most of April, but in the last few days appearing only in the hour before dusk. I missed its first flight as I walking along the River Waveney so as to feel a little warmer, but it reappeared for three flights, during which I could identify it properly and for a view of 30 seconds performed the classic next-stretched-up pose. Also two Yellow wagtail, including one very bright male; 10 or so Avocet; Short-eared owl, and ever-present Marsh harrier

Nazeling Mead, Broxbourne, Hertfordshire: April 29, 2018 Weather still unseasonably chilly, a couple of degrees cooler than the day before (American bittern not see today either, hunkered down to keep warm, no doubt. **RED-RUMPED SWALLOW** (new species for U.K.), two views of the bird). Many swallow, House martin and Sand martin

London Wetland Centre, Barnes, London: April 29, 2018 One Wheatear; three Whinchat, including a very bright male; one Dunlin; one Little ringed plover and one Ringed plover, all these last three on the same tiny shingle island

Ham Wall RSPB Reserve, Glastonbury, Somerset: May 5, 2018 Glorious sunny weather. Cuckoo; Marsh harrier; three or four Hobby; Great egret; Cetti's warbler; Sedge warbler; Reed warbler; Willow warbler; Chiffchaff, and Bittern. (Also numerous Orange tip butterflies)

Denge Wood, Canterbury, Kent: May 7, 2018 Bullfinch singing; Green woodpecker; Great spotted woodpecker. (Also, and the reason I went to these woods, my first sighting of (two) Duke of Burgundy butterflies)

Dungeness RSPB Reserve, Dungeness, Kent: May 7, 2018 Numerous Whitethroat and Reed bunting; several Sedge warbler; two Great egret; Greenshank; Whimbrel; three Little gull, including one adult but without solidly black head; two Bar-tailed godwit, including one adult; Oystercatcher, and Linnet. Cuckoo heard

Botany Bay/Oaken Wood, Chiddingfold, Surrey: May 19, 2018 (Visit especially to see Wood white butterfly, which is confined to here as far as South East England is concerned and a species I had not seen before)

Dungeness, Kent, and other Kentish spots: May 20, 2018 A very chilly start, but things became warm and sunny at around 11 a.m. A productive day with an adult male **KENTISH PLOVER** (new species for U.K.) and **HOOPOE** (new species for U.K.). The Kentish plover was on a spit all day viewable from the main building of RSPB Dungeness, while the distant but identifiable sightings of the Hoopoe were off Dengemarsh Road on the military training area. Also Greenshank; Dunlin; 3 x Sanderling; 3 x Common scoter (two males and a female); Sedge warbler; Whitethroat; Linnet; Marsh harrier, and Hobby. Also seen and heard at Yocklett's Bank, on the chalk escarpments in the centre of Kent, one Nightingale. (Other wildlife sightings: Small copper at Dungeness; Monkey orchid and Green-veined orchid at Park Gate Down, and Lady orchid and Fly orchid at Yocklett's Bank)

Rainham RSPB Reserve, Purfleet, Essex: May 26, 2018 Whinchat; Kestrel; Marsh harrier; Hobby; Redshank; Sedge warbler, and Cetti's warbler. (Also Harbour porpoise in River Thames)

Denbies Ridge, Dorking, Surrey: May 27, 2018 Yellowhammer. (Also, my reason for coming here, Adonis blue butterfly, a new species for me and my 44th U.K. butterfly; also Brown argus; Common blue, Small copper; Brimstone, and Dingy skipper)

Isles of Scilly, Cornwall: July 27-August 3, 2018 **WILSON'S STORM PETREL** x 5 (new species for U.K.); **EUROPEAN STORM PETREL** x 50 (new species for U.K.); **GREAT SKUA** (new species for U.K.); **MANX SHEARWATER** x 500 (new species for U.K.); **SOOTY SHEARWATER** x 3 (new species for U.K.); **GREAT SHEARWATER** x 10 (new species for U.K.); **CORY'S SHEARWATER** x 2 (new species for U.K.). Pelagic on July 30 choppy water (1.8-metre waves) but more birds; pelagic on 3 August much calmer and fewer birds, but a Wilson's storm petrel on both sailings and also on last sailing—(Blue shark and Porbeagle Shark. Also Common dolphin on both sailings, and Harbour porpoise coming out of Penzance)

Bath Nature Reserve, Bath, Ohio, USA: August 18, 2018 WESTERN KINGBIRD (new species for US); Henslow's sparrow; Cedar waxwing; Northern oriole; Osprey

Wanstead Flats, Manor Park, London: September 1, 2018 Not many birds, but a first-winter Red-backed shrike, my first of this species for many years, and a Whinchat; also a Blackcap. The shrike I saw quickly upon arrival and then numerous times after that, but it was active and effortlessly disappeared

Wanstead Flats, Manor Park, London: September 2, 2018 Returned for the Red-backed shrike and a second afternoon of excellent views

Streat/Plumpton, Sussex: September 9, 2018 HONEY BUZZARD (new species for U.K.) seen over fields and moving towards South Downs

Royston, Hertfordshire: September 23, 2018 PALLID HARRIER (new species for U.K.) seen over fields along Icknield Way. Saw it almost immediately, and some very close-up views of a juvenile bird. Also Yellow wagtail; Peregrine falcon

Gravesend, Kent: September 29, 2018 (Startling discovery on 25 September and still there on the Saturday of the weekend, a Beluga whale, the southernmost sighting ever of this Arctic mammal. Perhaps along with a specimen seen in 1913, and some 3,100 kilometres south of its usual range. It has been swimming in the River Thames quite happily, and the authorities are happy to allow it to make its own mind as to where to go—at least for the moment.) Also seen, Black-tailed godwit; Dunlin and Common ringed plover

Welney Wetland Centre, Welney, Norfolk: October 6, 2018 A pretty grim day weather-wise, although the heavier rain seen later on kept away. **WHOOPER SWAN** (new species for U.K.) seen, with probably 50 individuals newly arrived as I sat there. Also 32 x Eurasian crane, 5 x Arctic tern; Common snipe; Sparrowhawk; several Tree sparrow; Greylag goose, and Black-tailed godwit

Rainham RSPB Reserve, Purfleet, Essex: October 7, 2018 As beautiful, sunny and calm day as the day before was grim, chilly and wet. Cattle egret out in front of a hide for 60 minutes; also, Greylag goose; Lapwing; Pochard, and Teal. Out on the Thames were Curlew; Redshank, and Avocet

Chew Valley Lake, Somerset: November 14, 2018 Very windy, with a little rain. Adult male Yellow-legged gull, one Little Egret, two Great egret and, just down the road, five Cattle egret

Oare Marshes Nature Reserve, Oare, Faversham, Kent: October 27, 2018 AMERICAN GOLDEN PLOVER (new species for U.K.), dark-grey cap sitting on very bold white supercilium, and with dark splotches on breast. Lost soon after sighting amidst mass of Golden plover, Lapwing, Black-tailed godwit and some number of Grey plover. Also, Jack snipe bobbing up and down; Little owl; Linnet; Brant; Grey wagtail; Avocet; Kestrel; Sparrowhawk, and Marsh harrier. (Three Velvet scoter seen, but not by me, and this would have been a new species for U.K., too)

Beddington Sewage Farm, Hackbridge, Surrey: November 4, 2018 The first time I have walked around this closed birding area since 1984 (see above, September of that year), that first time sneaking in to see a rare wader, but this time as part of an organized walk. Warm for the time of year. Water pipit; Tree sparrow (my first in Greater London); Snipe x 15; Green sandpiper x 3; male and female Stonechat; Common gull x 5

Margate, Kent, England: November 8, 2018 A failed attempt to see the White-billed diver that had been seen for several days and was seen later this day (the bird a week or so later was found dead on a beach in Suffolk). I did see Purple sandpiper x 4; several Curlew; flock of Sanderling; Rock pipit, and Hen harrier

Central Park and Riverside Drive, New York City, NY: November 18 and 24, 2018 Red-headed woodpecker; Wood duck; Red-tailed hawk; Cooper's hawk; also a Peregrine falcon mobbing another Red-tailed hawk; House finch; Hooded merganser, and Cardinal. Also a Mandarin duck, very celebrated in the New York City media, but evidently an escapee

Gallatin, NY: November 24, 2018 Pileated woodpecker; Black-capped chickadee

Shoeburyness, Essex, England: December 1, 2018 Black-throated diver in Gunners Pool, a small lake, hence excellent views; also 10x Red-throated diver; 50x Common scoter; Purple sandpiper; Little egret; 30x Brant; Rock pipit, and Stonechat

Margate to Broadstairs, and Deal, Kent, England: December 7, 2018: Red-throated diver; Black-throated diver; Rock pipit; Purple sandpiper; Oystercatcher; Little egret. At Deal was a flock of 20 or so Common scoter, but three reported Velvet scoter not seen

Herne Bay to Reculver, Kent, England: December 21, 2018: SNOW BUNTING (new species for U.K.); Sanderling; Curlew; Redshank; Oystercatcher; Turnstone

Staines Reservoir, Surrey; December 22, 2018 My bogie bird defeated, a **GREAT NORTHERN DIVER** (new species for U.K.), distant but identifiable. Also, Goldeneye; Wigeon; Pochard, and Linnet

London Wetland Centre, Barnes, London: December 23, 2018 Yellow-legged gull; good views of Bittern that then flew

Albufera Marshes, Valencia, Spain: December 29, 2018 Highlights were Booted eagle drying on a tree after a failed catch of Black-winged stilt (there were approximately 100) and a juvenile Bluethroat. Also Crag martin; Kingfisher; Black redstart; Redstart; Chiffchaff; Cattle egret; Little egret; Great egret; Grey heron; Teal x 300, Red-crested pochard (x5); Shoveler; Shelduck, Stonechat; Whinchat; Crested lark, and Meadow pipit

Abu Dhabi, United Arab Emirates: February 2-3, 2019

Al-Wathba Nature Reserve—Tawny pipit; Desert wheatear; 16 x Black-necked grebe; Clamorous reed warbler; Black-winged stilt; Greater flamingo; Kentish plover; Greater spotted eagle; Marsh harrier; Marsh sandpiper; Common sandpiper; Spur-winged plover; Little grebe; Graceful prinia, and Grey-headed swamphen (the "Purple swamphen" has recently been split six ways, the original Purple swamphen now named Western swamphen)

Jebel Hafeet, Al Ain—Egyptian vulture; Red-tailed wheatear; Hume's wheatear; Blue rock thrush; Hoopoe; Indian roller; Red-wattled lapwing; Sacred ibis; Cattle egret, and Crag martin

Zakher Pools, Al Ain—Crested lark; White-rumped sandpiper; Curlew; Ferruginous duck; Pochard, and Socotra cormorant

Cassiobury Park, Watford, Herts.: February 17, 2019 One view of Lesser-spotted woodpecker close to the Flamingo enclosure of the Carpdell Fish Farm. Also Red kite and Great spotted woodpecker

Crossness Nature Reserve, Belvedere, Kent: February 20, 2019 A 20-kilometre run from my home at 6:15 a.m. and a 30-minute window to see **PENDULINE TIT** (new species for U.K.), which another birder heard and I located. The view lasted 10 seconds, but the mask and red to the top of the back were evident. Then I needed to run to catch the train up to London to go to work. The bird was seen on another four occasions, but always fleetingly, during the day. It was found on February 18.

Lübbenau, Spreewald, Germany: March 2-3, 2019

60 x Eurasian crane flying on thermals, plus two seen flying and fortunately see again in a field for the closest views I have had of this species; also, Red kite; 100 x Tree sparrow; 4 x Black woodpecker, three flying overhead, one on a tree; Great spotted woodpecker; Green woodpecker; Treecreeper; Nuthatch

Ashdown Forest, Sussex, England: March 23, 2019

Unsuccessful search for the Great grey shrike that has been present, but mobile, all winter. Singing chiffchaff; Dartford warbler; Raven

London Wetland Centre, Barnes, London: March 24, 2019

Great views of Bittern, which has not been seen since March 24 and probably has left for its breeding grounds. Also, female Goldeneye; Water pipit; two Sand martin; Common snipe; Peregrine falcon. Wigeon still here; also Pochard, Lapwing; one Gadwall on the River Thames

Ingrebourne Valley, Hornchurch, Essex: March 30, 2019 No luck finding the Green-winged teal reported the previous day. There were a sizable number of Eurasian teal. Also 5 x Green sandpiper; Stock dove; Gadwall; Little egret, and one solitary Lapwing

Vange March, Pitsea, Essex: March 30, 2019 Distant, bad views of one Garganey. Also, Avocet; 3 x Spotted redshank; Redshank, and Great egret

Wanstead Flats, Manor Park, London: April 1, 2019 Very happy bobbing around on the small, innocuous Jubilee Pond a male Garganey, providing the best views I have had of this duck. Other birders reported it as having been skittish in the morning, hassled by other birds and flying away on at least one occasion, but for me, arriving at midday, it was very calm. On walk across the heathland, also Kestrel; Greenfinch singing, and Skylark displaying. The Garganey was present for only this one day

Albufera, Mallorca, Balearic Islands, and other sites: April 6-7, 2019

Albufera—Zitting cisticola; Red-knobbed coot (with large identity collars; Europe-based number for the species purported to be fewer than 100); Red-crested pochard; Squacco heron;

Black-crowned night-heron; Cattle egret; Little egret; Grey heron; Spotted redshank; Common ringed plover; Little ringed plover; Kentish plover; Common redshank; Common sandpiper; Yellow wagtail; Chiffchaff; Siskin, and Black-winged stilt
Albuferita—Swift; White-rumped swift; Swallow; House martin; Sand martin; Booted eagle, and Stonechat

Boquer Valley—Balearic warbler; Cirl bunting, and Blue rock thrush

Banyalbufar—Red kite (diminishing numbers on the Balearics) and Blackcap

South Downs, near Fulking and Ditchling, Sussex, England: April 21, 2019 Two Rook, a species I never see within London, at Clayton, and at Ditchling two Lesser whitethroat

Sydenham, London, England: April 21, 2019 In the parking area behind my flat a Grey wagtail, a quite unusual “garden” tick some distance away from water

Mount Athos. Halkidiki, Greece: May 5-10, 2019

Whinchat; Stonechat; Garden warbler; 3 x Nightingale; Little bittern (at Iviron Monastery); Woodchat shrike; Red-backed shrike; Chiffchaff; Sardinian warbler; Spotted flycatcher; Subalpine warbler; Raven; Hooded crow; Cory’s shearwater; Swallow; Swift; Alpine swift; House martin; Sand martin; Tree pipit, and Eleonora’s falcon

Crossness Nature Reserve, Belvedere, Kent: May 18, 2019 My second new species for the U.K. in 2019, and both have been in this somewhat innocuous site that when I was a child was not birded but is increasingly being so and this bringing up exciting finds. Today it was a **GREAT REED WARBLER** (new species for U.K.), which is the first for the London birding area. I saw it very soon after arriving, and heard its fairly loud croaking call. Somewhat a challenge to see and photograph as the view was from behind a metal fence with reeds in between me and the reeds in which it was flitting. Also reed warbler, Sedge warbler, and two Whitethroat feeding young

Dungeness, Kent, and other Kentish spots: May 26, 2019 Essentially a day out with my parents to show my Mum orchids, and we went to Park Gate Down and Yocklett’s Bank. At the first we saw Monkey orchid; one or two Early purple orchid still in near enough good shape and Common twayblade. At the latter we saw Lady orchid, two Fly orchid and one, my first ever, Greater butterfly orchid, and in bloom, perhaps early for this species. A quick trip down to Littlestone, near Old Romney, failed to produce the Serin that has been reported most of the week, mostly because for the first time in that week the wind picked up. A quick visit to Dungeness to get a cup of coffee produced Common gull on nest box right by the visitor centre; Oystercatcher; Common tern; Pochard; Great crested grebe, and Little stint.

London Wetland Centre, Barnes, London: May 27, 2019

Quite quiet. Redshank; Ringed plover; Little ringed plover on eggs (a wire cage has been placed around the pair); two Common tern; Sand martin; Swift; Blackcap, and two Stock dove. (Disappointing in butterflies, too, with only a Red admiral, Brimstone and Large white seen.)

Dungeness, Kent, and other Kentish spots: June 1, 2019

I caught up with the **SERIN** (new species for U.K.) on a very much calmer day, the bird still in the conifer tree by a house and singing. In total, 51 species, including Lesser whitethroat; Whitethroat; Sedge warbler; Reed warbler; Cuckoo; Hobby; Whimbrel; Linnet, and one Mediterranean gull

Rainham RSPB Reserve, Purfleet, Essex: June 2, 2019 Warm and still. Barn owl; Redshank (three perched on posts, two of them on consecutive perches); Curlew; Cetti's warbler; Cuckoo, and 3 x Avocet

Lea Valley, Seventy Acres Lake/Fishers Green, Essex: June 2, 2019 drake Ring-necked duck. It took a while to find, hidden behind an island, after a search around the whole lake. Good views, and far better than the one other time I have seen it

Ditchling Common Country Park, near Burgess Hill, East Sussex: June 22, 2019 Garden warbler, Chiffchaff; Lesser whitethroat and male Bullfinch. (Also, my reason for coming here, Black hairstreak, a new species for me and my 45th U.K. butterfly, in a recently discovered colony for this rare butterfly; also Common blue, Ringlet; Red admiral; Meadow brown, Speckled wood and Painted lady. It took a while to see the Black hairstreak, but one was quite docile at ground level, another paused for some while in the branches maybe two metres above head height)

East Blean Woods, near Hoath, Kent: June 23, 2019 (And another rare species, my 46th U.K. butterfly, Heath fritillary. Quite easy to see once in the right black, the species seeming to be jittery in flight and more than happy to alight on bracken at about one metre above the ground. I might have seen 15 individuals in 30 minutes; also Painted lady (quite numerous on my walk to the woods from Herne Bay), Red admiral and Ringlet)

Hutchinson's Bank/Chapel Bank, New Addington, Surrey: July 6, 2019 (Butterflies along the chalk escarpments—one Small blue; Common blue; Ringlet; hundreds of Marbled white, and a dozen Dark-green fritillary)

Fairmile Common, Cobham, Surrey: July 13, 2019 (Within the M25 London orbital road but on heathland with bell heather, my 47th U.K. butterfly species, both male and female Silver-studded blue; also my first Gatekeeper of the year)

Oare Marshes Nature Reserve, Oare, Faversham, Kent: July 14, 2019 My third-ever Lesser yellowlegs and second-ever Bonaparte's gull, very likely the same adult that has been wrongly migrating here for seven or eight years and also likely remains somewhere in the U.K. all year and comes to Oare to moult. In mid-July, though, it is in full summer plumage; also Spotted redshank; Common redshank; Black-tailed godwit (500); one very early Golden plover; Bearded tit; Peregrine, and three male Ruff in close to summer plumage

Headley Heath, Tadworth, Surrey: July 20, 2019 (Butterflies on heath and chalkside, including a new species, my 48th U.K. butterfly species, one single White-letter hairstreak, and on a white flower on a chalk hillside, not near elm or bramble; also Brown argus; White admiral; Dark-green fritillary; Silver-washed fritillary; Large skipper; Small skipper; Gatekeeper; Painted lady, and Grayling on stony soil among the gorse. No luck with the Silver-spotted skipper, of which a few reports have come in.) Juvenile green woodpecker

Rainham RSPB Reserve, Purfleet, Essex: July 28, 2019 Water dredged from some of the marsh area. Wood sandpiper; 3 x Ruff; Avocet; 200 x Black-tailed godwit; Lapwing; 10 x Little egret, and Curlew. (Grey seal basking on the river shore)

Oare, Uplees and Conyer marshes, Faversham, Kent: August 5, 2019 More of a wonderful walk with Francesca, my wife, than a birding excursion, but the Bonaparte's gull remains, although now heavily moulted. Also Curlew; Whimbrel; 10 x Common sandpiper; 5 x Oystercatcher; Marsh harrier, and 3 x Kestrel, but not much on the East Flood due to maintenance. (Also Clouded yellow butterfly and several Painted lady)

Hutchinson's Bank, New Addington, Croydon; 25 August, 2019 A visit to see if I could spot a Glanville fritillary butterfly (I did not), which for the first time in this introduction site reputedly started by person or persons unknown in 2011 had a second brood, albeit probably lesser in number than the first brood in April/May. But as I and another birder-turned-summer-butterfly-watcher searched a steep-sided paddock I spotted a **GOSHAWK** (new species for U.K.) that floated over the tree line scattering pigeons. A juvenile, it showed large broad wings, pear-drop-shaped splotches running from neck to belly, pale belly and correct banding on the tail. It was also large, with all the ID marks together ruling out Common buzzard and/or female Sparrowhawk. (Also Chalkhill blue, Brown argus; Small copper; Dark-green fritillary, and Silver-washed fritillary butterflies; and a Common shrew, a species I do not remember seeing before.)

Oare Marshes Nature Reserve, Oare, Faversham, Kent: August 31, 2019 A Peregrine spent much of the day peering at the pigeons and waders. Also a Kestrel; 2 x Curlew sandpiper, with one adult retaining some summer plumage; Knot; Golden plover; Grey plover; a juvenile Wood sandpiper; 300 x Black-tailed godwit; Water rail; 30 x Dunlin, also some retaining summer plumage, and the Bonaparte's gull remains, although I was lucky to pick it out in its autumn plumage as I was searching for Curlew sandpiper

Titchfield Haven, Stubbington, Hampshire: September 21, 2019 **BLUETHROAT** (new species for U.K.), seen from the Meon Hide, with two good views of a minute or so each out in the open, and some more half-hidden views within the reeds. Also, Turnstone by the harbour

Somerset (West Hay; Chew Valley Lake): Oct. 5-6, 2019 Little egret, Great egret and Cattle egret all in the same telescope view. All told, 13 x Great egret; 6 x Little egret, and 3 x Cattle egret, two of which showed yellow blush to head. Also 2 x Yellow-legged gull; Pintail; Little grebe, and numerous Gadwall

Mai Po Reserve and Tai Po Kau, New Territories; Pokfulam, Hong Kong Island, Hong Kong: 20-21 October, 2019

Spoonbill; Eastern spot-billed duck; Gadwall; Little egret; Great egret; Greenshank; Black-winged stilt; Azure-winged magpie; White-throated kingfisher; Collared crow; Little grebe; Great-crested grebe; Kingfisher; Plain prinia; Common sandpiper; Green sandpiper; Chinese pond-heron; Grey heron; Purple heron; Greater coucal; White-breasted waterhen; Rufous-capped babbler; Great cormorant; Marsh harrier (female); Black kite; Eastern spotted dove; Long-tailed shrike; Oriental reed warbler; Black-collared starling; Daurian redstart (female); Oriental magpie robin; Pied kingfisher; Grey treepie; Black-throated laughingthrush; Chestnut bulbul

Mai Chau, Pu Luong and Van Long, Vietnam: 30 October-8 November, 2019

(Birding not impressive, with the sense that conservation is not a priority and the cognisance of birds being things to sing from cages)

Blue rock thrush; Eyebrowed thrush; Red-vented bulbul; Black-whiskered bulbul; Black-crested bulbul; Little egret; White-throated kingfisher; Kingfisher; Siberian stonechat; Grey-backed shrike; Yellow-billed blue magpie; Japanese white-eye; White wagtail; Grey wagtail; Little grebe; Grey-headed swamphen; Crow-billed drongo; Asian palm swift; White-browed crane; Cinnamon bittern; Bronze-winged jacana; Chinese pond heron; Short-billed minivet; Black-naped oriole; Asian brown flycatcher; Collared treepie; Little pied flycatcher; Oriental magpie robin; White-capped water redstart; Common myna; Green-backed tit; Crested finchbill; Golden parrotbill; White-headed munia; Black-throated laughingthrush; Dark-necked tailorbird

Oare Marshes, Faversham, Kent: 17 November, 2019

Gadwall; Little egret; Great-crested grebe; Kingfisher; Grey heron; Marsh harrier; Black-tailed godwit; Redshank (100+); Dunlin (1,000+); Avocet (50+); Pintail (three drakes, one duck); Shoveler; Common snipe; 6 x Bearded tit (but all juveniles); 2 x Curlew, and 2 x Bewick's swan

London Wetland Centre, Barnes, London: December 7, 2019

Birds mostly difficult to see. Jack snipe; Common snipe; Goldeneye (female); Caspian gull (my second ever); Bittern, and Pintail (three drake, one duck)

Whipsnade Zoo, Whipsnade, Bedfordshire: December 14, 2019

First visit to this zoo (I did not see much of it) for a **BLACK-THROATED THRUSH** (new species for U.K. and my 275th) amid a flock of Redwing. Great views of it flying across open space pretty much as soon as the gates opened at 10, but fresh wind following heavy rain saw all birds staying a little distant. Good views later, on berry bushes. Also Red kite

Slimbridge, Gloucestershire: December 16, 2019 2 x Water rail, right in front of the Willow Hide, and the best views I have had of this species, and two of them; 24 x Bewick's swan; 10 x Pintail; numerous Ruff; Redshank; Dunlin; Black-tailed godwit, and Lapwing; Rook; Stonechat; Greylag goose; two Eurasian crane flyover (but, again, there is a reintroduction scheme here)

Portland (various sites), Dorset: December 17, 2019 Very productive day, with 2 or 3 Great northern diver; 2 to 3 Black-throated diver; 20 x Great crested grebe; 2 x Little grebe; 6 to 8 Black-necked grebe; **VELVET SCOTER** (a new species for U.K.; female, and one I found by scanning large geese flocks); 200+ Brent goose, both dark- and light-bellied forms); 4 x Eider; 30 Red-breasted merganser; 2 x Razorbill; 3 x Common guillemot; Black guillemot; Gannet; 30 x Mediterranean gull; 5 x Cormorant, and 30 x Shag. (A Bottlenose dolphin—we had a grandstand view of a harbour-patrol boat's staff untangling a dolphin from fishing netting, after which the dolphin seemed to raise a tail out of the water as a thank-you gesture, spin around the small boat a couple of times and then swim towards the harbour mouth)

Rainham RSPB Reserve, Purfleet, Essex: December 20, 2019 Sparrowhawk (female); Barn owl; 7 x Common snipe; Curlew; 2 x Avocet; Dunlin; Skylark, and Blackcap (female); the water levels were very high following a great deal of rain over the last couple of weeks

Walthamstow Wetlands Reserve, London; 26 January, 2020 Firecrest, maybe two, as I saw one twice amid a flock of 12 or so Long-tailed titmice; also on the reservoir, female Goldeneye and two Peregrine falcons bathing and then flying to a nearby pylon

Valentines Park, Gants Hill, London; 26 January, 2020 Amazingly, someone on a RSPB walk in a place I suspect is not birded often, a Turtle dove, a species seen here in the summer overwintering and likely remaining from last summer. Amid a flock of 20 or so Collared dove. It is my first Turtle dove for probably 30 years; when I was a teenager, I would see 50 on any summer's day, but that is a thing of the past

Perrymead Lake, East Horsely, Surrey; 22 February, 2020 One drake Goosander and two drake Mandarin duck, on a pond that was filled fairly high with flood water

Frensham Common, Frensham, Surrey: 22 February, 2020 Great grey shrike, the best view I have ever had, and only my second example. Excellent views of a bird constantly making a circle around one part of the common. Also Treecreeper

Poulter Park, Mitcham, Surrey: March 1, 2020 2 x Siberian chiffchaff (sub-species) in pretty much the same spot I saw one, my first, three years ago in January 2017) on the River Wandle. Also, my second-ever Yellow-browed warbler, always moving and largely hidden, but seemingly chasing Chiffchaff and other species from one bushy trees. Grey wagtail, male Blackcap

Sydenham Woods, London: March 29, 2020 The world is in the grip of COVID-19 coronavirus, and everyone is remaining at home, only going out close to their home once a day for exercise, shopping or emergencies, and the death toll—mainly the old and those with existing health conditions—is numbering in 10s of 1,000s around the world. Any birding is local, that is very local. I did see 2 x Stock dove, drinking in a pond, and 6 or 7 x Redwing, which is pretty late in the season for this species. Also a Wren singing like crazy

From the window of my home, Sydenham, London: March 31, 2020 Marsh harrier floating over the houses. I wonder if the very noticeable absence of people on the streets, cars on the road and noise in the air might be beneficial to nature, certainly as now we are in the breeding season?

Hutchinson's Bank, New Addington, Surrey: May 2, 2020 (I saw the first sighting anywhere in the U.K. of a new species for me (my 49th for the U.K.), Glanville fritillary after several years of trying to find one on this site, which is not recognised by Butterfly Conservation, despite the population being self-sustaining. I saw two examples, one showing the underwings, one showing the outer-wings, and also six or so caterpillars of the species. Also Dingy skipper)

... also saw Glanville fritillary on 20 May and 7 June

South Benfleet, Essex: June 13, 2020

The COVID-19 lockdown has eased slightly. **MARSH WARBLER** (a new species for U.K.), difficult to see, but on the two occasions I got a good view, sufficient to ID this species, its long primaries being the main feature. Also Common tern; Little egret; Goldfinch. (Also first Small skipper and Marbled white butterflies of the year)

Sandwich Estate, Kent: June 22, 2020

Skylark; Linnet; Reed bunting; Spotted flycatcher; Common ringed plover; Stonechat; Whitethroat. (Also my first Lizard orchid)

Dungeness, Kent: June 26, 2020

After some searching after an almost immediate flyover, a **GULL-BILLED TERN** (a new species for U.K.) that was flying and fishing actively but always fairly distantly over the site's ARC Pit. Also my third U.K. Black-winged stilt and on Dungeness beach a Black redstart

Oare Marshes Nature Reserve, Oare, Faversham, Kent: July 11, 2020 Bonaparte's gull again, the rare American gull that comes from somewhere to moult every year here; also Spotted redshank; Common redshank (30); Skylark; Linnet; Yellow wagtail; Black-tailed godwit (30); Curlew (four), and an escaped falcon mix with two tags.

Oare Marshes Nature Reserve, Oare, Faversham, Kent: July 18, 2020 Lesser yellowlegs, almost exactly a year after one came last year; also two Yellow wagtail; Little gull; a very close Curlew; one Knot; Dunlin; Avocet; Skylark; 30 Redshank

Hutchinson's Bank, New Addington, Surrey: July 19 and 20, 2020 On first day, overcast, juvenile Goldfinch and adult and juvenile Green woodpecker; on second day, 2 x Marsh titmouse (I saw one here last year). (Also several Marbled white; second-brood individuals of Common blue and Small blue; Gatekeeper; Ringlet; Meadow brown, and one Dark-green fritillary)

Cuckmere Haven, Sussex: July 26, 2020 Great views of an adult male Little stint and a juvenile Wood sandpiper. Also Little ringed plover; Rock pipit; Dunlin; Shelduck; Linnet; Skylark; Buzzard; Kestrel; Peregrine, and Oystercatcher

Dungeness, Kent, England: 1 August, 2020: Great white egret; 100 x Gadwall; 20 x Pochard; Ruff; 10 x Gannet; Common tern; Yellow wagtail; Meadow pipit; Stonechat; Whitethroat; female Wheatear and two young; Oystercatcher; Little egret, and juvenile Mediterranean gull

Headley Heath, Tadworth, Surrey: August 9, 2020 First-ever sighting of a Silver-spotted skipper, my 50th U.K. butterfly species

Beckenham Place Park, Beckenham, Kent: 11 August, 2020: Word has got out that there are now fledged 2 x juvenile Hobby, perched on tree branches, of a rare example of this species nesting in a London park. Juveniles were not very confident yet of flying; another juvenile was flying, though, as were two adults that kept pretty much out of the picture save for a hawking expedition or three

Shapwick March, Somerset: September 4, 2020: Osprey; Marsh harrier; Hobby; Great egret, and Great egret. Also in Somerset, Raven

Nuthurst, Sussex: September 5-11, 2020 Spotted flycatcher; Marsh titmouse; Wren; Great spotted woodpecker; Coal tit. Also elsewhere in Sussex, Wheatear; Marsh harrier; Common sandpiper, and Red kite

Ditchling Beacon, Sussex: September 5-6, 2020 On arrival to Sussex from Somerset, set off to see a **DOTTEREL** (a new species for U.K.). I had no luck on the Saturday evening, when

three were present, but I did see Wheatear and Grey partridge, but I saw one, and one only, on the Monday morning

East Head, Sussex: September 10, 2020 Bar-tailed godwit; Curlew; Whimbrel; 200 x Oystercatcher; Dunlin; Redshank, and Greenshank

Pagham Harbour RSPB Reserve, Sussex: September 5-6, 2020 40 x Cattle egret, certainly the most I have ever seen and possibly the most anywhere collectively in the U.K. (the reserve in 2020 recorded the first breeding success for the country); Whinchat; Stonechat; male and female Redstart; one Spoonbill; Spotted redshank; Redshank; Snipe; Yellow wagtail; Curlew; Black-tailed godwit; Great black-backed gull, and Kingfisher

Whitehawk, Brighton, Sussex: September 19, 2020 Following a 25-mile run from Hassocks to and along the South Downs Way to Southease and back across a separate section of the Downs to Telscombe and above Rottingdean, my first-ever sighting of a Long-tailed blue, my 51st U.K. butterfly species. Also butterfly species Clouded yellow and Wall

Sandwich Estate, Kent: September 20, 2020
Juvenile Skylark; Wheatear; Stonechat; Common buzzard; Kestrel; Linnet

Shuart Marshes, Kent: October 18, 2020 Quick trip down the Thames past Faversham to see a **MASKED SHRIKE** (a new species for the U.K.), the fourth ever to come to the United Kingdom and the first for Kent. Also Goldcrest; Swallow; House martin, and Kingfisher. (The shrike disappeared sometime in the night of 18-19 October)

Chew Valley Lake, Somerset: October 28, 2020 Tried to find the Lesser scaup that has been seen distantly from the Moreton hide but with no success. Great egret and Grey heron both catching perch; also Little egret; Little grebe; Lesser yellowlegs (my fifth in the U.K.); Goosander, and Goldeneye

Somerset Levels, Somerset: October 29, 2020 143 Cattle egret (hardly a rarity any more, especially in this area) in three groups. Also my third Glossy ibis; Great egret; Little egret; Fieldfare; Redwing; one male Bearded titmouse, and 2 x eclipse Wigeon

Willsbridge Mill, Avon: October 30, 2020 Grey wagtail

Bewbush Brook, Crawley, Sussex: October 31, 2020 On the way home from Somerset a stop-off to see **DUSKY WARBLER** (a new species for the U.K.). I enjoyed a couple of somewhat brief looks as it, firstly, came in ahead of a group of Long-tailed titmouse, which could have been a coincidence, and then, secondly, for a little more time to better see its brown-russet back, eye-stripe and large Wren-like stature. (Also found out today that the Bottlenose dolphin, seen almost a year ago on December 17, 2019, in Weymouth Harbour being freed from netting, died. It was the only dolphin to live almost exclusively in and around the harbour and unfortunately had a collision with a boat.)

Worth Marshes and Kingsdown, Kent: November 21, 2020
Failed to see the Eastern yellow wagtail, which has been seen that day, but I did see two, maybe three, of the five reported **LAPLAND BUNTING** (a new species for the U.K.) as I left the area they had last been seen in and walked along footpaths to the right of the village of Worth. Also three Jack snipe and several Stonechat.

As I was leaving to go home, news came in of a real find at Kingdown, a 15-minute drive away, and I got to see **CRAG MARTIN** (a new species for the U.K.) with about 10 minutes left of good light. Great views as it started to roost against the white cliff side. It was seen briefly the next day as it flew south, but it returned on Monday, 23 November, too. It had been found, so I was told, by a “non-birder” who thought what he thought was a Sand martin did not quite look right, so he called a birding friend who came down to see it, confirmed its identity and spread the word. That does not sound like a “non-birder” to me

Rainham RSPB Reserve, Purfleet, Essex: November 26, 2019 5 x Pintail; one Water pipit that I found and managed to show several other people, for most of whom it constituted a new species, so that was satisfying, as it is usually someone else who shows me a bird, or I hear of one being seen somewhere. Several Marsh harrier, Buzzard sitting on a post and two Redshank on the River Thames. Wigeon back in high number

Sonning, Oxfordshire: November 29, 2020 My first Redwing of the winter

Thursley Common, Surrey: December 4, 2020 Arrived at first light to try and find two species that have been seen the previous six days but not the day before I went, which was a day of horrendous rain. I found **RUSTIC BUNTING** (new species for U.K.) and Little bunting, which comprised only my second sighting, and definitely the best. Both birds were elusive, often hiding in the grass among scrub and gorse, and several Reed bunting confused the identification. The light was best before 9:30 a.m., which was when I took my only photographs. The rest of the time did not produce good sightings, maybe because there was later on a dozen people there looking for the birds. Also Red kite; one Dartford warbler; 2 x Fieldfare; Coal tit, and Goldcrest

Swale Estuary and Capel Fleet, Isle of Sheppey, Kent: December 7, 2020 A very murky, foggy day, a heavy mist that did not lift. Beautifully atmospheric, and I met one other birder all day. Along the Swale I saw Curlew, also calling; Redshank and 100 x White-fronted goose in two groups. At Capel Fleet a scan in the gloom revealed a Barn owl, at 2:15 p.m., and, my first for decades, Hen harrier, a female. All photos were certainly not show-stoppers. Also Turnstone, Redshank, and Oystercatcher on the shore at Leysdown-on-Sea, by the Shellness Estate

Letcombe Regis, Oxfordshire: December 11, 2020 GREAT BUSTARD (new species for U.K.), but one I will regard as an escapee unless told otherwise—even though the population is self-sustaining, all birds do come from a reintroduction programme on Salisbury Plain. A magnificent bird, the heaviest flying bird on the planet. Also a Fieldfare sitting on a fence, and a male Pheasant who might have walked across the field in which the bustard was if the bustard was not five times as large

Stearth Marshes, Cheddar Reservoir and Barrow Gurney Reservoir, Somerset: December 12, 2020 A sunny day among several of gloom, and an **EASTERN YELLOW WAGTAIL** (new species for the U.K.), a relatively recent split from the Yellow wagtail, at Stearth. After not seeing one on November 21, 2020, it was good to catch up with one here, but it was hard work to find. It also is notable in that it is the first “lifer” Alex Carlisle and I have seen together for more than 30 years, his U.K. list being far larger and mine and I having lived in the USA for 20 years. Some birders had arrived at dawn, 7:30, and it was seen only once all day, at 2 p.m. We did hear it a couple of hours before we saw it, and it was lucky we managed to see it at all. We had turned the car around while eating lunch to view a

compost heap that the bird occasionally favoured, and it was only because we were now facing the marsh wall that we saw some birders show signs of anxiousness. We were out of the car in a flash and run up and along the wall to where we had been earlier to view the birds for perhaps no more than 40 seconds before it flew up, around in a circle above our heads and disappeared. Other birders scattered along the wall would have missed it for sure. Also good views of Hen harrier low over the marshes and a Merlin that shot though and took out a Redshank. We also saw Nature Watch's Iolo Williams and Mya-Rose Craig filming for an upcoming series, possibly the Penduline tit that would only be able to be seen well with a very high-powered TV camera.

Our last stop was Cheddar Reservoir for a **RED-CRESTED POCHARD** (new species for the U.K.), a species that is not reported but does not have huge numbers in the U.K. outside of one park in the Cotswolds, a species that I simply had not got around to seeing before. Our first stop of the day was Barrow Gurney Reservoir for a very confident Great northern diver, definitely my best views, and my first U.K. male Long-tailed duck, a super thing, as is the diver. Also a Common sandpiper

Cooling Marshes and Salt Fleet, Cooling, Kent: December 20, 2020 A long, muddy walk from Cooling Castle across the marshes to Salt Fleet, the scene of a hurried swim across Egypt Bay creek 35 years ago or so with Alex Carlisle and Clive Gilby. This time around I did not walk around the Thames shore path so far but saw a **RICHARD'S PIPIT** (new species for the U.K.) that flew out of cover and landed 50 or so metres from me. Evident supercilium that went over the eye to the bill, long legs and upright stance. It was skittish. Also, two Peregrine falcon; Marsh harrier; Kestrel; 200 x Shelduck; 50 x Skylark, a flock of Redwing and Fieldfare. I also saw two dead foxes laid neatly side by side off Rye Street in Cooling, which I reported, although I have no idea if a crime was perpetrated

Reculver and Oare Marshes Nature Reserve, Faversham, Kent: January 3, 2021 At Reculver, 3 x Snow bunting, my best views of this wonderful species, although flitty and sometimes difficult to see amid the shingle. Also, Sanderling; Curlew; Redshank; Oystercatcher; 40 x Corn bunting; 20 x Reed bunting; 50 x Meadow pipit; Stonechat; 100 x Brent goose; Common buzzard
At Oare, 4 x Bearded tit (I had expected stronger winds today, but no), including two males, one of which was confident for at least one close-up photo; 20 x Pintail; Gadwall; Teal; Kingfisher hovering over Oare Creek; one Turnstone; 3 x Curlew; 100 x Avocet; several Shelduck; Dunlin; 3 x Grey plover. In addition, a Slow-worm (I reported this to the relevant herpetology website), which I thought initially was dead and which when I realised it was not moved gently with gloves off the sea-wall path and into an area of denser vegetation, and a Common seal in Oare Creek