

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Family Dollar Old Courthouse Square	Facility Type Retail Food Store	
Licensee Name Family Dollar Stores of WV, Inc. #2888	Facility Telephone # 304 267-7004	
Facility Address 1319 Old Courthouse Square Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 09/24/2018	Total Time Spent 1.50

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Back cooler	39
Milk cooler	40
retail cooler	40
Soda machines	39

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 3 Repeated # 3</p> <p>3-501.18 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DISPOSITION This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): Multiple dented cans</p> <p>3-501.18 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DISPOSITION This is a critical violation OBSERVATION: Lunchables in back cooler out of date 9-4-18</p> <p>3-501.18 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DISPOSITION This is a critical violation OBSERVATION: 4 gallons of milk out of date 9-23-18</p>

ObservedNon-CriticalViolations

Total # 5

Repeated # 3

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Freezer case needed cleaned inside shelf

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Back cooler needs cleaned inside

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION Stained and missing ceiling tiles need replaced

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Floors need cleaned under displays and shelves

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Back wall needs cleaned, mold.

Inspection Outcome

Comments

Disclaimer

Person in Charge

On kile

Sanitarian

Glenn GCO Ondick