

#### SPECIFY THE FOLLOWING:

- Wall or rod measurement (for pricing add A + B)
- Return and Bracket Style
- Finials must be specified and priced separately


Please reference the Select Metal Brochure (2017SMB) and the Select Metal Price List (2017SMPL) for complete Select Metal Traverse Rod order specifications.

Select Metal 13/16" HALF ROUND FASCIA TRAVERSE RODS may be continuous curved.

A **template** is required for all curved traverse rods.

Curving and crating charges will apply.

**DECORATIVE TRAVERSE ROD BRACKETS** are available for a surcharge



#### Finishes:



**BRONZE** (07)



SATIN **BRASS** (22)



**BRUSHED BRASS** (27)



**BLACK** (45)



GRAPHITE (48)



GUNMETAL



(65)



**STEEL** (67)



**POLISHED** NICKEL (68)


### SELECT POLES MAY BE **CONTINUOUS CURVED** FOR BOW OR ARCHED WINDOWS

# Adjustable Swivel Bracket for **Bow Windows**

For use with 3/4" or 13/16" curved poles

# Set Rings for Arched Poles

Set Rings may be used with Select Metal Round or Flat Rings and allow for placement of rings at any position on the pole and may




(130-2056) return: 4 1/2" - 5 1/2"

## INTRODUCING

## The Metro Collection



- b. 1 %" FLAT METRO POLE (135-0516) available up to 16'. Cut to exact measurement
- c. METRO RING (135-3800) 1 1/4" W x 2 3/8" H
- d. METRO FINIAL (135-0184) 3/4" L x 2" H Available for use with Flat Fascia Traverse Rods
- e. METRO BRACKET (135-2804) return: 4 1/4", projection: 4 3/4"





#### Finishes:





SATIN BRASS (22)



BRUSHED BRASS (27)



BLACK (45)



GRAPHITE (48)



GUNMETAL (65)



STEEL (67)



POLISHED NICKEL (68)

### SELECT METAL

# 1<sup>3</sup>/<sub>16</sub>" Traverse Rod Accessories

2 options are now available when a Select Metal Traverse Rod requires splicing.

#### **FASCIA BUTTED TOGETHER**



#### FASCIA WITH NEW SPLICE COVER





FASCIA SPLICE COVER FOR HALF ROUND FASCIA (130-4009) 2  $^{3}/^{4^{\prime\prime}}$  L



INTERNAL SPLICE FOR HALF ROUND FASCIA (130-4099)
Gives increased strength and stability for spliced traverse rods

### NEW

## Iron Works Flat Rings





3/4" FLAT RING WITH LINER (120-3600) 1 1/8" I.D., 1 1/2" O.D.

1 3/16" FLAT RING WITH LINER (130-3600) 1 3/4" I.D., 2" O.D.

#### Finishes:



BLACK PEWTER (865)



BLACK COPPER (815)



SANDSTONE (857)



BLACK (845)