

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Rt 9 Citgo	Facility Type Food Service Establishment	
Licensee Name Rt 9 Citgo	Facility Telephone # 304	
Facility Address 1316 Edwin Miller Blvd Martinsburg , WV	Licensee Address 1203 N Queen St Martinsburg , WV 25404	
Inspection Information		
Inspection Type Routine	Inspection Date 04/17/2018	Total Time Spent 1.00

Equipment Temperatures	
Description	Temperature (Fahrenheit)
milk cooler	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0 Repeated # 1

Observed Non-Critical Violations
Total # 4 Repeated # 1
4-602.13 - NONFOOD CONTACT SURFACES OBSERVATION: shelving needs cleaned holding microwave
5-205.11 - USING A HANDWASHING SINK OBSERVATION: Handsink needs to be accessible for handwashing-plastic bags in sink today
6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS OBSERVATION: handsink and 3 bay sink need cleaned
6-501.13 - CLEANING FLOORS, DUSTLESS METHODS REPEAT OBSERVATION floor needs cleaned underneath 3 bay sink and front area

Inspection Outcome

Comments

Disclaimer

Person in Charge



Sanitarian



Amy ARE Edwards