

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Hedgesville High School	Facility Type Food Service Establishment	
Licensee Name Berkeley Co. Board of Education	Facility Telephone # 304	
Facility Address 109 Ridge Rd Hedgesville , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 04/25/2019	Total Time Spent 1.70

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk-in Cooler	40
Left Victory Hot Box	163
Victory Reach in Cooler	39
Flavor Lock Hot Box	161
Right Victory Hot Box	157
Left Milk Cooler	40
Right Milk Cooler	41
center milk-cafeteria	40
cafeteria milk-outside kitchen	
Salad Displays-center	41
salad display-right	39

Food Temperatures	
Description	Temperature (Fahrenheit)
Green beans	143
Brerad	147
Pasta and sauce	148

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
DishmachineKitch enBucket	Heat				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

ObservedNon-CriticalViolations

Total # 1

Repeated # 0

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Walk in freezer piping anf fan cover icing up, needs repaired

Inspection Outcome

Comments

Disclaimer

Person in Charge



Heather cook

Sanitarian



Glenn GCO Ondick