NALCO Champion An Ecolab Company

SAFETY DATA SHEET

SCAL16082A

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : SCAL16082A

Other means of identification : Not applicable.

Restrictions on use : Refer to available product literature or ask your local Sales Representative for

restrictions on use and dose limits.

Company : Nalco Champion Company

7705 Highway 90-A

Sugar Land, Texas 77478

USA

TEL: (281) 263-7000

Emergency telephone

number

(800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 12/13/2016

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 3
Acute toxicity (Oral) : Category 4
Acute toxicity (Inhalation) : Category 4
Acute toxicity (Dermal) : Category 4
Serious eye damage : Category 1

Specific target organ toxicity : Category 1 (Eyes)

- single exposure

Specific target organ toxicity : Category 2

- single exposure

Specific target organ toxicity : Category 3 (Central Nervous System)

- single exposure

Specific target organ toxicity : Category 2 (Kidney)

repeated exposure

GHS Label element

Hazard pictograms :









Signal Word : Danger

Hazard Statements : Flammable liquid and vapour.

Harmful if swallowed, in contact with skin or if inhaled

Causes serious eye damage. May cause drowsiness or dizziness. Causes damage to organs (Eyes). May cause damage to organs.

May cause damage to organs (Kidney) through prolonged or repeated

exposure.

SCAL16082A

Precautionary Statements : Prevention:

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapours/spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/ eye protection/ face protection.

Response:

IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed: Call a POISON CENTER or doctor/ physician. Immediately call a POISON CENTER or doctor/ physician. Rinse mouth. Wash contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Storage:

Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical NameCAS-No.Concentration: (%)Methanol67-56-110 - 30Amine TriphosphateProprietary10 - 30Sodium Phosphate, Tribasic7601-54-95 - 10Ethylene Glycol107-21-11 - 5

Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild

soap if available. Wash clothing before reuse. Thoroughly clean shoes before

reuse. Get medical attention if irritation develops and persists.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put

yourself at risk of injury. If in doubt, contact emergency responders. Use

personal protective equipment as required.

SCAL16082A

Notes to physician Treat symptomatically.

Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

Use extinguishing measures that are appropriate to local circumstances and the Suitable extinguishing media :

surrounding environment.

Unsuitable extinguishing

media

None known.

Specific hazards during

firefighting

Fire Hazard

Keep away from heat and sources of ignition. Flash back possible over considerable distance.

Beware of vapours accumulating to form explosive concentrations. Vapours can

accumulate in low areas.

Hazardous combustion

products

Decomposition products may include the following materials: Carbon oxides

nitrogen oxides (NOx) Oxides of phosphorus

Special protective equipment:

for firefighters

Use personal protective equipment.

Specific extinguishing

methods

Use water spray to cool unopened containers. Fire residues and contaminated

fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a

waterway. Flush away traces with water.

Section: 7. HANDLING AND STORAGE

Advice on safe handling

Open drum carefully as content may be under pressure. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Do not ingest. Keep away from fire, sparks and heated surfaces. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on

SCAL16082A

clothing. Wash hands thoroughly after handling. Use only with adequate

ventilation.

Conditions for safe storage : Keep away from heat and sources of ignition. Keep in a cool, well-ventilated

place. Keep away from oxidizing agents. Keep out of reach of children. Keep

container tightly closed. Store in suitable labelled containers.

Suitable material : The following compatibility data is suggested based on similar product data

and/or industry experience: Compatibility with Plastic Materials can vary; we

therefore recommend that compatibility is tested prior to use.

Unsuitable material : not determined on the determined

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Methanol	67-56-1	TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH
		TWA	200 ppm 260 mg/m3	NIOSH REL
		STEL	250 ppm 325 mg/m3	NIOSH REL
		TWA	200 ppm 260 mg/m3	OSHA Z1
Sodium Phosphate, Tribasic	7601-54-9	STEL	5 mg/m3	AIHA WEEL
Ethylene Glycol	107-21-1	Ceiling (Aerosol only)	100 mg/m3	ACGIH

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below

occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles

Face-shield

Hand protection : Wear protective gloves.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Wear suitable protective clothing.

Respiratory protection : When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove

and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

SCAL16082A

Appearance : Liquid
Colour : yellow

Odour : no data available

Flash point : 30.6 °C, Method: ASTM D 56, Tag closed cup

pH : no data available
Odour Threshold : no data available
Melting point/freezing point : no data available
Initial boiling point and boiling : no data available

range

Evaporation rate : no data available
Flammability (solid, gas) : no data available
Upper explosion limit : no data available
Lower explosion limit : no data available
Vapour pressure : 2.5 mm Hg, (37.8 °C),

Relative vapour density : no data available

Relative density : 1.0630 - 1.0870, (15.5 °C),

Density : no data available

Water solubility : completely soluble

Solubility in other solvents : no data available

Partition coefficient: n- : no data available

octanol/water

Auto-ignition temperature : no data available
Thermal decomposition : no data available

temperature

Viscosity, dynamic : no data available
Viscosity, kinematic : no data available
Molecular weight : no data available
VOC : no data available

Section: 10. STABILITY AND REACTIVITY

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition : Decomposition products may include the following materials:

SCAL16082A

products Carbon oxides

> nitrogen oxides (NOx) Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

Potential Health Effects

Eyes Causes serious eye damage.

Skin Harmful in contact with skin.

Ingestion May cause blindness if swallowed. Harmful if swallowed.

Inhalation Harmful if inhaled. Inhalation may cause central nervous system effects.

Chronic Exposure May cause damage to organs. May cause damage to organs through prolonged

or repeated exposure.

Experience with human exposure

Eye contact Redness, Pain, Corrosion

Skin contact : No information available.

No information available.

Ingestion No information available.

No information available.

Inhalation Respiratory irritation, Cough, Dizziness, Drowsiness

Dizziness, Drowsiness

Toxicity

Product

Acute oral toxicity Acute toxicity estimate: 437.97 mg/kg

Acute inhalation toxicity Acute toxicity estimate: 1.82 mg/l

Exposure time: 4 h

Acute dermal toxicity Acute toxicity estimate: 1,345 mg/kg

Skin corrosion/irritation no data available Serious eye damage/eye no data available

irritation

Respiratory or skin

sensitization

: no data available

Carcinogenicity no data available

SCAL16082A

Reproductive effects no data available Germ cell mutagenicity no data available Teratogenicity no data available STOT - single exposure no data available STOT - repeated exposure no data available Aspiration toxicity no data available

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Components

Toxicity to fish : Methanol

LC50: 15,400 mg/l Exposure time: 96 h

Sodium Phosphate, Tribasic

LC50 Fish: 120 mg/l Exposure time: 96 h

Ethylene Glycol LC50: 72,860 mg/l Exposure time: 96 h

Components

Toxicity to daphnia and other

aquatic invertebrates

: Methanol

EC50: > 10,000 mg/l Exposure time: 48 h

Ethylene Glycol EC50: > 100 mg/l Exposure time: 48 h

Components

Toxicity to algae Methanol

> EC50: 22,000 mg/l Exposure time: 72 h

> Amine Triphosphate EC50: 550 mg/l Exposure time: 72 h

> Ethylene Glycol EC50: 6,500 mg/l Exposure time: 96 h

Components

Toxicity to bacteria : Methanol

SCAL16082A

> 1,000 mg/l

Ethylene Glycol > 1,995 mg/l

Components

Toxicity to fish (Chronic : Methanol

toxicity)

NOEC: 7,900 mg/l Exposure time: 8.3 d

Ethylene Glycol NOEC: 15,380 mg/l Exposure time: 7 d

Components

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

: Ethylene Glycol NOEC: 8,590 mg/l Exposure time: 7 d

Persistence and degradability

no data available

Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : <5% Water : 30 - 50% Soil : 50 - 70%

The portion in water is expected to be soluble or dispersible.

Bioaccumulative potential

no data available

Other information

no data available

Section: 13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it could meet the criteria of a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Before disposal, it should be determined if the waste meets the criteria of a hazardous waste.

Disposal methods : Where possible recycling is preferred to disposal or

incineration. If recycling is not practicable, dispose of in

SCAL16082A

compliance with local regulations. Dispose of wastes in an

approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

The presence of an RQ component (Reportable Quantity for U.S. DOT) in this product causes it to be regulated with an additional description of RQ for road, or as Environmentally hazardous for road and air, ONLY when the net weight in the package exceeds the calculated RQ for the product.

Land transport (DOT)

Proper shipping name : FLAMMABLE LIQUID, N.O.S.

Technical name(s) : Methanol UN/ID No. : UN 1993

Transport hazard class(es) : 3
Packing group : III

Reportable Quantity (per : 22,420 lbs

package)

RQ Component : METHANOL

Air transport (IATA)

Proper shipping name : FLAMMABLE LIQUID, N.O.S.

Technical name(s) : Methanol UN/ID No. : UN 1993

Transport hazard class(es) : 3
Packing group : III

Reportable Quantity (per : 22,420 lbs

package)

RQ Component : METHANOL

Sea transport (IMDG/IMO)

Proper shipping name : FLAMMABLE LIQUID, N.O.S.

Technical name(s) : Methanol UN/ID No. : UN 1993

Transport hazard class(es) : 3
Packing group : III

Section: 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)

SCAL16082A

Methanol 67-56-1	5000	22422
------------------	------	-------

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

Chronic Health Hazard

Fire Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements

of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels established

by SARA Title III, Section 313:

Ethylene Glycol 107-21-1 1 - 5 % Methanol 67-56-1 10 - 30 %

California Prop 65

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Methanol 67-56-1

INTERNATIONAL CHEMICAL CONTROL LAWS:

United States TSCA Inventory

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

Australia. Industrial Chemical (Notification and Assessment) Act

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

Canadian Domestic Substances List (DSL)

The substances in this preparation are listed on the Domestic Substances List (DSL), are exempt, or have been reported in accordance with the New Substances Notification Regulations.


Philippines Inventory of Chemicals and Chemical Substances (PICCS)

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

Section: 16. OTHER INFORMATION

SCAL16082A

NFPA:



Special hazard.

HMIS III:

HEALTH	3*
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High

2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Revision Date : 12/13/2016

Version Number : 1.0

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.nalco.com and request access.