

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name Inwood ROCS BP	Facility Type Retail Food Store	
Licensee Name R.M. Roach and Sons Inc.	Facility Telephone # 304 229-0610	
Facility Address 4688 Gerrardstown Rd Inwood , WV	Licensee Address ,	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 01/18/2018	Total Time Spent 1.25

<i>Equipment Temperatures</i>	
Description	Temperature (Fahrenheit)
Sandwich case	
True cooler	
Creamer	
Cheese machine	
Pizza warmer	

<i>Warewashing Info</i>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Bucket	chem				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<i>Observed Critical Violations</i>
Total # 0
Repeated # 0

Observed Non-Critical Violations

Total # 5

Repeated # 0

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Plastic drink storage shelving on Walk-In refrigerator shelves needs cleaned

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Floor in back office needs repaired (flooring cracking)

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Holes in men's bathroom wall need sealed/repaired

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Light in men's bathroom needs repaired (flickering)

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Ceiling vent covers in bathrooms need cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian


Amanda Herald


Keith Allison