







SPORT SERIES



EIFFEL TOWER 2948

This pattern is the longest pattern in the Sport Series and is built in steps from the widest point until it narrows towards the end. Ironically, there are 300 steps in the climb from ground level to the first level of the Eiffel Tower and to the roof is just over 300 meters – the question is, can you navigate the steps in this Sport pattern and reach the pinnacle 300 game?

Latitude Ratio Coordinates

22′2.9 to 1 46′1.7 to 1

Longitude Ratio Coordinates

Outside Taper 10.2 to 1 Inside Taper 10.7 to 1

Pattern Distance


48 Feet

Pattern Volume

Forward 15.60 mL Reverse 10.35 mL Total 25.95 mL

KEGEI

SPORT SERIES



The 2D Chart above was generated by the Lane Reader showing select tapes and ratios at key distances throughout the oil pattern. USBC Sport Bowling ratios are calculated at 22' and 2' before the end of the oil pattern. **KEGEL KODE Ratios** are determined by the highest Sport Bowling ratio number for that oil pattern.

KEGEL TIP - Generally, the lower the ratios towards the end of the oil pattern, the less guidance of the bowling ball and therefore, the more difficult the oil pattern may play. The higher the ratios are towards the end of the oil pattern, the easier it may play.

SPORT SERIES

50 ul 25.95 mL ICE

52

3

9

5

2

S

2



EGEI

This page shows the **KOSI FLEX LANE MACHINE** program sheet.

The **HEADER** shows the oil pattern distance, the reverse brush drop distance, the amount of lane conditioner applied to the lane, the oil per board setting, and the conditioner type in each tank.


Below that is the **FLEX LANE MACHINE PROGRAM** settings which shows the load structure and number of loads, the oil pump setting if using the multi mic stream feature, the speed of the lane machine, the buffer speed, and the tank choice per load screen.

The **OVERHEAD CHART** on the far right shows where the conditioner is applied on both the forward and reverse pass. The gradient area is a calculation of how the conditioner might bleed off the buffer brush.

The **COMPOSITE GRAPH** at the bottom shows the total amount of conditioner applied to every board along with that volume ratio in different zones.

A good way to think about the composite graph is to envision all the conditioner on the lane being pushed back to the foul line. Once all the conditioner is stacked up, this is what it would look like.

DESIGNED	FOR FLEX	S	6 - Eiffel	Tower		KALE C
Oil Pattern D	istance	48 Reverse Brush Drop		43	Oil Per Board	
Forward Oil T	Fotal 15.	5.6 mL Reverse Oil Total		0.35 mL	Volume Oil Total	25.
Tank Configu	ıration	N/A Tank A Conditioner		FIRE	Tank B Condition	ier
START STOP LOADS SPEED BUFFER TANK CROSSED START END FEET T.OIL						
1 2L 2R	6 14 3 /	222 0.0	9.9 9.9 11100			
2 8L 8R 3 12L 12R	1 18 3 / 1 18 3 /					
4 13L 13R	1 18 3 /					
5 14L 14R 6 15L 15R	1 22 3 / 1 22 3 /					
7 16L 16R	1 22 3 /					
8 2L 2R 9 2L 2R	0 22 3 /					
START STOP LO	ADS SPEED BUFFER TA		ND FEET T.OIL 4.0 - 14.0 0			
2 15L 15R	2 26 3 1	22 34.0 2				
3 14L 14R 4 13L 13R	1 22 3 E 1 22 3 E					
5 10L 10R	1 22 3 6	21 20.5 1				
6 8L 8R 7 2L 2R	1 22 3 E 3 14 4 E		4.3 -3.1 1250 8.4 -5.9 5550			
8 2L 2R	0 14 4		0.0 -8.4 0			
Cleaner Ratio Main Mix 4:1						
Cleaner Ratio Back End Mix 4:1						
Cleaner Ratio Back End Distance 59						
Buffer RPM: 4 = 700 3 = 500 2 = 200 1 = 60						
		1	1			
Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17F	R-13R 18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	e Middle: Inside	Track Middle:Middle Tra	ack Middle:Outside Track
Track Zone Ratio	2.33	1.78	1.12	1.12	1.78	2.33
1500		I			I	
1350						
1200					· · · · · · · · · · · · · · · · · · ·	
900			╶┨╌┨╌┨╌┨╌┨			
750						
450		▋╍┨┣╍┨┣╍┫┫╍╋╋╍╋╋			▋ ╌ ┫ ╌┨ <mark>┣╌┨<mark>┣</mark>╌┨<mark>┣╌┨</mark>┡╌┯╈╸</mark>	



11 12 13 14 15 16 17 18