

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b><i>Establishment Information</i></b>		
Facility Name <b>Martins-Meat</b>	Facility Type <b>Food Service Establishment</b>	
Licensee Name <b>Giant Food Stores, LLC</b>	Facility Telephone # <b>304 267-8448</b>	
Facility Address <b>901 Foxcroft Ave Martinsburg , WV</b>	Licensee Address <b>,</b>	
<b><i>Inspection Information</i></b>		
Inspection Type <b>Routine</b>	Inspection Date <b>01/16/2019</b>	Total Time Spent <b>0.50</b>

<b><i>Equipment Temperatures</i></b>	
Description	Temperature (Fahrenheit)
Dart Case	38
Front display	38
Meat bunker	36
Ham bunker	36
Meat Room	37
Walk-in Cooler	37
pork/chicken bunkers	36-38
luncheon meat	38
round beef	39
Chicken	38
frozen beef bunker	
RTE meats	38
lunchables	38

<b><i>Warewashing Info</i></b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysink	chemical				

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b><i>Observed Critical Violations</i></b>
<b>Total # 0</b>
<b>Repeated # 2</b>

**Observed Non-Critical Violations**

**Total # 5**

**Repeated # 2**

**4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION**

REPEAT OBSERVATION Frozen meatballs freezer needs defrosted

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Fan covers on fans in meat room need cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Shelving in bunkers needs cleaned (bottom rows)

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Handsink draining slowly and needs repaired.

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

REPEAT OBSERVATION Floor tiles by doors to walk-in need repaired

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge



Sanitarian



Keith Allison