

**West Virginia Department of Health & Human
Resources
Berkeley County Health Department**



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Regal Entertainment	Facility Type Food Service Establishment	
Licensee Name Regal Entertainment Group	Facility Telephone # 304 264-4061	
Facility Address 950 Foxcroft Ave Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 08/04/2017	Total Time Spent 1.42

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Master bilt cooler	37
Cheese machine	137
Water cooler	41
Hot dog roller	41
Out front cooler	40

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Spraybottles	quat		200-300	quat	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 1 Repeated # 1 5-103.11 - CAPACITY <i>This is a critical violation</i> OBSERVATION: No Hot water in the building, all food Concessions are closed until Hot Water can be repaired

Observed Non-Critical Violations

Total # 4

Repeated # 1

4-502.11 - GOOD REPAIR AND CALIBRATION

OBSERVATION: Back floor freezer needs de-frosted

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Plastic gray shelves in the wing storage areas needs cleaned

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: three bay sink faucet leaking water, needs repaired

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Floors need cleaned behind and under equipment in the backroom

Inspection Outcome

Permit Suspended – Facility must remain closed until correction of violation(s) is verified by the Health Department.

Comments

Concession stand must close until the hot water is repaired, it is presently 80F out of both boilers. Posted signs can only be taken down by a representative of the Berkeley County Health Department. Call 304-267-7130 when repaired to schedule a reinspection.

Disclaimer

A re-inspection to assess your correction of these violations will be conducted on, or about, 08/07/2017

Person in Charge



Danielle Marple

Sanitarian



Glenn GCO Ondick