

GU10 LED Bulb 5.5 Watt

Equivalent up to 50.0-55.0 Watt halogen bulb



Key Features and Benefits:

- **100% direct replacement** of halogen spot bulb
- **Lowers electric** light bill up to **10 times** compared to halogen light bulb
- **Small** amount of heat produces
- **More** work hours - **25,000 Hours** Average Life time (Compared to halogen: 1,000-2,000 hours)
- **Low** Pulsation light – **Less** eye fatigue, less stress
- **Free** from Ultraviolet and Infrared radiation
- **Free** from Mercury and Lead. **RoHS** certified
- **More** On/Off Switching cycles - 20000X+
- **Instant-On** with full light output
- **Less load** on electrical grid, **less** maintains

Ordering Code:

AZVT-GU10-PL-6,0- CG-3.0K-US



General Characteristics:

Bulb type: Spot/ Reflector
 Glass cover: Clear
 Cap base: GU10
 Tip type: Flat
 Rated avg. life: > 25,000 hours
 (In use for 3 hours a day – 20 years+)

Light Technical Characteristics:

Lumen output (Lm) : 450-500
 Lumen per Watt - Efficacy (Lm/W): 80
 Color T Code: 3000K
 Beam Angle: 90 degree

Electrical Characteristics:

Wattage: 6.0 Watt
 Voltage: 120 VAC
 Frequency: 50-60 Hz
 Power Factor: > 0.6+
 Lamp Current: 65 – 70 mA
 Dimmable: No
 Starting Time: 0.5s

Warnings and safety:

- Do not use in outdoor fixtures
- Not recommended for wet or damp locations
- Not for use in totally enclosed luminaries
- Before replacing, **turn off power** to avoid electrical shock or burn.

Bulb dimensions:

Overall Length (H): 2.1"/53mm
 Diameter (W): 2.0"/50mm

Design Patent pending

MR16 LED Bulb 5.5 Watt

Equivalent up to 50.0-55.0 Watt halogen bulb



Key Features and Benefits:

- **100% direct replacement** of halogen bulb
- **Lowers electric** light bill up to **10 times** compared to incandescent light bulb
- **Small** amount of heat produces
- **More** work hours - **25,000 Hours** Average Life time (Compared to incandescent: 1,000-2,000 hours)
- **Low** Pulsation light – **Less** eye fatigue, less stress
- **Free** from Ultraviolet and Infrared radiation
- **Free** from Mercury and Lead. **RoHS** certified
- **More** On/Off Switching cycles - 20000X+
- **Instant-On** with full light output
- **Less load** on electrical grid, **less** maintains

Ordering Code:

AZVT- MR16-PL-6,0-CG-3.0K-US/EU



General Characteristics:

Bulb type: Spot/Reflector
 Glass cover: Clear
 Cap base: MR16, 2 pin
 Tip type: Flat
 Rated avg. life: > 25,000 hours
 (In use for 3 hours a day – 20 years+)

Light Technical Characteristics:

Lumen output (Lm) : 450-500
 Lumen per Watt - Efficacy (Lm/W): 80
 Color T Code: 3000K
 Beam Angle: 90 degree

Electrical Characteristics:

Wattage: 6.0 Watt
 Voltage: 12 AC/DC
 Frequency: 50-60 Hz
 Power Factor: > N/A
 Lamp Current: 0,5 – 0,6 A
 Dimmable: Yes
 Starting Time: 0.5s


Warnings and safety:

- Do not use in outdoor fixtures
- Not recommended for wet or damp locations
- Not for use in totally enclosed luminaries
- Before replacing, **turn off power** to avoid electrical shock or burn.

Bulb dimensions:

Overall Length (H): 2.1"/53mm
 Diameter (W): 2.0"/50mm

Design Patent pending





***Catalog of LED Light Bulbs
that are 100% replicas
of Incandescent Light Bulbs***

These bulbs will lower electric bill up to 90%



is an industry leader in providing the market with innovative, energy efficient, money saving LED lights.

AZ Light

3349 Sheridan Drive

Buffalo, New York, 14226

Office: (716) 834-5533 Cell: (716) 566-0455

Fax: (716) 834-0905

info@az-light.com

WWW.AZ-LIGHT.COM