

A Representation Theorem for Guilt Aversion

Martin Kaae Jensen* and Maria Kozlovskaya†

30th July 2015

Abstract

Guilt aversion has been shown to play an important role in economic decision-making. In this paper, we take an axiomatic approach to guilt by deducing a utility representation from a list of easily interpretable assumptions on an agent's preferences. It turns out that our logarithmic representation can mitigate the problem of multiplicity of equilibria to which psychological games are prone. We apply the model in three well-known games and show that its predictions are consistent with experimental observations.

Keywords: Guilt aversion, utility representation, psychological games.

JEL classification: C72, D03.

*Department of Economics, University of Leicester. Email: mj182@le.ac.uk.

†Department of Economics, University of Leicester. Email: mk473@le.ac.uk.

1 Introduction

Guilt is the experience of discomfort that follows when we violate a personal or social standard. If an action raises income but disappoints our own or other individuals' expectations of us, it may trigger our guilty conscience. Any individual who is sufficiently averse to this discomfort may therefore refrain from taking the action in the first place. Guilt aversion is able to explain a vast array of behaviors, including cooperation (Miettinen and Suetens, 2008), altruism (Andreoni and Rao, 2011), conformism (Khalmetski, 2014), group favoritism (Güth et al., 2009) and reciprocity (Chang et al., 2011), and economic experiments indicate that it is indeed an important determinant in a variety of different situations (Ketelaar and Au, 2003; Charness and Dufwenberg, 2006; Hopfensitz and Reuben, 2009; Geng et al., 2011; Battigalli et al., 2013). More recently, guilt averse behavior has also made its way into macroeconomic modeling. Thus Ahrens and Snower (2014) incorporates guilt and envy into a dynamic stochastic equilibrium model and shows that when these emotions are experienced by workers, a Phillips curve relationship between inflation and output can be generated.

A popular way to model emotions, including guilt, is to include them as inputs in agents' utility functions. Particularly important for experimental work are linear utility representations with money and guilt as the inputs (Battigalli and Dufwenberg, 2007; López-Pérez, 2010; Chang et al., 2011; Battigalli et al., 2013; Khalmetski et al., 2014). This paper's main theoretical objective is to axiomatise utility representations of guilt-averse preferences. Specifically, axioms are presented that are necessary and sufficient for (i) the linear representation mentioned a moment ago, (ii) a representation that is logarithmic in money and linear in guilt, and (iii) a general additively separable utility representation of money and guilt. Call the sacrifice ratio between money and guilt ("how much money an agent is willing to pay to lower guilt by one unit") the *price of a clear conscience* (PCC). For well-behaved preferences we find that (i) obtains if and only if the PCC is constant for all money-guilt combinations; (ii) holds if and only if for any two levels of income the relative PCC equals the relative income, and (iii) derives whenever a suitably redefined "double cancellation condition" (Debreu, 1960) is satisfied.

By tracing specific utility representations to the level of preferences, we are able to shed light on the deeper psychological conditions that they entail vis-a-vis the previously mentioned personal or social standards. In doing so, we quickly end up concluding that the assumptions about an agent's moral compass embodied in (i) are problematic. While (iii) is not subject to this critique, it has — as will become clear from the following discussion — too many degrees of freedom to provide a useful alternative in strategic settings. This motivates our introduction of (ii) as the simplest realistic alternative — and it is important to stress, this is *not* an ad hoc alternative but one grounded in moral/psychological considerations. With this in hand we then — in what is arguably the paper's main contribution to existing literature — reanalyze a number of famous laboratory games, namely the Dictator game, the Public Good Provision game, and the Prisoners' Dilemma. This exercise provides further support for model (ii), but we postpone the specifics until section 4.

To the best of our knowledge, the only existing paper concerned with the axiomatization of guilt-income representations is López-Pérez (2010). López-Pérez (2010) proposes a utility function exhibiting guilt aversion and provides axiomatic foundation for it. The study also features a discussion of the

psychological foundation of guilt and shame and links the feeling of guilt to internalization of a social norm. The paper differs from ours in a number of ways, however, most importantly in the definition of guilt. In López-Pérez (2010), guilt is binary (-1 if the social norm was breached and 0 otherwise), and for the value of guilt to be determined, an exogenous social norm must be specified. By contrast, in our setting guilt is a real number with the standard interpretation as the difference between an opponent's actual and expected payoff (see *e.g.* Battigalli and Dufwenberg (2007) as well as the discussion in section 2). Finally, the properties of the preference relation in López-Pérez (2010) depend on what other players do, hence any given representation is only defined within a specific game. By contrast, our preference relation is set on an abstract guilt-money space and thus can be applied to both decision and game theory. An axiomatic approach to the broader field of other-regarding preferences has been pursued by several authors, most notably Neilson (2006) and Sandbu (2008). Both papers axiomatize general function forms: Additively separable reference-dependent utility in the former and CES-utility in the latter. What sets these studies apart from the results of the current paper is our focus on specific functional forms with few enough free parameters to be testable in the laboratory.

The rest of the paper proceeds as follows. Section 2 introduces money-guilt utility functions. Section 3 develops a theory of moral choice and presents our axiomatization results. Section 4 studies the experimental evidence in the three games mentioned above as well as further discussion. The Appendix contains proofs.

2 Existing Literature and the Logarithmic Alternative

The first formal model of guilt aversion was proposed by Battigalli and Dufwenberg (2007). They define guilt as the perceived payoff loss inflicted on another player, *i.e.*, as the difference between an opponent's expected payoff $E(m_j)$ and actual payoff m_j :

$$G(m_j, E(m_j)) = \max\{0, E(m_j) - m_j\}. \quad (1)$$

To be precise, since a player i does not know exactly how much his opponent j expects, $E(m_j)$ is i 's belief about j 's expectation. That makes guilt, and a guilt-averse agent's utility, a function of second-order beliefs (cf. Geanakoplos et al. (1989), Attanasi and Nagel (2007), Battigalli and Dufwenberg (2009)). Battigalli and Dufwenberg (2007) also propose a utility function over money and guilt (2), which has been extensively used in subsequent theoretical and experimental research.¹

$$u_i(m_i, G) = m_i - \theta G. \quad (2)$$

Here m_i is the decision-maker's monetary payoff, G is the guilt he experiences, and θ is a guilt sensitivity parameter. A key advantage of such an approach is that it endogenizes the reference point $E(m_j)$ which with a formulation such as (2) is implicitly solved for in equilibrium. A constant marginal rate of substitution (MRS) between money and guilt arguably has a drawback, however: It can explain nearly any observed behavior. To illustrate with an often studied example, consider the so-called Dictator

¹Examples are Battigalli and Dufwenberg (2009), Chang et al. (2011), Battigalli et al. (2013), Khametski (2014).

game, in which one player (the Dictator, hereafter D) decides upon the division of the total endowment T between himself and the other player (the Recipient, hereafter R). His donation to R, m_R , is hence his strategy. In Psychological Nash equilibrium of the game, D's donation will maximize his utility, given his belief about what R expects from him ($E(m_R)$), and this belief will be correct ($E(m_R) = m_R$). It is easy to see that, if D's utility is defined as in (2): $u = T - m_R - \theta \max\{0, E(m_R) - m_R\}$, either the set of equilibria coincides with the strategy set (if $\theta \geq 1$), or giving zero is the only equilibrium (if $\theta < 1$). The second case is falsified by experimental evidence of positive giving in the Dictator game (Engel, 2011). The first case is consistent with experimental data but — and this is our main point — it is unfalsifiable in the sense that it is consistent with *any* set of empirical/experimental observations.

In section 4, we return to the Dictator game as well as two other games that suffer from related difficulties and explain how these shortcomings are overcome if we instead use the following logarithmic specification:

$$u_i(m_i, G) = \log m_i - \theta G. \quad (3)$$

To be sure, it is rather obvious that one way out of the previously described predicament is *not* to assume a constant MRS. At the same time, one cannot pass to arbitrary utility representations, however, including arbitrary additively separable representations, since that merely compounds the explanatory richness. In brief, one must commit to a specific functional form for falsification to be possible. In the next section we will argue from deeper moral axioms that (3) is a proper alternative to linear specifications.

3 Moral Choice and Axiomatization

Consider a decision-maker who has a preference relation \succeq over a two-dimensional choice set $\mathfrak{M} \times \mathfrak{G} \subseteq R_+^2$, where $m \in \mathfrak{M} = R_{++}$ is his strictly positive monetary payoff, and $G \in \mathfrak{G} = R_+$ is the guilt he experiences. $(m_1, G_1) \succeq (m_2, G_2)$ reads “a payoff of m_1 accompanied by guilt of size G_1 is at least as good as a payoff of m_2 accompanied by guilt of size G_2 ”.

We assume throughout that \succeq is complete and transitive (rational), monotone in the sense that money is desirable whereas guilt is undesirable ($m_1 > m_2 \Rightarrow (m_1, G) \succ (m_2, G)$ and $G_1 < G_2 \Rightarrow (m, G_1) \succ (m, G_2)$), and continuous (for all (m_1, G_1) , the lower and the upper contour sets, $\{(m, G) : (m, G) \succeq (m_1, G_1)\}$ and $\{(m, G) : (m, G) \preceq (m_1, G_1)\}$ are closed). These assumptions are of course completely standard.

The previous assumptions together with convexity of the choice set $\mathfrak{M} \times \mathfrak{G}$ imply the existence of a continuous utility representation, *i.e.*, a continuous function $u : \mathfrak{M} \times \mathfrak{G} \rightarrow \mathbb{R}$ so that $u(m_1, G_1) \geq u(m_2, G_2) \Leftrightarrow (m_1, G_1) \succeq (m_2, G_2)$ (Debreu, 1954). A simple adaptation of another contribution by Debreu, immediately provides us with necessary and sufficient conditions for u to be *additively separable*, *i.e.*, for u to take the form $u(m, G) = f(m) + g(G)$ (here f must be strictly increasing and g strictly decreasing under our monotonicity condition). What we have in mind is Debreu's “double cancellation condition” (Debreu, 1960) which in the current setting can be cast as follows: If $(m_1, G_1) \succeq (m_2, G_2)$ and $(m_2, G_3) \succeq (m_3, G_1)$, then $(m_1, G_3) \succeq (m_3, G_2)$. In words, the decision-maker's marginal disutility of guilt does not depend

on how wealthy he is, and vice versa.²

Everything that has been said so far is either well-known or trivial in light of existing literature. In contrast, the next concept is new. Consider an agent who is indifferent between two options, one of which offers more money and more guilt (the greedy option), while the other offers less money and less guilt (the conscientious option). Formally, consider a pair of distinct alternatives $\{(m_1, G_1), (m_2, G_2)\}$ such that:

$$(m_1, G_1) \sim (m_2, G_2). \quad (4)$$

We call any $\{(m_1, G_1), (m_2, G_2)\}$ that satisfies (4) a *moral dilemma*. For a given moral dilemma, the agent is willing to give up $m_1 - m_2$ in order to reduce his level of guilt by $G_1 - G_2$. The sacrifice ratio between the two,

$$\frac{m_1 - m_2}{G_1 - G_2}, \quad (5)$$

is referred to as the *price of a clear conscience*. Our first moral axiom makes the (bold) postulate that the price of a clear conscience is independent of the moral dilemma the agent faces:

Axiom 1 (Constant Price of a Clear Conscience) For any $(m_1, G_1) \sim (m_2, G_2)$ and $(m'_1, G'_1) \sim (m'_2, G'_2)$, it holds that $\frac{m_1 - m_2}{G_1 - G_2} = \frac{m'_1 - m'_2}{G'_1 - G'_2}$.

The linear utility representation $u(m, G) = m - \theta G$ of equation (2) is easily shown to imply Axiom 1. In addition, the underlying preferences are clearly rational, monotone, and continuous. More surprisingly, the converse is true as well:

Theorem 1 Consider a rational, monotone, and continuous preference relation \succeq on $\mathfrak{M} \times \mathfrak{G}$. Then \succeq admits the utility representation $u(m, G) = m - \theta G$, $\theta > 0$ if and only if \succeq satisfies Axiom 1.

Proof: In the Appendix.

Theorem 1 tells us that assuming a linear utility representation amounts to assuming that the mental tradeoff between money and guilt captured by the price of a clear conscience remains the same regardless of the level of income and load of sin an agent faces. This, it may be argued, is not necessarily a realistic description of actual behavior. We would arguably expect an agent to care less about giving up a unit of income the richer he is. He will therefore be willing to pay more to clear his conscience than a relatively poorer version of himself. The next axiom formalizes this description of behavior in a specific way by requiring the relative price of a clear conscience to always equal the relative income. This statement is of course only meaningful if relative income is well defined, *i.e.* if the increase in income is the same for both the greedy and the conscientious options.

Axiom 2 (Income Effect in Moral Choice) For any $(m_1, G_1) \sim (m'_1, G'_1)$ and $(m_2, G_2) \sim (m'_2, G'_2)$, such that $m_1/m_2 = m'_1/m'_2$, it holds that $\frac{m'_1 - m'_2}{G'_1 - G'_2} / \frac{m_1 - m_2}{G_1 - G_2} = m'_1/m_1$.

Axiom 2 implies the double cancellation condition. Indeed, in the Appendix we prove the following lemma:

²For further interpretation and discussion of this condition as well as equivalent independence type conditions see Debreu (1960) as well as Vind and Grodal (2003).

Lemma 1 *Suppose a rational, monotone and continuous \succeq on $\mathfrak{M} \times \mathfrak{G}$ satisfies Axiom 2. Then $(m_1, G_1 + a) \sim (m_2, G_2 + a)$ whenever $(m_1, G_1) \sim (m_2, G_2)$, and $(m_1, G_1 + a) \succ (m_2, G_2 + a)$ whenever $(m_1, G_1) \succ (m_2, G_2)$ for any $a \in [\max\{-G_1, -G_2\}, +\infty]$.*

Applying Lemma 1 to the antecedent statements of the double cancellation condition, we obtain:

$$(m_1, G_1) \succeq (m_2, G_2) \Rightarrow (m_1, G_3) \succeq (m_2, G_2 + G_3 - G_1) \quad (6)$$

$$(m_2, G_3) \succeq (m_3, G_1) \Rightarrow (m_2, G_3 + G_2 - G_1) \succeq (m_3, G_2) \quad (7)$$

which by transitivity yields $(m_1, G_3) \succeq (m_3, G_2)$. In particular, Axiom 2 implies that u must be additively separable. One can show that Axiom 1 also implies the double cancellation condition and therefore an additively separable utility function.

It turns out that Axiom 2 is necessary and sufficient for a representation which is logarithmic in money and linear in guilt.

Theorem 2 *Consider a rational, monotone and continuous preference relation \succeq on $\mathfrak{M} \times \mathfrak{G}$. Then \succeq admits the utility representation $U(m, G) = \log m - \theta G$, $\theta > 0$ if and only if \succeq satisfies Axiom 2.*

Proof: In the Appendix.

Intuitively, the proof of Theorem 2 proceeds by showing that the indifference curves of \succeq satisfying Axiom 2 are related by parallel displacement along the guilt axis and proportional expansion along the money axis, which leads to the desired representation.

4 Reinterpreting Existing Literature

In this section, we continue the discussion of section 2 with the representation (3) in hand. We study three well-known laboratory games in which experimental subjects appear to be motivated by considerations other than their monetary payoff. Non-monetary motivation is manifested in positive giving in the Dictator game, non-zero contributions in the Public Good Provision game, and cooperation in the Prisoner's Dilemma. We show that this seemingly irrational behavior can be explained by guilt aversion, as modeled by functions (2) and (3). Indeed, both models admit observed experimental outcomes in equilibrium. However, we also demonstrate that the explanatory power of model (2) stems from its unfalsifiability, and prove that the logarithmic representation (3) achieves sharper predictions without sacrificing the goodness of fit.

The rest of this section proceeds as follows. First, for each game, we introduce the classic structure: Players, strategies and “material” payoffs corresponding to experimental payouts. Second, we replace these payoffs with utility functions (2) and (3), which depend not only on the strategies (via “material” payoff m), but also on pre-game beliefs (via guilt G). The extended utility function domain means that the resulting structure is a “psychological game” (Geanakoplos et al., 1989). If a player's preferences are represented by such a utility function, his preference ordering over the outcomes of the game, *e.g.* possible Dictator's donations to the Recipient, depends on his pre-game beliefs, *e.g.* what he thought

the Respondent expected to receive. Third, the new game is solved for Psychological Nash equilibria, in which all players best-respond to their beliefs, and these beliefs are correct. Finally, the equilibria of the game under utility functions (2) and (3) are compared to experimental outcomes, which constitutes an empirical test of the models.

4.1 The Dictator Game

In the Dictator game, one of the players (the Dictator, hereafter D) determines how to split a total endowment T between himself and a passive player (the Recipient, hereafter R). D's donation to R, which is his strategy, is denoted by m_R . If D is selfish, *i.e.* if his preferences are reflected by his material payoff $T - m_R$, the only Nash equilibrium of the game is zero donation: $m_R = 0$. We would expect a guilt-averse D to donate a positive amount to R. This is formally confirmed below, when we find equilibria in psychological games induced by the linear (2) and the logarithmic (3) guilt models. Denote D's belief about R's expectation of the donation by $E(m_R)$. The amount of guilt that he experiences from donating m_R is thus $G = \max\{0, E(m_R) - m_R\}$, and Psychological Nash equilibrium (hereafter PsyNE) is a strategy m_R^* which solves (8).³

$$\begin{cases} U(m_R^*, E(m_R)) \geq U(m_R, E(m_R)) \text{ for all } m_R \in [0, T]; \\ m_R^* = E(m_R). \end{cases} \quad (8)$$

First, consider D's utility under the linear guilt model (2):

$$u = T - m_R - \theta \max\{0, E(m_R) - m_R\}. \quad (9)$$

PsyNE is determined from the system (10), which is obtained by applying the utility function (9) to the equilibrium condition (8):

$$\begin{cases} T - m_R^* - \theta \max\{0, E(m_R) - m_R^*\} \geq T - m_R - \theta \max\{0, E(m_R) - m_R\} \text{ for all } m_R \in [0, T], \\ m_R^* = E(m_R). \end{cases} \quad (10)$$

which yields

$$m_R^* \in \begin{cases} [0, T] & \text{if } \theta \geq 1; \\ \{0\} & \text{otherwise.} \end{cases} \quad (11)$$

Equation (11) characterizes the set of equilibria in the game. This set, depending on D's guilt sensitivity θ , either coincides with the strategy set $[0, T]$, or consists of the unique equilibrium where D gives zero.

Observation 1 *In the Dictator game with the linear utility function (2), all possible Dictator's donations are PsyNE of the game if $\theta \geq 1$, and zero donation is the only PsyNE if $\theta < 1$.*

³Strictly speaking, Psychological Nash Equilibrium consists of a strategy profile and a belief profile (Geanakoplos et al., 1989). However, since these profiles are required to coincide (in equilibrium, strategies match beliefs), hereafter we denote PsyNE by its constituent strategy profile, implying that it is accompanied by the matching belief profile.

Figure 1, left illustrates the equilibria in the Dictator game under the linear guilt function, as solved from the system (10). The first equation in (10) solves for D's optimal donation m_R^* as a function of his belief about R's expectation $E(m_R)$. Depending on D's guilt sensitivity, it is either a 45° line from the origin $m_R^* = E(m_R)$ (if $\theta \geq 1$, solid graph), or a horizontal line $m_R^* = 0$ (if $\theta < 1$, dashed graph). The second equation in (10) is a 45° line from the origin, and the solution is their intersection, which is the whole line for $\theta \geq 1$ or a single point $(0, 0)$ for $\theta < 1$.




Figure 1: Dictator's optimal donation m_R^* as a function of his belief $E(m_R)$ under the linear (left) and logarithmic (right) guilt models.

Let us compare this prediction with the laboratory evidence. In a meta study of 129 different Dictator Game experiments (a total of 41,433 observations), Engel (2011) reports a mean contribution of 28.35% of the initial endowment. In fact, only 36.11% of all participants give nothing. Thus, if the linear guilt model (2) is correct, then for the majority of players guilt sensitivity must be larger than one. The model then suggests that these people will be giving out donations of all sizes, but the experimental data indicates that dictators are more likely to give little. Indeed, the distribution of average giving compiled in Engel (2011) is left skewed. Large donations are very rare. In particular, less than 10% of all participants surveyed in the meta-study gave more than 60% of the pie. In short, the linear model (2) does not account for the main stylized fact implied by the experimental evidence: The prevalence of moderate donations.

It turns out that the logarithmic model (3) embraces this stylized fact, predicting that for big expectations $E(m_R)$, D's optimal donation to R will be less than such expectation: $m_R^*(E(m_R)) < E(m_R)$. It follows that such $E(m_R)$ cannot be part of an equilibrium and will not be observed. Indeed, PsyNE under model (3) solves the following system:

$$\begin{cases} \log(T - m_R^*) - \theta \max\{0, E(m_R) - m_R^*\} \geq \log(T - m_R) - \theta \max\{0, E(m_R) - m_R\} \text{ for all } m_R \in [0, T]; \\ m_R^* = E(m_R); \end{cases} \quad (12)$$

which yields

$$m_R^* \in [0, \max\{0, T - \frac{1}{\theta}\}]. \quad (13)$$

Expression (13) tells us that if D’s preferences are represented by the logarithmic utility function (3), he will only satisfy expectations $E(m_R)$ up to a maximum of $T - \frac{1}{\theta}$ (Figure 1, right). This threshold expectation is increasing with D’s guilt sensitivity.

Observation 2 *In the Dictator game with the logarithmic utility function(3), the Dictator’s donations up to $\max\{0, T - \frac{1}{\theta}\}$ are PsyNE of the game.*

Proof: In the Appendix.

Observation 2 implies that smaller donations are more likely to be observed, which is in line with the existing body of laboratory evidence. Note that, apart from the equilibrium prediction, the logarithmic model describes how D best-responds to a big $E(m_R)$: The amount he gives will be less than what he believes is expected from him. This implication of the logarithmic model validates the guilt aversion hypothesis, which has been put into question by some experimental results, most notably Ellingsen et al. (2010) who show that players’ donations in the Dictator game do not always match their beliefs. Ellingsen et al. (2010) data is indeed inconsistent with the linear guilt model (2), which predicts that, for any belief $E(m_R)$, the Dictator will either grant it in full or give nothing. This leads Ellingsen et al. (2010) to refute the guilt aversion hypothesis. However, the logarithmic model, as we just argued, accounts for “sub-belief giving” by the Dictators, thus explaining most of their data.

4.2 The Public Good Provision Game

In a 2-player Public Good Provision game, each player $i = 1, 2$ is endowed with w_i and decides upon the amount of his contribution to a common fund $x_i \in [0, w_i]$, which is hence his strategy. The money in the fund is multiplied by a number $2a$ and shared equally among the players. The final payoff m_i is then determined as follows:

$$m_i = w_i - x_i + a(x_i + x_j), \quad (14)$$

where $1 > a > 0.5$. The restriction on a makes contributions collectively efficient but not individually rational.

If utilities equal material payoffs, the only equilibrium is zero contribution by both agents (“free-riding”). This sharp prediction is refuted by laboratory tests of the game, which report an average contribution of 40-60% of the initial endowment (Ledyard, 1995). Can the phenomenon of positive contributions be attributed to guilt aversion? It has been shown that non-binding promises during pre-play communication helps sustain high contribution levels in Public Good Provision experiments (Ledyard (1995) and more recently Denant-Boemont et al. (2011)), which suggests the players’ desire to meet expectations, *i.e.* guilt aversion. We formally confirm this intuition below, demonstrating that the models of guilt aversion (2) and (3) indeed admit positive contributions in equilibrium.

Let $E(x_i)$ denote i ’s second-order belief about x_i , *i.e.* what he thinks j expects him to contribute. First, consider the linear guilt model (2), under which i ’s utility becomes

$$\begin{aligned}
u_i(x_i, x_j, E(x_i)) &= w_i - x_i + a(x_i + x_j) - \theta_i \cdot \max\{0, (w_j - x_j + a(E(x_i) + x_j)) - (w_j - x_j + a(x_i + x_j))\} \\
&= w_i - (1 - a)x_i + ax_j - \theta_i \cdot \max\{0, a(E(x_i) - x_i)\}.
\end{aligned}$$

Observe that utility is linear in the choice variable, which implies a corner solution. Indeed, it is easy to show that, if $\theta_i \geq \frac{1-a}{a}$, a player i will maximize his utility by contributing as much as expected from him ($x_i = E(x_i)$), regardless of j 's contribution. In other words, any belief about his contribution is self-fulfilling, which means that the set of equilibria coincides with the set of strategy profiles. If the player is not guilt-averse enough ($\theta_i < \frac{1-a}{a}$), he will contribute zero.

Observation 3 Consider a Public Good Provision game with the linear utility function (2). A contribution profile (x_1, x_2) is a PsyNE if it satisfies the following: (i) $x_i = 0$ for any $i = 1, 2$ such that $\theta_i < \frac{1-a}{a}$; (ii) $x_i \in [0, w_i]$ for any $i = 1, 2$ such that $\theta_i \geq \frac{1-a}{a}$.

Proof: In the Appendix.

The linear guilt model thus predicts that some agents will be giving out positive contributions, but remains agnostic about their size, their correlation with the opponent's contribution, and the effect of the parameters of the model on the amounts given. However, the existing body of experimental evidence from Public Good Provision games has some clearly identifiable patterns. In an early meta study, Ledyard (1995) observes that contributions positively depend on Marginal per Capita Return (a in our model). In a survey of post-1995 experimental literature, Chaudhuri (2011) emphasizes two stylized facts: First, heterogeneity of players in terms of social preferences, and second, the prevalence of conditional cooperators in the subject pool, whose contributions positively depend on the average contribution in the group (in a 2-player setting considered here, this is equivalent to dependence on the opponent's contribution). We will now show that the logarithmic guilt model (3) accounts for all three of these stylized facts.⁴

Under the logarithmic model (3), agent i 's utility becomes:

$$U_i(x_i, x_j, E(x_i)) = \log(w_i - (1 - a)x_i + ax_j) - \theta_i \cdot \max\{0, a(E(x_i) - x_i)\}. \quad (15)$$

PsyNE is a pair of contributions (x_1^*, x_2^*) , where each x_i satisfies the following conditions:

$$\begin{cases} U_i(x_i^*, x_j^*, E(x_i)) \geq U_i(x_i, x_j^*, E(x_i)) \text{ for all } x_i \in [0, w_i] \text{ for } i = 1, 2; \\ x_i^* = E(x_i) \text{ for } i = 1, 2. \end{cases} \quad (16)$$

Solving the system (16) yields Observation 4.

⁴Heterogeneity of players is also implied by the linear model, which suggests that the players fall into one of the two groups, depending on their guilt sensitivity: Those who contribute nothing and those who can contribute anything. The logarithmic model provides a sharper prediction, since it implies a continuum of contribution behaviour, where the player's maximum contribution positively and continuously depends on his guilt sensitivity.

Observation 4 Consider a Public Good Provision game with the logarithmic utility function (3). A contribution profile (x_1^*, x_2^*) is a Psychological NE if, for $i = 1, 2$, either $x_i^* = 0$ or $0 < x_i^* \leq (w_i + ax_j^*) / (1 - a) - (\theta_i a)^{-1}$.

Proof: In the Appendix.

In words, for given values of players' guilt sensitivities, admitted in equilibrium are contributions up to a certain limit. The player's maximum contribution positively and continuously depends on the marginal return a , his guilt sensitivity θ_i and his opponent's contribution x_j , which is an exact match of the stylized experimental facts discussed above. The predictions of the model are illustrated in Figure 2 for the cases of big (left) and small (right) initial endowments: Shaded areas are Psychological Nash equilibria of the Public Good Provision game.




Figure 2: Equilibria in the Public Good Provision game under the logarithmic guilt model for the cases of big (left) and small (right) initial endowments, where $f(x_j, \theta_i, w_i, a) = (w_i + ax_j) / (1 - a) - (\theta_i a)^{-1}$.

4.3 The Prisoner's Dilemma Game

In the Prisoner's Dilemma game, two players choose between cooperation and defection. The latter strategy is dominant but leads to an inefficient outcome, as described in the payoff table below:

	Cooperate	Defect
Cooperate	c, c	s, t
Defect	t, s	d, d

where $t > c > d > s$.⁵

Mutual defection is the only Nash equilibrium of Prisoner's Dilemma. Contrary to this prediction, existing experiments report non-negligible proportion of cooperative choices, around 20% in most studies (Andreoni and Miller, 1993; Cooper et al., 1996).

⁵The letters stand for **t**emptation, **c**ooperation, **d**efection, **s**ucker.

The presence of cooperation in laboratory Prisoner's Dilemma has been attributed to guilt aversion by some experimental papers, notably Miettinen and Suetens (2008). In Miettinen and Suetens (2008), it is argued that players who cooperate do so to avoid the feeling of guilt which comes with unilateral defection. We validate this intuition by applying the formal models of guilt aversion (2) and (3) to Prisoner's Dilemma and comparing their predictions with the experimental findings.

First, let us find pure strategy equilibria under the linear guilt model (2).

Observation 5 Consider a Prisoner's Dilemma game with the linear utility function (2). Mutual defection is a *PsyNE* for any values of θ ; mutual cooperation is a *PsyNE* iff $\theta_i \geq \frac{t-c}{c-s}$ (for $i = 1, 2$) and unilateral cooperation, where i is the cooperator, is a *PsyNE* iff $\theta_i \geq \frac{d-s}{t-d}$.

Proof: In the Appendix.

Observation 5 tells us that all strategy profiles can be equilibria, including, perhaps surprisingly, unilateral cooperation. Indeed, sufficiently guilt averse players (with $\theta_i \geq \frac{d-s}{t-d}$) will be willing to cooperate even when they think their opponent is going to defect. In order to see how extreme this guilt sensitivity threshold is, we consider a specific payoff table used in one of the most famous Prisoner's Dilemma experiments, conducted by Bereby-Meyer and Roth (2006):

	Cooperate	Defect
Cooperate	0.105, 0.105	0.005, 0.175
Defect	0.175, 0.005	0.075, 0.075

Let us calculate the threshold guilt sensitivities for mutual and unilateral defection under the linear guilt model, using Bereby-Meyer and Roth (2006) payoffs. It turns out that the thresholds coincide: $\frac{t-c}{c-s} = \frac{0.175-0.105}{0.105-0.005} = \frac{d-s}{t-d} = \frac{0.075-0.005}{0.175-0.075} = 0.7$. This means that, for the payoff table considered, unilateral cooperation is an equilibrium under strictly larger set of parameter values than mutual cooperation, and hence is more likely to be observed, as illustrated in Figure 3, left (Zones B,C,D VS Zone C only).




Figure 3: Equilibria in the Prisoner's Dilemma game under the linear (left) and logarithmic (right) guilt models.

Contrary to this prediction, existing experimental research suggests that most players who cooperate in Prisoner's Dilemma do so conditionally on their opponent also cooperating. Cooper et al. (1996) do

not identify any unconditional cooperators in their subject pool, and estimate the fraction of conditional cooperators to be 12.5-22%. Croson (2000) finds that at least 51% of subjects reciprocate their counterpart's expected action *i.e.* play a conditional strategy. Brosig (2002) reports that in a face-to-face experiment 90% of cooperators switch to defection when they think the opponent is going to defect.

Let us compare this evidence with the predictions of the logarithmic guilt model (3).

Observation 6 *Consider the Prisoner's Dilemma game with the logarithmic utility function (3). Mutual defection is a PsyNE for any values of θ ; mutual cooperation is a PsyNE when $\theta_i \geq \frac{\log(t/c)}{c-s}$ (for $i = 1, 2$) and unilateral cooperation, where i is a cooperator, is a PsyNE when $\theta_i \geq \frac{\log(d/s)}{t-d}$.*

Proof: In the Appendix.

We can now calculate the threshold values of θ using Bereby-Meyer and Roth (2006) payoff table. Mutual cooperation is an equilibrium if both players have guilt sensitivity greater or equal to $\frac{\log(5/3)}{0.1} \sim 5.1$. For unilateral cooperation to be an equilibrium, the cooperating player must have guilt sensitivity of at least $\frac{\log(15)}{0.1} \sim 27$. Note that although the cardinal values of θ are not comparable between the linear and the logarithmic models, the order of the thresholds is meaningful: Under the latter model, a necessary condition for mutual cooperation is strictly weaker than for unilateral cooperation.

Figure 3, right shows that, although all strategy profiles can still be equilibria under the logarithmic model, unconditional cooperation is limited to the extreme end of guilt sensitivity distribution. As a result, (C,C) is a more likely equilibrium outcome than (D,C) and (C,D) combined; which is in line with the experimental evidence.

5 Concluding Comment

By developing a formal theory of moral choice, we provided axiomatic foundations for two utility representations of guilt aversion. First, we proved a representation theorem for a frequently used linear utility, which enabled us to carefully examine and question its underlying axioms. We then proposed a logarithmic representation grounded in more realistic assumptions about the way agents trade off material and moral considerations. By applying the logarithmic representation to laboratory games, we showed that it can better account for the existing body of experimental evidence than a linear representation. Moreover, the novel functional form is able to address experimentally informed criticism of a guilt aversion hypothesis, *e.g.* it predicts Ellingsen et al. (2010) observation that actions do not always match beliefs. Our framework gives experimentalists tools to pick the most appropriate utility model by considering the axioms of moral choice. Future theoretical research can draw on our approach to discover the grounding of other utility models of non-selfish preferences.

6 Appendix

6.1 Representation Theorems

In order to establish Theorems 1 and 2, we prove several auxiliary results, which allow us to construct new indifference sets from existing ones. This follows from continuity of \succeq and Axioms 1-2, which describe how given indifference sets are related to one another.

We first establish Lemmas 1-4 which are used in the proof of Theorem 2.

Our first lemma demonstrates that the indifference sets of \succeq satisfying Axiom 2 are related by parallel displacements along the guilt axis.

Proof of Lemma 1. First, observe that Axiom 2 implies that the PCC is constant for moral dilemmas with fixed amounts of money: $\frac{m_2 - m_1}{G_2 - G_1} = \frac{m_2' - m_1'}{G_2' - G_1'}$ for any $(m_1, G_1) \sim (m_2, G_2)$ and $(m_1', G_1') \sim (m_2', G_2')$.

Second, we prove the symmetric (\sim) part of the lemma. Consider $(m_1, G_1) \sim (m_2, G_2)$. WLOG, let $m_2 > m_1$ (then $G_2 > G_1$ by monotonicity). Suppose $(m_1, G_1 + a) \not\sim (m_2, G_2 + a)$. First, suppose $(m_1, G_1 + a) \succ (m_2, G_2 + a)$. By monotonicity, $(m_2, G_2 + a) \succ (m_1, G_2 + a)$. Since by continuity the lower and the upper contour sets of $(m_2, G_2 + a)$ are closed, their intersections with a closed connected interval $\{(m_1, G) : G \in [G_1 + a, G_2 + a]\}$ are also closed. Moreover, they are non-empty, since the ends of the interval belong to the upper and the lower contour sets respectively, as shown above. Recall that a connected space cannot be divided into two disjoint non-empty closed sets, hence there is a point (m_1, G_3) , with $G_1 + a < G_3 < G_2 + a$ (*) which belongs to both intersections, *i.e.* $(m_1, G_3) \sim (m_2, G_2 + a)$. Hence we have two moral dilemmas which, by Step 1, should entail the same price of clear conscience: $\frac{m_2 - m_1}{G_2 - G_1} = \frac{m_2 - m_1}{G_2 + a - G_3}$ which implies $G_3 = G_1 + a$, a contradiction to (*). Now suppose that $(m_1, G_1 + a) \prec (m_2, G_2 + a)$. There are two cases to consider. If $a > 0$, then $(m_2, G_2 + a) \prec (m_2, G_2) \sim (m_1, G_1)$. Thus, $(m_1, G_1) \succ (m_2, G_2 + a) \succ (m_1, G_1 + a)$. By connectedness and continuity again, there exists a point (m_1, G_4) such that $(m_2, G_2 + a) \sim (m_1, G_4)$, where $G_1 + a > G_4 > G_1$ (**). Then by Step 1, $G_2 - G_1 = G_2 + a - G_4$, *i.e.* $G_4 = G_1 + a$, which contradicts (**). The case when $a < 0$ is demonstrated analogously.

Third, we prove the asymmetric (\succ) part of the lemma. Let $(m_1, G_1) \succ (m_2, G_2)$. We need to show that $(m_1, G_1 + a) \succ (m_2, G_2 + a)$. *Case 1.* $G_1 > G_2$ (hence $m_1 > m_2$) and $a > 0$. Suppose, conversely, that $(m_1, G_1 + a) \preceq (m_2, G_2 + a)$. By monotonicity and transitivity, $(m_1, G_1 + a) \preceq (m_2, G_2 + a) \prec (m_2, G_2) \prec (m_1, G_1)$. By connectedness of $\{(m_1, G) : G \in [G_1, G_1 + a]\}$ and continuity of \succeq , there exists such G_3 that $(m_2, G_2 + a) \sim (m_1, G_3)$ and $G_1 < G_3 \leq G_1 + a$ (*). Now consider (m_2, G_2) . By connectedness and continuity again, there exists G_4 such that $(m_2, G_2) \sim (m_1, G_4)$ and $G_1 < G_4 < G_1 + a$. By Step 1, $G_4 - G_2 = G_3 - (G_2 + a)$ and thus $G_3 = G_4 + a > G_1 + a$, but by (*) $G_3 \leq G_1 + a$, which is a contradiction. Thus, our supposition was wrong, and $(m_1, G_1 + a) \succ (m_2, G_2 + a)$. The remaining three cases are demonstrated analogously.

In order to be able to construct new indifference sets from existing ones by proportional expansion along the money axis, we need to prove existence of an indifference curve passing through any two money levels, which is demonstrated in the following lemma.

Lemma 2 *If a rational, monotone and continuous \succeq satisfies Axiom 2, then for any (m, G) and any $m' > m$, there exists G' such that $(m, G) \sim (m', G')$.*

Proof. The logic of the proof follows Hara et al. (1997, p.3-6), and relies on continuity of \succeq , connectedness of \mathfrak{M} and quasilinearity in guilt which follows from Axiom 2.

First, we show that for two arbitrary levels of money m_1 and m_2 , where $m_1 > m_2$, one of the following is true: (i) for any G_2 there exists such G_1 that $(m_2, G_2) \sim (m_1, G_1)$ (ii) there does not exist such G_1 for any G_2 . In the former case, we write $m_1 \dot{\succ} m_2$. In the latter case, we write $m_1 \dot{\not\succeq} m_2$. Suppose there exists G_2 such that we cannot find G_1 to make an agent indifferent between (m_1, G_1) and (m_2, G_2) . Note that it implies that $(m_1, G) \succ (m_2, G_2)$ for all G . Indeed, suppose there exists such G_3 that $(m_1, G_3) \preceq (m_2, G_2)$. Observe that $(m_1, G_2) \succ (m_2, G_2) \succeq (m_1, G_3)$. Then, by connectedness of $\{(m_1, G) : G \in [G_2, G_3]\}$ and continuity of \succeq , there exist $G_4 \in (G_2, G_3]$ such that $(m_2, G_2) \sim (m_1, G_4)$, which contradicts our assumption. Thus, $(m_1, G) \succ (m_2, G_2)$ for all $G \in \mathfrak{G}$, in particular, $(m_1, G_2 + G' - G'') \succ (m_2, G_2)$ for any $G' > G''$ (so that $G_2 + G' - G'' \in \mathfrak{G}$). By lemma 1, it implies that $(m_1, G') \succ (m_2, G'')$. If $G' \leq G''$, then $(m_1, G') \succ (m_2, G'')$ by monotonicity. We have just shown that $(0, m_1)$ consists of two disjoint subsets: $\{m \in (0, m_1) : m_1 \dot{\succ} m\}$ and $\{m \in (0, m_1) : m_1 \dot{\not\succeq} m\}$.

Second, we show that for any m_1 the set of all $m \in (0, m_1)$ such that $m_1 \dot{\succ} m$ is open in $(0, m_1)$. Denote such set as $E(m_1) \equiv \{m \in (0, m_1) : m_1 \dot{\succ} m\}$. Consider $m_2 \in E(m_1)$ and some $G_2 > 0$ and G_1 such that $(m_2, G_2) \sim (m_1, G_1)$, where $G_1 > G_2$ by monotonicity. Such G_1 exists by the definition of $E(m_1)$. Pick a value $\epsilon \in (0, \min\{m_2, m_1 - m_2, G_2\})$. Such ϵ can always be found, because $m_2 \in \mathfrak{M} = R^{++}$. Observe that $(m_2 - \epsilon, G_2) \prec (m_2, G_2) \prec (m_2, G_2 - \epsilon)$. A line segment between the points $(m_2 - \epsilon, G_2)$ and $(m_2, G_2 - \epsilon)$ is a closed connected interval, hence by continuity of \succeq there exists (m_3, G_3) on the line segment such that $(m_3, G_3) \sim (m_2, G_2)$ and $m_2 > m_3 > m_2 - \epsilon$. Define $\delta \equiv m_2 - m_3$. Now, for all m such that $m_3 < m < m_2$, it holds that $(m, G_3) \succ (m_1, G_1) \succ (m, G_1)$, where the first relation follows from transitivity: $(m_1, G_1) \sim (m_2, G_2) \sim (m_3, G_3) \prec (m, G_3)$. Hence, by continuity and connectedness again, there exists G_4 for all m so that $(m_1, G_1) \sim (m, G_4)$. Also, for all $m \in (m_2, m_2 + \delta)$ it holds that $(m, G_2) \succ (m_1, G_1) \succ (m, G_1)$, where the second relation follows from the fact that $\delta < \epsilon < m_1 - m_2$. Thus, there exists G_5 for all such m so that $(m_1, G_1) \sim (m, G_5)$. To summarize, for any $m_2 \in E(m_1)$, all the points m such that $|m_2 - m| < \delta$ also belong to $E(m_1)$, which means $E(m_1)$ is open in $(0, m_1)$. Moreover, $E(m_1)$ is non-empty for all m_1 . Indeed, consider any point (m_1, G) . Its upper and lower contour sets are closed by continuity and non-empty (*e.g.* they contain points $(m_1 + 1, G)$ and $(m_1, G + 1)$ respectively), thus their intersection is non-empty, *i.e.* $\exists(m', G')$ such that $(m_1, G) \sim (m', G')$.

Third, we show that for any m_1 the set of all $m \in (0, m_1)$ such that $m_1 \dot{\not\succeq} m$ is open. Recall that, by Step 1, this set can be denoted as $(0, m_1) \setminus E(m_1)$. Note that $(0, m_1) \setminus E(m_1)$ is equal to the union of such $E(m)$ that $m \notin E(m_1)$. Indeed, for any $m \in (0, m_1) \setminus E(m_1)$, it is true that $m \in E(m)$. Conversely, for any $m \notin (0, m_1) \setminus E(m_1)$, it is true that $m \in E(m_1)$. Thus, there does not exist such \bar{m} that $\bar{m} \in (0, m_1) \setminus E(m_1)$ and $m \in E(\bar{m})$. As a union of open sets, $(0, m_1) \setminus E(m_1)$ is open itself.

Finally, since $(0, m_1)$ is connected for all $m_1 \in \mathfrak{M}$, it cannot be separated into two disjoint non-empty open sets, hence we conclude that the set $(0, m_1) \setminus E(m_1)$ is empty, thus, $m_1 \dot{\succ} m$ for all $m \in (0, m_1)$, *q.e.d.*

We can now use Lemma 2 to show that indifference sets of \succeq satisfying Axiom 2 are related by proportional expansion along the money axis. This is established in Lemma 3.

Lemma 3 *If a rational, monotone and continuous \succeq on $\mathfrak{M} \times \mathfrak{G}$ satisfies Axiom 2, then $(bm_1, G_1) \sim (m_2, G_2)$ whenever $(m_1, G_1) \sim (m_2, G_2)$ and $(bm_1, G_1) \succ (m_2, G_2)$ whenever $(m_1, G_1) \succ (m_2, G_2)$ for any $b \in R_{++}$.*

Proof. First, we prove the symmetric part of the lemma. Consider $(m_1, G_1) \sim (m_2, G_2)$. WLOG, let $m_1 > m_2$. By Lemma 2, $\exists G_3$ so that $(m_2, G_2) \sim (bm_1, G_3)$. By Axiom 2, $\frac{bm_1 - bm_2}{G_3 - G_2} / \frac{m_1 - m_2}{G_1 - G_2} = b$, which implies that $G_3 = G_1$. Hence, $(bm_1, G_1) \sim (bm_2, G_2)$.

Second, we prove the asymmetric part of the lemma. Let $(m_1, G_1) \succ (m_2, G_2)$. *Case 1: $m_1 > m_2$.* By Lemma 2, $\exists G_3$ and G_4 so that $(m_2, G_2) \sim (m_1, G_3)$ and $(bm_2, G_2) \sim (bm_1, G_4)$. By monotonicity, $G_1 < G_3$. By Axiom 2, $\frac{bm_1 - bm_2}{G_4 - G_2} / \frac{m_1 - m_2}{G_3 - G_2} = b$, which implies that $G_4 = G_3$. Hence, by monotonicity, $(bm_2, G_2) \sim (bm_1, G_3) \prec (bm_1, G_1)$. The remaining case ($m_2 > m_1$) is demonstrated analogously.

In the proof of Theorem 2, we will reduce the comparison of points on the money-guilt plane to the comparison of points on the G axis. In order to show it is possible, in Lemma 4 we prove that every point in $\mathfrak{M} \times \mathfrak{G}$ belongs to an indifference set which has a nonempty intersection with any line parallel to the G axis (including the G axis itself).

Lemma 4 *If a rational, monotone and continuous \succeq satisfies Axiom 2, then for any (m, G) and any G' , there exists m' such that $(m, G) \sim (m', G')$.*

Proof. The proof follows that of Lemma 2 with two divergences. First, the roles of the two variables (m and G) are switched. Second, we are able to demonstrate Step 1 for two cases: $G_1 > G_2$ and $G_1 < G_2$, thus for all G_1, G_2 (and not just $G_1 > G_2$) and for any m_1 there exist m_2 such that $(m_1, G_1) \sim (m_2, G_2)$. In the proof we require Lemma 3 in the same way as Lemma 1 was required to prove Lemma 2.

Finally, we establish two auxiliary results necessary to prove Theorem 1. The first of these shows that indifference curves of \succeq satisfying Axiom 1 are related by parallel displacement along the money axis.

Lemma 5 *If a rational, monotone and continuous \succeq on $\mathfrak{M} \times \mathfrak{G}$ satisfies Axiom 1, then $(m_1 + a, G_1) \succ (m_2 + a, G_2)$ whenever $(m_1, G_1) \succ (m_2, G_2)$ for any $a \in [\max\{-m_1, -m_2\}, +\infty]$.*

Proof. Similarly to the asymmetric part of Lemma 1, this proof consists of 4 cases. However, in the rest of the Appendix we will only be using the result for one case: $m_2 > m_1$ and $a > 0$, which is considered here. The remaining 3 cases are proved analogously. Let $(m_1, G_1) \succ (m_2, G_2)$, where $m_1 < m_2$ (hence $G_1 < G_2$ by monotonicity). We need to show that $(m_1 + a, G_1) \succ (m_2 + a, G_2)$, where $a > 0$. Suppose, conversely, that $(m_1 + a, G_1) \preceq (m_2 + a, G_2)$. By monotonicity, $(m_1 + a, G_1) \succ (m_1, G_1)$ and hence by transitivity $(m_1 + a, G_1) \succ (m_2, G_2)$. By connectedness of $\{(m, G_2) : m \in [m_2, m_2 + a]\}$ and continuity of \succeq , there exists such m_3 that $(m_1 + a, G_1) \sim (m_3, G_2)$ and $m_2 < m_3 \leq m_2 + a$ (*). Now consider (m_1, G_1) and observe that $(m_2, G_2) \prec (m_1, G_1) \prec (m_2 + a, G_2)$, where the last relation follows from monotonicity and transitivity. By connectedness and continuity again, there exists m_4 such that $(m_1, G_1) \sim (m_4, G_2)$ and $m_2 < m_4 < m_2 + a$. By Axiom 1, $m_4 - m_1 = m_3 - (m_1 + a)$ and thus

$m_3 = m_4 + a > m_2 + a$, but by (*) $m_3 \leq m_2 + a$, which is a contradiction. Thus, our supposition was wrong, and $(m_1 + a, G_1) \succ (m_2 + a, G_2)$, q.e.d.

In the proof of Theorem 1, we will require a result similar to Lemma 2 for preferences satisfying Axiom 1, *i.e.* that for any initial money-and-guilt situation (m, G) and any large guilt $G' > G_1$ there exist a sum of money large enough to “seduce” the agent by making him indifferent between the status quo and the large guilt.

Lemma 6 *If a rational, monotone and continuous preference relation \succeq on $\mathfrak{M} \times \mathfrak{G}$ satisfies Axiom 1, then for any $(m, G) \in \mathfrak{M} \times \mathfrak{G}$ and any $G' > G$, there exists $m' \in \mathfrak{M}$ such that $(m, G) \sim (m', G')$.*

Proof. The proof follows that of Lemma 2, with the exception that the roles of the variables $(m$ and $G)$ are switched. In the proof we require Lemma 5 in the same way as Lemma 1 was required to prove Lemma 2.

We are now ready to establish our main representation theorems.

Proof of Theorem 1. Necessity is established in the text before the theorem. We now show sufficiency. Suppose \succeq satisfies Axiom 1. Consider the point $(1, 0)$. By Lemma 6, there exists $m^* \in \mathfrak{M}$ such that $(1, 0) \sim (m^*, 1)$. By monotonicity of \succeq , such m^* is unique. Let $\theta = \frac{m^* - 1}{1 - 0} = m^* - 1$. Assign $u(m, G) = m - \theta G$ uniquely for all $(m, G) \in \mathfrak{M} \times \mathfrak{G}$. We now show that u represents \succeq , *i.e.* that $u(m_1, G_1) \geq u(m_2, G_2)$ iff $(m_1, G_1) \succeq (m_2, G_2)$. First, suppose $(m_1, G_1) \succeq (m_2, G_2)$. Pick a $G_3 > \max\{G_1, G_2\}$. By Lemma 6, there exist μ_1 and μ_2 such that $(m_1, G_1) \sim (\mu_1, G_3)$ and $(m_2, G_2) \sim (\mu_2, G_3)$. By Axiom 1, $\frac{\mu_1 - m_1}{G_3 - G_1} = \frac{\mu_2 - m_2}{G_3 - G_2} = \theta$. Then $u(m_1, G_1) = m_1 - \theta G_1 = \mu_1 - \theta(G_3 - G_1) - \theta G_1 = \mu_1 - \theta G_3 \geq \mu_2 - \theta G_3 = \mu_2 - \theta(G_3 - G_2) - \theta G_2 = m_2 - \theta G_2 = u(m_2, G_2)$. Second, suppose $u(m_1, G_1) \geq u(m_2, G_2)$ and consider μ_1, μ_2 defined as above. Then $\mu_1 = m_1 + \theta(G_3 - G_1) = u(m_1, G_1) + \theta G_3 \geq u(m_2, G_2) + \theta G_3 = m_2 + \theta(G_3 - G_2) = \mu_2$. By monotonicity it follows that $(\mu_1, G_3) \succeq (\mu_2, G_3)$ and then by transitivity $(m_1, G_1) \succeq (m_2, G_2)$, q.e.d.

Proof of Theorem 2. *Necessity.* Suppose $U(m, G) = \log m - \theta G$ represents \succeq for some $\theta > 0$. Consider $(m_1, G_1) \sim (m_2, G_2)$ and $(m'_1, G'_1) \sim (m'_2, G'_2)$, where $m_1/m'_1 = m_2/m'_2$. Then $\log m_1 - \theta G_1 = \log m_2 - \theta G_2$ and $\log m'_1 - \theta G'_1 = \log m'_2 - \theta G'_2$, which implies $\theta(G_1 - G_2) = \log \frac{m_1}{m_2} = \log \frac{m'_1}{m'_2} = \theta(G'_1 - G'_2)$. The relative PCC then becomes $\frac{m_1 - m_2}{G_1 - G_2} / \frac{m'_1 - m'_2}{G'_1 - G'_2} = \frac{m_1 - m_2}{(m_1 - m_2)m'_1/m_1} = \frac{m_1}{m'_1}$, which establishes Axiom 2.

Sufficiency. Step 1. Consider any $(m_1, G_1) \in \mathfrak{M} \times \mathfrak{G}$. If $G_1 = 0$, let $U(m_1, G_1) = \log m_1$, which is uniquely defined. If $G_1 > 0$, by Lemma 4, $\exists \mu_1 \in \mathfrak{M}$ s.t. $(m_1, G_1) \sim (\mu_1, 0)$. Moreover, such $\mu_1(m_1, G_1)$ is unique. Indeed, suppose $(m_1, G_1) \sim (\mu_1, 0)$ and $(m_1, G_1) \sim (\mu'_1, 0)$, where $\mu_1 \neq \mu'_1$. WLOG, let $\mu_1 > \mu'_1$. Then, by monotonicity, $(\mu_1, 0) \succ (\mu'_1, 0)$, which contradicts transitivity of \succeq . Assign $U(m_1, G_1) = \log \mu_1(m_1, G_1)$.

We now show that U defined as above represents \succeq . Suppose $(m_2, G_2) \succeq (m_1, G_1)$. As shown above, there exist unique numbers μ_1 and μ_2 such that $(\mu_2, 0) \sim (m_2, G_2) \succeq (m_1, G_1) \sim (\mu_1, 0) \Rightarrow \mu_2 \geq \mu_1 \Rightarrow U(m_2, G_2) = \log \mu_2 \geq \log \mu_1 = U(m_1, G_1)$ by transitivity and monotonicity. Following the same steps backwards proves that $(m_2, G_2) \succeq (m_1, G_1)$ whenever $U(m_2, G_2) \geq U(m_1, G_1)$.

It is left to be demonstrated that U is of the specified form, *i.e.* there exists a well-defined function $f(G) = U(m, G) - \log m$, $\forall G$. In order to do so, consider (m_1, G_1) and (m_3, G_3) such that $G_1 = G_3$. We need to show that $f(G_1) = f(G_3)$. WLOG, let $m_1 > m_3$. By Lemma 4, there exist μ_1 and μ_3 such that $(m_3, G_3) \sim (\mu_3, 0)$ and $(m_1, G_1) \sim (\mu_1, 0)$. By Lemma 3, $(m_3, G_3) \sim (\mu_3, 0)$ implies $(m_1, G_1) \sim (\frac{\mu_3 m_1}{m_3}, 0)$, thus $\mu_1 = \frac{m_1}{m_3} \mu_3$. Thus, $f(G_1) = U(m_1, G_1) - \log m_1 = \log \mu_1 - \log m_1 = \log \frac{\mu_1}{m_1} = \log \frac{m_1 \mu_3}{m_3 m_1} = \log \mu_3 - \log m_3 = U(m_3, G_3) - \log m_3 = f(G_3)$.

Step 2. We need to demonstrate that f defined as above is linear in G . It suffices to show that, for any G_1, G_2, G_3 and $G_4 \in \mathfrak{G}$ such that $G_2 - G_1 = G_4 - G_3$, it is true that $f(G_2) - f(G_1) = f(G_4) - f(G_3)$.

Consider arbitrary G_1, G_2, G_3 and m , as well as $G_4 = G_3 + G_2 - G_1$. WLOG, let $G_2 > G_1$ and $G_3 > G_1$. As shown in Step 1, there exist unique μ_1 and μ_2 such that $(m, G_1) \sim (\mu_1, 0)$ and $(m, G_2) \sim (\mu_2, 0)$. Thus, $f(G_1) = \log \mu_1 - \log m$ and $f(G_2) = \log \mu_2 - \log m$, which implies $f(G_2) - f(G_1) = \log \frac{\mu_2}{\mu_1}$. Lemma 4 ensures that there exists m^* such that $(m, G_1) \sim (m^*, G_3)$. Thus, by transitivity, $(m^*, G_3) \sim (\mu_1, 0)$, *i.e.* $U(m^*, G_3) = \log \mu_1$ and $f(G_3) = \log \mu_1 - \log m^*$.

By Lemma 1, $(m, G_1) \sim (m^*, G_3) \Rightarrow (m, G_2) \sim (m^*, G_3 + (G_2 - G_1))$, where $G_3 + (G_2 - G_1) = G_4$. We can now calculate $U(m^*, G_4) = U(m, G_2) = \log \mu_2$ and $f(G_4) = \log \mu_2 - \log m^*$. It is now easy to see that an arbitrary change in G produces the same change in f at any two values of G : $f(G_4) - f(G_3) = (\log \mu_2 - \log m^*) - (\log \mu_1 - \log m^*) = \log \frac{\mu_2}{\mu_1} = f(G_2) - f(G_1)$.

Thus, f can be written as $f = a + bG$. Observe that $a = f(0) = \log m - \log m = 0$. In order to calculate b , consider a point $(1, 1)$. Note that $f(1) = \log \mu_0 - \log 1 = \log \mu_0$, where $(1, 1) \sim (\mu_0, 0)$, and μ_0 is unique for a given preference relation. Hence $b = \mu_0$. We can now write $f(G) = \mu_0 G$. Observe that, by monotonicity, $\mu_0 < 1$ and $\log \mu_0 < 0$. Assign $\theta = -b = -\log \mu_0 > 0$.

$U(m, G) = \log m - \theta G$ represents \succeq , *q.e.d.*

6.2 Applications

Proof of Observation 2. Under the logarithmic guilt model (3), D's utility becomes

$$U(m_R, E(m_R)) = \log(T - m_R) - \theta \max\{0, E(m_R) - m_R\}. \quad (17)$$

D maximizes his utility by choosing an optimal donation m_R^* , given his second-order belief (*i.e.* his belief about R's expectation of the donation) $E(m_R)$. If the optimal donation equals the belief, it is a PsyNE of the game.

Let $m_R^*(E(m_R))$ denote D's optimal donation, as a function of his belief.

Observe that, due to the maximum operator present in the function form, $U(m_R)$ admits a kink at $m_R = E(m_R)$, where $U(m_R)$ is continuous, but not differentiable.

Note that the kink point $m_R = E(m_R)$ separates the function into two halves:

$$U = \begin{cases} \log(T - m_R) - \theta(E(m_R) - m_R) & \text{if } m_R \leq E(m_R); \\ \log(T - m_R) & \text{if } m_R > E(m_R). \end{cases} \quad (18)$$

Let $U_l(m_R) = \log(T - m_R) - \theta(E(m_R) - m_R)$ and $U_r(m_R) = \log(T - m_R)$.

Observe that $\frac{\partial U_l}{\partial m_R} = \frac{-1}{T - m_R} + \theta$. Denote by m_R^l the value of m_R maximizing the function U_l :

$$m_R^l = \begin{cases} T - \frac{1}{\theta} & \text{if } T - \frac{1}{\theta} > 0; \\ 0 & \text{if } T - \frac{1}{\theta} \leq 0. \end{cases} \quad (19)$$

Observe that utility to the right of the kink is decreasing: $\frac{\partial U_r}{\partial m_R} = \frac{-1}{T-m_R} < 0$. Also, utility to the left of the kink is concave: $\frac{\partial^2 U_l}{\partial m_R^2} = \frac{-1}{(T-m_R)^2} < 0$. The value of m_R maximizing the whole function is thus the smaller of the two: the kink $E(m_R)$, or the value m_R^l maximizing the left-hand-side utility U_l :

$$m_R^*(E(m_R)) = \begin{cases} 0 & \text{if } T - \frac{1}{\theta} \leq 0; \\ T - \frac{1}{\theta} & \text{if } 0 < T - \frac{1}{\theta} < E(m_R); \\ E(m_R) & \text{otherwise,} \end{cases} \quad (20)$$

which proves Observation 2.

Proof of Observation 4. Recall the equilibrium condition on contributions and beliefs in the Public Good Provision game:

$$x_i^* = \begin{cases} U_i(x_i^*, x_j^*, E(x_i)) \geq U_i(x_i, x_j^*, E(x_i)) \text{ for all } x_i \in [0, w_i] \text{ for } i = 1, 2; \\ E(x_i) \text{ for } i = 1, 2. \end{cases} \quad (21)$$

Similarly to the Dictator game application, the function $U_i(x_i)$ admits a kink at $x_i = E(x_i)$; it is strictly decreasing to the right of it ($\frac{\partial U_r}{\partial x_i} = \frac{\partial \log(w_i - (1-a)x_i + ax_j)}{\partial x_i} = \frac{a-1}{w_i - (1-a)x_i + ax_j} < 0$) and strictly concave to the left of it ($\frac{\partial^2 U_l}{\partial x_i^2} = \frac{\partial^2 (\log(w_i - (1-a)x_i + ax_j) - \theta_i a (E(x_i) - x_i))}{\partial x_i^2} = \frac{-(a-1)^2}{(w_i - (1-a)x_i + ax_j)^2} < 0$). Hence, best response contribution is equal to the expectation if and only if either of the two conditions holds: (i) utility is increasing to the left of the kink: $\frac{\partial U_l}{\partial x_i}(E(x_i)) \geq 0$ or (ii) expectation is zero $E(x_i) = 0$. Below we solve for equilibrium contribution x_i^* under (i).

$$\begin{cases} \frac{\partial (\log(w_i - (1-a)x_i + ax_j) - \theta_i a (E(x_i) - x_i))}{\partial x_i}(E(x_i)) \geq 0; \\ x_i^* = E(x_i). \end{cases} \quad (22)$$

$$\begin{cases} (a-1)/(w_i - (1-a)E(x_i) + ax_j) + \theta_i a \geq 0; \\ x_i^* = E(x_i). \end{cases} \quad (23)$$

$$\begin{cases} x_i^* \leq (w_i + ax_j)/(1-a) - (\theta_i a)^{-1}; \\ x_i^* = E(x_i). \end{cases} \quad (24)$$

As one can see from the formula, player i 's maximum equilibrium contribution is increasing with his initial endowment w_i , his guilt sensitivity θ_i and the other player's contribution x_j . It is also easy to show that x_i^* is increasing with return on investment a .

Proof of Observation 5. We will establish the values of parameters θ_i , $i = 1, 2$ under which each pure strategy profile (with corresponding beliefs) is a Psychological Nash equilibrium.

1. (*Defect, Defect*; $E(m_1) = d$, $E(m_2) = d$) is the only NE of the game and hence also an equilibrium in the psychological game with guilt aversion (deviations from it will neither increase the players' material

payoffs nor decrease their guilt, which is already zero).

2. (*Cooperate, Defect*; $E(m_1) = s$, $E(m_2) = t$) is an equilibrium if:

$$\begin{cases} u_1(C, D) \geq u_1(D, D); \\ u_2(C, D) \geq u_2(C, C). \end{cases} \quad (25)$$

Applying utility function (2) and solving for θ_1, θ_2 we obtain

$$\begin{cases} \theta_1 \geq \frac{d-s}{t-d}; \\ \theta_2 \in R. \end{cases} \quad (26)$$

3. (*Cooperate, Cooperate*; $E(m_1) = c$, $E(m_2) = c$) is an equilibrium if $u_i(C, C) \geq u_i(D, C)$ for $i = 1, 2$. Applying utility function (2) we obtain $c - \theta_i(c - c) \geq t - \theta_i(c - s)$, which yields $\theta_i \geq \frac{t-c}{c-s}$.

Proof of Observation 6. Similarly to the previous proof, we write down conditions ensuring that unilateral deviation is unprofitable for each candidate pure strategies equilibrium.

1. (*Defect, Defect*; $E(m_1) = d$, $E(m_2) = d$) is always an equilibrium in games with guilt aversion as argued above.

2. (*Cooperate, Defect*; $E(m_1) = s$, $E(m_2) = t$) is an equilibrium if

$$\begin{cases} \log s - \theta_1(t - t) \geq \log d - \theta_1(t - d); \\ \log t - \theta_2(s - s) \geq \log c - \theta_2 \cdot 0; \end{cases} \quad (27)$$

which yields

$$\begin{cases} \theta_1 \geq \frac{\log(d/s)}{t-d}; \\ \theta_2 \in R. \end{cases} \quad (28)$$

2. (*Cooperate, Cooperate*; $E(m_1) = c$, $E(m_2) = c$) is an equilibrium if $\log c - \theta_i(c - c) \geq \log t - \theta_i(c - s)$ for $i = 1, 2$, which yields $\theta_i \geq \frac{\log(t/c)}{c-s}$.

References

- Ahrens, S. and D. Snower (2014). Envy, guilt, and the Phillips curve. *Journal of Economic Behavior & Organization* 99, 69–84.
- Andreoni, J. and J. Miller (1993). Rational Cooperation in the Finitely Repeated Prisoner’s Dilemma: Experimental Evidence. *Economic Journal* 103(418), 570–85.
- Andreoni, J. and J. Rao (2011). The power of asking: How communication affects selfishness, empathy, and altruism. *Journal of Public Economics* 95(7), 513–520.
- Attanasi, G. and R. Nagel (2007). A survey of psychological games: Theoretical findings and experimental evidence. *Games, Rationality and Behaviour. Essays on Behavioural Game Theory and Experiments, Palgrave MacMillan, Houndmills*, 204–232.

- Battigalli, P., G. Charness, and M. Dufwenberg (2013). Deception: The role of guilt. *Journal of Economic Behavior and Organization* 93, 227–232.
- Battigalli, P. and M. Dufwenberg (2007). Guilt in Games. *American Economic Review* 97(2), 170–176.
- Battigalli, P. and M. Dufwenberg (2009). Dynamic Psychological Games. *Journal of Economic Theory* 144(1), 1–35.
- Bereby-Meyer, Y. and A. Roth (2006). The Speed of Learning in Noisy Games: Partial Reinforcement and the Sustainability of Cooperation. *American Economic Review* 96(4), 1029–42.
- Brosig, J. (2002). Identifying cooperative behavior: some experimental results in a prisoners dilemma game. *Journal of Economic Behavior & Organization* 47(3), 275–290.
- Chang, L., A. Smith, M. Dufwenberg, and A. Sanfey (2011). Triangulating the Neural, Psychological, and Economic Bases of Guilt Aversion. *Neuron* 70(3), 560–572.
- Charness, G. and M. Dufwenberg (2006). Promises and Partnership. *Econometrica* 74(6), 1579–1601.
- Chaudhuri, A. (2011). Sustaining cooperation in laboratory public goods experiments: a selective survey of the literature. *Experimental Economics* 14(1), 47–83.
- Cooper, R., D. DeJong, R. Forsythe, and T. Ross (1996). Cooperation without Reputation: Experimental Evidence from Prisoner’s Dilemma Games. *Games and Economic Behavior* 12(2), 187–218.
- Croson, R. T. (2000). Thinking like a game theorist: factors affecting the frequency of equilibrium play. *Journal of economic behavior & organization* 41(3), 299–314.
- Debreu, G. (1954). *Representation of a Preference Ordering by a Numerical Function*. New York: Wiley.
- Debreu, G. (1960). *Topological methods in cardinal utility*. Stanford, California: Stanford University Press.
- Denant-Boemont, L., D. Masclet, and C. Noussair (2011). Announcement, observation and honesty in the voluntary contributions game. *Pacific Economic Review* 16(2), 207–228.
- Ellingsen, T., M. Johannesson, S. Tjotta, and Torsvik (2010). Testing guilt aversion. *Games and Economic Behavior* 68(1), 95–107.
- Engel, C. (2011). Dictator games: a meta study. *Experimental Economics* 14(4), 583–610.
- Geanakoplos, J., D. Pearce, and E. Stacchetti (1989). Psychological Games and Sequential Rationality. *Games and Economic Behavior* 1(1), 60–79.
- Geng, H., A. Weiss, and I. Wolff (2011). The Limited Power of Voting to Limit Power. *Journal of Public Economic Theory* 13(5), 695–719.
- Güth, W., M. Ploner, and T. Regner (2009). Determinants of in-group bias: Is group affiliation mediated by guilt-aversion? *Journal of Economic Psychology* 30(5), 814–827.

- Hara, C., I. Segal, and S. Tadelis (1997). *Solutions Manual for Microeconomic Theory: Mas-Colell, Whinston and Green*. Oxford University Press.
- Hopfensitz, A. and E. Reuben (2009). The Importance of Emotions for the Effectiveness of Social Punishment. *The Economic Journal* 119(540), 1534–1559.
- Ketelaar, T. and W. Au (2003). The Effects of Feelings of Guilt on the Behavior of Uncooperative Individuals in Repeated Social Bargaining Games: An Effect-as-information Interpretation of the Role of Emotion in Social Interaction. *Cognition and Emotion* 17(17), 429–453.
- Khalmetski, K. (2014). Testing Guilt Aversion: Revisited. Working paper.
- Khalmetski, K., A. Ockenfels, and P. Werner (2014). Surprising Gifts - Theory and Laboratory Evidence. Working paper.
- Ledyard, J. (1995). Public goods: some experimental results. In J. Kagel and A. Roth (Eds.), *Handbook of experimental economics*. Princeton: Princeton University Press.
- López-Pérez, R. (2010). Guilt and shame: an axiomatic analysis. *Theory and decision* 69(4), 569–586.
- Miettinen, T. and S. Suetens (2008). Communication and Guilt in a Prisoner’s Dilemma. *Journal of Conflict Resolution* 52(6), 945–960.
- Neilson, W. (2006). Axiomatic Reference-Dependence in Behavior toward Others and toward Risk. *Economic Theory* 28(3), 681–692.
- Sandbu, M. (2008). Axiomatic foundations for fairness-motivated preferences. *Social choice and welfare* 31(4), 589–619.
- Vind, K. and B. Grodal (2003). *Independence, Additivity, Uncertainty*. Berlin: Springer.