

PTSD CheckList – Civilian Version (PCL-C)

Patient's Name: _____

Instructions: Below is a list of problems and complaints that people sometimes have in response to stressful life experiences. Please read each one carefully, put an "X" in the box to indicate how much you have been bothered by that problem *in the past month*.

No.	Response:	Not at all (1)	A little bit (2)	Moderately (3)	Quite a bit (4)	Extremely (5)
1.	Repeated, disturbing <i>memories, thoughts, or images</i> of a stressful experience from the past?					
2.	Repeated, disturbing <i>dreams</i> of a stressful experience from the past?					
3.	Suddenly <i>acting or feeling</i> as if a stressful experience <i>were happening again</i> (as if you were reliving it)?					
4.	Feeling <i>very upset</i> when <i>something reminded</i> you of a stressful experience from the past?					
5.	Having <i>physical reactions</i> (e.g., heart pounding, trouble breathing, or sweating) when <i>something reminded</i> you of a stressful experience from the past?					
6.	Avoid <i>thinking about</i> or <i>talking about</i> a stressful experience from the past or avoid <i>having feelings</i> related to it?					
7.	Avoid <i>activities or situations</i> because <i>they remind you</i> of a stressful experience from the past?					
8.	Trouble <i>remembering important parts</i> of a stressful experience from the past?					
9.	Loss of interest in things that you used to enjoy?					
10.	Feeling <i>distant</i> or <i>cut off</i> from other people?					
11.	Feeling <i>emotionally numb</i> or being unable to have loving feelings for those close to you?					
12.	Feeling as if your <i>future</i> will somehow be <i>cut short</i> ?					
13.	Trouble falling or staying asleep?					
14.	Feeling irritable or having angry outbursts?					
15.	Having difficulty concentrating?					
16.	Being " <i>super alert</i> " or watchful on guard?					
17.	Feeling <i>jumpy</i> or easily startled?					

Weathers, F.W., Huska, J.A., Keane, T.M. *PCL-C for DSM-IV*. Boston: National Center for PTSD – Behavioral Science Division, 1991.

This is a Government document in the public domain.

Liebowitz Social Anxiety Scale Liebowitz MR. Social Phobia. Mod Probl Pharmacopsychiatry 1987;22:141-173

Pt Name:	Pt ID #:	
Date:	Clinic #:	Assessment point:

Fear or Anxiety:
 0 = None
 1 = Mild
 2 = Moderate
 3 = Severe

Avoidance:
 0 = Never (0%)
 1 = Occasionally (1—33%)
 2 = Often (33—67%)
 3 = Usually (67—100%)

	Fear or Anxiety	Avoidance	
1. Telephoning in public. (P)			1.
2. Participating in small groups. (P)			2.
3. Eating in public places. (P)			3.
4. Drinking with others in public places. (P)			4.
5. Talking to people in authority. (S)			5.
6. Acting, performing or giving a talk in front of an audience. (P)			6.
7. Going to a party. (S)			7.
8. Working while being observed. (P)			8.
9. Writing while being observed. (P)			9.
10. Calling someone you don't know very well. (S)			10.
11. Talking with people you don't know very well. (S)			11.
12. Meeting strangers. (S)			12.
13. Urinating in a public bathroom. (P)			13.
14. Entering a room when others are already seated. (P)			14.
15. Being the center of attention. (S)			15.
16. Speaking up at a meeting. (P)			16.
17. Taking a test. (P)			17.
18. Expressing a disagreement or disapproval to people you don't know very well. (S)			18.
19. Looking at people you don't know very well in the eyes. (S)			19.
20. Giving a report to a group. (P)			20.
21. Trying to pick up someone. (P)			21.
22. Returning goods to a store. (S)			22.
23. Giving a party. (S)			23.
24. Resisting a high pressure salesperson. (S)			24.

WHOQOL-BREF

The following questions ask how you feel about your quality of life, health, or other areas of your life. I will read out each question to you, along with the response options. **Please choose the answer that appears most appropriate.** If you are unsure about which response to give to a question, the first response you think of is often the best one.

Please keep in mind your standards, hopes, pleasures and concerns. We ask that you think about your life **in the last four weeks.**

		Very poor	Poor	Neither poor nor good	Good	Very good
1.	How would you rate your quality of life?	1	2	3	4	5

		Very dissatisfied	Dissatisfied	Neither satisfied nor dissatisfied	Satisfied	Very satisfied
2.	How satisfied are you with your health?	1	2	3	4	5

The following questions ask about **how much** you have experienced certain things in the last four weeks.

		Not at all	A little	A moderate amount	Very much	An extreme amount
3.	To what extent do you feel that physical pain prevents you from doing what you need to do?	5	4	3	2	1
4.	How much do you need any medical treatment to function in your daily life?	5	4	3	2	1
5.	How much do you enjoy life?	1	2	3	4	5
6.	To what extent do you feel your life to be meaningful?	1	2	3	4	5

		Not at all	A little	A moderate amount	Very much	Extremely
7.	How well are you able to concentrate?	1	2	3	4	5
8.	How safe do you feel in your daily life?	1	2	3	4	5
9.	How healthy is your physical environment?	1	2	3	4	5

The following questions ask about how completely you experience or were able to do certain things in the last four weeks.

		Not at all	A little	Moderately	Mostly	Completely
10.	Do you have enough energy for everyday life?	1	2	3	4	5
11.	Are you able to accept your bodily appearance?	1	2	3	4	5
12.	Have you enough money to meet your needs?	1	2	3	4	5
13.	How available to you is the information that you need in your day-to-day life?	1	2	3	4	5
14.	To what extent do you have the opportunity for leisure activities?	1	2	3	4	5

		Very poor	Poor	Neither poor nor good	Good	Very good
15.	How well are you able to get around?	1	2	3	4	5

		Very dissatisfied	Dissatisfied	Neither satisfied nor dissatisfied	Satisfied	Very satisfied
16.	How satisfied are you with your sleep?	1	2	3	4	5
17.	How satisfied are you with your ability to perform your daily living activities?	1	2	3	4	5
18.	How satisfied are you with your capacity for work?	1	2	3	4	5
19.	How satisfied are you with yourself?	1	2	3	4	5

20.	How satisfied are you with your personal relationships?	1	2	3	4	5
21.	How satisfied are you with your sex life?	1	2	3	4	5
22.	How satisfied are you with the support you get from your friends?	1	2	3	4	5
23.	How satisfied are you with the conditions of your living place?	1	2	3	4	5
24.	How satisfied are you with your access to health services?	1	2	3	4	5
25.	How satisfied are you with your transport?	1	2	3	4	5

The following question refers to how often you have felt or experienced certain things in the last four weeks.

		Never	Seldom	Quite often	Very often	Always
26.	How often do you have negative feelings such as blue mood, despair, anxiety, depression?	5	4	3	2	1

Do you have any comments about the assessment?

[The following table should be completed after the interview is finished]

	Equations for computing domain scores	Raw score	Transformed scores*	
			4-20	0-100
27. Domain 1	$(6-Q3) + (6-Q4) + Q10 + Q15 + Q16 + Q17 + Q18$ $\square + \square + \square + \square + \square + \square + \square$	a. =	b:	c:
28. Domain 2	$Q5 + Q6 + Q7 + Q11 + Q19 + (6-Q26)$ $\square + \square + \square + \square + \square + \square$	a. =	b:	c:
29. Domain 3	$Q20 + Q21 + Q22$ $\square + \square + \square$	a. =	b:	c:
30. Domain 4	$Q8 + Q9 + Q12 + Q13 + Q14 + Q23 + Q24 + Q25$ $\square + \square + \square + \square + \square + \square + \square + \square$	a. =	b:	c:

* See Procedures Manual, pages 13-15

Depression Outcome Scale*

Patient name _____

Date _____

Instructions

This questionnaire includes questions about symptoms of depression. For each item please indicate how well it describes you during the **past week, including today**. Circle the number in the columns next to the item that best describes you.

Rating guidelines†

- 0 = Not at all
- 1 = Rarely true (1–2 days)
- 2 = Sometimes true (3–4 days)
- 3 = Often true (5–6 days)
- 4 = Almost always true (every day)

†Please note: This is not a diagnostic tool. Only a healthcare professional can diagnose depression. Always follow the healthcare advice of your doctor. Do not change the way you take your medication without talking to your doctor.

During the PAST WEEK, INCLUDING TODAY...

1. I felt sad or depressed	0	1	2	3	4
2. I was not as interested in my usual activities	0	1	2	3	4
3. My appetite was poor and I didn't feel like eating	0	1	2	3	4
4. My appetite was much greater than usual	0	1	2	3	4
5. I had difficulty sleeping	0	1	2	3	4
6. I was sleeping too much	0	1	2	3	4
7. I felt very fidgety, making it difficult to sit still	0	1	2	3	4
8. I felt physically slowed down, like my body was stuck in mud	0	1	2	3	4
9. My energy level was low	0	1	2	3	4
10. I felt guilty	0	1	2	3	4
11. I thought I was a failure	0	1	2	3	4
12. I had problems concentrating	0	1	2	3	4
13. I had more difficulties making decisions than usual	0	1	2	3	4
14. I wished I was dead	0	1	2	3	4
15. I thought about killing myself	0	1	2	3	4
16. I thought that the future looked hopeless	0	1	2	3	4

Overall, how much have symptoms of depression interfered with or caused difficulties in your life during the past week? (Circle one)

- a) Not at all b) A little bit c) A moderate amount
d) Quite a bit e) Extremely

*Adapted from the Clinically Useful Depression Outcome Scale (CUDOS), developed by Mark Zimmerman, MD, Director of Outpatient Psychiatry at Rhode Island Hospital. *Compr Psychiatry*. 2008;49(2):131-140.

The Clinically Useful Depression Outcome Scale (CUDOS) is a practice support service provided by Otsuka America Pharmaceutical, Inc.

Otsuka recommends use of its products only as labeled in the Full US Prescribing Information approved by the FDA.



Otsuka
Otsuka America Pharmaceutical, Inc.

Generalized Anxiety Disorder 7-item (GAD-7) scale

Over the last 2 weeks, how often have you been bothered by the following problems?	Not at all sure	Several days	Over half the days	Nearly every day
1. Feeling nervous, anxious, or on edge	0	1	2	3
2. Not being able to stop or control worrying	0	1	2	3
3. Worrying too much about different things	0	1	2	3
4. Trouble relaxing	0	1	2	3
5. Being so restless that it's hard to sit still	0	1	2	3
6. Becoming easily annoyed or irritable	0	1	2	3
7. Feeling afraid as if something awful might happen	0	1	2	3
<i>Add the score for each column</i>	+	+	+	
Total Score (<i>add your column scores</i>) =				

If you checked off any problems, how difficult have these made it for you to do your work, take care of things at home, or get along with other people?

Not difficult at all _____

Somewhat difficult _____

Very difficult _____

Extremely difficult _____

Source: Spitzer RL, Kroenke K, Williams JBW, Lowe B. A brief measure for assessing generalized anxiety disorder. *Arch Intern Med.* 2006;166:1092-1097.

SBQ-R Suicide Behaviors Questionnaire-Revised

Patient Name _____ Date of Visit _____

Instructions: Please check the number beside the statement or phrase that best applies to you.

1. Have you ever thought about or attempted to kill yourself? (check one only)

- 1. Never
- 2. It was just a brief passing thought
- 3a. I have had a plan at least once to kill myself but did not try to do it
- 3b. I have had a plan at least once to kill myself and really wanted to die
- 4a. I have attempted to kill myself, but did not want to die
- 4b. I have attempted to kill myself, and really hoped to die

2. How often have you thought about killing yourself in the past year? (check one only)

- 1. Never
- 2. Rarely (1 time)
- 3. Sometimes (2 times)
- 4. Often (3-4 times)
- 5. Very Often (5 or more times)

3. Have you ever told someone that you were going to commit suicide, or that you might do it? (check one only)

- 1. No
- 2a. Yes, at one time, but did not really want to die
- 2b. Yes, at one time, and really wanted to die
- 3a. Yes, more than once, but did not want to do it
- 3b. Yes, more than once, and really wanted to do it

4. How likely is it that you will attempt suicide someday? (check one only)

- 0. Never
- 1. No chance at all
- 2. Rather unlikely
- 3. Unlikely
- 4. Likely
- 5. Rather likely
- 6. Very likely

Mood Disorder Questionnaire

Patient Name _____ Date of Visit _____

Please answer each question to the best of your ability

1. Has there ever been a period of time when you were not your usual self and...	YES	NO
...you felt so good or so hyper that other people thought you were not your normal self or you were so hyper that you got into trouble?	<input type="checkbox"/>	<input type="checkbox"/>
...you were so irritable that you shouted at people or started fights or arguments?	<input type="checkbox"/>	<input type="checkbox"/>
...you felt much more self-confident than usual?	<input type="checkbox"/>	<input type="checkbox"/>
...you got much less sleep than usual and found that you didn't really miss it?	<input type="checkbox"/>	<input type="checkbox"/>
...you were more talkative or spoke much faster than usual?	<input type="checkbox"/>	<input type="checkbox"/>
...thoughts raced through your head or you couldn't slow your mind down?	<input type="checkbox"/>	<input type="checkbox"/>
...you were so easily distracted by things around you that you had trouble concentrating or staying on track?	<input type="checkbox"/>	<input type="checkbox"/>
...you had more energy than usual?	<input type="checkbox"/>	<input type="checkbox"/>
...you were much more active or did many more things than usual?	<input type="checkbox"/>	<input type="checkbox"/>
...you were much more social or outgoing than usual, for example, you telephoned friends in the middle of the night?	<input type="checkbox"/>	<input type="checkbox"/>
...you were much more interested in sex than usual?	<input type="checkbox"/>	<input type="checkbox"/>
...you did things that were unusual for you or that other people might have thought were excessive, foolish, or risky?	<input type="checkbox"/>	<input type="checkbox"/>
...spending money got you or your family in trouble?	<input type="checkbox"/>	<input type="checkbox"/>

2. If you checked YES to more than one of the above, have several of these ever happened during the same period of time?	<input type="checkbox"/>	<input type="checkbox"/>
---	--------------------------	--------------------------

3. How much of a problem did any of these cause you - like being unable to work; having family, money or legal troubles; getting into arguments or fights?

No problems Minor problem Moderate problem Serious problem

The Alcohol Use Disorders Identification Test (AUDIT), developed in 1982 by the World Health Organization, is a simple way to screen and identify people at risk of alcohol problems.

1. How often do you have a drink containing alcohol?

- (0) Never (Skip to Questions 9-10)
- (1) Monthly or less
- (2) 2 to 4 times a month
- (3) 2 to 3 times a week
- (4) 4 or more times a week

2. How many drinks containing alcohol do you have on a typical day when you are drinking?

- (0) 1 or 2
- (1) 3 or 4
- (2) 5 or 6
- (3) 7, 8, or 9
- (4) 10 or more

3. How often do you have six or more drinks on one occasion?

- (0) Never
- (1) Less than monthly
- (2) Monthly
- (3) Weekly
- (4) Daily or almost daily

4. How often during the last year have you found that you were not able to stop drinking once you had started?

- (0) Never
- (1) Less than monthly
- (2) Monthly
- (3) Weekly
- (4) Daily or almost daily

5. How often during the last year have you failed to do what was normally expected from you because of drinking?

- (0) Never
- (1) Less than monthly
- (2) Monthly
- (3) Weekly
- (4) Daily or almost daily

6. How often during the last year have you been unable to remember what happened the night before because you had been drinking?

- (0) Never
- (1) Less than monthly
- (2) Monthly
- (3) Weekly
- (4) Daily or almost daily

7. How often during the last year have you needed an alcoholic drink first thing in the morning to get yourself going after a night of heavy drinking?

- (0) Never
- (1) Less than monthly
- (2) Monthly
- (3) Weekly
- (4) Daily or almost daily

8. How often during the last year have you had a feeling of guilt or remorse after drinking?

- (0) Never
- (1) Less than monthly
- (2) Monthly
- (3) Weekly
- (4) Daily or almost daily

9. Have you or someone else been injured as a result of your drinking?

- (0) No
- (2) Yes, but not in the last year
- (4) Yes, during the last year

10. Has a relative, friend, doctor, or another health professional expressed concern about your drinking or suggested you cut down?

- (0) No
- (2) Yes, but not in the last year
- (4) Yes, during the last year

Add up the points associated with answers. A total score of 8 or more indicates harmful drinking behavior.

NAME: _____

DATE: _____

DRUG USE QUESTIONNAIRE (DAST – 10)

The following questions concern information about your possible involvement with drugs not including alcoholic beverages during the past 12 months. Carefully read each statement and decide if your answer is "Yes" or "No". Then, circle the appropriate response beside the question.

In the statements "drug abuse" refers to (1) the use of prescribed or over the counter drugs may include: cannabis (e.g. marijuana, hash), solvents, tranquillizers (e.g. Valium), barbiturates, cocaine, stimulants (e.g. speed), hallucinogens (e.g. LSD) or narcotics (e.g. heroin). Remember that the questions **do not** include alcoholic beverages.

Please answer every question. If you have difficulty with a statement, then choose the response that is mostly right.

These questions refer to the past 12 months.

Circle Your Response

- | | | |
|--|-----|----|
| 1. Have you used drugs other than those required for medical reasons? | Yes | No |
| 2. Do you abuse more than one drug at a time? | Yes | No |
| 3. Are you always able to stop using drugs when you want to? | Yes | No |
| 4. Have you had "blackouts" or "flashbacks" as a result of drug use? | Yes | No |
| 5. Do you every feel bad or guilty about your drug use? | Yes | No |
| 6. Does your spouse (or parents) ever complain about your involvement with drugs? | Yes | No |
| 7. Have you neglected your family because of your use of drugs? | Yes | No |
| 8. Have you engaged in illegal activities in order to obtain drugs? | Yes | No |
| 9. Have you ever experienced withdrawal symptoms (felt sick) when you stopped taking drugs? | Yes | No |
| 10. Have you had medical problems as a result of your drug use (e.g. memory loss, hepatitis, convulsions, bleeding, etc.)? | Yes | No |

Adult Version

These questions refer to the past 12 months.

Circle Your
Response

- | | | |
|--|-----|----|
| 1. Have you used drugs other than those required for medical reasons? | Yes | No |
| 2. Have you abused prescription drugs? | Yes | No |
| 3. Do you abuse more than one drug at a time? | Yes | No |
| 4. Can you get through the week without using drugs? | Yes | No |
| 5. Are you always able to stop using drugs when you want to? | Yes | No |
| 6. Have you had "blackouts" or "flashbacks" as a result of drug use? | Yes | No |
| 7. Do you ever feel bad or guilty about your drug use? | Yes | No |
| 8. Does your spouse (or parents) ever complain about your involvement with drugs? | Yes | No |
| 9. Has drug abuse created problems between you and your spouse or your parents? | Yes | No |
| 10. Have you lost friends because of your use of drugs? | Yes | No |
| 11. Have you neglected your family because of your use of drugs? | Yes | No |
| 12. Have you been in trouble at work (or school) because of drug abuse? | Yes | No |
| 13. Have you lost your job because of drug abuse? | Yes | No |
| 14. Have you gotten into fights when under the influence of drugs? | Yes | No |
| 15. Have you engaged in illegal activities in order to obtain drugs? | Yes | No |
| 16. Have you been arrested for possession of illegal drugs? | Yes | No |
| 17. Have you ever experienced withdrawal symptoms (felt sick) when you stopped taking drugs? | Yes | No |
| 18. Have you had medical problems as a result of your drug use (e.g. memory loss, hepatitis, convulsions, bleeding, etc.)? | Yes | No |
| 19. Have you gone to anyone for help for drug problem? | Yes | No |
| 20. Have you been involved in a treatment program specifically related to drug use? | Yes | No |

© Copyright 1982 by Harvey A. Skinner, PhD and the Centre for Addiction and Mental Health, Toronto, Canada. You may reproduce this instrument for non-commercial use (clinical, research, training purposes) as long as you credit the author Harvey A. Skinner, Department of Public Health Sciences, University of Toronto.

Adult ADHD-RS-IV* with Adult Prompts[†]

The ADHD-RS-IV with Adult Prompts is an 18-item scale based on the *DSM-IV-TR* criteria for ADHD that provides a rating of the severity of symptoms. The adult prompts serve as a guide to explore more fully the extent and severity of ADHD symptoms and create a framework to ascertain impairment.

The first 9 items assess inattentive symptoms and the last 9 items assess hyperactive-impulsive symptoms. Scoring is based on a 4-point Likert-type severity scale: 0 = none, 1 = mild, 2 = moderate, 3 = severe. Clinicians should score the highest score that is generated for the prompts for each item.

Example: if one prompt generates a "2" and all others are a "1," by convention, the rating for that item is still a "2"

Significant symptoms in clinical trials are generally considered at least a "2" – moderate.

	None	Mild	Moderate	Severe
<p>1. Carelessness Do you make a lot of mistakes (in school or work)? Is this because you're careless? Do you rush through work or activities? Do you have trouble with detailed work? Do you not check your work? Do people complain that you're careless? Are you messy or sloppy? Is your desk or workspace so messy that you have difficulty finding things?</p>	0	1	2	3
<p>2. Difficulty sustaining attention in activities Do you have trouble paying attention when watching movies, readings, or attending lectures? Or on fun activities such as sports or board games? Is it hard for you to keep your mind on school or work? Do you have unusual trouble staying focused on boring or repetitive tasks? Does it take a lot longer than it should to complete tasks because you can't keep your mind on the task? Is it even harder for you than some others you know? Do you have trouble remembering what you read and do you need to re-read the same passage several times?</p>	0	1	2	3
<p>3. Doesn't listen Do people (spouse, boss, colleagues, friends) complain that you don't seem to listen or respond (or daydream) when spoken to or when asked to do tasks? A lot? Do people have to repeat directions? Do you find that you miss the key parts of conversations because of drifting off in your own thoughts? Does it cause problems?</p>	0	1	2	3
<p>4. No follow through Do you have trouble finishing things (such as work or chores)? Do you often leave things half done and start another project? Do you need consequences (such as deadlines) to finish? Do you have trouble following instructions (especially complex, multistep instructions that have to be done in a certain order with different steps)? Do you need to write down instructions, otherwise you will forget them?</p>	0	1	2	3
<p>5. Can't organize Do you have trouble organizing tasks into ordered steps? Is it hard prioritizing work and chores? Do you need others to plan for you? Do you have trouble with time management? Does it cause problems? Does difficulty in planning lead to procrastination and putting off tasks until the last moment possible?</p>	0	1	2	3
<p>6. Avoids/dislikes tasks requiring sustained mental effort Do you avoid tasks (work, chores, reading, board games) that are challenging or lengthy because it's hard to stay focused on these things for a long time? Do you have to force yourself to do these tasks? How hard is it? Do you procrastinate and put off tasks until the last moment possible?</p>	0	1	2	3
<p>7. Loses important items Do you lose things (eg, important work papers, keys, wallet, coats, etc)? A lot? More than others? Are you constantly looking for important items? Do you get into trouble for this (at work or at home)? Do you need to put items (eg, glasses, wallet, keys) in the same place each time, otherwise you will lose them?</p>	0	1	2	3
<p>8. Easily distractible Are you ever very easily distracted by events around you such as noise (conversation, TV, radio), movement, or clutter? Do you need relative isolation to get work done? Can almost anything get your mind off of what you are doing, such as work, chores, or if you're talking to someone? Is it hard to get back to a task once you stop?</p>	0	1	2	3
<p>9. Forgetful in daily activities Do you forget a lot of things in your daily routine? Like what? Chores? Work? Appointments or obligations? Do you forget to bring things to work, such as work materials or assignments due that day? Do you need to write regular reminders to yourself to do most activities or tasks, otherwise you will forget?</p>	0	1	2	3

Adult ADHD-RS-IV* with Adult Prompts†

	None	Mild	Moderate	Severe	None	Mild	Moderate	Severe
10. Squirms and fidgets Can you sit still or are you always moving your hands or feet, or fidgeting in your chair? Do you tap your pencil or your feet? A lot? Do people notice? Do you regularly play with your hair or clothing? Do you consciously resist fidgeting or squirming?	0	1	2	3	0	1	2	3
11. Can't stay seated Do you have trouble staying in your seat? At work? In class? At home (eg, watching TV, eating dinner)? In church or temple? Do you choose to walk around rather than sit? Do you have to force yourself to remain seated? Is it difficult for you to sit through a long meeting or lecture? Do you try to avoid going to functions that require you to sit still for long periods of time?	0	1	2	3	0	1	2	3
12. Runs/climbs excessively Are you physically restless? Do you feel restless inside? A lot? Do you feel more agitated when you cannot exercise on an almost daily basis?	0	1	2	3	0	1	2	3
13. Can't play/work quietly Do you have a hard time playing/working quietly? During leisure activity (nonstructured times or on your own such as reading a book, listening to music, playing a board game), are you agitated or dysphoric? Do you always need to be busy after work or while on vacation?	0	1	2	3	0	1	2	3
14. On the go, "driven by a motor" Is it hard for you to slow down? Do you feel like you (often) have a lot of energy and that you always have to be moving, are always "on the go"? Do you feel like you're driven by a motor? Do you feel unable to relax?	0	1	2	3	0	1	2	3
15. Talks excessively Do you talk a lot? All the time? More than other people? Do people complain about your talking? Is it a problem? Are you often louder than the people you are talking to?	0	1	2	3	0	1	2	3
16. Blurts out answers Do you give answers to questions before someone finishes asking? Do you say things before it is your turn? Do you say things that don't fit into the conversation? Do you do things without thinking? A lot?	0	1	2	3	0	1	2	3
17. Can't wait for turn Is it hard for you to wait your turn (in conversation, in lines, while driving)? Are you frequently frustrated with delays? Does it cause problems? Do you put a great deal of effort into planning to not be in situations where you might have to wait?	0	1	2	3	0	1	2	3
18. Intrudes/interrupts others Do you talk when others are talking, without waiting until you are acknowledged? Do you butt into others' conversations before being invited? Do you interrupt others' activities? Is it hard for you to wait to get your point across in conversations or at meetings?	0	1	2	3	0	1	2	3

*From *ADHD Rating Scale-IV: Checklists, Norms and Clinical Interpretation*. Reprinted with permission of The Guilford Press. New York. ©1998 George J. DuPaul, Thomas J. Power, Arthur A. Anastopoulos and Robert Reid. This scale may not be reproduced in any form without written permission of The Guilford Press. www.guilford.com

†Prompts developed by Lenard Adler, MD, Thomas Spencer, MD, and Joseph Biederman, MD.

©2003 New York University and Massachusetts General Hospital. All rights reserved. DO NOT REPRODUCE WITHOUT WRITTEN PERMISSION OF MASSACHUSETTS GENERAL HOSPITAL OR NEW YORK UNIVERSITY.

THERE ARE NO WARRANTIES REGARDING THIS ATTENTION DEFICIT HYPERACTIVITY DISORDER RATING SCALE IV AND ADULT PROMPTS ("SCALE"), EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, AND ALL OTHER REPRESENTATIONS OR WARRANTIES OF ANY KIND ARE HEREBY DISCLAIMED. New York University and the Massachusetts General Hospital shall neither exercise control over nor interfere with the physician-patient relationship of users of this Scale and shall not be responsible for any use made of this Scale, including any medical decisions regarding the care and treatment of patients using the Scale.