



FEDERAL EMERGENCY MANAGEMENT AGENCY  
NATIONAL FLOOD INSURANCE PROGRAM

OMB 3067-0077  
Expires: June 1994

# ELEVATION CERTIFICATE

This form is to be used for: 1) New/Emergency Program construction in Special Flood Hazard Areas; 2) Pre-FIRM construction after September 30, 1982; 3) Post-FIRM construction; and, 4) Other buildings rated as Post-FIRM rules.

CRESCENT CONDOMINIUM ASSOCIATION, INC. 7150 ESTERO BLVD.

BUILDING OWNER'S NAME  
NORTHEAST CONDOMINIUM ASSOC. 7146 ESTERO BLVD. SEC. 3, T. 47S., R. 24E.

PROPERTY LOCATION (Lot and Block numbers and address if available)  
FORT MYERS BEACH, FL 33931 LEE COUNTY

I certify that the information on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. code, Section 1001.

### SECTION I ELIGIBILITY CERTIFICATION (Completed by Local Community Permit Official or a Registered Professional Engineer, Architect, or Surveyor)

COMMUNITY NO.	PANEL NO.	SUFFIX	DATE OF FIRM	FIRM ZONE	DATE OF CONSTR.	BASE FLOOD ELEV. (In AO Zone, use depth)	BUILDING IS
125124	0442	6	SEP. 13, 1985	V20	±1977	16	<input type="checkbox"/> New/Emergency <input type="checkbox"/> Pre-FIRM Reg. <input type="checkbox"/> Post-FIRM Reg.

YES  NO  It is intended that the building described above will be constructed in compliance with the community's flood plain ordinance. The certifier may rely on community records. The lowest floor (including basement) will be at an elevation of \_\_\_\_\_ ft, NGVD. Failure to construct the building at this elevation may place the building in violation of the community's flood plain management ordinance.

YES  NO  The building described above has been constructed in compliance with the community's flood plain management ordinance based on elevation data and visual inspection or other reasonable means. If NO is checked, attach copy of variance issued by the community.

MOBILE HOME MAKE	MODEL	YR. OF MANUFACTURE	SERIAL NO.	DIMENSIONS X

(Community Permit Official or Registered Professional Engineer, Architect, or Surveyor)

NAME JEFFERY C. CONNER ADDRESS P.O. Box 1550

TITLE PROP. LAND SURVEYOR CITY FORT MYERS STATE FLORIDA ZIP 33902

SIGNATURE Jeffery C. Conner DATE 2/27/85 PHONE (813) 334-0046

### SECTION II ELEVATION CERTIFICATION (Certified by a Local Community Permit Official or a Registered Professional Engineer, Architect, or Surveyor.)

FIRM ZONE A1-A30: I certify that the building at the property location described above has the lowest floor (including basement) at an elevation of \_\_\_\_\_ feet, NGVD (mean sea level) and the average grade at the building site is at an elevation of \_\_\_\_\_ feet, NGVD.

FIRM ZONES V, V1-V30: I certify that the building at the property location described above has the bottom of the lowest floor beam at an elevation of 8.56 feet, NGVD (mean sea level), and the average grade at the building site is at an elevation of 8.3 feet, NGVD.

FIRM ZONES A, A99, AH and EMERGENCY PROGRAM: I certify that the building at the property location described above has the lowest floor elevation of \_\_\_\_\_ feet, NGVD. The elevation of the highest adjacent grade next to the building is \_\_\_\_\_ feet, NGVD.

FIRM ZONE AO: I certify that the building at the property location described above has the lowest floor elevation of \_\_\_\_\_ feet, NGVD. The elevation of the highest adjacent grade next to the building is \_\_\_\_\_ feet, NGVD.

### SECTION III FLOODPROOFING CERTIFICATION (Certification by a Registered Professional Engineer or Architect)

I certify to the best of my knowledge, information, and belief, that the building is designed so that the building is watertight, with walls substantially impermeable to the passage of water and structural components having the capability of resisting hydrostatic and hydrodynamic loads and effects of buoyancy that would be caused by the flood depths, pressures, velocities, impact and uplift forces associated with the base flood.

YES  NO  In the event of flooding, will this degree of floodproofing be achieved with human intervention? (Human intervention means that water will enter the building when floods up to the base flood level occur unless measures are taken prior to the flood to prevent entry of water (e.g., bolting metal shields over doors and windows).

YES  NO  Will the building be occupied as a residence? If the answer to both questions is YES, the floodproofing cannot be credited for rating purposes and the actual lowest floor must be completed and certified instead. Complete both the elevation and floodproofing certificates.

FIRM ZONES A, A1-A30, V1-V30, AO and AH: Certified Floodproofed Elevation is \_\_\_\_\_ feet, (NGVD).

THIS CERTIFICATION IS FOR  SECTION II  BOTH SECTIONS II AND III (Check One)

CERTIFIER'S NAME JEFFERY C. CONNER COMPANY NAME JOHNSON ENGINEERING, INC. LICENSE NO. (or Affix Seal) 4052

TITLE PROP. LAND SURVEYOR ADDRESS P.O. Box 1550 ZIP 33902

SIGNATURE Jeffery C. Conner DATE 2/27/85 CITY FORT MYERS STATE FLORIDA PHONE (813) 334-0046

The insurance agent should attach the original copy of the completed form to the flood insurance policy application, the second copy should be supplied to the policyholder and the third copy retained by the agent

INSURANCE AGENTS MAY ORDER THIS FORM



FEDERAL EMERGENCY MANAGEMENT AGENCY  
NATIONAL FLOOD INSURANCE PROGRAM

OMB 3667-0077  
Expires: June 1984

# ELEVATION CERTIFICATE

This form is to be used for: 1) New/Emergency Program construction in Special Flood Hazard Areas; 2) Pre-FIRM construction after September 30, 1982; 3) Post-FIRM construction; and, 4) Other buildings rated as Post-FIRM rules.

CRECULATE CONDOMINIUM ASSOCIATION, INC. 7150 ESTERD BLVD.  
BUILDING OWNER'S ADDRESS  
NAME

BLDG. FOR PARKING 7150 ESTERD BLVD. SEC 3, TATS., R. 24 E.  
PROPERTY LOCATION (Lot and Block numbers and address if available)

FORT MYERS BEACH, FL 33931 LEE COUNTY

I certify that the information on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

**SECTION I ELIGIBILITY CERTIFICATION** (Completed by Local Community Permit Official or a Registered Professional Engineer, Architect, or Surveyor)

COMMUNITY NO	PANEL NO	SUFFIX	DATE OF FIRM	FIRM ZONE	DATE OF CONST	BASE FLOOD ELEV (In AO Zone, use depth)	BUILDING IS
125124	0442	B	SEP. 19, 1984	V20	±1975	15	<input type="checkbox"/> New/Emergency <input checked="" type="checkbox"/> Pre-FIRM Reg <input type="checkbox"/> Post-FIRM Reg

N/A YES  NO  It is intended that the building described above will be constructed in compliance with the community's flood plain ordinance. The certifier may rely on community records. The lowest floor (including basement) will be at an elevation of \_\_\_\_\_ ft. NGVD. Failure to construct the building at this elevation may place the building in violation of the community's flood plain management ordinance.

N/A YES  NO  The building described above has been constructed in compliance with the community's flood plain management ordinance based on elevation data and visual inspection or other reasonable means. If NO is checked, attach copy of variance issued by the community.

N/A YES  NO  The mobile home located at the address described above has been tied down (anchored) in compliance with the community's flood plain management ordinance, or in compliance with the NFIP Specifications.

MOBILE HOME MAKE	MODEL	YR. OF MANUFACTURE	SERIAL NO.	DIMENSIONS X

(Community Permit Official or Registered Professional Engineer, Architect, or Surveyor)

NAME JEFFREY C. CORNER ADDRESS PO Box 1550

TITLE PROF. LAND SURVEYOR CITY Fort Myers STATE FLORIDA ZIP 33902

SIGNATURE Jeffrey C. Corner DATE 2/27/85 PHONE (813) 334-0046

**SECTION II ELEVATION CERTIFICATION** (Certified by a Local Community Permit Official or a Registered Professional Engineer, Architect, or Surveyor.)

N/A FIRM ZONE A1-A30: I certify that the building at the property location described above has the lowest floor (including basement) at an elevation of \_\_\_\_\_ feet, NGVD (mean sea level) and the average grade at the building site is at an elevation of \_\_\_\_\_ feet, NGVD.

✓ FIRM ZONES V, V1-V30: I certify that the building at the property location described above has the bottom of the lowest floor beam at an elevation of 3.80 JCC feet, NGVD (mean sea level), and the average grade at the building site is at an elevation of 2.8 feet, NGVD.

N/A FIRM ZONES A, A99, AH and EMERGENCY PROGRAM: I certify that the building at the property location described above has the lowest floor elevation of \_\_\_\_\_ feet, NGVD. The elevation of the highest adjacent grade next to the building is \_\_\_\_\_ feet, NGVD.

N/A FIRM ZONE AO: I certify that the building at the property location described above has the lowest floor elevation of \_\_\_\_\_ feet, NGVD. The elevation of the highest adjacent grade next to the building is \_\_\_\_\_ feet, NGVD.

**SECTION III FLOODPROOFING CERTIFICATION** (Certification by a Registered Professional Engineer or Architect)

I certify to the best of my knowledge, information, and belief, that the building is designed so that the building is watertight, with walls substantially impermeable to the passage of water and structural components having the capability of resisting hydrostatic and hydrodynamic loads and effects of buoyancy that would be caused by the flood depths, pressures, velocities, impact and uplift forces associated with the base flood.

YES  NO  In the event of flooding, will this degree of floodproofing be achieved with human intervention? (Human intervention means that water will enter the building when floods up to the base flood level occur unless measures are taken prior to the flood to prevent entry of water (e.g., bolting metal shields over doors and windows).

YES  NO  Will the building be occupied as a residence? If the answer to both questions is YES, the floodproofing cannot be credited for rating purposes and the actual lowest floor must be completed and certified instead. Complete both the elevation and floodproofing certificates.

FIRM ZONES A, A1-A30, V1-V30, AO and AH: Certified Floodproofed Elevation is \_\_\_\_\_ feet, (NGVD).

THIS CERTIFICATION IS FOR  SECTION II  BOTH SECTIONS II AND III (Check One)

CERTIFIER'S NAME JEFFREY C. CORNER COMPANY NAME JOHNSON ENGINEERING, INC. LICENSE NO. (or Affix Seal) 4052-1

TITLE PROF. LAND SURVEYOR ADDRESS PO Box 1550 ZIP 33902

SIGNATURE Jeffrey C. Corner DATE 2/27/85 CITY Fort Myers STATE FLORIDA PHONE (813) 334-0046

The insurance agent should attach the original copy of the completed form to the flood insurance policy application, the second copy should be supplied to the policyholder and the third copy retained by the agent

INSURANCE AGENTS MAY ORDER THIS FORM



FEDERAL EMERGENCY MANAGEMENT AGENCY  
NATIONAL FLOOD INSURANCE PROGRAM

OMB 3067-0077  
Expires: June 1984

# ELEVATION CERTIFICATE

This form is to be used for: 1) New/Emergency Program construction in Special Flood Hazard Areas; 2) Pre-FIRM construction after September 30, 1982; 3) Post-FIRM construction; and, 4) Other buildings rated as Post-FIRM rules.

CRESCENTE CONDOMINIUM ASSOCIATION, INC. 7150 ESTERO BLVD.  
BUILDING OWNER'S ADDRESS

BLDG. FOR PAPER EQUIP. STORAGE 7150 ESTERO BLVD. SEC 3, T. 47S. R. 24 E.  
PROPERTY LOCATION (Lot and Block numbers and address if available)

FORT MYERS BEACH, FL 33931 LEE COUNTY

I certify that the information on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. code, Section 1001.

**SECTION I ELIGIBILITY CERTIFICATION** (Completed by Local Community Permit Official or a Registered Professional Engineer, Architect, or Surveyor)

COMMUNITY NO.	PANEL NO.	SUFFIX	DATE OF FIRM	FIRM ZONE	DATE OF CONSTR.	BASE FLOOD ELEV. (In AO Zone, use depth)	BUILDING IS
125124	0442	B	SEP. 19, 1984	V20	4/1974	15	<input type="checkbox"/> New/Emergency <input type="checkbox"/> Pre-FIRM Reg <input type="checkbox"/> Post-FIRM Reg

YES  NO  It is intended that the building described above will be constructed in compliance with the community's flood plain ordinance. The certifier may rely on community records. The lowest floor (including basement) will be at an elevation of \_\_\_\_\_ ft. NGVD. Failure to construct the building at this elevation may place the building in violation of the community's flood plain management ordinance.

YES  NO  The building described above has been constructed in compliance with the community's flood plain management ordinance based on elevation data and visual inspection or other reasonable means. If NO is checked, attach copy of variance issued by the community.

YES  NO  The mobile home located at the address described above has been tied down (anchored) in compliance with the community's flood plain management ordinance, or in compliance with the NFIP Specifications.

MOBILE HOME MAKE	MODEL	YR. OF MANUFACTURE	SERIAL NO.	DIMENSIONS
				X

(Community Permit Official or Registered Professional Engineer, Architect, or Surveyor)

NAME JEFFREY C. CONNER ADDRESS PO BOX 1550

TITLE PROF. LAND SURVEYOR CITY FORT MYERS STATE FLORIDA ZIP 33902

SIGNATURE Jeffrey C. Conner DATE 2/27/85 PHONE (813) 334-0046

**SECTION II ELEVATION CERTIFICATION** (Certified by a Local Community Permit Official or a Registered Professional Engineer, Architect, or Surveyor.)

FIRM ZONE A1-A30: I certify that the building at the property location described above has the lowest floor (including basement) at an elevation of \_\_\_\_\_ feet, NGVD (mean sea level) and the average grade at the building site is at an elevation of \_\_\_\_\_ feet, NGVD.

FIRM ZONES V, V1-V30: I certify that the building at the property location described above has the bottom of the lowest floor beam at an elevation of 6.82 feet, NGVD (mean sea level), and the average grade at the building site is at an elevation of 6.8 feet, NGVD.

FIRM ZONES A, A99, AH and EMERGENCY PROGRAM: I certify that the building at the property location described above has the lowest floor elevation of \_\_\_\_\_ feet, NGVD. The elevation of the highest adjacent grade next to the building is \_\_\_\_\_ feet, NGVD.

FIRM ZONE AO: I certify that the building at the property location described above has the lowest floor elevation of \_\_\_\_\_ feet, NGVD. The elevation of the highest adjacent grade next to the building is \_\_\_\_\_ feet, NGVD.

**SECTION III FLOODPROOFING CERTIFICATION** (Certification by a Registered Professional Engineer or Architect)

I certify to the best of my knowledge, information, and belief, that the building is designed so that the building is watertight, with walls substantially impermeable to the passage of water and structural components having the capability of resisting hydrostatic and hydrodynamic loads and effects of buoyancy that would be caused by the flood depths, pressures velocities, impact and uplift forces associated with the base flood.

YES  NO  In the event of flooding, will this degree of floodproofing be achieved with human intervention?  
(Human intervention means that water will enter the building when floods up to the base flood level occur unless measures are taken prior to the flood to prevent entry of water (e.g., bolting metal shields over doors and windows).

YES  NO  Will the building be occupied as a residence?

If the answer to both questions is YES, the floodproofing cannot be credited for rating purposes and the actual lowest floor must be completed and certified instead. Complete both the elevation and floodproofing certificates.

FIRM ZONES A, A1-A30, V1-V30, AO and AH: Certified Floodproofed Elevation is \_\_\_\_\_ feet, (NGVD).

THIS CERTIFICATION IS FOR  SECTION II  BOTH SECTIONS II AND III (Check One)

CERTIFIER'S NAME COMPANY NAME LICENSE NO. (or Affix Seal)

JEFFREY C. CONNER JOHNSON ENGINEERING, INC. 1052

TITLE ADDRESS ZIP

PROF. LAND SURVEYOR PO BOX 1550 33902

SIGNATURE DATE CITY STATE PHONE

Jeffrey C. Conner 2/27/85 FORT MYERS FLORIDA (813) 334-0046

The insurance agent should attach the original copy of the completed form to the flood insurance policy application, the second copy should be supplied to the policyholder and the third copy retained by the agent

INSURANCE AGENTS MAY ORDER THIS FORM



FEDERAL EMERGENCY MANAGEMENT AGENCY  
NATIONAL FLOOD INSURANCE PROGRAM

OMB 3067-0077  
Expires: June 1984

# ELEVATION CERTIFICATE

This form is to be used for: 1) New/Emergency Program construction in Special Flood Hazard Areas; 2) Pre-FIRM construction after September 30, 1982; 3) Post-FIRM construction; and, 4) Other buildings rated as Post-FIRM rules.

GRECIENTE CONDOMINIUM ASSOCIATION, INC. 7150 ESTERO BLVD.  
BUILDING OWNER'S ADDRESS

SOUTHERLY CONDOMINIUM BLDG. 7150 ESTERO BLVD. SEC. 3, T.17S., R.24E.  
NAME  
PROPERTY LOCATION (Lot and Block numbers and address if available)

FORT MYERS BEACH, FL 33931 LEE COUNTY

I certify that the information on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. code, Section 1001.

**SECTION I ELIGIBILITY CERTIFICATION** (Completed by Local Community Permit Official or a Registered Professional Engineer, Architect, or Surveyor)

COMMUNITY NO.	PANEL NO.	SUFFIX	DATE OF FIRM	FIRM ZONE	DATE OF CONSTR.	BASE FLOOD ELEV (In AO Zone, use depth)	BUILDING IS
125124	0442	B	Feb. 19, 1984	V20	±1974	16	<input type="checkbox"/> New/Emergency <input checked="" type="checkbox"/> Pre-FIRM Reg <input type="checkbox"/> Post-FIRM Reg

YES  NO  It is intended that the building described above will be constructed in compliance with the community's flood plain ordinance. The certifier may rely on community records. The lowest floor (including basement) will be at an elevation of \_\_\_\_\_ ft, NGVD. Failure to construct the building at this elevation may place the building in violation of the community's flood plain management ordinance.

YES  NO  The building described above has been constructed in compliance with the community's flood plain management ordinance based on elevation data and visual inspection or other reasonable means. If NO is checked, attach copy of variance issued by the community.

YES  NO  The mobile home located at the address described above has been tied down (anchored) in compliance with the community's flood plain management ordinance, or in compliance with the NFIP Specifications.

MOBILE HOME MAKE	MODEL	YR. OF MANUFACTURE	SERIAL NO.	DIMENSIONS X

(Community Permit Official or Registered Professional Engineer, Architect, or Surveyor)

NAME JEFFREY C. COOPER ADDRESS PO BOX 1550

TITLE PROF. LAND SURVEYOR CITY FORT MYERS STATE FLORIDA ZIP 33902

SIGNATURE Jeffrey C. Cooper DATE 2/27/85 PHONE (813) 334-0016

**SECTION II ELEVATION CERTIFICATION** (Certified by a Local Community Permit Official or a Registered Professional Engineer, Architect, or Surveyor.)

FIRM ZONE A1-A30: I certify that the building at the property location described above has the lowest floor (including basement) at an elevation of \_\_\_\_\_ feet, NGVD (mean sea level) and the average grade at the building site is at an elevation of \_\_\_\_\_ feet, NGVD.

FIRM ZONES V, V1-V30: I certify that the building at the property location described above has the bottom of the lowest floor beam at an elevation of \_\_\_\_\_ feet, NGVD (mean sea level), and the average grade at the building site is at an elevation of \_\_\_\_\_ feet, NGVD.

FIRM ZONES A, A99, AH and EMERGENCY PROGRAM: I certify that the building at the property location described above has the lowest floor elevation of \_\_\_\_\_ feet, NGVD. The elevation of the highest adjacent grade next to the building is \_\_\_\_\_ feet, NGVD.

FIRM ZONE AO: I certify that the building at the property location described above has the lowest floor elevation of \_\_\_\_\_ feet, NGVD. The elevation of the highest adjacent grade next to the building is \_\_\_\_\_ feet, NGVD.

**SECTION III FLOODPROOFING CERTIFICATION** (Certification by a Registered Professional Engineer or Architect)

I certify to the best of my knowledge, information, and belief, that the building is designed so that the building is watertight, with walls substantially impermeable to the passage of water and structural components having the capability of resisting hydrostatic and hydrodynamic loads and effects of buoyancy that would be caused by the flood depths, pressures, velocities, impact and uplift forces associated with the base flood.

YES  NO  In the event of flooding, will this degree of floodproofing be achieved with human intervention?

(Human intervention means that water will enter the building when floods up to the base flood level occur unless measures are taken prior to the flood to prevent entry of water (e.g., bolting metal shields over doors and windows).

YES  NO  Will the building be occupied as a residence?

If the answer to both questions is YES, the floodproofing cannot be credited for rating purposes and the actual lowest floor must be completed and certified instead. Complete both the elevation and floodproofing certificates.

FIRM ZONES A, A1-A30, V1-V30, AO and AH: Certified Floodproofed Elevation is \_\_\_\_\_ feet, (NGVD).

THIS CERTIFICATION IS FOR  SECTION II  BOTH SECTIONS II AND III (Check One)

CERTIFIER'S NAME COMPANY NAME LICENSE NO. (or Affix Seal)

JEFFREY C. COOPER JOHNSON ENGINEERING, INC. 4052

TITLE ADDRESS ZIP

PROF. LAND SURVEYOR PO BOX 1550 33902

SIGNATURE DATE CITY STATE PHONE

Jeffrey C. Cooper 2/27/85 FORT MYERS FLORIDA (813) 334-0016

The insurance agent should attach the original copy of the completed form to the flood insurance policy application, the second copy should be supplied to the policyholder and the third copy retained by the agent

INSURANCE AGENTS MAY ORDER THIS FORM



FEDERAL EMERGENCY MANAGEMENT AGENCY  
NATIONAL FLOOD INSURANCE PROGRAM

OMB 3067-0077  
Expires: June 1984

# ELEVATION CERTIFICATE

This form is to be used for: 1) New/Emergency Program construction in Special Flood Hazard Areas; 2) Pre-FIRM construction after September 30, 1982; 3) Post-FIRM construction; and, 4) Other buildings rated as Post-FIRM rules.

CACILIANE CONDOMINIUM ASSOCIATION, INC. 7150 ESTERO BLVD.  
BUILDING OWNER'S NAME ADDRESS  
EASTLEY Bldg. 7148  
Plant Office 7150 Estero Blvd. Sec. 3, T. 47S., R. 24E.  
PROPERTY LOCATION (Lot and Block numbers and address if available)

FORT MYERS BEACH, FL. 33931 LEE COUNTY

I certify that the information on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. code, Section 1001.

**SECTION I ELIGIBILITY CERTIFICATION** (Completed by Local Community Permit Official or a Registered Professional Engineer, Architect, or Surveyor)

COMMUNITY NO	PANEL NO	SUFFIX	DATE OF FIRM	FIRM ZONE	DATE OF CONSTR.	BASE FLOOD ELEV (In AO zone, use depth)	BUILDING IS
125124	0442	B	FEB 12, 1974	V20	± 1978	15	<input type="checkbox"/> New/Emergency <input checked="" type="checkbox"/> Pre-FIRM Reg <input type="checkbox"/> Post-FIRM Reg

YES  NO  It is intended that the building described above will be constructed in compliance with the community's flood plain ordinance. The certifier may rely on community records. The lowest floor (including basement) will be at an elevation of \_\_\_\_\_ ft, NGVD. Failure to construct the building at this elevation may place the building in violation of the community's flood plain management ordinance.

YES  NO  The building described above has been constructed in compliance with the community's flood plain management ordinance based on elevation data and visual inspection or other reasonable means.  
If NO is checked, attach copy of variance issued by the community.

YES  NO  The mobile home located at the address described above has been tied down (anchored) in compliance with the community's flood plain management ordinance, or in compliance with the NFIP Specifications.

MOBILE HOME MAKE	MODEL	YR. OF MANUFACTURE	SERIAL NO.	DIMENSIONS
				X

(Community Permit Official or Registered Professional Engineer, Architect, or Surveyor)

NAME JEFFREY C. COOPER ADDRESS PO Box 1550

TITLE PROF. LAND SURVEYOR CITY FORT MYERS STATE FLORIDA ZIP 33902

SIGNATURE J. C. Cooper DATE 2/27/85 PHONE (813) 334-0046

**SECTION II ELEVATION CERTIFICATION** (Certified by a Local Community Permit Official or a Registered Professional Engineer, Architect, or Surveyor.)

FIRM ZONE A1-A30: I certify that the building at the property location described above has the lowest floor (including basement) at an elevation of \_\_\_\_\_ feet, NGVD (mean sea level) and the average grade at the building site is at an elevation of \_\_\_\_\_ feet, NGVD.

FIRM ZONES V, V1-V30: I certify that the building at the property location described above has the bottom of the lowest floor beam at an elevation of 13.87 feet, NGVD (mean sea level), and the average grade at the building site is at an elevation of 13.0 feet, NGVD.

FIRM ZONES A, A99, AH and EMERGENCY PROGRAM: I certify that the building at the property location described above has the lowest floor elevation of \_\_\_\_\_ feet, NGVD. The elevation of the highest adjacent grade next to the building is \_\_\_\_\_ feet, NGVD.

FIRM ZONE AO: I certify that the building at the property location described above has the lowest floor elevation of \_\_\_\_\_ feet, NGVD. The elevation of the highest adjacent grade next to the building is \_\_\_\_\_ feet, NGVD.

**SECTION III FLOODPROOFING CERTIFICATION** (Certification by a Registered Professional Engineer or Architect)

I certify to the best of my knowledge, information, and belief, that the building is designed so that the building is watertight, with walls substantially impermeable to the passage of water and structural components having the capability of resisting hydrostatic and hydrodynamic loads and effects of buoyancy that would be caused by the flood depths, pressures, velocities, impact and uplift forces associated with the base flood.

YES  NO  In the event of flooding, will this degree of floodproofing be achieved with human intervention?  
(Human intervention means that water will enter the building when floods up to the base flood level occur unless measures are taken prior to the flood to prevent entry of water (e.g., bolting metal shields over doors and windows).

YES  NO  Will the building be occupied as a residence?  
If the answer to both questions is YES, the floodproofing cannot be credited for rating purposes and the actual lowest floor must be completed and certified instead. Complete both the elevation and floodproofing certificates.

FIRM ZONES A, A1-A30, V1-V30, AO and AH: Certified Floodproofed Elevation is \_\_\_\_\_ feet, (NGVD).

THIS CERTIFICATION IS FOR  SECTION II  BOTH SECTIONS II AND III (Check One)

CERTIFIER'S NAME COMPANY NAME LICENSE NO. (or Affix Seal)

JEFFREY C. COOPER JOHNSON ENGINEERING, INC. 1052

TITLE ADDRESS ZIP

PROF. LAND SURVEYOR PO Box 1550 33902

SIGNATURE DATE CITY STATE PHONE

J. C. Cooper 2/27/85 FORT MYERS FLORIDA (813) 334-0046

The insurance agent should attach the original copy of the completed form to the flood insurance policy application, the second copy should be supplied to the policyholder and the third copy retained by the agent

INSURANCE AGENTS MAY ORDER THIS FORM