



Prestone[®]

2021 Product Catalog

SUPERIOR PROTECTION





Prestone Total Protection

Products designed to make your life better.

Why Prestone®



Advanced Protection

Our advanced technology, backed by a Longer Engine Life Guarantee 10-year/300,000-mile formula, protects the cooling system from buildup and corrosion, providing maximum value for your vehicle.



Protect Your Family

The inconvenience of a vehicle breaking down is bad enough, and is even worse if your kids are in the car. Prestone® Antifreeze+Coolant protects you from these experiences by preventing engine part failure.



Protect Your Investment

Our innovative technology prevents rust and corrosion, keeping your car running optimally and helping you avoid costly engine repairs down the road.

Longer Engine Life Guarantee Cor-Guard® Technology - Protects Parts for Longer Engine life



*ASTM Water Pump part tested to 300 hrs / high stress test.

Only Prestone Provides this level of Protection & Technology!

Longer Engine Life - Protects Cooling System Parts

Prestone® ALL VEHICLES Antifreeze+Coolant

Superior Protection for ALL VEHICLES

- Longer Engine Life Guarantee** – 10 years / 300,000 miles***
- Instantly Protects Against Rust, Grime & Corrosion
- Protects Cooling System Parts - For Longer Engine Life using Cor-Guard® Technology
- Works with all Antifreeze+Coolant Colors

ALL VEHICLES

READY TO USE	PACK	UPC
AF2100	6/1 gal.	7 97496-87167 1
AF2155/GF	55 gal. drum	-
AF2100-1KL/GF	264 gal. tote	-
CONCENTRATE	PACK	UPC
AF2000	6/1 gal.	7 97496-87157 2
AF2055/GF	55 gal. drum	-
AF2000-1KL/GF	264 gal. tote	-

For Use In: All Makes, Models & Years

Compatibility: OAT, POAT, HOAT, IAT



AF2100

AF2000



55 gal. drum

264 gal. tote

Most of our Prestone® Antifreeze+Coolant Products come in 55 Gal. Drums, 264 Gal. Totes and Bulk.

Prestone.com or 1-888-269-0750 for guarantee requirements and limitations *With a complete flush/drain and fill per manufacturer's recommendations. Always refer to the vehicle manufacturer owner's or service manual for the recommended change intervals, cooling system capacity, and specific cooling system service instructions. PRESTONE® and COR-GUARD® are registered trademarks of Prestone Products Corporation. All other marks are those of their respective owners.

4
ANTIFREEZE + COOLANT

5
ANTIFREEZE + COOLANT

Vehicle Specific Antifreeze+Coolant



PRODUCT BENEFITS

SKU	READY TO USE AF6200	READY TO USE AF6300	READY TO USE AF6600	READY TO USE AF6100	READY TO USE AF6500	READY TO USE AF6400	READY TO USE AF6700	READY TO USE AF850	CONCENTRATE AF888	READY TO USE AF2100	CONCENTRATE AF2000
RECOMMENDED FOR	LEXUS, SCION & TOYOTA	ACURA, HONDA, INFINITI, NISSAN, SUBARU & SUZUKI	HYUNDAI, INFINITI, KIA, MAZDA, MITSUBISHI, NISSAN, SUBARU & SUZUKI	AUDI, BMW, JAGUAR, MERCEDES, MINI, PORSCHE, VOLVO & VW	AUDI, MERCEDES, PORSCHE & VW	AUDI, JAGUAR, PORSCHE & VW	CHRYSLER, FORD & GM	GM VEHICLES AND SOME FORD & CHRYSLER	GM VEHICLES AND SOME FORD & CHRYSLER	ALL VEHICLES	ALL VEHICLES
COLOR	RED	BLUE	GREEN	TEAL	VIOLET	PINK	ORANGE	ORANGE	ORANGE	YELLOW	YELLOW
FLUID LIFE/ PROTECTION*	10 YEARS/ 300,000 MILES SUPERIOR PROTECTION GUARANTEED	10 YEARS/ 300,000 MILES SUPERIOR PROTECTION GUARANTEED	10 YEARS/ 300,000 MILES SUPERIOR PROTECTION GUARANTEED	5 YEARS/ 150,000 MILES SUPERIOR PROTECTION GUARANTEED	5 YEARS/ 150,000 MILES SUPERIOR PROTECTION GUARANTEED	5 YEARS/ 150,000 MILES SUPERIOR PROTECTION GUARANTEED	10 YEARS/ 300,000 MILES SUPERIOR PROTECTION GUARANTEED	5 YEARS/ 150,000 MILES	5 YEARS/ 150,000 MILES	10 YEARS/ 300,000 MILES LONGER ENGINE LIFE GUARANTEED	10 YEARS/ 300,000 MILES LONGER ENGINE LIFE GUARANTEED
COOLANT/ WATER RATIO	50/50 READY TO USE	50/50 READY TO USE	50/50 READY TO USE	50/50 READY TO USE	50/50 READY TO USE	50/50 READY TO USE	50/50 READY TO USE	50/50 READY TO USE	CONCENTRATE MUST ADD WATER	50/50 READY TO USE	CONCENTRATE MUST ADD WATER

TECHNOLOGY & FORMULA SPECS

COMPATIBILITY FORMULA**	POAT & OAT	POAT & OAT	POAT & OAT	HOAT & G48®/G11®	HOAT, G40®/G12®++ & GG40®/G13®	OAT & G30®/G12®	POAT, OAT, HOAT, & GO5®	OAT	OAT	OAT, POAT, HOAT & IAT	OAT, POAT, HOAT & IAT
WILL NOT VOID WARRANTY	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
MEETS ASTM D3306 & D4985											

WORKS WITH ALL ALUMINUM & CAST IRON COMPONENTS

[View Page 6 Vehicle Specific Compatibility](#)

THIS IS STRICTLY A GUIDE - *With a complete flush and fill. **Always refer to the vehicle manufacturer owner's or service manual for the recommended change intervals, cooling system capacity, and specific cooling system service instructions. dex-cool is a trademark of General Motors LLC, used under license. PRESTONE is a registered trademark of Prestone Products Corporation. All other marks are those of their respective owners.

Prestone® Coolant is Designed for your Vehicle

AMERICAN VEHICLES

USE THIS FLUID COLOR

MAKE	Pre '95	'95-'99	'00-'01	'02-'18	'18 & Newer
GM®	Yellow	Orange	Orange	Orange	Orange
CHRYSLER®	Yellow	Orange	Orange	Orange	Orange
FORD®	Yellow	Orange	Orange	Orange	Orange

DEX-COOL® FOR GM, FORD, CHRYSLER VEHICLES

USE THIS FLUID COLOR

MAKE	Pre '95	'95-10	'11	'12	'13-'18	'19 & Newer
GM®	Yellow	Orange	Orange	Orange	Orange	Orange
CHRYSLER®	Yellow	Orange	Orange	Orange	Orange	Orange
FORD®	Yellow	Orange	Orange	Orange	Orange	Use Prestone All Vehicles

ASIAN VEHICLES

USE THIS FLUID COLOR

MAKE	Pre '09	'09	'10	'11 & Newer
ACURA®	Blue	Blue	Blue	Blue
HONDA®	Blue	Blue	Blue	Blue
HYUNDAI®	Green	Green	Green	Green
INFINITI®	Green	Blue	Blue	Blue
KIA®	Green	Green	Green	Green
LEXUS®	Red	Red	Red	Red
MAZDA®	Green	Green	Green	Green
MITSUBISHI®	Green	Green	Green	Green
NISSAN®	Green	Blue	Blue	Blue
SCION®	Red	Red	Red	Red
SUBURU®	Green	Blue	Blue	Blue
SUZUKI®	Green	Green	Blue	Blue
TOYOTA®	Red	Red	Red	Red

EUROPEAN VEHICLES

USE THIS FLUID COLOR

MAKE	Pre '96	'96	'97	'98	'99-'07	'08	'09	'10	'11-'13	'14 & Newer
AUDI®	Blue	Blue	Pink	Pink	Pink	Purple	Purple	Purple	Purple	Purple
BMW®	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue
JAGUAR®	Blue	Blue	Pink	Pink	Pink	Pink	Pink	Pink	Pink	Pink
MERCEDES®	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Purple
MINI®	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue
PORSCHE®	Blue	Pink	Pink	Pink	Pink	Pink	Pink	Pink	Pink	Purple
VOLVO®	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue
VW®	Blue	Blue	Pink	Pink	Pink	Pink	Purple	Purple	Purple	Purple

Prestone® GM DEX-COOL® Antifreeze+Coolant

Extended Life Technology

- For GM Vehicles calling for dex-cool® approved coolants (including Ford MotorCraft Orange and Mopar)
- Formulated to the Ford orange antifreeze/coolant specifications
- Improved water pump life
- Silicate and Phosphate Free
- Up to 5 years or 150,000 miles of protection*



AF850

AF888



GM VEHICLES

READY TO USE	PACK	UPC
AF850	6/1 gal.	7 97496-86563 2
AF850-55	55 gal. drum	7 97496-86587 8
CONCENTRATE	PACK	UPC
AF888	6/1 gal.	7 97496-86095 8
AF888-55	55 gal. drum	7 97496-86227 8
AF888-1KL	264 gal. tote	-


For Use In: CHRYSLER®, FORD® & GM®

Compatibility: OAT

Prestone® AMERICAN VEHICLES Antifreeze+Coolant

Designed for American Vehicles

- Protects Cooling System Parts using Cor-Guard® Technology
- Instantly Protects Against Rust, Grime, & Corrosion
- Specially Formulated to work with Vehicle's OEM Color Fluid
- Superior Protection Guarantee* - 10 Year / 300,000 Miles*
- Matches or Exceeds Vehicle Spec's Years/Miles
- Ready-to-Use formula



AF6700

AMERICAN ORANGE

READY TO USE	PACK	UPC
AF6700	6/1 gal.	7 97496-881557

For Use In: Chrysler®, Ford® & GM®

Compatibility: OAT, POAT, HOAT, G05®

This chart is a guide based on industry research. Check your owners manual specific to Antifreeze+Coolant. Changes in data/discrepancies and formulas may occur. Prestone.com or 1-888-269-0750 for requirements and limitations. PRESTONE is a registered trademark of Prestone Products Corporation. All other marks are those of their respective owners.

*With a complete flush/drain and fill per manufacturer's recommendations. Prestone.com or 1-888-269-0750 for requirements and limitations. PRESTONE is a registered trademark of Prestone Products Corporation. DEX-COOL and the dexcool logo are trademarks of General Motors LLC, used under license. All other marks are those of their respective owners.

Prestone® Coolant is Designed for your Vehicle


Prestone® ASIAN VEHICLES Antifreeze+Coolant

Designed for Asian Vehicles

- Instantly Protects Against Rust, Grime, & Corrosion
- Specially Formulated to work with Vehicle's OEM Color Fluid
- Superior Protection Guarantee** - 10 Year / 300,000 Miles**
- Protects Cooling System Parts using Cor-Guard® Technology
- Matches or Exceeds Vehicle Spec's Years/Miles
- Ready-to-Use formula

ASIAN RED


READY TO USE	PACK	UPC
AF6200	6/1 gal.	7 97496-88090 1
For Use In: Lexus®, Scion®, Toyota®		
Compatibility: OAT & POAT		



AF6200



AF6300



AF6600

ASIAN BLUE

READY TO USE	PACK	UPC
AF6300	6/1 gal.	7 97496-88092 5
For Use In: Acura®, Honda®, Infiniti®, Nissan®, Subaru® & Suzuki®		
Compatibility: OAT & POAT		

ASIAN GREEN

READY TO USE	PACK	UPC
AF6600	6/1 gal.	7 97496-88105 2
For Use In: Hyundai®, Infiniti®, Kia®, Mazda®, Mitsubishi®, Nissan®, Subaru® & Suzuki®		
Compatibility: OAT & POAT		

COOLANT FLUID PERFORMANCE

Years/Miles	Up to 10 years or 300,000 mi.**
Warranty	Will not void warranty
Corrosion	Meets ASTM D3306 & D4985

Superior Protection for your Vehicle

Prestone® EUROPEAN VEHICLES Antifreeze+Coolant

Designed for European Vehicles

- Protects Against Rust, Grime, & Corrosion
- Specially Formulated to work with Vehicle's OEM Color Fluid
- Superior Protection Guarantee** - 5 Year / 150,000 Miles**
- Protects Cooling System Parts
- Matches or Exceeds Vehicle Spec's Years/Miles
- Ready-to-Use formula

EUROPEAN TEAL

READY TO USE	PACK	UPC
AF6100	6/1 gal.	7 97496-88088 8
For Use In: Audi®, BMW®, Jaguar®, Mercedes®, Mini®, Porsche, Volvo® & VW®		
Compatibility: HOAT & G48®/G11®		



AF6100



AF6400



AF6500

EUROPEAN PINK

READY TO USE	PACK	UPC
AF6400	6/1 gal.	7 97496-88101 4
For Use In: Audi®, Jaguar®, Porsche® & VW®		
Compatibility: OAT & G30®/G12®		

EUROPEAN VIOLET

READY TO USE	PACK	UPC
AF6500	6/1 gal.	7 97496-88103 8
For Use In: Audi®, Mercedes®, Porsche® & VW®		
Compatibility: HOAT, G40®/G12®++ & GG40®/G13®		

COOLANT FLUID PERFORMANCE

Years/Miles	Up to 5 years or 150,000 mi.**
Warranty	Will not void warranty
Corrosion	Meets ASTM D3306 & D4985

View Page 4 Cross Full Reference Chart

*Prestone.com or 1-888-269-0750 for guarantee requirements and limitations **With a complete flush/drain and fill per manufacturer's recommendations. Always refer to the vehicle manufacturer owner's or service manual for the recommended change intervals, cooling system capacity, and specific cooling system service instructions. Prestone.com or 1-888-269-0750 for requirements and limitations. PRESTONE and COR-GUARD are registered trademarks of Prestone Products Corporation. All other marks are those of their respective owners.

*Prestone.com or 1-888-269-0750 for guarantee requirements and limitations **With a complete flush/drain and fill per manufacturer's recommendations. Always refer to the vehicle manufacturer owner's or service manual for the recommended change intervals, cooling system capacity, and specific cooling system service instructions. Prestone.com or 1-888-269-0750 for requirements and limitations. PRESTONE is a registered trademark of Prestone Products Corporation. All other marks are those of their respective owners.

Prestone® PRIME® All Vehicles Antifreeze+Coolant

All Vehicles - Extended Life

- Safe for use with all types of metals including aluminum.
- Guards against temperature extremes and the affects of rust, corrosion, and premature water pump failure.



AF3100

AF3000

ALL VEHICLES

READY TO USE	PACK	UPC
AF3100	6/1 gal.	7 97496-87178 7
AF3155	55 gal. drum	7 97496-87982 0
AF3100-1KL	264 gal. tote	7 97496-87847 2
CONCENTRATE	PACK	UPC
AF3000	6/1 gal.	7 97496-87176 3
AF3055	55 gal. drum	7 97496-87981 3
AF3000-1KL	264 gal. tote	7 97496-87846 5

Prestone® PRIME® Conventional Green Antifreeze+Coolant

Low Silicate

- This low-silicate formula, when used as directed, will provide protection for a minimum of 1 year
- Safe for use with all types of metals & elastomers, including aluminum.
- Used on vehicles that have been using conventional fluids; many vehicles moved to extended life coolants in 1990s.
- Not recommended to mix with Extended Life Coolant



AF3300

AF3200

CONVENTIONAL GREEN

READY TO USE	PACK	UPC
AF3300	6/1 gal.	7 97496-87679 9
AF3355	55 gal. drum	7 97496-87681 2
AF3300-1KL	264 gal. tote	7 97496-87673 7
CONCENTRATE	PACK	UPC
AF3200	6/1 gal.	7 97496-87676 8
AF3255	55 gal. drum	7 97496-87678 2
AF3200-1KL	264 gal. tote	7 97496-87675 1

Prestone® PRIME® Orange Compatible Antifreeze+Coolant

Orange Compatible - Extended Life

- Works with vehicles using orange colored fluid.
- Safe for use with all types of metals including aluminum.
- Guards against temperature extremes and the affects of rust, corrosion, and premature water pump failure.



AF3500

AF3400

ORANGE COMPATIBLE

READY TO USE	PACK	UPC
AF3500	6/1 gal.	7 97496-87903 5
AF3555	55 gal. drum	7 97496-87946 2
AF3555-1KL	264 gal. tote	-
CONCENTRATE	PACK	UPC
AF3400	6/1 gal.	7 97496-87902 8
AF3455	55 gal drum	7 97496-87945 5
AF3455-1KL	264 gal. tote	-



55 gal. drum

264 gal. tote

Most of our PRIME® Antifreeze+Coolant Products come in 55 Gal. Drums, 264 Gal. Totes and Bulk.

Increase UPTIME with Prestone Command® Formulated for Heavy Duty Engines

Prestone Command® Technology Compatibility

Antifreeze+Coolant Reference Chart

HEAVY DUTY TRUCK CLASSIFICATION & MOST COOLANT COLORS

PROPERLY MAINTAIN YOUR COOLING SYSTEM		COMMAND COR-GUARD® Nitrite Free (Red)	COMMAND® Nitrite Free ELC (Yellow)	COMMAND® Nitrited ELC (Red)	COMMAND® ESI Precharged (Purple)
Use an antifreeze/coolant that satisfies industry standards and performance requirements					
Class 8 33,001+	CEMENT TRUCK TRUCK TRACTOR DUMP TRUCK SLEEPER CAB	Works with Class 1-8	Works with Class 1-8	Works with Class 8-6	Works with Class 8-6
Class 7 26,001 to 33,000 lbs	CITY TRANSIT BUS TRUCK TRACTOR REFUSE FURNITURE				
Class 6 19,501 to 26,000 lbs	BEVERAGE TRUCK RACK TRUCK SINGLE-AXLE SCHOOL BUS				
Class 5 16,001 to 19,500 lbs	LARGE WALK-IN CITY DELIVERY BUCKET TRUCK				
Class 4 14,001 to 16,000 lbs	CITY DELIVERY BOX TRUCK LARGE WALK-IN				
Class 3 10,001 to 14,000 lbs	HEAVY-DUTY PICKUP BOX TRUCK CITY DELIVERY WALK-IN				
Class 2 6,001 to 10,000 lbs	CARGO VAN FULL-SIZE PICKUP STEP VAN MINIVAN				
Class 1 6,000 lbs or less	MINIVAN CARGO VAN SUV MINIVAN				

Most of our COMMAND® Antifreeze+Coolant Products come in 55 Gal. Drums, 264 Gal. Totes and Bulk.



55 gal. drum

264 gal. tote

This chart is a guide based on industry research. Check your owners manual specific to Antifreeze+Coolant. Changes in data/discrepancies and formulas may occur. Prestone.com or 1-888-269-0750 for requirements and limitations. PRESTONE, COMMAND, and COR-GUARD are registered trademarks of Prestone Products Corporation. All other marks are those of their respective owners.

Prestone Command® Heavy Duty Cor-Guard® Antifreeze+Coolant

Nitrite Free Cor-Guard® Extended Life

- Cor-Guard® increases uptime by instantly stopping the spread of rust, corrosion, pitting, gunk, grime, and buildup.
- Formulated for use in all Heavy and Light Duty engines
- Eliminates the need to add supplemental coolant additives
- Service Life 1,000,000 miles/20,000 hours
- Works with all metals, rubber, elastomers, & seals



AFC13100

AFC13000

NITRITE FREE COR-GUARD® ELC RED

READY TO USE	PACK	UPC
AFC13100	6/1 gal.	7 97496-88114 4
AFC13100-55	55 gal drum	7 97496-88128 1
AFC13100-1KL	264 gal tote	7 97496-88129 8

CONCENTRATE	PACK	UPC
AFC13000	6/1 gal.	7 97496-88112 0
AFC13000-55	55 gal drum	7 97496-88126 7
AFC13000-1KL	264 gal tote	7 97496-88127 4

For Use In: Heavy & Light Duty Vehicles Classes 1-8

Compatibility: NF Non-2EH, NF-OAT

Meets or Exceeds OEM Performance Requirements:

Cummins CES 14603, Cummins Bulletin 3666132, Detroit Diesel 93K217, CAT EC-1, Navistar CEMS B-1, Type IIIA, International, John Deere H24, John Deere H24 C1, John Deere JDS-G135, Ford WSS-M97-B44D, Ford WSS-M97B57-A1/2, GM Heavy Truck, GM 6277M, GMW 34290, Volvo, Mack, Freightliner, Paccar CS 0185, Peterbilt, Kenworth, Komatsu, Komatsu KES 07.892, Kubota, Chrysler/Dodge/Ram

Meets or Exceeds Industry & Governmental Standards:

ASTM D6210, ASTM D3306, ASTM D4985, ASTM D4340, ASTM D7583, TMC RP338A, TMC RP364, TMC RP351, SAE J1941, SAE J1034, JIS K2234

Prestone Command® Heavy Duty Nitrite Free Antifreeze+Coolant

Nitrite Free Extended Life

- Formulated for use in all Heavy and Light Duty engines
- Nitrite Free formula provides excellent protection for aluminum and all other engine metals
- Protects against liner pitting and corrosion protections.
- Service Life 750,000 miles/15,000 hours
- Eliminates the need to add supplemental coolant additives
- Works with all NF-OAT coolants



AFC12100

AFC12000

NITRITE FREE ELC YELLOW

READY TO USE	PACK	UPC
AFC12100	6/1 gal.	7 97496-87910 3
AFC12100-55	55 gal drum	7 97496-87912 7
AFC12100-1KL	264 gal tote	7 97496-87913 4

CONCENTRATE	PACK	UPC
AFC12000	6/1 gal.	7 97496-87906 6
AFC12000-55	55 gal drum	7 97496-87908 0
AFC12000-1KL	264 gal tote	7 97496-87909 7

For Use In: Heavy & Light Duty Vehicles Classes 1-8

Compatibility: NF-OAT

OEM Approvals/Registrations

This product meets Cummins® Eng. Std. CES14439, Detroit Diesel 93K217

Meets or Exceeds OEM Performance Requirements:

AT EC-1, Navistar CEMS B-1, Type IIIA, International, Volvo, Mack, John Deere H24, John Deere H24 C1, John Deere JDS-G135, Freightliner, Paccar, Paccar CS 0185, Peterbilt, Kenworth, GM 6277M, GMW 34290, Ford WSS-M97-B44D

Meets or Exceeds Industry & Governmental Standards:

ASTM D6210, ASTM D3306, ASTM D4985, ASTM D4340, ASTM D7583, TMC RP338A, TMC RP364, TMC RP351, SAE J1941, SAE J1034, JIS K2234

PRESTONE, COMMAND, and COR-GUARD are registered trademarks of Prestone Products Corporation. All other marks are those of their respective owners.

Prestone Command® Heavy Duty Extended Life Antifreeze+Coolant

Nitrited Extended Life

- Formulated for Heavy Duty Vehicles
- Nitrited formula provides excellent protection for aluminum and all other engine metals
- Protects against liner pitting and corrosion protections.
- Service Life 750,000 miles/15,000 hours with use of extender at 300,000 miles or 6,000 hours



AFC11100

AFC11000

NITRITED EXTENDED LIFE RED

READY TO USE	PACK	UPC
AFC11100	6/1 gal.	7 97496-87761 1
AFC11100-55	55 gal drum	7 97496-87762 8
AFC11100-1KL	264 gal tote	7 97496-87763 5
CONCENTRATE	PACK	UPC
AFC11000	6/1 gal.	7 97496-87757 4
AFC11000-55	55 gal drum	7 97496-87758 1
AFC11000-1KL	264 gal tote	7 97496-87759 8

For Use In: Heavy & Light Duty Vehicles Classes 6-8

Compatibility: NOAT

OEM Approvals/Registrations

This product meets Cummins® Eng. Std. CES14439

Meets or Exceeds OEM Performance Requirements:

CAT EC-1, Navistar CEMS B-1, Type III, International; Volvo, Mack, Freightliner, John Deere JDS-G135, Paccar, Kenworth, Peterbilt, New Holland, Waukesha, John Deere H24, John Deere H24 C1

Meets or Exceeds Industry & Governmental Standards:

ASTM D6210, ASTM D3306, ASTM D4985, ASTM D4340, TMC RP329A, TMC RP338A, TMC RP364, TMC RP351, SAE J1941, SAE J1034

Prestone Command® Heavy Duty ESI Antifreeze+Coolant

Extended Service Interval - ESI

- Formulated for Heavy Duty Vehicles
- Compatible with any IAT antifreeze/coolant
- Nitrited, pre-charged with supplemental coolant additives
- Extended service interval; fully formulated to provide engine protection
- Stabilized, low silicate (no phosphates) formula helps reduce deposits & reduce hard water scale buildup
- Requires monitoring & maintaining additive levels



AFC10100

AFC10000

EXTENDED SERVICE INTERVAL (ESI) PURPLE

READY TO USE	PACK	UPC
AFC10100	6/1 gal.	7 97496-87769 7
AFC10100-55	55 gal drum	7 97496-87770 3
AFC10100-1KL	264 gal tote	7 97496-87774 1
CONCENTRATE	PACK	UPC
AFC10000	6/1 gal.	7 97496-87765 9
AFC10000-55	55 gal drum	7 97496-87766 6
AFC10000-1KL	264 gal tote	7 97496-87767 3

For Use In: Heavy Duty Vehicles Classes 6-8

Compatibility: ESI & IAT

OEM Approvals/Registrations

This product meets Cummins® Eng. Std. CES14439, Detroit Diesel 93K217

Meets or Exceeds OEM Performance Requirements:

Cummins CES 90T8-4, Detroit Diesel 7SE298, Navistar CEMS B-1 Type II, International; Mack 014617004, Mack 014617004, Freightliner 48-25961, Freightliner 48-25878, Freightliner 48-22880, Peterbilt 8502.002, Kenworth R026-170-97, John Deere H24, John Deere H24 A1, John Deere JDS-G135, John Deere 8650-5

Meets or Exceeds Industry & Governmental Standards:

ASTM D6210, ASTM D3306, ASTM D4985, ASTM D4340, TMC RP329A, TMC RP338A, TMC RP351, SAE J1941, SAE J1034, GCA A-A-52624, CID A-A-52624A

Prestone Command® Heavy Duty 2-in-1 Engine Flush

2-in-1 Flush & Degreaser

- Removes oil and fuel contamination
- Safe for all engines (Classes 1-8)
- Designed to remove oil & grease
- Acid Cleaner to dissolve corrosion & buildup
- 1 bottle treats up to a 16-gallon cooling system

READY TO USE	PACK	UPC
HD100-6	6/1 gal.	7 97496-88017 8



HD100-6

Heavy Duty 2-in-1

Cleaner + Oil & Fuel Remover

Cleans
Cooling System
Radiator, Heater Core, & Hoses

2-in-1

Removes
Oil & Fuel Contamination
Eliminates Bad & Dirty Build-up,
Grime Rust, Corrosion & Clogs



CLEANER ADDITIVE



ENTIRE SYSTEM



DIRTY GRIME



CORROSION



ENCAPSULATES

Clean Engines - Keep You Driving

Dirty Engines - Slow Heat Transfer & Cost Money

For Heavy Duty Diesel or Gas Engines

Prestone® Heavy Duty Vehicles Antifreeze+Coolant

Heavy Duty - Extended Life

- Nitrite Free Extended Life Technology
- For Heavy Duty diesel or gas engines
- Meets or exceeds industry specifications
- Lifetime cooling system guarantee -
Classes 1-7, 5 years / 150,000 miles
Class 8, 600,000 miles / 12,000 hours
- Fights the spread of corrosion



AF5200

READY TO USE	PACK	UPC
AF5200	6/1 gal.	7 97496-88072 7

For Use In: Heavy, Medium & Light Duty Vehicles Classes 1-8
Compatibility: NF-OAT

Prestone® Antifreeze & Coolant Tester

Antifreeze & Coolant Tester

- Test coolant/water ratio to maintain proper mix
- Check Freeze & Boil Temperature



AF1420

AF	PACK	UPC
AF1420	6	7 97496-00469 7

Specialty Use Antifreeze

Prestone® LowTox® Antifreeze+Coolant

LowTox® - Safer Protection

- Defeat engine failure while keeping your pets' safety in mind
- Resists rust and corrosion on all cooling system metals
- Propylene glycol provides an added margin of safety for pets and wildlife in the event of accidental ingestion

LOWTOX	PACK	UPC
AF555	6/1 gal.	7 97496-86099 6
AF559	55 gal.	7 97496-86137 5



AF555

Prestone® Waterline Antifreeze

RV, Pool, Boat & Seasonal Home - Winterize Potable Water Systems

- No burst down to -100°F guarantee
- Superior protection from damage, corrosion and rust
- Safe for use in RVs, pools, boats and homes
- Safe for metals, plastic, rubber & elastomers found in most potable water systems

RV ANTIFREEZE -100	PACK	UPC
AF225	6/1 gal.	7 97496-88166 3
AF225-55	55 gal.	7 97496-88187 8



AF225

Prestone Command® Heavy Duty DEF

Diesel Exhaust Fluid (DEF)

- Non-Flammable & Non-Toxic Premixed with Pure Water
- Long Shelf Life
- Stored & Handled per ISO 22241 Guidelines
- Batch Date Coded
- Packaged on Dedicated Equipment for Purity
- Compatible with all API certified DEF products



HD1001

DEF	PACK	UPC
HD1001	2/2.5 gal	7 97496-87703 1
HD1000-55	55 gal drum	7 97496-87788 8
HD1000-330	330 gal tote	7 97496-87789 5

Prestone® Diesel Fuel Treatment

Restores Diesel Engine Performance

- Treats B5 Biodiesel
- Purges injector deposits, while helping to prevent new ones from forming
- Helps restore diesel engine performance to reduce emissions and unburned, wasted fuel
- This product treats up to 35 gallons and is for use at every fill-up



AS760

SKU	PACK	UPC
AS760	6/16 oz	7 97496-86560 1

Prestone® MAX 2-in-1 Total Cooling System Cleaner

2-in-1 Total Cooling System Cleaner

- Cleans Radiator, Heater Core, & Hoses
- Eliminates Oil & Fuel Contamination
- Flush, Clean & Refill - Removes Buildup, Grime, Corrosion & Rust
- Increases System Life - Prevents Overheating

READY TO USE	PACK	UPC
AS110	6/32 oz.	7 97496-88023 9



AS110

Prestone® Total Cooling System Cleaner

Cleans Radiator, Heater Core, & Hoses

- Flush Clean & Refill - Removes Build-up Gunk, Grime, Corrosion & Rust
- Increases System Life - Prevents Overheating
- For Use In All Manufacturers
- Safe For Use On All Metals & Radiators

SKU	PACK	UPC
AS105Y	6/22 oz	7 97496-87650 8



AS105Y

Prestone® Cooling System Flush Kit

Cooling System Flush Kit

- Fits Hoses 1/2, 5/8 & 3/4 Inches
- Use in flushing and cleaning cooling system

AFKIT	PACK	UPC
AFKIT-6	6	7 97496-59060 2



AFKIT-6

Conventional Brake Fluid Delivers Enhanced Performance

Prestone® Brake Fluid DOT 3

DOT 3 Longer Fluid Life

- 50,000 Mile Fluid Life
- Delivers Enhanced Performance vs. DOT Standard
- Protects Against Overheating & Brake Fade With High Grade Formula
- Compatible with all ABS, Disc & Drum Systems
- Corrosion Protection for all Brake System Metals

DOT 3	PACK	UPC
AS400Y	12/12 oz. or 6/12 oz.	7 97496-87642 3
AS401Y	12/32 oz. or 6/32 oz.	7 97496-87646 1
AS402Y	6/1 gal.	7 97496-88013 0



AS402Y

AS401Y

AS400Y

Prestone® Brake Fluid DOT 4

DOT 4 Longer Fluid Life

- 50,000 Mile Fluid Life
- Delivers Enhanced Performance vs. DOT Standard
- Protects Against Overheating & Brake Fade With High Grade Formula
- Compatible with all ABS, Disc & Drum Systems
- Corrosion Protection for all Brake System Metals

DOT 4	PACK	UPC
AS800Y	12/12 oz. or 6/12 oz.	7 97496-87628 7
AS801Y	6/32 oz.	7 97496-88019 2



AS801Y

AS800Y

Prestone® Brake Fluid DOT 5.1

DOT 5.1 High Performance

- High-Performance for Extreme Braking
- Racing: Modern Cars/Vehicles, Bikes & Motorcycles
- Delivers Enhanced Performance vs. DOT Standard
- Protects Against Overheating & Brake Fade
- Compatible with all ABS, Hydraulic, Clutch, Disc & Drum Systems
- Corrosion Protection for all Brake System Metals



AS820Y

DOT 5.1	PACK	UPC
AS820Y	6/12 oz.	7 97496-88116 8

Our Highest Grade Formula Maximizes Performance


Prestone® MAX Brake Fluid DOT 3

DOT 3 Maximizes Performance

- 100,000 Mile Fluid Life
- Superior Performance in Severe Braking Conditions
- Our Highest Grade Formula Maximizes Performance vs. DOT Standard
- Our Best at Preventing Overheating & Brake Fade
- Compatible with all ABS, Disc & Drum Systems
- Corrosion Protection for all Metals in Brake Fluid System

MAX DOT 3	PACK	UPC
AS410Y	6/32 oz.	7 97496-88170 0

Our Highest Grade Formula Maximizes Performance vs. DOT Standard



Prestone MAX DOT 3 has our highest dry boiling point 496°F compared to the DOT standard 401°F.

- ✓ Our best protection against performance decline due to water absorption
- ✓ Our best at preventing overheating and brake fade
- ✓ Our longest life brake fluid



AS410Y


Prestone® MAX Brake Fluid DOT 4

DOT 4 Maximizes Performance

- 75,000 Mile Fluid Life
- Superior Performance in Severe Braking Conditions
- Our Highest Grade Formula Maximizes Performance vs. DOT Standard
- Our Best at Preventing Overheating & Brake Fade
- Compatible with all ABS, Disc & Drum Systems
- Corrosion Protection for all Metals in Brake Fluid System

MAX DOT 4	PACK	UPC
AS810Y	6/32 oz.	7 97496-88172 4

Our Highest Grade Formula Maximizes Performance vs. DOT Standard



Prestone MAX DOT 4 has our highest dry boiling point 505°F compared to the DOT standard 446°F.

- ✓ Our best protection against performance decline due to water absorption
- ✓ Our best at preventing overheating and brake fade
- ✓ Our longest life brake fluid



AS810Y

If Fluid is Low

TOP OFF

with new fluid

New
Brake Fluid
Colorless/Amber

vs

Old
Brake Fluid
Dirty Light Brown

If Fluid is Dirty

REPLACE

with new fluid

Old Brake Fluid Can: Overheat Cause Brake Fade

Delivers Increased System Life

Prestone® Power Steering Fluid

Power Steering Fluid

- Delivers Increased System Life
- 50,000 Mile Fluid Life
- Anti-Wear System Protection
- Increased System Life
- Helps Prevent Corrosion



AS266Y

AS261Y

AS260Y

SKU	PACK	UPC
AS260Y	12/12 oz. or 6/12 oz.	7 97496-87572 3
AS261Y	12/32 oz. or 6/32 oz.	7 97496-87574 7
AS266Y	6/1 gal.	7 97496-88015 4

Prestone® Power Steering Fluid + STOP LEAK

Power Steering Fluid + STOP LEAK

- Power Steering Fluid + Stop Leak Prevents & Stops Leaks
- Delivers Increased System Life
- 50,000 Mile Fluid Life
- Anti-Wear System Protection
- Increased System Life
- Helps Prevent Corrosion

+STOP LEAK
Prevents & Stops Leaks



AS263Y

AS262Y

SKU	PACK	UPC
AS262Y	12/12 oz. or 6/12 oz.	7 97496-87625 6
AS263Y	6/32 oz.	7 97496-87631 7

New Fluid
Light Amber

vs

Old Fluid
Dirty Light Brown

If Fluid is **Low**
TOP OFF
with new fluid



Old Fluid
Can Cause:
Pump Failure
Wear & Clogging



If Fluid is **Dirty**
REPLACE
with new fluid

2X Anti-wear System Protection - Designed for your Vehicle

Prestone® MAX Power Steering Fluid American, European, & Asian Vehicles

Maximizes & Increases System Life

- + STOP LEAK Prevents & Stops Leaks
- 100,000 Mile Fluid Life
- 2X Anti-Wear System Protection vs. Prestone® Conventional Power Steering Fluid + Stop leak
- Designed for American, European, & Asian Vehicles
- Helps Prevent Corrosion

AMERICAN

SKU	PACK	UPC
MAX AS264Y	6/12 oz	7 97496-88174 8
AS264Y	6/12 oz	7 97496-87957 8

For Use In: Ford® Ram® GMC® Lincoln® Dodge® Chevy® Mercury® Jeep® Buick® Chrysler® Cadillac®

EUROPEAN

SKU	PACK	UPC
MAX AS268Y	6/12 oz	7 97496-88176 2
AS268Y	6/12 oz	7 97496-87532 7

For Use In: Audi® BMW® Jaguar® Mini® Porsche® Mercedes® Saab® Volvo® VW®

ASIAN

SKU	PACK	UPC
MAX AS269Y	6/12 oz	7 97496-88178 6
AS269Y	6/12 oz	7 97496-87565 5

For Use In: Toyota® Lexus® Honda® Acura® Nissan® Infiniti® Kia® Hyundai® Subaru® Mazda® Suzuki®

Prestone® Power Steering Fluid American, European, & Asian Vehicles

Delivers Increased System Life

- 100,000 Mile Fluid Life
- 2X Anti-Wear System Protection vs. Conventional Fluid
- Designed for American, European, & Asian Vehicles
- Helps Prevent Corrosion



AS277

AS278

AS279

+STOP LEAK
Prevents & Stops Leaks



AS264Y

AS268Y

AS269Y

Our Stop Leaks Work with All Vehicle Types

Prestone® Stop Leak Additive Cooling System

For Radiator, Heater Core, & Hoses

- Quickly Stops Leaks - Avoid Costly Repairs
- Works with All Vehicle Types - American/Asian/European



AS145Y

SKU	PACK	UPC
AS145Y	6/11 oz	7 97496-87654 6

Prestone® Stop Leak Additive Power Steering

For Power Steering Systems

- Stops Leaks Quickly - Restores Hardened & Shrunken Seals
- Protects 2X Longer with Synthetic Formula vs Conventional Fluid
- Works with All Vehicle Types - American/Asian/European



AS274Y

SKU	PACK	UPC
AS274Y	6/12 oz	7 97496-88076 5

Prestone® Stop Leak Additive Engine Oil

For Engine Oil Systems

- Stops Leaks Quickly - Restores Hardened & Shrunken Seals
- Protects in the engine 2X longer than conventional oil based stop leak products
- Works with All Motor Oil Types - Synthetic/Conventional/High Mileage



AS275Y

SKU	PACK	UPC
AS275Y	6/12 oz	7 97496-88077 2

Prestone® Automatic Transmission Fluid + STOP LEAK

ATF + STOP LEAK

- Automatic Transmission Fluid + Stop Leak Prevents & Stops Leaks
- Provides Smooth Shifting - Protects Gears & Clutch Plates
- Extends Transmission Life - Anti-Wear Protection
- Multi-Vehicle Requiring Dexron®III/Mercon®

+STOP LEAK
Prevents & Stops Leaks



AS272Y

SKU	PACK	UPC
AS272Y	6/32 oz	7 97496-87692 8

PRESTONE is a registered trademark of Prestone Products Corporation. All other marks are those of their respective owners.

Winter Ice Fighters Provide Extreme Winter Protection

Prestone® DE-ICER Ice Fighter Spray Windshield, Windows & Wipers

Improves Winter Visibility - Be Winter Ready

- For Windshield, Windows & Wipers
- Easy to use - Spray to remove ice
- Prevent Dangerous Re-Freeze - Instantly Melts Ice & Frost
- Removes Ice & Frost from Windshield & Wiper Blades
- Convenient ice scraper top on both 11oz and 17oz sizes helps clear icy windshields.



AS242

AS244

AS247

SKU	PACK	UPC
AS242	12/11 oz	7 97496-65138 9
AS244	6/17 oz	7 97496-65427 4
AS247	6/32 oz	7 97496-88000 0

Prestone® Ice Fighter Treatment Ice & Frost Shield

Winter Prep - Avoid Morning Ice & Frost Cleanup

- For Windshield, Windows & Wipers
- Easy to use, apply night before.
- Helps reduce morning frost, light ice, and snow, so it won't stick to the windshield or wiper blades
- Reduces the time and effort it takes to clear winter window glass



AS246

SKU	PACK	UPC
AS246	6/32 oz	7 97496-87999 8

Prestone® Windshield Washer Fluid Winter Boost Concentrate

Be Ready for Winter

- Easy To Use
- Add to any Washer fluid with a freeze point greater than 0°F or Summer windshield washer fluid, to ensure VOC limits are not exceeded.
- Will lower freeze point by 20°F when used as directed. Water freezes at 32°F so when this product is used would yield a fluid with a freeze point of +12°F.
- Prevent Dangerous Re-Freeze - Instantly Melts Ice & Frost
- Improves Power Cleaning - Repels Winter Salt, Grime, & Dirt



AS240

SKU	PACK	UPC
AS240	12/15.5 oz	7 97496-86182 5

Improves Windshield Visibility No Matter The Season

Prestone® Windshield Washer Fluid DE-ICER

De-Icer - Improves Winter Visibility

- -34°F Protection
- Melts Ice & Frost Fast
- Extreme Winter Protection
- Power Cleans Winter Salt & Grime
- Streak & Glare Free - Improves Windshield Visibility
- Safe for Rain Sensing Technology



DE-ICER	PACK	UPC
AS253	6/1 gal	7 97496-88168 7
AS253-55	55 gal	7 97496 88186 1

Prestone® Windshield Washer Fluid Bug Wash®

Bug Wash® - Improves Summer Visibility

- Removes & Repels Toughest Grime
- Power Cleans Grime, Bug Residue & Bird Droppings
- Water Beading Technology
- Streak & Glare Free - Improves Windshield Visibility
- Safe for Rain Sensing Technology



BUG WASH	PACK	UPC
AS657	6/1 gal	7 97496-87889 2
AS657-55	55 gal	7 97496-87944 8

Prestone® Windshield Washer Fluid All Season

All Season - Improves Year-Round Visibility

- 2-in-1 De-Icer & Bug Wash®
- Power Cleans Winter Salt & Grime / All-Year Dirt & Bugs
- Extreme Winter Protection - Melts Ice & Frost Fast
- Streak & Glare Free - Improves Windshield Visibility
- Safe for Rain Sensing Technology



ALL SEASON	PACK	UPC
AS658	6/1 gal	7 97496-87914 1
AS658-55	55 gal	7 97496-87989 9
AS658P Low VOC	6/1 gal	7 97496-88033 8
AS658P-55	55 gal	7 97496-88037 6

Prestone® Windshield Washer Fluid Selection Guide

	BUGWASH® IMPROVE SUMMER VISIBILITY	ALL SEASON IMPROVE YEAR-ROUND VISIBILITY	DE-ICER IMPROVE WINTER VISIBILITY
PRODUCT BENEFITS			
SKU	AS657	AS658	AS253
FLUID COLOR	GREEN	ORANGE	YELLOW
FREEZE PROTECTION	32°F	-27°F	-34°F
TECHNOLOGY & FORMULA SPECS			
SAFE FOR RAINSENSING TECHNOLOGY	✓	✓	✓
MELTS ICE & FROST		✓	✓
POWER CLEANS	✓	✓	✓
WATER BEADING TECHNOLOGY	✓	✓	
PREVENT RE-FREEZE			✓
IMPROVES VISIBILITY	✓	✓	✓
STATE VOC COMPLIANT			
47 (CA, TX, AZ)	✓	AS658P LOW VOC -0°F	
50	✓		

95,000
MILES

Radiator **Prestone®**



52,000
MILES

Radiator **Ordinary Coolant**



Gunk & Grime

85,000
MILES

Hoses **Prestone®**



Hoses **Ordinary Coolant**




Grime Build-up

Prestone® ANTIFREEZE + COOLANT

SUPERIOR COOLING SYSTEM PROTECTION

Instantly Protects Against Rust & Corrosion



Prestone® Protects 17 Essential Engine Parts FOR LONGER ENGINE LIFE

Keeps Parts Clean For Longer Engine Life

Prestone® PROTECTS



Close-up

vs

Ordinary Coolant
Corrosion & Pitting



Close-up

Engine Water Pump

300 HOUR

High Stress Test*

*ASTM Water Pump part tested to 300 hrs / high stress test.



Prestone[®]

**Questions? Customer Service, Product Re-order and Technical Hotline
Email: orderdesk@prestone.com tel: 1.888.269.0750**