

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Tuscarora Elementary	Facility Type Food Service Establishment	
Licensee Name Berkeley Co. Board of Education	Facility Telephone # 304 267-3565	
Facility Address 2000 Tavern Rd Martinsburg , WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 04/20/2018	Total Time Spent 1.40

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Milk Cooler(milk)	40
Hot box	163
Red hot box	169
Walkin	39
after school-milk cooler	41

<b>Food Temperatures</b>	
Description	Temperature (Fahrenheit)
Corn	150
Pizza	171

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Dishmachinesanitizerbucket	Heatchemical				

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<b>Total # 0</b>
<b>Repeated # 1</b>

**Observed Non-Critical Violations**

**Total # 2**

**Repeated # 1**

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** High equipment in the kitchen and stockroom need tops dusted

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**REPEAT OBSERVATION** Ceiling needs repaired in several places, hole in the ceiling with paint and dry wall hanging, peeling paint in other areas of the ceiling.

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge



**Jennifer Leake**

Sanitarian



**Glenn GCO Ondick**