

West Virginia Department of Health & Human  
Resources  
Morgan County Health Department



**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Betty Lou's Ole Garage Cafe	Facility Type Food Service Establishment	
Licensee Name (Owner Not Set)	Facility Telephone #	
Facility Address 205 South Washington St Berkeley Springs, WV	Licensee Address	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date November 29, 2017	Total Time Spent 1.00

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Condiment Cooler	31
Hot Foods	170
Desert Cooler	35
Cooler	35
Freezer	22

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<b>Total # 1</b> <b>Repeated # 0</b>  <b>5-205.15 - SYSTEM MAINTAINED IN GOOD REPAIR (REPAIRED)</b> Observation: Hand sink is backing up. Corrective Action(s):

<b>Observed Non-Critical Violations</b>
<b>Total # 4</b> <b>Repeated # 0</b>  <b>4-602.13 - NONFOOD CONTACT SURFACES</b> Observation: Residue on grease trap needs cleaned. Corrective Action(s):  <b>4-602.13 - NONFOOD CONTACT SURFACES</b> Observation: Food residue on condiment cooler shelves and racks needs cleaned. Corrective Action(s):  <b>4-602.13 - NONFOOD CONTACT SURFACES</b> Observation: Food residue in desert cooler. Corrective Action(s):

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

Observation: Food residue on floor and underneath equipment in kitchen.  
Corrective Action(s):

***Inspection Outcome***

***Comments***

Disclaimer

Person in Charge

*Cindy L. Howermale*

Sanitarian

**Tim Zeigler**