



DUAL

SHADES

Effective April 1, 2018

design simplified™

TABLE OF CONTENTS

Product Overview

• Features & Benefits	2
• Collection Information	3-4
• Color Chart	5

Pricing Groups

• Pricing Group 1-5	6-7
• RemoteLift Options	8

Product Specifications

• Product Specifications	9
• Finished Dimensions	9
• RemoteLift™ Motorization	10-11
• Quick Motorization Programming Guide	12
• Product Components	13

FEATURES & BENEFITS



- A soft shade that combines the light control of a blind with the soft beauty of a fabric shade.
- Uniquely designed fabric has alternating bands of sheer or mesh fabric with translucent or room darkening solid fabric within the same shade.
- The bands of fabric can be aligned or offset providing total light and privacy control as well as UV protection.
- Large selection of decorative styles in a wide ranging color palette to blend with any décor.
- A matching fabric insert in the headrail is standard and provides a finished look.
- Innovative bottomrail allows the fabric to slide through for precise positioning.
- Continuous cord loop is standard. Motorized option also available.
- Limited Lifetime Warranty ensures your customers' satisfaction.

COLLECTION INFORMATION

Minimum Width:

- Continuous Cord Loop – 15" NET
- Battery-operated Motorization – 18" NET

Minimum Height:

- All Styles – 24"

Minimum widths and heights for continuous cord loop and battery operated motorization noted below.

Pattern Name	Family Code	Band Height	Fabric Composition	Opacity	Maximum Width	Maximum Height	Price Group
Advance	DS1	3"	100% Woven Polyester	Translucent	94"	120"	4
Anastasia	DS2	3"	100% Polyester	Translucent	100"	120"	3
Beaumont	DS3	3"	100% Polyester	Translucent	96"	120"	1
Cinema	DS4	2.75"	85% Polyester / 15% Linen	Translucent	92"	120"	3
Definition	DS6	3"	100% Polyester	Room Darkening	90"	120"	5
Diversion	DS21	4.625"	100% Polyester	Room Darkening	102"	120"	5
Epicure	DS7	3"	100% Polyester	Translucent	100"	120"	3
Extravagance	DS8	5.5"	100% Polyester	Translucent	100"	120"	4
Glorious	DS18	4.75"	100% Polyester	Translucent	90"	120"	2
Humber	DS19	3"	100% Polyester	Translucent	102"	120"	2
Impulse	DS20	3"	100% Polyester	Translucent	90"	96"	2
Luxury	DS10	3"	100% Polyester	Translucent	100"	120"	4
Nomad	DS12	3"	100% Polyester	Translucent	102"	100"	3
Obscure	DS13	4"	100% Polyester	Room Darkening	96"	100"	5
Palladian	DS14	3"	100% Polyester	Translucent	100"	120"	3
Reveal	DS15	2.75"	100% Polyester	Translucent	102"	120"	2
Strande	DS16	2.75"	100% Polyester	Translucent	100"	120"	2
Sublime	DS17	3"	100% Polyester	Translucent	90"	100"	2

SIDE-BY-SIDE VANE ALIGNMENT

When Dual Shades are installed side by side, vane alignment can be guaranteed within 3/8" only if:

- Shades are ordered at the same time and are identical style, color and height.
- Shades that need to be aligned are specified on the order form (a note must be included in Special Instructions).

ORDERING NOTE

- Finished blind height will always be in the full privacy position – with bands offset
- When you align bands to the view through position, the bottom rail will raise slightly off the window sill – the gap between the sill and bottomrail is approximately 1/2 the band width.

COLLECTION INFORMATION – 2 ON 1 HEADRAIL

Minimum Width Per Panel:

- Continuous Cord Loop – 15" NET
- 2 on 1 is not available with Motorization
- Center Gap – 1/2"

Minimum Height:

- All Styles – 24"

Minimum widths and heights for continuous cord loop noted below.

Pattern Name	Family Code	Minimum Width per panel	Maximum Overall Width	Maximum Height
Advance	DS1	15" Net	94"	90"
Anastasia	DS2	15" Net	106"	90"
Beaumont	DS3	15" Net	96"	90"
Cinema	DS4	15" Net	92"	90"
Definition	DS6	15" Net	106"	90"
Diversion	DS21	15" Net	106"	90"
Epicure	DS7	15" Net	106"	90"
Extravagance	DS8	15" Net	108"	90"
Glorious	DS18	15" Net	106"	90"
Humber	DS19	15" Net	106"	90"
Impulse	DS20	15" Net	106"	90"
Luxury	DS10	15" Net	108"	90"
Nomad	DS12	15" Net	106"	90"
Obscure	DS13	15" Net	96"	90"
Palladian	DS14	15" Net	106"	90"
Reveal	DS15	15" Net	108"	90"
Strande	DS16	15" Net	106"	90"
Sublime	DS17	15" Net	108"	90"

SIDE-BY-SIDE VANE ALIGNMENT

When Dual Shades are installed side by side, vane alignment can be guaranteed within 3/8" only if:

- Shades are ordered at the same time and are identical style, color and height.
- Shades that need to be aligned are specified on the order form (a note must be included in Special Instructions).

ORDERING NOTE

- Finished blind height will always be in the full privacy position – with bands offset
- When you align bands to the view through position, the bottom rail will raise slightly off the window sill – the gap between the sill and bottomrail is approximately 1/2 the band width.

COLOR CHART

Material Name	Color Name	Color #	Cassette Color
Advance	Anthracite	DS1-3310	Black
Advance	Cognac	DS1-3308	Dark Brown
Advance	Haze	DS1-3305	Black
Advance	Mist	DS1-3301	Silver
Anastasia	Cream	DS2-2302	Beige
Anastasia	Honey	DS2-2303	Beige
Anastasia	Ice	DS2-2301	White
Beaumont	Black	DS3-2413	Black
Beaumont	Bone	DS3-2402	Beige
Beaumont	Café	DS3-2420	Dark Brown
Beaumont	Eggplant	DS3-2429	Black
Beaumont	Linen	DS3-2412	Beige
Beaumont	Mushroom	DS3-2419	Dark Brown
Beaumont	Pewter	DS3-2407	Silver
Beaumont	Raffia	DS3-2423	Beige
Beaumont	Silver	DS3-2416	Silver
Beaumont	Steel	DS3-2414	Black
Beaumont	White	DS3-2401	White
Cinema	Bamboo	DS4-5104	Beige
Cinema	Ecru	DS4-5103	Beige
Cinema	Granite	DS4-5125	Silver
Cinema	Linen	DS4-5122	Beige
Cinema	Mesa	DS4-5124	Dark Brown
Definition	Arctic	DS6-2550	Silver
Definition	Charcoal	DS6-2505	Black
Definition	Dusk	DS6-2503	Silver
Definition	Fawn	DS6-2501	Beige
Definition	Gunmetal	DS6-2504	Silver
Definition	Sable	DS6-2502	Dark Brown
Diversion	Arctic	DS21-6520	Silver
Diversion	Ivory	DS21-6521	Silver
Diversion	Fawn	DS21-6522	Beige
Diversion	Sable	DS21-6523	Dark Brown
Diversion	Dusk	DS21-6524	Silver
Diversion	Gunmetal	DS21-6525	Silver
Diversion	Charcoal	DS21-6526	Black
Epicure	Coffee	DS7-9708	Dark Brown
Epicure	Opal	DS7-9702	White
Epicure	Quartz	DS7-9701	White
Epicure	Sambuca	DS7-9713	Black
Epicure	Storm	DS7-9710	Silver
Epicure	Taupe	DS7-9704	Dark Brown

Material Name	Color Name	Color #	Cassette Color
Extravagance	Caraway	DS8-2605	Beige
Extravagance	Dove	DS8-2603	Silver
Extravagance	Horizon	DS8-2606	White
Extravagance	Opal	DS8-2602	Beige
Extravagance	Quartz	DS8-2601	White
Glorious	Snow	DS18-6210	White
Glorious	Canvas	DS18-6211	Beige
Glorious	Malt	DS18-6212	Dark Brown
Glorious	Greystone	DS18-6213	Silver
Glorious	Sable	DS18-6214	Dark Brown
Humber	Glacier	DS19-6300	Silver
Humber	Barley	DS19-6301	Beige
Humber	Pewter	DS19-6302	Black
Humber	Midnight	DS19-6304	Black
Impulse	Natural	DS20-6410	Beige
Impulse	Aztec	DS20-6411	Dark Brown
Impulse	Stone	DS20-6412	Dark Brown
Impulse	Onyx	DS20-6413	Black
Luxury	Caraway	DS10-2805	Beige
Luxury	Dove	DS10-2803	Silver
Luxury	Honey	DS10-2804	Beige
Luxury	Horizon	DS10-2806	White
Luxury	Opal	DS10-2802	Beige
Luxury	Quartz	DS10-2801	White
Nomad	Coffee	DS12-5104	Dark Brown
Nomad	Flannel	DS12-5101	Silver
Nomad	Midnight	DS12-5103	Black
Nomad	Stucco	DS12-5102	White
Obscure	Acorn	DS13-2902	Dark Brown
Obscure	Barley	DS13-2907	Beige
Obscure	Bleach	DS13-2901	White
Obscure	Hickory	DS13-2905	Dark Brown
Obscure	Truffle	DS13-2909	Dark Brown
Palladian	Cognac	DS14-0908	Dark Brown
Palladian	Fawn	DS14-0904	Dark Brown
Palladian	Glacier	DS14-0901	White
Palladian	Ivory	DS14-0902	White
Palladian	Shadow	DS14-0910	Silver
Reveal	Beeswax	DS15-8601	Dark Brown
Reveal	Espresso	DS15-8608	Dark Brown
Reveal	Natural	DS15-8602	Beige
Reveal	Sand	DS15-8604	Beige
Reveal	Teak	DS15-8607	Dark Brown
Strande	Canyon	DS16-3102	Beige
Strande	Coconut	DS16-3101	White
Strande	Espresso	DS16-3104	Dark Brown
Strande	Java	DS16-3103	Dark Brown
Sublime	Ice	DS17-6100	White
Sublime	Opal	DS17-6101	Beige
Sublime	Silver	DS17-6102	Silver
Sublime	Charcoal	DS17-6103	Black
Sublime	Coffee	DS17-6104	Dark Brown
Sublime	Raven	DS17-6105	Black

GROUP 1

• Beaumont (96")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	76"	84"	90"	96"
HEIGHT TO:													
40"	\$214	238	265	288	311	334	362	386	414	444	464	486	534
50"	222	247	276	300	325	351	381	405	436	468	489	514	565
60"	229	257	288	314	341	368	399	426	459	493	516	543	594
70"	235	266	297	327	356	384	418	446	481	518	542	571	625
80"	243	276	309	340	371	402	437	468	504	542	569	600	656
90"	251	285	320	352	386	418	456	488	527	567	596	628	685
100"	258	294	332	366	401	436	476	510	549	592	621	657	715
110"	266	304	343	379	416	452	495	530	573	616	648	685	746
120"	273	312	354	393	431	469	513	550	594	640	675	713	776

GROUP 2

• Glorious (90") • Humber (102") • Impulse (90") • Reveal (102") • Strande (100") • Sublime (90")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	76"	84"	90"	96"	102"
HEIGHT TO:														
40"	\$280	315	351	386	418	452	491	523	565	605	635	667	730	753
50"	293	331	371	407	444	481	523	559	603	648	680	717	783	808
60"	306	347	391	431	471	511	557	596	643	691	727	765	836	863
70"	319	363	410	453	496	540	589	632	683	734	773	815	889	918
80"	332	379	430	477	523	570	621	668	721	777	819	865	943	972
90"	344	396	449	499	549	600	655	703	761	819	865	914	995	1027
100"	358	413	468	522	575	629	688	741	801	863	912	964	1048	1083
110"	370	428	488	545	602	658	720	776	840	905	957	1014	1100	1138
120"	383	444	507	567	628	687	753	812	879	948	1003	1062	1153	1193

GROUP 3

• Anastasia (100") • Cinema (92") • Epicure (100") • Nomad (102") • Palladian (100")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	76"	84"	90"	96"	102"
HEIGHT TO:														
40"	\$290	328	368	403	440	476	518	553	596	640	672	707	774	797
50"	306	347	390	430	469	511	557	594	641	691	726	765	836	862
60"	321	366	414	457	501	545	594	637	688	741	780	823	897	926
70"	335	384	436	484	531	578	632	679	734	791	834	881	959	990
80"	351	403	459	511	562	613	671	722	781	840	887	939	1021	1054
90"	366	422	481	536	593	648	710	765	827	891	941	996	1083	1119
100"	381	441	504	563	623	683	748	807	873	941	996	1054	1144	1183
110"	396	460	527	590	653	718	785	849	919	991	1050	1112	1206	1248
120"	410	479	549	617	684	752	824	891	964	1041	1104	1170	1268	1312

OPTIONS: NO CHARGE – SPECIFY ON ORDER

- 2 on 1 Headrail (price as two separate shades)
- Non-wrapped bottomrail option (fabric-wrapped bottomrail standard)
- Hold-Down Brackets
- Metal Bead Chain Option

(Please note: when metal bead chain option is selected, the tensioner color will coordinate with the cassette headrail color. If the cassette headrail is silver, the tensioner will be white)

GROUP 4

• Advance (94") • Extravagance (100") • Luxury (100")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	76"	84"	90"	96"	100"
HEIGHT TO:														
40"	\$313	356	402	442	485	527	574	616	664	714	752	792	865	893
50"	332	379	431	477	524	571	624	671	725	780	822	869	945	976
60"	351	405	460	512	565	617	675	726	784	846	893	945	1026	1061
70"	371	429	491	547	604	662	725	781	846	910	963	1019	1107	1144
80"	391	454	520	582	644	707	775	837	906	976	1034	1096	1188	1229
90"	410	479	549	617	684	752	824	892	966	1042	1104	1171	1269	1314
100"	430	504	580	652	725	797	875	947	1026	1107	1175	1248	1350	1397
110"	450	528	609	686	765	842	925	1002	1086	1173	1245	1323	1431	1482
120"	468	553	639	721	804	887	975	1057	1147	1238	1315	1399	1511	1566

GROUP 5

• Definition (90") • Diversion (102") • Obscure (96")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	76"	84"	90"	96"	102"
HEIGHT TO:														
40"	\$325	371	421	466	512	557	608	652	705	757	799	843	919	948
50"	348	399	454	504	557	608	664	715	773	832	879	929	1010	1044
60"	370	428	488	545	602	659	721	777	842	908	959	1016	1103	1140
70"	393	456	522	585	648	711	779	840	910	981	1039	1101	1195	1236
80"	414	484	557	624	693	762	836	904	979	1056	1120	1188	1287	1332
90"	437	512	590	664	738	812	893	967	1048	1131	1200	1273	1378	1428
100"	459	540	624	703	784	865	951	1030	1116	1206	1280	1360	1471	1524
110"	481	568	658	744	830	916	1007	1092	1186	1279	1361	1447	1563	1620
120"	504	596	692	783	874	967	1064	1155	1253	1354	1440	1532	1655	1716

OPTIONS: NO CHARGE – SPECIFY ON ORDER

- 2 on 1 Headrail (price as two separate shades)
- Non-wrapped bottomrail option (fabric-wrapped bottomrail standard)
- Hold-Down Brackets
- Metal Bead Chain Option

(Please note: when metal bead chain option is selected, the tensioner color will coordinate with the cassette headrail color. If the cassette headrail is silver, the tensioner will be white)

REMOTELIFT OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER (Must select RemoteLift power source* when ordering)
USE APPROPRIATE DUAL SHADE GRID FOR SHADE PRICE, THEN ADD REMOTELIFT EXTRA CHARGE(S) BELOW.

• Radio Frequency (RF) RemoteLift Motorization Upgrade		add \$318 per shade
• Radio Frequency (RF) Remote Control – 1 Channel	Part #RC445069	add \$118 each
• Radio Frequency (RF) Remote Control – 5 Channel	Part #RC445079	add \$152 each
• Radio Frequency (RF) Remote Control – 16 Channel ** available as a separate part order only**.....	Part #1811081.....	add \$495 each
• Radio Frequency (RF) Remote Control – Telis Modulis 1 Channel	Part #1811234.....	add \$225 each
• Radio Frequency (RF) Remote Control – Telis Modulis 5 Channel	Part #1811235.....	add \$255 each
• Radio Frequency (RF) Wireless Wall Switch – 1 Channel	Part #1810897	add \$300 each
• Radio Frequency (RF) Wireless Wall Switch – 5 Channel	Part #1810813	add \$300 each
• Radio Frequency (RF) Programmable Timer – 1 Channel.....	Part #1805237A.....	add \$421 each
• Radio Frequency (RF) Reloadable Single Battery Wand**	Part #RC445268	add \$105 each
• Radio Frequency (RF) Reloadable Dual Battery Wand**	Part #RC445268	add \$225 each
• Dual Wand Y Harness (required).....	Part #9018625	add \$12 each
• Radio Frequency (RF) Transformer.....	Part #1822445	add \$130 each
• Radio Frequency (RF) Battery Wand Extension Wire – 10".....	Part #9018686A.....	add \$12 each
• Radio Frequency (RF) Battery Wand Extension Wire – 48".....	Part #9016736	add \$17 each
• Radio Frequency (RF) Battery Wand Extension Wire – 96".....	Part #9018624	add \$22 each
• Radio Frequency (RF) Lithium Batteries (Reloadable Wand – 8 each)	Part #9014834	add \$54 each
• Solar Recharge Kit (batteries NOT included)	Part #9019034.....	add \$295 each
<i>(Includes solar panel, 10" Y harness, 12v reloadable battery tube, tube mounting clips, glass mount adhesive tape, solar panel mounting brackets – 4 qty.)</i>		
• NiMh Rechargeable Batteries (quantity of 10).....	Part #9018621.....	add \$83 each
• Plug-in AC Battery Rapid Charger (for solar recharge kit only) (includes 12" cable).....	Part #9015781.....	add \$290 each
• 48" Extension Cable for Y Harness	Part #9016374.....	add \$19 each

Notes: * RemoteLift power source options: Reloadable Single Battery Wand, Reloadable Dual Battery Wand, and Transformer (plugs into standard wall outlet)


** Each Reloadable Battery Wand comes with a set of 8 AA lithium batteries on initial shade orders. The part numbers above reference the battery wands only. The part # for replacement pack of 8 AA lithium batteries is #9014834.

When ordering multiple motorized shades/remotes, please provide programming instructions. Otherwise, all shades will be programmed to one remote.

PRODUCT SPECIFICATIONS

Cassette Measurement

- 3-5/8" wide x 3" high



Mounting Requirements

Inside Mount

- Minimum shallow mounting surface: 1-1/2"
- Minimum flush inside mounting including brackets for cassette: 3-3/4"


Outside Mount

- Minimum outside mount surface: 1-1/2"

Hardware Colors

Cassette available in white, beige, black, dark brown and anodized silver.

- A matching fabric insert in headrail is a standard feature
Please Note: on certain fabrics with narrower bands, the fabric insert will feature both the solid fabric and the sheer.
- Fabric-wrapped bottomrail is a standard feature (non-wrapped bottomrail optional)
- Universal metal bracket will be supplied
- Cord loops and tensioners are color-coordinated



Metal Bead Chain Option

- Metal Chain optional in the following colors: White, Black, Antique Brass, Oil Rubbed Bronze, Stainless Steel, and Nickel
(Please note: when metal bead chain option is selected, the tensioner color will coordinate with the cassette headrail color. If the cassette headrail is silver, the tensioner will be white)

Cord Loop, Metal Beaded Chain Lengths

SHADE HEIGHT	LOOP DROP
24" - 39 7/8"	24" loop
40" - 59 7/8"	36" loop
60" - 83 7/8"	48" loop
84" - 107 7/8"	60" loop
108" - 120"	72" loop

Please Note: Environmental conditions, such as heat, humidity, etc., may result in light bowing, puckering and dimpling of the fabric which is considered normal. Some fabrics may lightly fray which is considered normal and within specifications.

FINISHED DIMENSIONS

INSIDE MOUNT	
Cassette width	1/4" less than ordered width
Tube Width	1-1/8" less than ordered width
Fabric width	1 - 1/4" less than ordered width
Bottom rail outer width	1 - 3/16" less than ordered width
Bottom rail inner width	1 - 3/8" less than ordered width

OUTSIDE MOUNT	
Cassette width	ordered width
Tube Width	7/8" less than ordered width
Fabric width	1" less than ordered width
Bottom rail outer width	15/16" less than ordered width
Bottom rail inner width	1 - 1/8" less than ordered width

For IB and OB, Shade Height is Ordered Height

With RemoteLift™ motorized shades, enjoy a better quality of life and have more time to enjoy life's daily pleasures. At the touch of a button, window coverings can be instantly adjusted to changing activities or the varying sun conditions.



An ideal solution is to manage glare with a RemoteLift hand-held remote control. At the simple touch of a button, shades will open or close to adjust to the changing sunlight in a room.



RemoteLift Radio Frequency (RF) motorized shades provide ultra-quiet operation. The system can operate shades from virtually anywhere in the house without direct line of sight. Similar to how a garage door opener operates, radio signals travel through walls and make it possible to control multiple coverings throughout the home alone or as a group. The RF system is also available in a 5-channel version. The multi-channel RF system allows for independent control of individual shades and/or group control.

RemoteLift motorization systems provide many benefits, such as improving energy efficiency, providing easily controllable privacy and also enhancing home security.



The RemoteLift RF timer allows users to program specific times of the day to automatically adjust shades in different areas of the house, protecting interiors from the fading effects of direct sunlight. This feature provides added security to an unoccupied home by creating a lived in look even while homeowners are away on vacation.



The battery powered RemoteLift RF wireless wall switch allows shades to be controlled when entering or exiting a room, just like the lights. The switch may be seamlessly installed without wiring next to any light switch or stand alone, and is never misplaced. This one touch privacy helps create the ideal environment whether preparing for a bath, relaxing in bed or enjoying time with the family at home.

RemoteLift motorized shades are powered by Somfy, an industry leader in automated window coverings. All motorized products are backed by a 5 year warranty.



REMOTELIFT™ MOTORIZATION: FEATURES & OPTIONS



RADIO FREQUENCY (RF) MOTORIZATION FEATURES:

- Highest quality patent protected design by Somfy
- Advanced motor, capable of lifting shades up to 12 LBS.
- Quiet operation
- Motor is fully enclosed within the headrail
- Installs with standard installation hardware
- RF motor is programmable

Note: The power source must be selected when ordering. The options are: reloadable single or dual battery wand, and the plug-in transformer.



 Radio Frequency (RF) RemoteLift Motor Motor (Part #1002481) Crown (Part #9018475) Drive (Part #9018477)	• Fully concealed motor unit • Flexible and programmable operation • 12 Volt System
 Radio Frequency (RF) Remote Control (must order separately) Color: 2 tone white and gray 2 Types: programmable 1-channel and programmable 5-channel (1-Channel: Part #RC445069) (5-Channel: Part #RC445079) (Telis Modulis 5-Channel: Part #1811235) (16-Channel: Part #1811081 – available as a separate part order only)	• Controls shade operation • Programmable features • Easy shade positioning up to 90 feet away • 5-channel remote allows for multiple and independent shade operation 5-channel remote programming can be done by special request prior to shipping. Contact customer service with your programming instructions otherwise all shades will be programmed on channel 1.
 Single Battery Wand (reloadable) and Installation Clips Wand (Part #RC445268) Clips (Part #9013263) 8 AA Lithium Batteries (not shown) (Part #9014834)	• On initial shade orders, the reloadable wand comes with 8 AA lithium batteries • Comes with mounting installation clips • For parts ordering the reloadable wand INCLUDING 8 AA lithium batteries, order both part #s • Replacement 8 AA lithium batteries may also be ordered separately
 Optional, Dual Battery Wand (reloadable) and Installation Clips (Kit: Part #RC445268) (Clips: Part #9013263) (Y-Harness: Part #9018625) (Y-Harness Ext. Cable: Part #9016736)	• On initial shade orders, the reloadable wands come with 16 AA lithium batteries • Combines (reloadable) Single Battery Wands for added lifting capacity and/or extended life • Comes with mounting installation clips
 Transformer 10' Cable (Part #1822445)	• Plug-in operation, no batteries required • Works in standard wall outlet (10' wire length)
 Battery Wand Extension Cables Color: White (10" Cable: Part #9018686A) (48" Cable: Part #9016736) (96" Cable: Part #9018624)	• Available in 10", 48" and 96" • Allows battery wand installation away from headrail
 Wireless Wall Switch Color: white 2 Types: programmable 1-channel and 5-channel (1 Channel: Part #RC445135) (5 Channel: Part #RC445136)	• Control wireless operation from the wall up to 90 feet away • Works like turning a light on/off
 Programmable Timer 1 Type: programmable 1-channel (Part #1805237A)	• Program operation based on pre-set times • Excellent home security feature
WireFree™ Solar Pack Kit – Batteries NOT included (Part #9019034) Photovoltaic Panel  "Y" Harness (Part #9018625)  Battery + Battery Tube (Part #9018621)  Accessories Plug-in AC battery (Part #9015781) rapid charger (required for charging battery prior to installation) 	• Uses sunlight to power a motorized shade. • Easy to install. Low profile, easy to conceal. • Solar Recharge Kit (batteries NOT included) (Part #9019034) – Includes solar panel, 10" Y harness, 12v reloadable battery tube, tube mounting clips, glass mount adhesive tape, solar panel mounting brackets – 4 qty.) • NiMH Rechargeable Batteries (quantity of 10) (Part #9018621) • Plug-in AC Battery Rapid Charger (for solar recharge kit only) (includes 12" cable) (Part #9015781) • 48" Extension Cable for Y Harness (Part #9016736)

Programming Mode

Before you begin

Motors are shipped without limit settings and transmitter ID's. Steps 1 to 7 must be completed to ensure proper shade programming and functionality. Power should ONLY be connected to current shade being programmed. All other shades should be disconnected from their respective power while programming

STEP 1: Connect power

With the motor installed in shade, connect power to the motor



STEP 2: Initiate programming

Press both and at the same time until the shade jogs. **A jog is a brief up and down motion.** In Programming Mode, the shade will move only when the or is held



STEP 3: Check directions

Press or . When pressing product should go down or out. To change direction press and hold (Stop) until the shade jogs. **A jog is a brief up and down motion.**



STEP 4: Set the limits

Bring the shade to desired **upper** limit stop point. Press both (Stop) and until the motor moves, then release. (If the shade stops when the buttons are released take it back to the upper limit and repeat) Stop the motor when reaching the desired **lower** limit. You can adjust by pressing or



STEP 5: Set the limits

Press both (Stop) and at the same time until the shade moves, then release. The shade will stop at the original upper limit.



STEP 6: Confirm limit settings

Press and hold (stop) until the shade jogs to confirm the limit settings. **A jog is a brief up and down motion.**



STEP 7: Set user mode

Press and hold the programming button on the back of the transmitter until the shade jogs. The shade is now in User Mode. In User Mode, the shade will operate with a brief press on or . Double check limit settings as a precaution.

Adjusting the limits in User Mode



To change the lower limit

Send the shade to it's current lower limit.



Press both and at the same time until the shade jogs. Adjust to a new lower limit position.

Press until the shade jogs



To change the upper limit

Send the shade to it's current upper limit.



Press both and at the same time until the shade jogs. Adjust to a new upper limit position.

Press until the shade jogs



Setting an Intermediate Position (Preferred Position)

Setting

Press the or to operate shade. At the desired intermediate (preferred) position press (Stop) to stop the shade.

Once the desired Intermediate position is reached, Press and hold (stop) until the shade jogs. The Intermediate position is now added to memory



Using

Send the shade to the intermediate position by pressing (stop) from ANY shade position.

Note: Shade should be stationary prior to activating intermediate position function.

Note

If shade is actively moving (in-motion) Should be pressed twice.

To Delete: Activate shade to intermediate position, then press and hold (stop) for 5 seconds. Shade will jog to confirm deletion.

Adding or deleting a Transmitter or a Channel



Programmed Transmitter

STEP 1: Using already programmed transmitters select the transmitter (single channel) or the channel, (1-5) of a multi-channel transmitter.

STEP 2: Press and hold the programming button of that transmitter until the shade jogs.

Transmitter to add or delete

STEP 3: Select the transmitter (single channel) or the channel, (1-5) of a multi-channel transmitter, to be added or deleted.

STEP 4: Press and hold the programming button of that transmitter until the shade jogs.



PRODUCT COMPONENTS – STANDARD

