

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Cafe' Del Sol	Facility Type Food Service Establishment	
Licensee Name Cafe' del Sol	Facility Telephone # 304	
Facility Address 796 Foxcroft Ave Martinsburg , WV	Licensee Address 796 Foxcroft Ave Suite 104 Martinsburg , WV 25401	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 01/16/2019	Total Time Spent 1.67

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Walk in	41
Pizza Prep	39
Mini Cooler/Fryer	40
Mini freezer/Microwave	
Left Sandwich Prep	40
Right Sandwich Prep	39
Upfront beverage cooler(beneath front windows)	
left front prep	40
dressing cooler(front)	40
dessert cooler	

<b>Food Temperatures</b>	
Description	Temperature (Fahrenheit)
rice	159

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
DishMachineBuckets	HeatChemical		300-400		

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

**Observed Critical Violations**

**Total # 6**

**Repeated # 0**

**4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS**

**This is a critical violation**

**OBSERVATION: (CORRECTED DURING INSPECTION):** Floor mixer needs cleaned,

**4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS**

**This is a critical violation**

**OBSERVATION: (CORRECTED DURING INSPECTION):** Can opener blade needs cleaned

**4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS**

**This is a critical violation**

**OBSERVATION:** Walk in cooler shelves need cleaned, molds and old dried food on the racks

**4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS**

**This is a critical violation**

**OBSERVATION: (CORRECTED DURING INSPECTION):** Power slicer needs cleaned

**4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS**

**This is a critical violation**

**OBSERVATION: (CORRECTED DURING INSPECTION):** Salad case racks need cleaned

**4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS**

**This is a critical violation**

**OBSERVATION:** Ice machine needs cleaned inside, mold

**Observed Non-Critical Violations**

**Total # 12**

**Repeated # 0**

**4-302.12 - TEMPERATURE MEASURING DEVICES**

**OBSERVATION:** Meat cooler front thermometer needs replaced, broken. Reading 25F when temperature was 40F

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Marble shelf needs cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Stainless steel shelves around the taps needs cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Lower shelves need cleaned in the prep area, ex dry powder shelf

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Soiled dish rack needs cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Can rack needs cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Green racks located around microwave and freezer needs cleaned

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Walk in freezer needs repaired, ice build up on floor, racks and on wiring, need to find the leak and repair

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Faucet for mop sink needs repaired, leaking water

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Inside and outside of the dishmachine needs cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Chemical shelf in back needs cleaned.

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Floor needs cleaned, behind and under equipment.

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge

Sanitarian



**lorenzo mazahua carrasco**



**Glenn GCO Ondick**