

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

| Establishment Information | | |
|---|---|--------------------------|
| Facility Name French's Kountry Kwick Stop | Facility Type Food Service Establishment | |
| Licensee Name Donna J. French | Facility Telephone # 304 754-3799 | |
| Facility Address 30 April Lane Hedgesville , WV | Licensee Address , | |
| Inspection Information | | |
| Inspection Type Routine | Inspection Date 01/12/2018 | Total Time Spent 1.10 |

| Equipment Temperatures | |
|-------------------------------|--------------------------|
| Description | Temperature (Fahrenheit) |
| Deli case | 41 |

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

| Observed Critical Violations |
|--|
| <p>Total # 1 Repeated # 3</p> <p>4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS This is a critical violation REPEAT OBSERVATION (CORRECTED DURING INSPECTION): Utensils in the cabinet needs re-cleaned</p> |

Observed Non-Critical Violations

Total # 8

Repeated # 3

4-601.11(C) - NON-FOOD CONTACT SURFACES

OBSERVATION: Canned food shelves need cleaned

4-601.11(C) - NON-FOOD CONTACT SURFACES

OBSERVATION: Inside bottom shelf of the cooler needs cleaned

4-601.11(C) - NON-FOOD CONTACT SURFACES

OBSERVATION:

4-601.11(C) - NON-FOOD CONTACT SURFACES

OBSERVATION: Inside the shelves need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Slicer that is no longer used, needs cleaned and place a bag over it to protect when not used or sell off.

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION Floor holes need repaired in the uni

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Kitchen handsink needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Hood needs top cleaned.

Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian



Donna French



Glenn GCO Ondick