



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Camp Frame	Facility Type Food Service Establishment	
Licensee Name 4-H Association	Facility Telephone # 304	
Facility Address 1362 Camp Frame Rd Hedgesville, WV	Licensee Address ,	
Inspection Information		
Inspection Type Follow up	Inspection Date 06/07/2017	Total Time Spent 0.50

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk in cooler Refrigerator in camp store holding chicken	36

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
dishmachine	chemical		100	chlorine	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0 Repeated # 3

Observed Non-Critical Violations
Total # 3 Repeated # 3 6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR <i>REPEAT OBSERVATION wall needs finished in corner of disharea</i>
6-501.114 - MAINTAINING PREMISES, UNNECESSARY ITEMS AND LITTER <i>REPEAT OBSERVATION items stored on shelving should be stored clean and covered if not used</i>
6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS <i>REPEAT OBSERVATION walkin fan covers need cleaned</i>

Corrected Hazards

The following hazard(s) have been corrected since the last inspection.

Total # 17

3-501.16 (Cold) - POTENTIALLY HAZARDOUS FOOD, COLD HOLDING

This is a critical violation

OBSERVATION: Walkin at 53-Repairman on site last nite repairing-Started to cool but is not down to temp-
Repairman to be onsite today

Needed for tomorrow's BBQ-Cannot use walkin til below 41-Will need varification by invoice before 3:30 today
via fax or invoice

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: inside bottom of hot box needs cleaned (not in use)

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: tray racks need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: stainless back splash behind the stove needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: tub lids need cleaned to covered items in storeroom

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: slicer guard needs cleaned

4-703.11 - HOT WATER AND CHEMICAL

This is a critical violation

OBSERVATION: dishmachine not sanitizing-primed several times and no reading on test strips-Use 3 bay sink
for washing and sanitizing

4-302.14 - SANITIZING SOLUTIONS, TESTING DEVICES

OBSERVATION: quaternary test strips needed if tablets are to be used in 3 bay sink

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: hood light out

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: metal tray needs cleaned beneath ice machine

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: corner area behind floor mixer needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: 3 bay sink-floor drain and plumbing pipes need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: area behind handsink needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: ceiling light covers need cleaned-dead bugs

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: restroom ceiling fans need cleaned

6-501.13 - CLEANING FLOORS, DUSTLESS METHODS

OBSERVATION: womens restroom-floor needs cleaned around base of washing machine(oil?)

6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION

OBSERVATION: hood filters need cleaned

Inspection Outcome

Comments

Reinspection fee-\$75.

Disclaimer

Person in Charge



Sanitarian



Amy ARE Edwards