

West Virginia Department of Health & Human
Resources
Morgan County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Country Inn	Facility Type Food Service Establishment	
Licensee Name (Owner Not Set)	Facility Telephone #	
Facility Address 110 South Washington St. Berkeley Springs, WV	Licensee Address	
Inspection Information		
Inspection Type Routine	Inspection Date January 29, 2019	Total Time Spent 1.50

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Cooler	34
Freezer	8
Condiment Cooler	34
Freezer	6
Condiment Cooler	37
Cooler	36
Chest Freezer	-3
Chest Freezer	0.5
Walk In Cooler	36
Walk In Freezer	5.5
Bar Cooler	41

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Dishwasher					

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

Observed Non-Critical Violations
Total # 5
Repeated # 0
<p>4-602.13 - NONFOOD CONTACT SURFACES Observation: Walk-in freezer needs defrosted. Corrective Action(s):</p>

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Plumbing underneath sink needs cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Walk-in cooler vents; shelves; need cleaned.

Corrective Action(s):

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

Observation: Repair or replace cutting boards.

Corrective Action(s):

6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION

Observation: Back storage room vents need cleaned.

Corrective Action(s):

Inspection Outcome

Comments

Disclaimer

Person in Charge



Sanitarian

Tim Zeigler