

West Virginia Department of Health & Human Resources Berkeley County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information	
Facility Name Pikeside Learning Center	Facility Type Food Service Establishment
Licensee Name Berkeley Co. Board of Education	Facility Telephone # 304 267-3555
Facility Address 3635 Winchester Ave Martinsburg, WV	Licensee Address

Inspection Information		
Inspection Type Routine	Inspection Date May 06, 2019	Total Time Spent 1.17


Equipment Temperatures	
Description	Temperature (Fahrenheit)
Traulsen	40
Hot Hold	148
Milk Cooler	38

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Dish machine	heat chemical	160		heat chlorine	
Sanitizer bucket			100		

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

Observed Non-Critical Violations
Total # 1
Repeated # 0
6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR
OBSERVATION: Hole in sump pump crock needs sealed/repared (duct tape not approved).



Inspection Outcome

--

Comments

Disclaimer

Person in Charge
Annette Marpole
Annette Marpole

Sanitarian
Keith Allison
Keith Allison