

**West Virginia Department of Health
& Human Resources
Berkeley County Health Department**

No image found with name: Berkeley.png. Image files needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information	
Facility Name Spring Mills Shell (ROCS)	Facility Type Retail Food Store
Licensee Name R.M. Roach and Sons Inc.	Facility Telephone # 304 274-6314
Facility Address 1224 T.J. Jackson Drive Falling Waters, WV	Licensee Address ,

Inspection Information		
Inspection Type Routine	Inspection Date 09/07/2017	Total Time Spent 1.50

Equipment Temperatures	
Description Walk-In	Temperature (Fahrenheit) 36

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 1 Repeated # 0 7-102.11 - COMMON NAME This is a critical violation OBSERVATION: Chemical bottles in cabinet under F'real milkshake machine need labeled

Observed Non-Critical Violations
Total # 2 Repeated # 0 4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION OBSERVATION: Gaskets on F'real milkshake cooler/Mtn Dew door need replaced (torn) 6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR OBSERVATION: Wall at door to emergency exit needs repaired (rusting)

Inspection Outcome

Comments

Disclaimer

Person in Charge



Matt Shroyer

Sanitarian



Keith Allison