

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Williamsport Pike Group Home	Facility Type Food Service Establishment	
Licensee Name Stonebrook	Facility Telephone # 304	
Facility Address 4338 Williamsport Pike Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 04/17/2018	Total Time Spent 1.00

Equipment Temperatures	
Description Cooler	Temperature (Fahrenheit) 41

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baybottle	chemchem		-50	bleach	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 1 Repeated # 0</p> <p>4-501.114 - MANUAL AND MECHANICAL WAREWASHING EQUIPMENT - SANITIZER NOT BEING USED PER MANUFACTURER This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): Spray bottle less than 50 ppm. must keep the ppm between 50-100 to let the bleach sanitize</p>

Observed Non-Critical Violations
<p>Total # 0 Repeated # 0</p>

Inspection Outcome

Comments

Disclaimer

Person in Charge



brenda koonz

Sanitarian



Glenn GCO Ondick