

West Virginia Department of Health & Human
Resources
Morgan County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Cacapon Market	Facility Type Food Service Establishment	
Licensee Name (Owner Not Set)	Facility Telephone #	
Facility Address 9089 Valley Rd Berkeley Springs, WV	Licensee Address	
Inspection Information		
Inspection Type Routine	Inspection Date July 25, 2018	Total Time Spent 1.50

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Ice cream chest	8.0
Sliding Freezer	5.0
Deli Salad Cooler	41
Condiment Cooler	41
Freezer (Right)	-7
Freezer (Left)	10
Walk In Cooler	41
Back Chest Freezer	1.0

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 8

Observed Non-Critical Violations
Total # 22
Repeated # 8
4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED REPEAT OBSERVATION Microwave needs cleaned/replaced. Corrective Action(s):
4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED REPEAT OBSERVATION Pizza oven needs cleaned. Corrective Action(s):
4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED Observation: Front and sides of fryer and grill need cleaned. Corrective Action(s):

4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED

Observation: Slicer and slicer prep area needs cleaned.

Corrective Action(s):

4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED

Observation: Hot bar area needs cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Back chest freezer needs cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Food residue in deli cooler needs cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Food residue in condiment cooler needs cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Walk-In cooler walls; shelves; vent.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Kitchen storage shelves need cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Front chest freezer needs defrosted.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Food crumbs in back freezer (R) needs cleaned.

Corrective Action(s):

6-303.11 - INTENSITY

Observation: Poor lighting in walk-in cooler.

Corrective Action(s):

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION Back storage room ceiling tiles need replaced.

Corrective Action(s):

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

Observation: Cutting boards need replaced soon.

Corrective Action(s):

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

Observation: Back freezer needs repaired.

Corrective Action(s):

6-501.114 - MAINTAINING PREMISES, UNNECESSARY ITEMS AND LITTER

Observation: Remove unnecessary items from kitchen storage.

Corrective Action(s):

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

Observation: Back storage room walls and floor needs cleaned.

Corrective Action(s):

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

Observation: Dishwashing area floor; wall; and equipment need cleaned.

Corrective Action(s):

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Floor underneath cooking equipment needs cleaned.

Corrective Action(s): Recommend pulling out equipment on a regular basis to clean all areas of cooking equipment.

6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION

Observation: Hood vent area needs cleaned.

Corrective Action(s):

6-501.16 - DRYING MOPS

REPEAT OBSERVATION Mops stored in dishwashing area need hung vertically.

Corrective Action(s):

Inspection Outcome

Comments

Disclaimer

Person in Charge



Sanitarian

Tim Zeigler