


**SLURRYGO®**


**SGHH SERIES  
METAL LINED PUMP  
PERFORMANCE CURVE**

**[WWW.SLURRYGO.COM](http://WWW.SLURRYGO.COM)**

SIZE	FRAME	TYPE	MAX POWER (KW)	MAX PARTICLE SIZE(MM)	IMPELLER SG-CH1127				WEARING PARTS	CURVE NO.
					VANE NO.	TYPE	MATERIAL	VANE DIA.(MM)	MATERIAL	SGHH
1.5/1	C	SGHH	30	16	5	OPEN	METAL	343/330	METAL	1.5/1
				Increasing 5% power with expeller seal	SHAFT SEAL	Packing seal,Expeller seal,Mechanical Seal				




SIZE	FRAME	TYPE	MAX POWER (KW)	MAX PARTICLE SIZE(MM)	IMPELLER SG-DH2147				WEARING PARTS	CURVE NO.
					VANE NO.	TYPE	MATERIAL	VANE DIA.(MM)	MATERIAL	SGHH
3/2	D	SGHH	60	31	5	CLOSE	METAL	476/457	METAL	3/2
					Increasing 5% power with expeller seal	SHAFT SEAL	Packing seal,Expeller seal,Mechanical Seal			



# SLURRYGO®

## SGHH SERIES PERFORMANCE CURVE

SIZE	FRAME	TYPE	MAX POWER (KW)	MAX PARTICLE SIZE(MM)	IMPELLER SG-EH3147				WEARING PARTS	CURVE NO.
					VANE NO.	TYPE	MATERIAL	VANE DIA.(MM)	MATERIAL	SGHH
4/3	X	SGHH	300	38	5	CLOSE	METAL	518/508	METAL	4/3
	E		120	Increasing 5% power with expeller seal	SHAFT SEAL	Packing seal,Expeller seal,Mechanical Seal				



WWW.SLURRYGO.COM

**SLURRYGO®**

**SGHH SERIES PERFORMANCE CURVE**

SIZE	FRAME	TYPE	MAX POWER (KW)	MAX PARTICLE SIZE(MM)	IMPELLER SG-FH4147				WEARING PARTS	CURVE NO.
					VANE NO.	TYPE	MATERIAL	VANE DIA.(MM)	MATERIAL	SGHH
6/4	F	SGHH	260	57	6	CLOSE	METAL	720	METAL	6/4
	X		560	Increasing 5% power with expeller seal	SHAFT SEAL	Packing seal,Expeller seal,Mechanical Seal				

