

November 2022

Pristine

Roller Shade MSRP



Photograph courtesy of Phifer



Proudly Made In America

PORTER PRESTON

Quality Wholesale Window Coverings
Contract • Hospitality • Healthcare • Residential

www.porterpreston.com • Tel: 866-753-1113 • Fax: 203-597-8828 • email: customerservice@porterpreston.com



Quality Wholesale Window Coverings
Contract • Hospitality • Residential

Table of Contents

Page

Measuring & Ordering

Selecting the Type of Mounting.....	1
Fabric Deductions & Light Gaps.....	1
The Wrap-Do I add the fabric that wraps around the tube?.....	2
Fabric Tracking & Telescoping.....	2
Railroading.....	2
Wide Shades.....	2
Seams.....	2
Regular Roll or Reverse Roll?.....	2
Safety Hold Tension Device.....	3

Shade Options

Clutch and Bracket Selection.....	4
Roller Shade Control Options	
Clutch.....	5
Spring Assist.....	5-6
Chain Options.....	6
Cordless Spring Rollers.....	7-8
Spring Roller Shade.....	9
Hem Bar Options.....	9
Skyline Bottom Up Roller Shades.....	10
Roller Shade Valance Closure Options	
Soft Valance.....	11
Inserted Fabric Valance.....	11
3" Uncovered Skyline Fascia Valance.....	11
3" & 4" Uncovered Square Aluminum Fascia Valance.....	12
3", 4" and 5" Fabric Wrapped Square Fascia Valance.....	12
Universal 5" Fascia System.....	13
7" Square Fascia System.....	14
Cassette 100 and Cassette 120.....	15-16
Lower Access Fascia/Flap & Hanger.....	17
3", 4", 5", 6" Shade Box Valance with Bottom Closure.....	18
Side Rails, Sill Channel & Zip Tracks.....	19

Motorization

Somfy Battery Powered Motors & Controls.....	20-22
Somfy Rechargeable Solar Battery Pack.....	23
Wired.....	24-26
Controls.....	27-28
myLink RTS Smartphone and Tablet Interface.....	29-30
Rollease Automate Radio Communication.....	31-33

Shade Material

Solar Screens, Translucents, Blackouts.....	34
The Glow Effect.....	35
Shade Roll-Up Diameters.....	35
Roller Shade Fabrication Chart.....	36
Fabric Specifications.....	37-38

MSRP	39-50
-------------------	-------

Warranty	51
-----------------------	----

Selecting the Type of Mounting

Determine whether the roller shade is going to be installed inside the window frame or outside the window frame.

Inside Mount (IM) or Inside Bracket (IB)

Inside mount installations are mounted inside a window frame or some other recessed area.

Measuring Width and Length for Inside Mount

Width: measure across the top, middle, and bottom of the window opening. Using the narrowest dimension, measure to the nearest 1/8". By using the narrowest measurement the shade will operate correctly.

Length: measure the vertical dimension of the left, center and right side. Use the longer measurement, measure to the nearest 1/8". The factory will make the appropriate deductions from your measurements on both the tube and the fabric. Do not make any width or length deductions or additions.

Outside Mount (OM) or Outside Bracket (OB)

Outside mount installations are mounted on the wall, ceiling or on the window molding.

Measuring Width and Length for Outside Mount

Width: measure the width of the window opening from left to right and add as many inches as desired for maximum light gap coverage and privacy. If the shade is to be mounted to trim or framing around the window measure from the trim's outside edge left to right. The factory will make deductions from your measurements on both the barrel and fabric. Once you determine the desired width, round to the nearest 1/8".

Length: measure the window opening from top to bottom and add as many inches as desired to this measurement to allow space for mounting brackets above the opening and enough overlap at the bottom to avoid a light gap. Once you determine the desired height, round it to the nearest 1/8". The factory will make the appropriate allowance for the fabric wrap on the roller tube. If there is trim or framing around the window, measure from the trim's outside edge top to bottom, provided the trim provides the flat space required for an outside mount. If not you can mount the shade to the wall above the trim. In addition, if the window sill protrudes outside the window opening at the bottom of the window measure just to the bottom of the sill.

Confirming Measurements

It is standard to order width first and length second. The most common error in ordering roller shades is reversing the width and length measurements. Always confirm that the width is the measurement that goes across from left to right and that the length is the measurement that goes from top to bottom.


Fabric Deductions & Light Gaps

It is extremely important to note when measuring for roller shades that the actual fabric width of the shade will be less than the window measurement provided. To allow for the space that the shade brackets, clutch or motor, and the idler end take up, the factory must make a deduction so that the finished measurement or bracket to bracket measurement of the shade fits into the width dimension provided.

Please note the below deductions taken by the factory for roller shades without valances.

Type of Shade Operation	Fabric Width Deduction
Metal Spring Roller OB	-1"
Metal Spring Roller IB	-1"
R-Series Clutch 1 1/4" tube OB	-1 1/4"
R-Series Clutch 1 1/4" tube IB	-1 3/8"
R-Series Clutch 1 1/2" tube OB	-1 3/8"
R-Series Clutch 1 1/2" tube IB	-1 1/2"
R-Series Clutch 2" tube OB	-1 1/2"
R-Series Clutch 2" tube IB	-1 5/8"
Skyline Clutch OB	-1 1/4"
Skyline Clutch IB	-1 3/8"

Please Note: When a shade is over 100" in width or length an additional 1/8" is deducted from the fabric width



IB Measuring



OB Measuring

Shade Measurements: (Critical Note)

If a specific fabric width is required, please make it explicitly known that this is fabric width. We suggest that this only be done for outside mounts.

Measure Twice.....Because We Cut Once!

"The Wrap" - do I have to add the fabric that wraps around the tube?

The wrap is the amount of fabric that is added to the window opening length by the factory. The wrap will be added to the window opening size. When measuring the length of the shade measure from the top to the bottom of the window opening. Do not include any extra for the wrap, as this extra material is included automatically by the factory. The standard wrap for motorized and clutch roller shades is 10". The standard wrap for spring roller shades is 12".

Fabric Tracking & Telescoping

Roller shades that exceed a 3 to 1 length to width ratio meaning the shade is more than 3 times longer than it is wide, may have problems tracking or rolling up straight (think of putting paper towels back on the roll). This tracking issue, commonly referred to as telescoping, is an inherent characteristic of roller shade fabrics and should be explained to the end user.

Railroading

In order to make a shade that is wider than the fabric roll width, the fabric will be railroaded or turned sideways and cut to the width of the shade. Note: when railroaded you may see "curling" on the outer vertical edges of the shade. If curling is objectionable consider using a different wider fabric or battens (See Price Grid 11 page 39)

Wide Shades Shades over 126" may exhibit certain aesthetic characteristics such as smile lines, waves, wrinkling on the tube that could result in permanent damage to the fabric. Please consider speaking to Customer Service about splitting your shade with the use of couplers.

Seams In cases where the fabric is wider *and* longer than the width of the fabric roll, a second piece of fabric will be cut and welded (spliced) to the first fabric piece. A "Roman Look Roller Shade" is a perfect way to hide a seam as Pristine's joint seams and "Roman Look" seams are practically indistinguishable.

Roller Shades... Regular Roll or Reverse Roll ?

Regular Roll

Regular roll shades indicate that the shade fabric rolls off the back of the roller tube. The shade cloth will be closest to the window with this option.


Regular roll shades are industry standard and yield the highest levels of energy conservation because of the shade's close proximity to the glass.

Reverse Roll

Reverse roll shades indicate that the shade fabric rolls off the front of the roller tube. The shade cloth will be furthest away from the window with this option.

Reverse roll shades are most commonly used for the following applications:

- To avoid window obstruction (door handle, etc.)
- To reduce light gaps for corner or bay windows



Telescoping and Tracking



Regular Roll



Reverse Roll

RollEase®


SafetyHold™

Bead Chain or Cord Loop Hold Down Device



Safety Instructions:

A WCMA 5.2.3 Warning Tag (available from RollEase®) must be fastened to the device prior to shipping.



The SafetyHold3 must be secured to the clutch or headrail to make the shade inoperable without purposeful action of installer.



Use appropriate anchors when installing.

Installation Instructions:

To ensure safety, SafetyHold3 must be installed properly following these five steps.



Thread bead chain (or cord) through base and around guide (flat side of base facing guide).



Push insert into guide until rounded edge is resting on the bead chain. (For cord, flip insert so opposite side with serrated edge is resting on cord.)



Squeeze guide legs while sliding spring over guide completely. (Be sure spring is all the way over the legs of the guide).



Slide base, flat side down, over curved end of guide.



Using screws provided, attach to wall, allowing some slack for bead chain connectors to slide through easily.

Patented Device:

RollEase offers this patented device for cord loops and bead chain loops. SafetyHold3 complies with the WCMA-ANSI standard 6.5 that requires a hold-down device to make the shade partially inoperable unless the hold-down device is installed.

The hold-down device is designed for continuous cord or bead chain loops that allows stop balls and/or connectors to pass through.

Parts Included:



Test Data:

- Meets WCMA standards for hold down devices.
- Tested to ensure 10 year life of product.



Child Safety

Child safety is of the utmost importance to Porter Preston. That's why we use warning tags and warning labels to highlight the potential hazards of corded window coverings. The tags and labels are attached to every one of our corded window treatment products. Porter Preston suggests choosing cordless alternatives or products with inaccessible cords.


Window Cord Safety

Parents and caregivers should pay close attention to window cord safety and the danger of children becoming accidentally entangled and possibly strangled in the window cords. Strangulation can occur when a child or pet places his or her neck between the exposed lift cord and the fabric on the back side of the shade.


Clutch & Bracket Selection

To determine the clutch and tube used by the factory for a specific shade, refer to the **Roller Shade Fabrication Chart** on page 38.

R Series clutch and pin colors are black & white ♦ R Series bracket colors are zinc, black and white ♦
R Series fascia bracket colors are gray, black, bronze, vanilla and white ♦ R Series square fascia face plate colors are silver, black, bronze, vanilla and white



R Series Bracket




R Series Square Fascia Plate

Skyline clutch and pin colors are black, brown, cream, grey, vanilla and white ♦ Skyline bracket colors are silver, black and white ♦ Skyline bracket cover colors are black, brown, cream, grey, vanilla and white ♦
Skyline fascia bracket colors are black, brown, grey, vanilla and white



Skyline Hardware



Universal R-Series Bracket

Shown for a Wall Mount Application



Universal Skyline Bracket

Shown for a Ceiling Mount Application

Clutch	Bracket	Ceiling Mount Installation		Wall Mount Installation	
		Projection	Height	Projection	Height
R-8	RB360	1 7/8	2 7/8	2 3/8	2 3/8
R-8	RB360	1 7/8	3 3/8	2 7/8	2 3/8
R-16	RB560	2 5/8	3 1/8	2 15/16	3 1/4
R-16	RB560	2 11/16	4	3 7/16	3 1/4
R-24	RB580	3 9/16	4 5/8	3 7/8	4 5/16
SL-10	SLB660	2 1/4	3	2 5/8	2 3/8
SL-15	SLB660	2 1/4	3 1/8	2 3/4	2 5/8
SL-20	SLB660	2 3/4	3 1/4	3	3 1/8
SL-10	SLB680	2 3/16	3 1/2	3 1/8	2 3/8
SL-15	SLB680	2 1/4	3 5/8	3 1/4	2 5/8
SL-20	SLB680	2 11/16	3 3/4	3 1/2	3 1/8
R-Series/Skyline	3" Fascia	3	3	3	3
R-Series/Skyline	4" Fascia	4	4	4	4
R-Series/Skyline	5" Fascia	5	5	5	5

*Please note: Measurements for Ceiling Mount Installation take into account the width of the clutch as part of the overall projection but does not take into account the roll diameter which may be greater. The height is the distance from the foot of the bracket to end of the mounting bracket.

*Please note: Measurements for Wall Mount Installation take into account the distance from the foot of the bracket to the end of the clutch for the overall projection but does not take into account the roll diameter which may be greater. The height is determined by the overall height of the clutch. (All other dimensions are overall net dimensions)

Roller Shade Control Options

Pristine Roller Shades can be operated by either standard clutch, spring assist, spring roller or motorized options.

Standard Clutch Roller Shade

This roller shade is operated manually with a self-lubricating clutch mechanism. With a continuous loop control chain, shades can be rolled up, exposing a room to sunlight, or down to filter or block out the sunlight from entering the room.

Outdoor Clutch: Featuring Stainless Steel interior components and warranted for 10 years(See Price Grid 11 Pg 44)

Galaxy Clutch: An option other than a Spring Assist is a Galaxy Clutch. These are gear reduction clutches that will reduce the pull forces required to operate larger shades.

Caution:

Most clutches operate on a 1:1 gear ratio: meaning you pull chain 2 feet the shade moves 2 feet. By nature a Galaxy clutch, in order to reduce the pull force, will have up to 2 feet of chain pull to 1 foot of shade movement. As a result a chain stop cannot be used.

Two Models of Galaxy Clutches are available:

MSRP

G-200, for 1 ½" & 2" tube
G-400, for 1 ½", 2", 2 ½" & 3" tube

Price Grid 11 pg 44

Price Grid 11 pg 44

Spring Assist

When shades get larger even with stronger clutches the pull forces required get greater. Pristine offers 2 different spring assist systems to help: pin end spring assist & clutch spring assist.

When a shade is lowered, gravity is used to coil a spring attached to the pin-end side of the shade. When the shade is raised the coiled spring assists the operator by reducing the pull force required up to 40%. The pin end spring assists are available with 1 ½ "tubes.

The clutch side spring assists come in 2 sizes and will also add to the minimum width of the shades. These additions to the minimum width of the shades are usually not an issue as they are used on larger shades anyway.



Rollease Skyline Clutches



R Series Clutches Galaxy Clutches



Outdoor R Series Clutch Skyline Outdoor Clutch



Pin End Spring Assist



Galaxy Geared Spring Assist

Spring Assists (continued)

Spring Assist	Tube Diameter	Pull Reduction	Max Drop	Minimum Shade Width	MSRP
R-Series Pin End Spring Assist	1-1/2"	to 40%	116"	24"	Price Grid 11 pg 44
Skyline Pin End Spring Assist	1-1/2"	to 40%	116"	24"	Price Grid 11 pg 44
R-Series & Skyline Spring Assist 36"	1-1/2" & 2"	to 6 lbs.	TBD	58"	Price Grid 11 pg 44
R-Series & Skyline Spring Assist 45"	1-1/2" & 2"	to 6 lbs.	TBD	58"	Price Grid 11 pg 44

Chain Options

Nickel Plated Steel (standard)
White, Off-White, Clear or Black Plastic

Surcharge Applies. Price Grid 11 pg 44

- Dungeon
- Gun Metal
- Aluminum
- Yellow Brass
- Mystic Red
- Medieval Brass
- Stainless Steel
- Antique Bown

CHAIN FINISHES



CHAIN CONNECTORS



OPEN BALLS



RollEase

CORDLESS SPRING ROLLERS



Child And Pet Safe Solutions And A Neater Appearance With No Messy Cords

EasySpring Plus: Superior Performance, Wide Selection, Child and Pet Safe

See Price Grid 11 Pg 44 for Pricing

Both EasySpring and EasySpring Plus cordless spring rollers eliminate concerns about safety and aesthetics often associated with a dangling cord and comply with WCMA/ANSI standards making roller shades safe for both children and pets.

The durable construction of the EasySpring Plus ensures years and years of reliable performance. Our unique cordless lift system is manufactured with just a few parts making it easy to assemble and quick to install. The EasySpring Plus's tight and secure fit into shade headers prevents shades from popping out of brackets.




EasySpring Plus offers a variety of systems—including options on tube and spring sizes, single and dual shade applications, and adjustable wheel brackets—making it the perfect choice for any shade application in homes, offices, planes, yachts, and other recreational vehicles.

- Child and pet safe
- Sleek window shade appearance
- Easy-to-assemble in your fabrication area and quick to install
- Available for shades up to 78" wide
- Single and Dual shade options
- 5 systems to choose from
- 2 bracket choices
 - With side adjuster for minimal light gap
 - With adjuster wheel for easy after installation adjustments
- 1½" (38mm) diameters
- 3 spring sizes for each tube size - for very small to very large windows*
- Speed reducer built into spring
- Use with Cassette 100 or Cassette 120 for a clean, polished look

Note 1: EasySpring Plus Max Roll Diameter is 2 3/8" Note 2: No fascia available but soft valance is available

**If you require different spring sizes, please contact your Porter Preston Customer Support Representative to discuss special orders.

EasySpring Plus Rollersshade Chart



No Spring Available	
1.7 X 550mm (1.5")	RE0084400
1.5 X 450mm (1.5")	RE0080500
1.2 X 300mm (1.5")	RE0081400

Spring Size/Bracket Configuration	Spring Selection	Stopper (Idler)	Minimum Roller Shade Width (inches)
38mm (1.5") with Adj. wheel bkacket	1.2mmX300mm RE0080400	Regular 1.5" RE0081400	25 7/8
38mm (1.5") with Adj. wheel bkacket	1.5mmX450mm RE0080500	Regular 1.5" RE0081400	32 1/2
38mm (1.5") with Adj. wheel bkacket	1.7mmX550mm RE0084400	Regular 1.5" RE0081400	36 5/8
38mm (1.5") with Non Adj. wheel bkacket	1.2mmX300mm RE0080400	Regular 1.5" RE0081400	24 7/8
38mm (1.5") with Non Adj. wheel bkacket	1.5mmX450mm RE0080500	Regular 1.5" RE0081400	31 1/2
38mm (1.5") with Non Adj. wheel bkacket	1.7mmX550mm RE0084400	Regular 1.5" RE0081400	35 5/8

Spring Roller Shade

This roller shade is operated by a heavy-duty spring mechanism. All shades between 15" and 61" wide will be made with a 1" diameter metal tube. All shades between 61 1/8" and 97" will be made with a 1 3/8" diameter metal tube. Brackets are universal. By pulling on a handle or draw cord attached to the hembar, shades can be rolled up, exposing a room to sunlight, or down to filter or block out the sunlight from entering the room.

Minimum Width:	15"
Maximum Width:	97"
Minimum Height:	18"
Maximum Height:	108"

How to adjust the spring tension on a roller shade

The tension on the spring of your roller shade is already preset. If you wish or need to make any further adjustment, follow below noted procedures:

A: To Increase lifting power:

- 1) With the shade in the window, pull the shade part way down
- 2) Remove it from the mounting brackets and roll it half-way or so up
- 3) Replace it in the brackets of the windows and try it for tension and length that it will go down without being over-taught (unable to roll down anymore). Do not force it if it does not want to move downward as it is now over-wound - instead now try decreasing the tension as follows:

B: To Decrease lifting power:

- 1) With the shade in the window, roll the shade all the way up
- 2) Remove it from the mounting brackets and roll it half-way down or so
- 3) Replace it in the brackets of the windows and try it for proper lift & drop tension and travel distances top to bottom.

Note: If the shade will not travel all the way to the top, then the spring tension needs to be increased - follow procedure A.

If the shade will not travel all the way to the window sill or beyond, then the spring tension needs to be decreased - follow procedure B.

Hem Bar Options


- a. **Heatsealed Hembar:** This is Pristine's standard hembar. A weighted aluminum weight bar is inserted into a 1 1/2" heatsealed pocket. **The ends of the pocket are available sealed upon request for no additional charge.** Heatsealed hembars are included in all contract quotes.
- b. **External Hembar:** The External Hembar is an exposed aluminum hembar (see Price Grid 11, Page 45)



Heatsealed Hembar



External Hembar




Skyline Bottom Up Roller Shades

Bottom up shades let the light in from the top of the window while shading the bottom section for privacy. This shade utilizes Skyline hardware combined with an innovative cord adjusting system to ensure a self-leveling hem bar. A geared clutch makes the system operation effortless.

See Price Grid 11, Pg 44 for MSRP

Skyline Chain Control



SYSTEM INDEX:


- | | |
|-----------------------------|--|
| 1. Skyline Fascia | 10. Cord |
| 2. Skyline Bracket | 11. Flat Spline |
| 3. Skyline Bracket Cover | 12. Bottom Up Rail Seal |
| 4. HD Pin End | 13. Booster Universal - 1.5" - No Stop |
| 5. 1.5" Tube | 14. Chainfree Control - 1.5" |
| 6. 1.5" Spool | 15. ESU Skyline Adapter |
| 7. Bottom Up Rail | 16. Skyline Clutch |
| 8. Bottom Up Rail Caps | 17. Skyline Chain Diverter |
| 9. Bottom Up Cord Guide Kit | 18. Chainhold Tension Device |

Roller Shade Valance Enclosure Options

Soft Valance

The soft valance is made out of the same fabric as the roller shade. The fabric valance has both a top and bottom pocket. The top pocket has a piece of wood inserted and the bottom pocket contains the same metal slat in the pocket as the roller shade. Screw through the top pocket and wood to mount the soft valance. The standard length is 6". It can be made any length up to 9" without a surcharge.

Roll: Available for regular roll and reverse roll shades
Color: Valance fabric matches shade fabric
Mount: Inside only (it does not have returns)
Maximum Width: 216"
See Price Grid 11
Page 45




Soft Valance

Inserted Fabric Valance

The Inserted Fabric Valance is a traditional dust cover vertical blind valance that uses 3 1/2" strips of roller shade fabric inserted into the groover channel of the valance. This valance features a continuous corner return that prevents the valance returns from separating from the valance. OB option requires separate brackets, nuts and bolts to attach valance to brackets.

Roll: Available for regular roll and reverse roll shades
Color: Valance fabric matches shade fabric
Mount: Inside or Outside
Maximum Width: 192"

See Price Grid 11
Page 45




Inserted Fabric Valance

3" Uncovered Skyline Fascia Valance

The Fascia system is a decorative cover compatible with Rollease Acmeda™ roller shade hardware systems. The system is multi-functional in both mounting and finished appearance.

Roll: Available for Regular Roll Only
Color: White, Vanilla, Bronze, Black & Anodized
Mount: Inside or Outside
Maximum Width: 144"
See Price Grid 11 Page 44




Skyline 3" Fascia

Roller Shade Valance Enclosure Options

3" & 4" Uncovered Square Aluminum Fascia Valance

The 3" & 4" Square Aluminum Fascia Valance is a "L" shaped aluminum extrusion that covers the front and bottom of the roller. The valance option locks to its brackets with snap-in fittings. The roller is concealed behind this valance and the bottom of the shade drops from the back of the valance when lowered.

Roll:	Available for regular roll only
Color:	White, Vanilla, Bronze, Black & Anodized
Mount:	Inside or Outside
Maximum Width:	144"
See Price Grid 11	
Page 44	



3" R Series Square Fascia




4" R Series Fascia

3", 4" & 5" Fabric Wrapped Square Fascia Valance

The 3" & 4" Fabric Wrapped Square Fascia Valance are the Square Aluminum Fascia Valances listed above, but include fabric matching the roller shade wrapped around the aluminum extrusion. This innovative upgrade option provides a warm look for any room. As described above with the Square Fascia Valance, this option covers the front and bottom of the roller and locks to its brackets with snap-in fittings. The roller is concealed behind this valance and the bottom of the shade drops from the back of the valance when lowered.


Roll:	Available for regular roll only Valance
Color:	fabric matches shade fabric
Mount:	inside or Outside
Maximum Width:	144"

See Price Grid 11
Page 44



3" & 4" Fabric Wrapped Fascia

Universal 5" Fascia System




The modularity of the Universal 5" Fascia System offers a variety of different motorized or manual configurations. It also –


- Can be configured for a single large shade (4 3/4" diameter fabric roll) or dual shades (2 3/4" fabric roll),
- Eliminates notching of fascia using chain diverters and guides,
- Minimizes fascia light gap across the header as the top of the fascia is even with the top of the brackets,
- Accepts standard and reverse roll shades easily with reversible mounting fascia,
- Blocks light entering from behind the shades with optional mount of second length of fascia.

The Universal 5" Fascia System is available in white, anodized and bronze finishes and compliments the 3" and 4" Fascia and the Cassette 120. See Price Grid 11 Page 44

7" Square Fascia System




7" Square Fascia System with Somfy LT50 Motor



ZMC 7" Motorized Roller Shade

- SPECIFICALLY DESIGNED FOR ALL INDUSTRIAL AND COMMERCIAL APPLICATIONS THE 7" FASCIA SYSTEM PROVIDES A CLEAN AND MODERN APPEARANCE TO ANY LOCATION
- COMPATIBLE WITH SOMFY LT50 MOTOR ONLY AVAILABLE WITH INTERMEDIATE BRACKETS ALSO
- THE 7" DUO SHADE BRACKETS ALLOWS BOTH FILTERING AND ROOM DARKENING
- COMBINED WITH SIDE CHANNEL TO COMPLETELY ELIMINATE LIGHT PENETRATION WHEN CLOSED
- AVAILABLE IN WHITE, BRONZE & ANODIZED
- LENGTHS ARE 16 FEET

See Price Grid 11 Page 44



- NOTES:
1. 7" EXTRUDED ALUMINUM FASCIA
 2. 7" FASCIA BRACKET
 3. INSERT PLATE FOR MOTOR
 4. 2" EXTRUDED ALUMINUM MOTORIZED TUBE
 5. BLACKOUT FABRIC
 6. FABRIC: 3%, 5%, 10% OPENNESS
 7. EXTRUDED ALUMINUM SLIM BOTTOM BAR
 8. SLIM BOTTOM BAR END CAP




See Price Grid 11 Page 45

Cassette 100 & Cassette 120

Here at Porter Preston we offer one of the finest finishing options for Custom Roller Shades our Cassette 100 & 120 Systems. Here are some of the advantages for using these products:


- Three headrail sizes afford greater range of drop length possibilities and use of thicker fabrics
- Quick and easy installation
- Sleek look accommodates upscale commercial needs and affords greater residential appeal
- Sleek, curved design makes sunscreen fabrics more adaptable to residential use
- Intermediate bracket allows two shades in one headrail
- Available in five of the most popular colors: Anodized, White, Vanilla, Bronze & Black.




Cassette 100

Description	Systems Available	Compatible Clutches	Max Tube Diameter	Max Roll Diameter	Max Window Width	Colors Available	Mounting Brackets
Cassette 100	R-Series	R8, R16, RGAL RGALH 200	2 in (50.8mm)	2.5 in (63.5mm)	16 ft (4.88m)	Anodized, White, Vanilla, Bronze, Black	HDBKT2
Cassette 120	R-Series	R8, R16, RGAL RGALH 200	2 in (50.8mm)	2.870 in (72.90mm)	16 ft (4.88m)	Anodized, White, Vanilla, Bronze, Black	V2BKTXX



Cassette 100





Cassette 120



Headrail Cassette 100



Headrail Cassette 120



Lower Access Fascia / Flap & Hanger


The lower access fascia/flap & hanger is an aluminum extrusion that is installed at the bottom of a dry soffit to conceal the bottom of the roller shade. One should drill the mount strip wall hanger in the front of the dry wall soffit (pocket). **For Pricing See Price Grid 11 Page 45**

3" Lower Access Fascia / Flap and Hanger

Flap and Hanger provides a simple solution for concealing either a manual or motorized roller shade from viewers beneath the system. Flap and Hanger is a two-piece unit consisting of a "Hanger" which is mounted to the inside face of a gypsum pocket or soffit and a removable "Flap" which attaches to the hanger to provide a 3" return to conceal the shade mechanism.


Specifications

Material: 0.063" Extruded Aluminum
Color: White, Bronze and Anodized
Length: Available in custom lengths up to 150"




Roll: Available for regular roll and reverse roll shades
Color: White
Mount: Inside only
Minimum Width: 18"
Maximum Width: 240"

See Price Grid 11 Page 45



5" Lower Access Fascia / Flap and Hanger



5" Flap

Roll: Available for regular roll & reverse roll shades
Color: White & Anodized
Mount: Inside or Outside
Minimum Width: 12"
Maximum Width: 192"

See Price Grid 11 Page 45

3", 4", 5", 6" Shade Box with Bottom Closure Plate



CONTRACT


Contract Series

QUICK REFERENCE SHEET

Widest variety of clutch options featuring award-winning and patented technology advancements that provide the smoothest and easiest pull forces in the industry.

- Aluminum Pockets in 4 sizes
- Bottom Closures and Black-out Side and Bottom Channels
- Multiple Tube and Bracket sizes
- Manual and Motorized options
- Quality design for fast, cost-effective and trouble-free installation

See Price Grid 11 Page 45



Item Description	Compatible Skyline Clutches	Compatible R-Series Clutches	Max Tube Diameter	Side Channels Available	Max Roll Diameter	Max Roll Diameter w/Bottom Closure	Max Window Width	Colors Available
3 Inch Pocket	N/A	R8, R16	2 in (50.8mm)	No	2.80 in (71.12mm)	2.4 in (60.96mm)	16 ft (4.88m)	Anodized, White
4 Inch Pocket	SL15, SL20, RGALH, SL30, RGAL400H	R16, R24	2 1/2 in (63.5mm)	Yes	3.75 in (95.25mm) 3.70 in (93.98mm)	3.4 in (86.36mm)	16 ft (4.88m)	Anodized, White
5 Inch Pocket	SL15, SL20, RGALH, SL30, RGAL400H	R16, R24, RGAL, RGAL400	3 1/4 in (82.6mm)	Yes	4.75 in (120.65mm)	4.75 in (120.65mm)	16 ft (4.88m)	Anodized, White
6 Inch Pocket	SL20, RGALH, SL30, RGAL400H	R16, R24, RGAL, RGAL400	3 1/4 in (82.6mm)	Yes	5.70 in (144.78mm)	5.5 in (139.7mm)	16 ft (4.88m)	Anodized, White

*For motor selections, see www.rollease.com/systems/roller-shades/motorized-solutions and click on Contract/Pocket Systems

Side Rails, Sill Channel & “Zip” Tracks

Side Rails & Sill Channels are aluminum extrusions used to eliminate light gaps at the left, right & bottom edges of the shade. Zip tracks are a great way to get the benefits of a side rail without any of the potential issues – can be used over open window – even outside.

Side Rails are used (primarily) for light control on the side and bottom of the shades. Side Rails are available in one width of 2 1/2” and have caps to finish top and bottom edges. Available in the following colors: White, Bronze, Black, Anodized and Vanilla.


See Price Grid 11 Page 45



Side Rail

Sill Channel is a more cost effective option used on the sill to control light bleed from the bottom of the shade.

See Price Grid 11 Page 45



Sill Channel

ZIP Tracks are a fantastic way of getting all the benefits of a side rail and none of the draw backs. The vertical edge of the fabric has a “zipper” heat sealed to it that is retained by a special side rail extrusion so that the fabric will not only remain in the side rail but ☺ be held snugly in place. Available in white, off-white, gray, bronze & black. Custom colors are also available.

Please Call for a Quote



Zip Tracks



Lithium-Ion Rechargeable Battery RTS Motors by SOMFY:

Somfy Li-ion Wirefree Motor Types-Batteries are embedded within the tube!

See Price Grid 12 Page 46-47 for Pricing

			
Motor	Roll Up 28 Lithium-Ion/RTS	Sonesse 30 Lithium-Ion/RTS	Sonesse 30 ULTRA Li-Ion/RTS
Part #	1240291	1003128	1003310
Voltage	12V DC	12V DC	12V DC
Sound Level	~44dBa	~44dBa	~40dBa
Max. Lifting Weight / Tube Dia.	9.68 lb / 1.25" 8.07 lb / 1.5"	17.6 lb / 1.5" 13.2 lb / 2"	17.6 lb / 1.5" 13.2 lb / 2"
Speed	10-28 Adjustable RPM (Factory setting is 28RPM)	10-28 Adjustable RPM (Factory setting is 28RPM)	10-28 Adjustable RPM (Factory setting is 28RPM)
Minimum System Width	25 3/8" Width	26 1/4" Width	28" Width
Recommended Max Shade Size	84" W x 84" H	120" W x 120" H	120" W x 120" H
AC Charger-Recharger: Roll up 28 Lithium-Ion & Sonesse 30 Lithium-Ion ONLY Part #: 9020672 			AC Charger-Recharger: Sonesse 30 ULTRA Lithium-Ion ONLY Part #: 9025166 



RTS Transmitters for Lithium-Ion Motors by Somfy:

(these transmitters work with all Somfy RTS Motors)

See Price Grid 12 Page 46-47 for Pricing

Control	NEW Situo 1 1 Channel Remote	NEW Situo 5 5 Channel Remote	Telis 1 1 channel Remote	Telis 4 5 channel remote	Telis 16 16 channel remote	Decoflex Wallswitch 1-5 Channel
Part #	1800128	1800139	1810632 (Pure)	1810633 (Pure)	1811081 (Pure)	See MSRP
Image						

Control	Smooove RTS Wall Switch	Decoflex Tabletop Accessory	MyLink Smartphone and Tablet /Voice Interface. myLink also allows for integration with third-party control systems such as Control 4, Savant & Crestron
Part #	1811533 (Pure)	1811185 (White)*also available in black	1811403
Image			





Automation

Pristine roller shades can be operated by battery or hard wired solutions. Control options are many from wireless wall switches and remotes to home automation interfaces.

Porter Preston offers many different solutions for the automation of window treatments. The simplest and most popular solution is Somfy RTS (Radio Technology Somfy) and we have featured these motors and controls here.

We are happy to quote motorization solutions such as Somfy ILT, Lutron QED & QS and Electronic Solutions. We will design the system that is right for your project. Ask about Porter Preston's Project Management and Installation services. We can provide a "turn-key" solution for your automation project.

Battery Powered Motorized Roller Shades

Somfy R28 RTS-1240292

Porter Preston offers Somfy R28 RTS battery powered motors. They are radio (RTS) controlled and fit 1 ½" roller tube. Their maximum lifting capacity is 10 lbs. In general they can lift a 96" x 96" shade. Expected battery life is 1 – 2 years depending on frequency of use. Lithium batteries are supplied and recommended when replacements are due.

Advantages:

- No need for wiring
- In wall and handheld wireless controls
- Same controls work with other RTS hard wired shades
- Shades can be operated individually, groups and sub-groups
- Small size

Disadvantages:

- Size / weight limitations
- Motor noise – rather loud
- Battery powered – eventually the shades will cease to function and the batteries will have to be replaced
- Motor speeds often will not be the same

Minimum Width: w/o fascia 16" with fascia 17"

Maximum Width: 96"

Somfy R28 RTS battery motor


Includes:

Battery wand

Battery wand mounting clips

8 lithium AA batteries

See Price Grid 12 Page 46-47



Somfy 12V DC Rechargeable Solar Battery Pack / Tube / Wand Kit Part # 9019235



Kit includes:

(1) Photovoltaic Solar Panel in Bezel with Glass mount adhesive strips,
(1) 10" Y-Harness, (1) Alcohol Wipe, (1) Instructions (10) #9018621 NiMH(Nickel Metal Hydride) rechargeable batteries that fit in the reloadable battery tube.

- Used for powering Somfy LT30, CT32 and 2" Blind Tilt 12V Motors and Hunter Douglas 12 Volt PowerRise lift systems (see below).
- Low profile solar (photovoltaic) panel is compact, discreet and easy to conceal at just 1.57" tall x 11.85" Wide.
- Battery Tube / Wand 12" Y-Harness plugs directly into motor power port.
- Optional 24" or 48" Y-Harness available to extend reach of battery tube to motor.
- Replaces single (#9013741) and Dual (#9013742) throw away sealed battery wand.
- Battery Tube / Wand Dimensions: 20.625"L x 0.792D
- Warranty: 5-Years on Solar Panel, Wire Harness and Battery Holder. No warranty on NiMh Battery but has a life expectancy of 3-5 years.
- Somfy Cat. #9019235 includes (10)-NiNH batteries **MSRP:** See Price Grid 12 Page 46-47 for Pricing

The NEW Somfy Rechargeable Solar Battery Pack is a group of components that work in unison to provide a long life, renewable energy source for Somfy 12 Volt DC WireFree Motors. Patented energy saving technology uses sunlight to power WireFree Motorized window coverings by recharging the NiMH battery. Photovoltaics produce solar energy by converting solar radiation (sunlight) into direct electricity (DC) providing a Green alternative to regular batteries. The WireFree Solar Pack's PV panel is mounted on the inside of the window opening and converts the sun's light into electrical energy to power the window blind motor. The Solar Battery Pack is cost effective by reducing battery replacement and preserves the environment and provides a maintenance free solution that does not require an electrician. The Somfy Rechargeable Battery Pack is the ideal solution for hard to reach battery tube locations such as second story windows where battery replacement can be challenging.

Wired Motorized Roller Shades

See Price Grid 12 Pages 46-47

- **Somfy Sonesse ST-30 RTS (1001524)** 24 volt motor is a 2 nm (newton meter– a power rating) low voltage motor. It is best used on smaller shades as it can fit in a tube as small as 1.5". The motor is quiet – giving off only a small hum as it operates. As these motors operate off of 24 volts they do require a power supply to operate.

Minimum Width: 20" **Maximum Width:** 96"

Options: single motor power supply
5 motor power / distribution panel
10 motor power / distribution panel
panel dimensions: 12 1/4" x 12 1/4" x 5 1/2" high

- **Somfy Sonesse 40 RTS 404 S2 (1001636)** is a 4nm motor that runs on standard household line voltage. No power supply is necessary. An 11 1/2' cord is standard with the motor. Additional cord and plug is available at an additional cost.

Minimum Width: 23 1/2"

The Sonesse 40 series of motors are very quiet and deliver a lot of power in a 44mm or 2" tube size.

- **Somfy Sonesse 40 RTS 409 R2 (1001638)** is a 9nm motor that runs on standard household line voltage. No power supply is necessary. An 11 1/2' cord is standard with the motor. Additional cord and plug is available at an additional cost.

Minimum Width: 25"

The Sonesse 40 series of motors are very quiet and deliver a lot of power in a 44mm or 2" tube size.

For the Sonesse 40 RTS motors we can supply you with a grounded angle plug either loose or installed on the motor. If we install it on the motor for you we will cut the cord (11 1/2") to any length you specify. Note that this motor cable is NOT changeable so too long is always better than too short.

Angle Plug comes either loose or installed on motor

- **Somfy Sonesse 506 S2 RTS (1001809)** is a 6nm motor that runs on standard household line voltage. No power supply is necessary. See cord and plug options below.

Minimum Width: 31 1/2"

See Price Grid 12 Page 46-47



Radio Technology Somfy®



Sonesse ST-30 RTS



Sonesse ST-40 RTS



Sonesse 50 RTS w/o Plug



Sonesse 50 RTS 3' AC Cord with Plug

Wired Motorized Roller Shades

- **Altus 50 RTS** 525S2 (1043287) is for shades with great height or width, large banded shades and tensioned shades where more power is often needed. It is a 10nm motor that runs on standard household line voltage. No power supply is necessary. See cord and plug options below.

Minimum Width: 29"

See Price Grid 12 Page 46-47 for Pricing

These Sonesse 40, 50 and Altus 50 motors are also available in a standard **(4 wire) version**. Note that this motor will require a switch or external control.

RTS AC Cord Without Plug:

See Price Grid 12 Page 46-47 for Pricing

9203866	12' RTS Motor Cable WITHOUT Plug (LT-50)
9001537	18' RTS Motor Cable WITHOUT Plug (LT-50)
9001264	24' RTS Motor Cable WITHOUT Plug (LT-50)



110-volt AC Plug-in Motors simply plug directly into a standard electrical outlet

RTS AC Cord With Plug Installed on Motor:

See Price Grid 12 Page 46-47 for Pricing

9019952	3' RTS AC Cord With Plug Installed on Motor
9019953	6' RTS AC Cord With Plug Installed on Motor
9012145	12' RTS AC Cord With Plug Installed on Motor
9012151	18' RTS AC Cord With Plug Installed on Motor
9012146	24' RTS AC Cord With Plug Installed on Motor




24-volt DC Plug-in Motors require a power supply transformer that is wired to the motor cable and then plugs into an electrical outlet

Wired Motorized Roller Shades

Sonesse® ULTRA 50 AC -Part # 1002562

Ultra-quiet, ultra powerful, ultra flexible



Minimum System Width is 39"

Description

Motorize a wide variety of window coverings to create the perfect environment and enjoy the peace and serenity provided by the Sonesse® ULTRA. It offers exceptional lifting capacity so you can enjoy powerful operation in a quiet and relaxing environment.

Benefits

Silent & Strong

Enjoy energy savings, privacy and glare reduction in a quiet atmosphere

- Perfect for areas where silence is critical such as nurseries, bedrooms and offices
- Our patented technology provides strong performance that allows for multi-banding
- of up to six shades

Comfort & Convenience

Continue your activities uninterrupted at home or work with the peaceful silent

- operation of motorized applications
- Compatible with multiple control technologies so you can operate motorized applications with ease

Energy Savings

Compatible with timers, sensors and the myLink™ app for automatic operation

Description

ULTRA Powerful

Its superior torque of up to 6Nm allows the motor to be installed for almost any application on the market. Additionally, the high torque allows for a single Sonesse ULTRA to multi-band up to six shades.

ULTRA Quiet

Sonesse ULTRA 50 AC is packed with innovations and patented technologies that provide 6Nm of power and an acoustic performance of less than 38dB- the most powerful and quietest motor on the market.

ULTRA Flexible

Available for a variety of control systems, for all types of spatial configurations in commercial and residential buildings, in both new and renovated projects.

See Price Grid 12 Pages 46-47



Radio Technology Somfy®

RTS Controls

Telis Handheld Remote Controls

Telis Remote controls come in 3 different channel configurations 1, 5, & 16.

They are available in 3 colors: Pure – White; Lounge – Black; Silver- Silver. There is also a weather resistant model – the Patio.

For MSRP See Price Grid 12 Pages 46-47

Telis 1 Pure	(1810632)	Telis 4 Silver	(1810641)
Telis 1 Patio	(1810643)	Telis 4 Lounge	(1810652)
Telis 1 Silver	(1810639)	Telis 16 Silver	(1811082)
Telis 1 Lounge	(1810650)	Situo 1 RTS	(1800128)
Telis 16 Pure	(1811081)	Situo 5 RTS Pure	(1800139)
Telis 1 Chronis Pure	(1805237)	Smoove 1 RTS Pure	(1811533)
Telis 4 Pure	(1810633)		
Telis 4 Patio	(1810645)		



Telis 1 Patio



Telis 4 Lounge



Telis 4 Pure



Telis 16 Pure

The Telis 6 Chronis RTS is a multi-channel (6) programmable timer that can also be used as a 6 channel hand held remote.



Situo RTS offers a sleek modern look, refined profile, ergonomic design with a discreet wall support

The Smoove RTS is a single channel, battery-operated wall switch for Radio Technology Somfy powered products. Its surface-mount design eliminates



the need to cut into drywall during installation. With seven decorative frame choices the Smoove is the perfect choice to match any decor.

Situo 1 RTS-Price Grid 12 Pages 46-47

Smoove 1 RTS Pure-Price Grid 12 Pages 46-47

For MSRP See Price Grid 12 Page 46-47

DecoFlex In Wall Wireless Remote Controls

Somfy's DecoFlex is a wireless RTS control with a decora cutout that mounts in the wall in a low voltage ring (included). It comes standard in either 1 or 5 channel configurations. 2, 3 & 4 channel face plates are available for an extra charge. Included with every DecoFlex are stickers for custom labeling every button. Printed buttons are available as well. DecoFlex is available in White, Ivory & Black.

See Price Grid 12 Pages 46-47

1810897	DecoFlex 1 White
1810898	DecoFlex 1 Ivory
1810830	DecoFlex 1 Black
1810813	DecoFlex 5 White
1810814	DecoFlex 5 Ivory
1810899	DecoFlex 5 Black



DecoFlex 1 White



DecoFlex 5 Ivory

2, 3 or 4 Channel DecoFlex Overlays Available

Custom Engraved Decoflex Command Buttons

Controls for Standard Motor

See Price Grid 12 Page 46-47

1800374	White Single Pole Double Throw (SPDT) Maintained Decora Switch
1800373	Ivory Single Pole Double Throw (SPDT) Maintained Decora Switch
1800375	White Double Pole Double Throw (DPDT) Maintained Decora Switch
1800376	Ivory Double Pole Double Throw (DPDT) Maintained Decora Switch
1810476	IGC 4n1 Motor Controller
1810627	Universal RTS Receiver for 110v Motors

Quick Disconnect Cable for Standard Motors loose or installed on motor

See Price Grid 12 Page 46-47

9012160	Anderson Power Plug Installed on Motor (male-white)12"
9012161	Anderson Power Plug Installed on J-Box side (female black 60"

Somfy Universal RTS Interface

See Price Grid 12 Page 46-47

Somfy's Universal RTS 16 Channel Interface can convert commands from IR, RS232, RS485 to RTS commands

1810872	Somfy Universal RTS Interface
---------	-------------------------------



Somfy Universal RTS Interface

DecoFlex RTS Table Top Accessory- See Price Grid 12 Page 46-47

1811185	DecoFlex Table Top Black
1811051	DecoFlex Table Top White



DecoFlex Table Top Black



RTS Repeater

RTS Repeater - extend the range of your RTS controls up to 60'

1810791	RTS Repeater	See Price Grid 12 Page 46-47
---------	--------------	------------------------------

RTS Sun Sensor

9013707	Sunis Indoor Wirefree RTS Sun Sensor	Price Grid 12 Page 46-47
---------	--------------------------------------	--------------------------




Sun Sensor

myLink™ RTS

Smartphone and Tablet Interface

See Price Grid 12 Pages 46-47



OVERVIEW:

The myLink™ RTS Smartphone and Tablet Interface is a WiFi to Radio Technology Somfy® (RTS) bridge that can control up to 16 channels of RTS motorized products using the Somfy myLink apps for iOS and Android devices. Through the app, users can send immediate RTS commands, create scenes (a group of motorized products working together) and schedules (timed events). Users may access their myLinks from anywhere with the app's remote access feature. Though the myLink is a single-zone controller, multiple myLinks can be joined within the same system for multi-zone control. The myLink can also be used as a WiFi to RTS interface for integration with third-party control systems and is compatible with the Somfy Synergy™ API and Amazon Alexa.



For information about the original myLink (Legacy version), see Legacy spec sheet. Legacy myLinks are identified with the status LED and setup button on the right side of the unit, and device IDs beginning with "AAAA" (EX: AAAA1234).



TECHNICAL SPECIFICATIONS:

- 120V AC; 50-60Hz
- Ultra Low Power Wi-Fi (802.11 a/b/g/n)
- 3.64" L x 2.35" W x 1.95" H
- Radio Frequency:
 - RTS 433.42 MHz
 - Wi-Fi: 2.4 & 5GHz
- iOS Version: 7 and higher
- Android Version: Jelly Bean and higher
- FCC ID: DWNMYLINK
- Operating Temp: 41°F to 113°F (5°C to 45°C)
- Rated Current (Amps): 10 to 50 milliamps
- Insulation Class: Class II
- For Indoor Use Only
- Enclosure:
 - PE
 - UL94V-0 flame rating
 - RoHS compliant
- Shipping Weight: 1lb


FEATURES SUMMARY:

- Control for up to 16 RTS channels per myLink™ from iOS and Android devices
- Join up to 10 myLinks together for multi-zone control
- Manually activate RTS products
- Automate window coverings with scenes and schedules
- Supports Up/Down/My/Stop commands and incremental control (tilt/brightness)
- Multiple users
- Remote access
- Integration with third-party systems over IP
- Compatible with Somfy Synergy
- Compatible with Amazon Alexa

WHAT'S IN THE BOX:

- myLink™
- Quick Start Guide


CONNECTIONS AND INDICATORS:



ELEMENT	FUNCTION
1 Setup Button	Engages setup mode
2 Status LED	Solid Red: Setup mode. The myLink is ready to accept WiFi network information or have its PIN changed. This is the mode the myLink should be in out of the box. Solid Green: myLink is successfully connected to a WiFi network Slow Blinking Green: myLink is trying to connect to a WiFi network/is disconnected from its known WiFi network Single Orange Blink: myLink is sending RTS commands Solid Orange: Firmware update mode Slow Blinking Red: myLink is scanning both 2.4GHz and 5GHz bands for nearby WiFi networks
3 AC Prongs	AC prongs

DIMENSIONS:

Item #: 1811403-See Price Grid 12 Pages 46-47



BEST WIRING PRACTICES

Before installing the myLink, make sure that the RTS system is fully operational with all motor limits set and a programmed RTS transmitter. Plan to install one myLink per zone. Actual specification and RF range will vary depending on number of RTS channels and environmental conditions (building materials, RF interference, etc.).

The diagram shown below is meant for illustrative purposes to show the connections from product to product. This device could be used in other configurations than shown below.



Automated Window Treatments Are Better Than Ever!

Tubular motors with built in Lithium-ion rechargeable batteries!

Porter Preston expands our Pristine Roller Shade and Workroom offerings to include the **Automate™ Radio Communication (ARC™)** motorization program by Rollease Acmeda:




- ✓ Built in rechargeable Lithium-ion batteries
- ✓ Easy to install-no electrician required
- ✓ Perfect upgrade from manual shades-no hardwiring
- ✓ Leveling control can achieve precise positioning of multiple shades
- ✓ Simple limit setting and adjustment
- ✓ Over 500 up/down full cycles Per charge (based on 13oz psy fabric for roller shade at recommended max shade size)

- ✓ Easy Programming in 5 Simple Steps with Remote or Smart Phone App
- ✓ Shades can be controlled via remote, smart phone app, internal sunlight sensor & switches
- ✓ Favorite Position
- ✓ 2 way RF communication. Shade positioning and battery health are relayed via smart phone app. A notification will prompt when motor requires charging
- ✓ Optional solar powered charger
- ✓ 3 operational speed settings available
- ✓ Features proprietary ARC™ protocol = less RF Interference & better battery life

Automate™ Radio Communication (ARC™) Motors by Rollease Acmeda:

Automate Li-ion Wirefree Motor Types

See Price Grid 14 Page 51

						
Motor	Li-ion 0.2	Li-ion 1.1	Li-ion Q2.0	Li-ion 3.0	Li-ion Q3.0	Li-ion Q10
Part #	MTDCBRF18-0.2	MTDCBRF25-1.1	MTDCBRFQ28-2	MTDCBRF35-3	MTDCBRFQ45-3	MTDCBRF45-10
Voltage	12	12	12	12	12	12
Sound Level	~48DB	~46DB	~44DB	~53DB	~40DB	~42DB
Max. Lifting Weight / Tube Dia.	3.1lb / 1.125"	13lb / 1.5"	17lb / 2"	26lb / 2"	21lb / 2.5"	55lb / 3.25"
Speed	80 rpm (adj to 60/40)	40 rpm (adj to 30/20)	28 rpm (adj to 24/20)	28 rpm (adj to 24/20)	28 rpm (adj to 24/20)	9 rpm (adj to 8/6)
Minimum System Width	21 5/8"	23 7/8"	21 1/2"	37 1/2"	37 7/8"	37 7/8"
Recommended Max Shade Size	48"x60"	84"x84"	120"x120"	120"x120"	144"x144"	168"x168"
AC Charger-Recharger for DC Battery Motors *priced separately from motor		 Electronic Limit Switch  Battery Powered  Favourite Position  Level Control  433MHz Bi-directional  Adjustable Speed  Solar Panel  AC Charger				

Automate™ Radio Communication (ARC™) Motors by Rollease Acmeda:

Automate Li-ion Wirefree Motor Types

See Price Grid 14 Page 51

Control	1 channel Remote	15 channel remote	5 channel wall switch (surface mount)	1 Channel wall switch (cut in)	2 Channel wall switch (cut in)	15 Channel wall switch (cut in)	*NEW* Automate Push 5 Remote
Part #	MTRF-REM-1C	MTRF-REM-15	MTRF-SW5-FLUSH	MTRF-WS-1C	MTRF-WS-2C	MTRF-WS-15	White: MT02-0101-067004 Black: MT02-0101-050004
Image							

Control	*NEW* Automate Pulse 2 Available 10/30/19	Sun Sensor	Solar Panel
Part #	MT02-0401-067001	MTRF-SUNSENS	MTSOLPAN-B
Image			

Roller Shade Material Pristine Roller Shades are available in many colors, textures and privacy options from the top manufacturers in the world. In addition we will also use Customer's Own Material (COM) to meet the needs of our customers that require color and/or pattern coordination. Contact Customer Service for Pricing.

Pristine Roller Shade Material tend to fall into three categories: Solar Screens, decorative Transluents & Blackouts. Within these three categories the fabrics range from functional to decorative and everything in between.

Solar Screens

These are Mesh fabrics designed to control natural light.

Available in many "openness factors" i.e. 1%, 3%, 5%, 10%, etc. Openness Factor affects comfort, the degree of visibility and glare control.


Protects interiors and furnishings from the damaging rays of the sun.

Reduces glare for televisions and computer screens.

Preserves the view to the outside. *Note that this view is from the relative dark side to the relative bright side so at night a lit room will be visible from the outside.*

Provides a decorative aspect – especially with the latest in Solar Screen designs.

Caution!! Some Solar Screen fabrics installed on windows with existing insect screens can cause a "Moiré Effect" which could be objectionable to the end user. It is always best to test for this with a fabric sample BEFORE ordering the shades. If it is winter be sure to ask as sometimes the insect screens are removed for the winter.



"Moiré Effect"

Transluents

These fabrics let in some light but none of the view affording a nice warm glow in the daytime and privacy anytime.

Pristine has Translucent fabrics that have a matching Blackout counterpart.


Blackouts

As the name implies these fabrics will not allow any direct light to pass through. There is no openness in the fabric, however some portions of the fabric composition are translucent enough that you may see a "glow" behind the shade, particularly if the window is facing east or west. No UV rays come through the fabric and there is complete privacy. The "glow" varies by product. See the chart on page 21 for specific comparisons.

Pristine has Blackout fabrics that have a matching Translucent counterpart.

Caution: While a Blackout shade does not allow any light to pass through the fabric, light can and will bleed around the sides, top & bottom of the shade. Pristine offers valances, side rails and sill rails to eliminate all light from the window.

The Glow Effect



Shade Roll-Up Diameters

Fabric thickness will vary. The table below is based on a fabric with a thickness of .020 inches

Drop			Tube Outside Diameter					Inches
			1.25	1.50	2.00	2.50	3.25	
cm	Inches	Feet	32	38	50	63	83	mm
30	12	1	1.37	1.60	2.07	2.56	3.30	Shade Diameter Fully Raised
61	24	2	1.47	1.69	2.15	2.62	3.34	
91	36	3	1.57	1.78	2.22	2.68	3.39	
122	48	4	1.67	1.86	2.29	2.73	3.43	
152	60	5	1.76	1.94	2.35	2.79	3.48	
183	72	6	1.84	2.02	2.42	2.84	3.52	
213	84	7	1.92	2.10	2.48	2.90	3.56	
244	96	8	2.00	2.17	2.54	2.95	3.61	
274	108	9	2.08	2.24	2.60	3.00	3.65	
305	120	10	2.15	2.30	2.66	3.05	3.69	
335	132	11	2.22	2.37	2.71	3.10	3.73	
366	144	12	2.29	2.43	2.77	3.15	3.77	
396	156	13	2.35	2.49	2.82	3.20	3.81	
427	168	14	2.42	2.56	2.88	3.24	3.85	

Fascia System	Largest Allowable Shade Diameter
	Inches
Cassette 100	1.95
Cassette 120	2.25
R-Series Fascia, 3"	2.75
SL Fascia, 3'	2.75
Contract Pocket, 3"	2.75
R-Series Fascia, 4"	3.75
SL Fascia, 4"	3.75
Contract Pocket, 4"	3.75
Contract Pocket, 5"	4.75
Contract Pocket, 6"	5.75

Roller Shade Fabrication Chart for RollEase R- Series

Length	Width										
	36	42	48	54	60	66	72	84	98	108	120
36											
48											
60											
72											
84											
96											
108											
120											
132											
144											
156											
168											
180											
192											

Clutch	Tube
R8	1 1/4"
R16	1 1/2"
R24	1 1/2"
R16	2"
R24	2"
Galaxy Clutch	
Spring Assist	
Motor	

Roller Shade Fabrication Chart for RollEase Skyline

Length	Width										
	36	42	48	54	60	66	72	84	98	108	120
36											
48											
60											
72											
84											
96											
108											
120											
132											
144											
156											
168											
180											
192											

Clutch	Tube
S10	1 1/4"
S15	1 1/4"
S15	1 1/2"
S20	1 1/2"
S15	2"
S20	2"
Galaxy Clutch	
Spring Assist	
Motor	

PRISTINE FABRIC SPECIFICATIONS

Fabric	Price Grid	Openness %	Max Fabric Width	Railroadable	Fabric Covered Valance	Weight oz/sq yd	Thickness	Fire Rated	Green Guard Gold	Fungal Resistance
9803 3%	5	3%	98"	Y	Y	11.60	0.025	Y	Y	Y
3000 Net 1%	3	1%	118"	Y	Y	15.28	0.026	Y	Y	Y
3000 Net 3%	2	3%	118"	Y	Y	13.12	0.022	Y	Y	Y
3000 Net 5%	2	5%	118"	Y	Y	12.39	0.022	Y	Y	Y
3000 Net 10%	2	10%	118"	Y	Y	11.36	0.020	Y	Y	Y
3000 Net Privacy	3	0%	118"	Y	Y	15.28	0.026	Y	Y	Y
4000 Net 3%	3	3%	118"	Y	Y	16.07	0.029	Y	Y	Y
4000 Net 5%	3	5%	118"	Y	Y	15.34	0.027	Y	Y	Y
Avila Daylight Residential <1%	3	LF	118"	Y	Y	6.20	0.012	N	Y	Y
Avila Twilight Residential BO	5	BO	118"	Y	Y	12.24	0.018	N	Y	Y
Balmoral LF	5	LF	118"	Y	Y	6.49	0.021	N	Y	N
Balmoral BO	7	BO	118"	Y	Y	11.500	0.023	N	Y	N
Century/Opaque BO	1	BO	72"	Y	Y	12.00	0.013	Y	Y	Y
Duplex BO	1	BO	72"	Y	Y	12.50	0.013	Y	Y	Y
E Screen 1%	6	1%	122"	Y	N	13.30	0.020	Y	Y	Y
E Screen 3%	5	3%	122"	Y	N	11.60	0.017	Y	Y	Y
E Screen 5%	4	5%	122"	Y	N	10.70	0.016	Y	Y	Y
E Screen 10%	4	10%	122"	Y	N	10.30	0.020	Y	Y	Y
E Screen Deco 1%	6	1%	122"	Y	N	12.30	0.022	Y	Y	Y
E Screen Deco 3%	6	3%	122"	Y	N	11.50	0.019	Y	Y	Y
E Screen KOOL BLACK 1%	10	1%	98"	Y	N	12.95	0.021	Y	Y	Y
E Screen KOOL BLACK 3%	9	3%	98"	Y	N	11.30	0.020	Y	Y	Y
E Screen KOOL BLACK 5%	8	5%	98"	Y	N	10.60	0.019	Y	Y	Y
Flocke BO	10	BO	94.5"	Y	Y	15.93	0.020	Y	N	Y
GreenScreen Evolve 3%	5	3%	118"	N	N	8.85	0.029	Y	Y	Y
GreenScreen NATURE 5%	9	5%	94.5"	Y	N	5.10	0.010	Y	Y	Y
GreenScreen REVIVE 1%	6	1%	118"	N	N	5.87	0.019	Y	Y	Y
GreenScreen REVIVE 5%	6	5%	118"	Y	N	5.01	0.017	Y	Y	Y
Laminates	10									
Linen Glass RD	1	RD	72"	Y	Y	12.00	0.016	Y	Y	Y
M Screen 1%	5	1%	122"	Y	N	13.12	0.022	Y	Y	Y
M Screen 3%	5	3%	122"	Y	N	12.70	0.022	Y	Y	Y
M Screen 5%	4	5%	122"	Y	N	11.30	0.022	Y	Y	Y
M Screen Deco 3%	5	3%	98"	Y	N	12.21	0.023	Y	Y	Y
M Screen Deco 5%	5	5%	98"	Y	N	11.30	0.020	Y	Y	Y
Mesa LF	4	LF	118"	Y	Y	6.93	0.019	Y	Y	N
Mesa BO	6	BO	118"	Y	Y	12.68	0.022	Y	Y	N
Moire RD	1	RD	72"	Y	Y	12.00	0.014	Y	Y	Y
Natte 3%	8	3%	122"	Y	Y	16.40	0.023	Y	Y	Y
Natte 5%	8	5%	122"	Y	Y	14.13	0.022	Y	Y	Y
Natte 10%	6	10%	122"	Y	Y	13.48	0.021	Y	Y	Y
NoLite	1	RD	72"	Y	Y	14.00	0.014	Y	Y	Y
S Screen 1%	6	1%	122"	N	N	19.10	0.041	Y	Y	Y
S Screen 4%	6	4%	122"	N	N	18.90	0.037	Y	Y	Y
S Screen Naturals 5%	5	5%	98"	N	N	15.00	0.042	Y	Y	Y
Satine 1%	9	1%	122"	Y	Y	17.80	0.033	Y	Y	Y
Satine 5%	8	5%	122"	Y	Y	15.40	0.032	Y	Y	Y
SheerWeave 1000 25%	2	25%	96"	N	Y	8.80	0.020	Y	Y	Y
SheerWeave 2000 5%	4	5%	126"	Y	Y	14.40	0.021	Y	Y	Y
SheerWeave 2100 10%	3	10%	98"	Y	Y	12.90	0.021	Y	Y	Y
SheerWeave 2360 10%	3	10%	126"	Y	Y	10.40	0.019	Y	Y	Y
SheerWeave 2390 5%	4	5%	126"	Y	Y	11.80	0.017	Y	Y	Y
SheerWeave 2390 Performance Plus 5%	8	5%	96"	Y	N	11.80	0.018	Y	Y	Y
SheerWeave 2410 3%	4	3%	126"	Y	Y	14.10	0.020	Y	Y	Y
SheerWeave 2410 Performance Plus 3%	9	3%	96"	Y	N	14.10	0.019	Y	Y	Y
SheerWeave 2500 1%	5	1%	126"	Y	Y	16.20	0.024	Y	Y	Y

FABRIC SPECIFICATIONS

Fabric	Price Grid	Openness %	Max Fabric Width	Railroadable	Fabric Covered Valance	Weight oz/sq yd	Thickness	Fire Rated	Green Guard Gold	Fungal Resistance
SheerWeave 2500 Performance Plus 1%	9	1%	96"	Y	N	16.39	0.024	Y	Y	Y
SheerWeave 2701 1%	5	1%	126"	Y	Y	14.60	0.027	Y	Y	Y
SheerWeave 2703 3%	4	3%	126"	Y	Y	14.00	0.028	Y	Y	Y
SheerWeave 2705 5%	4	5%	126"	Y	Y	11.80	0.025	Y	Y	Y
SheerWeave 2710 10%	3	10%	98"	Y	Y	10.40	0.023	Y	Y	Y
SheerWeave 3000 14%	3	14%	96"	Y	Y	13.46	0.028	Y	Y	Y
SheerWeave 4000 Eco 5%	4	5%	126"	Y	Y	18.00	0.032	Y	Y	Y
SheerWeave 4100 Eco 10%	3	10%	98"	Y	Y	16.70	0.032	Y	Y	Y
SheerWeave 4400 Eco 3%	4	3%	126"	Y	Y	19.90	0.034	Y	Y	Y
SheerWeave 4500 5%	4	5%	126"	Y	Y	14.40	0.024	Y	Y	Y
SheerWeave 4550 5%	4	5%	98"	Y	Y	13.00	0.025	Y	Y	Y
SheerWeave 4600 3%	5	3%	126"	Y	Y	17.40	0.030	Y	Y	Y
SheerWeave 4650 3%	5	3%	98"	Y	Y	13.30	0.026	Y	Y	Y
SheerWeave 4800 1%	5	1%	126"	Y	Y	18.50	0.036	Y	Y	Y
SheerWeave 4901 1%	5	1%	98"	Y	Y	15.85	0.028	Y	Y	Y
SheerWeave 4903 3%	4	3%	98"	Y	Y	14.90	0.027	Y	Y	Y
SheerWeave 5000 1,3,5,7,10%	5	1, 3, 5, 7, 10	98"	N	Y	12.3-16.1	.032-.052	Y	Y	Y
SheerWeave 7000 BO	8	BO	118"	Y	Y	12.40	0.029	Y	Y	Y
SheerWeave 7100 BO	5	BO	96"	Y	Y	21.60	0.025	Y	Y	Y
SheerWeave 7200R BO	5	BO	118"	N	Y	11.06	0.024	Y	Y	Y
SheerWeave 7250R LF	4	LF	118"	N	Y	6.19	0.018	Y	Y	Y
SheerWeave 7400 BO	7	BO	118"	N	Y	12.53	0.029	Y	Y	Y
SheerWeave 7450 LF	4	LF	118"	N	Y	6.54	0.026	Y	Y	Y
SheerWeave 7500 BO	5	BO	118"	Y	Y	12.14	0.016	Y	Y	Y
SheerWeave 7600 BO	6	BO	118"	N	Y	11.80	0.021	Y	Y	Y
SheerWeave 7650 LF	4	LF	118"	N	Y	6.20	0.017	Y	Y	Y
SheerWeave 7700R BO	5	BO	118"	N	Y	13.60	0.028	Y	Y	Y
SheerWeave 7750R LF	4	LF	118"	N	Y	8.80	0.023	Y	Y	Y
SheerWeave 7800 BO	6	BO	118"	Y	Y	12.90	0.026	Y	Y	Y
SheerWeave 7850 LF	5	LF	118"	Y	Y	7.40	0.027	Y	Y	Y
SheerWeave 8000 3% PVC Free	6	3%	118"	Y	Y	7.35	0.019	Y	Y	Y
SheerWeave Basic 1%	4	1%	126"	Y	Y	17.20	0.026	Y	Y	Y
SheerWeave Basic 3%	3	3%	126"	Y	Y	16.40	0.025	Y	Y	Y
SheerWeave Basic 5%	3	5%	126"	Y	Y	14.10	0.022	Y	Y	Y
SheerWeave Infinity2 1%	8	1%	98"	N	Y	13.90	0.032	Y	Y	Y
SheerWeave Infinity2 3%	7	3%	98"	N	Y	13.69	0.031	Y	Y	Y
SheerWeave Infinity2 5%	7	5%	98"	N	Y	12.82	0.030	Y	Y	Y
Sparta Twilight-White Back	4	BO	126"	Y	Y	9.90	0.014	Y	Y	Y
Sparta Twilight-Matching Back	4	BO	126"	Y	Y	9.90	0.014	Y	Y	Y
T Screen 1%	6	1%	122"	Y	Y	13.83	0.028	Y	Y	Y
T Screen 3%	5	3%	122"	Y	Y	12.59	0.027	Y	Y	Y
T Screen Deco 1%	7	1%	122"	Y	Y	13.76	0.028	Y	Y	Y
T Screen Deco 3%	6	3%	122"	Y	Y	12.98	0.028	Y	Y	Y
T Screen Deco 5%	6	5%	122"	N	Y	11.89	0.028	Y	Y	Y
T Screen KOOL BLACK 1%	8	1%	122"	Y	Y	13.54	0.024	Y	Y	Y
T Screen KOOL BLACK 3%	8	3%	122"	Y	Y	13.27	0.029	Y	Y	Y
TFR/Cotton EI	1	LF	72"	N	Y	6.40	0.009	Y	Y	Y
Translucent Plus	1	0%	72"	Y	Y	9.60	0.013	Y	Y	Y
Verona Daylight <1%	5	<1%	118"	N	Y	5.90	0.021	Y	Y	Y
Verona Twilight 0%	7	0%	118"	N	Y	11.65	0.024	Y	Y	Y
Vizela	8	LF	94.5"	Y	Y	8.70	0.013	Y	Y	Y
Wide Shade BO	4	BO	120"	Y	Y	17.90	0.017	Y	Y	Y

PRICE GRID 1 MSRP

FABRICS

WINDOW OPENING

	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"	
Century/Opaque	36"	110	125	131	147	153	168	174	196	257	292	350	407	464	521	577
Duplex BO	48"	124	139	148	164	171	188	197	221	286	324	387	448	509	572	633
Linen Glass RD	60"	136	154	164	182	192	209	219	246	314	358	424	490	555	622	688
Moire RD	72"	149	168	180	199	211	229	242	311	343	389	461	530	601	671	740
NoLite	84"	161	183	196	218	229	251	303	338	371	423	497	572	646	723	796
TFR/Cotton EI	96"	174	197	212	232	286	310	324	363	402	469	545	622	699	774	851
Translucent Plus	108"	187	211	227	251	307	331	346	388	430	502	583	664	745	826	907
	120"	199	226	244	308	324	352	369	414	459	532	619	704	791	875	961
	132"	212	241	296	323	344	371	391	453	503	566	656	747	835	926	1015
	144"	225	253	311	342	363	392	414	480	531	597	692	786	881	975	1071
	156"	238	306	327	359	382	413	436	506	562	631	729	828	927	1025	1124
	168"	250	319	344	378	402	435	459	531	590	663	766	869	973	1076	1179
	180"	263	334	359	393	421	455	482	556	619	693	801	911	1018	1126	1234
	192"	276	347	376	412	440	476	504	584	646	727	838	951	1064	1175	1288

● Width (Inches)

● Height (Inches)

PRICE GRID 2 MSRP

FABRICS

WINDOW OPENING

		36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
3000 Net 3%	36"	129	148	156	171	181	197	204	229	303	345	412	481	548	614	683
3000 Net 5%	48"	146	164	174	193	202	222	230	261	337	383	456	529	601	675	748
3000 Net 10%	60"	160	182	193	215	225	246	258	290	370	422	501	577	656	734	812
SheerWeave 1000 25%	72"	176	198	212	235	248	271	285	367	405	459	543	627	710	793	876
	84"	191	216	229	255	271	296	357	399	439	499	586	675	763	852	941
	96"	204	231	249	276	338	366	383	427	473	552	643	734	825	916	1007
	108"	220	249	267	297	360	389	409	458	507	591	688	783	878	974	1071
	120"	235	265	287	361	383	414	435	487	542	630	731	830	932	1034	1135
	132"	250	284	348	382	405	439	462	537	593	667	773	880	987	1093	1199
	144"	265	299	367	404	427	464	487	567	629	705	817	928	1039	1151	1264
	156"	281	359	386	424	450	487	515	597	663	743	859	978	1095	1211	1327
	168"	294	376	405	445	473	513	542	629	696	781	905	1025	1149	1271	1392
	180"	310	392	424	467	496	538	568	658	731	819	947	1074	1202	1330	1457
	192"	324	410	444	485	519	563	595	689	765	857	990	1123	1257	1388	1521

● Width (Inches)

● Height (Inches)

PRICE GRID 3 MSRP

FABRICS

WINDOW OPENING

	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"	
3000 Net 1%	36"	156	176	188	207	220	241	251	284	357	415	487	563	634	708	780
3000 Net Privacy	48"	177	199	216	238	252	276	289	327	407	472	552	634	715	796	877
4000 Net 3%	60"	197	223	242	266	285	311	329	373	456	529	617	708	796	886	974
4000 Net 5%	72"	219	246	267	297	318	346	367	456	507	586	683	780	877	974	1072
Avila Daylight Residential <1%	84"	240	271	294	325	350	382	446	502	559	642	748	852	957	1062	1170
SheerWeave Basic 3%	96"	260	294	321	357	422	456	483	547	609	712	824	934	1044	1154	1265
SheerWeave Basic 5%	108"	281	319	347	386	452	493	522	591	659	770	888	1008	1126	1243	1363
SheerWeave 2100 10%	120"	300	343	375	452	485	528	562	635	710	826	952	1079	1205	1333	1459
SheerWeave 2360 10%	132"	322	366	438	483	519	564	600	694	774	882	1016	1152	1287	1422	1557
SheerWeave 2710 10%	144"	343	389	467	513	551	600	637	738	826	940	1081	1225	1367	1511	1653
SheerWeave 3000 14%	156"	364	450	493	543	585	635	677	784	876	995	1146	1298	1449	1599	1750
SheerWeave 4100 Eco 10%	168"	384	474	519	572	617	670	715	828	927	1053	1211	1369	1528	1688	1848
	180"	405	497	545	602	648	706	755	874	978	1108	1275	1444	1610	1777	1944
	192"	426	521	572	632	683	740	793	918	1028	1165	1340	1517	1690	1866	2042

● Width (Inches)

● Height (Inches)

PRICE GRID 4 MSRP

FABRICS

WINDOW OPENING

		36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
E Screen 5%	36"	182	205	219	243	257	280	292	330	417	485	573	659	747	831	918
E Screen 10%	48"	205	231	250	277	292	321	338	382	475	550	646	740	838	933	1030
M Screen 5%	60"	229	261	281	311	331	361	382	433	532	616	721	826	931	1035	1140
Mesa LF	72"	253	288	311	345	369	403	426	532	591	680	795	910	1023	1137	1251
SheerWeave Basic 1%	84"	278	314	343	380	406	445	517	584	648	747	869	991	1114	1239	1361
SheerWeave 2000 5%	96"	303	343	373	413	490	531	563	634	706	828	956	1084	1215	1343	1472
SheerWeave 2390 5%	108"	325	369	404	448	528	573	607	687	765	893	1032	1170	1307	1446	1584
SheerWeave 2410 3%	120"	350	399	434	528	566	613	652	736	824	957	1104	1251	1400	1547	1693
SheerWeave 2703 3%	132"	375	425	509	563	602	655	694	805	897	1021	1177	1335	1492	1647	1805
SheerWeave 2705 5%	144"	399	451	541	596	641	694	738	857	956	1085	1253	1419	1585	1750	1916
SheerWeave 4000 Eco 5%	156"	422	525	572	631	677	736	784	909	1014	1151	1326	1501	1678	1851	2027
SheerWeave 4400 Eco 3%	168"	446	551	602	665	715	778	828	958	1072	1216	1400	1585	1769	1954	2138
SheerWeave 4500 5%	180"	470	577	633	699	754	818	873	1011	1130	1280	1475	1667	1862	2055	2249
SheerWeave 4550 5%	192"	494	607	664	733	791	859	917	1060	1187	1344	1548	1750	1954	2156	2359
SheerWeave 4903 3%																
SheerWeave 7250R LF																
SheerWeave 7450 LF																
SheerWeave 7650 LF																
SheerWeave 7750R LF																
Sparta Twilight BO-White Backing																
Sparta Twilight BO-Color Matched Backing																
Wide Shade BO																

● Width (Inches)

● Height (Inches)

PRICE GRID 5 MSRP

FABRICS

WINDOW OPENING

		36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
9803 3%	36"	205	230	250	276	294	320	340	383	467	552	641	729	817	907	993
Avila Twilight Residential BO	48"	237	266	289	320	344	375	399	450	542	637	738	839	941	1042	1142
Balmoral LF	60"	266	303	329	364	391	427	455	519	619	725	838	951	1065	1177	1291
E Screen 3%	72"	297	337	369	409	441	481	514	623	696	811	938	1062	1187	1314	1439
GreenScreen Evolve 3%	84"	327	371	409	452	491	536	608	690	772	896	1035	1174	1312	1450	1588
M Screen 1%	96"	358	407	449	497	574	624	666	757	850	995	1143	1294	1441	1589	1738
M Screen 3%	108"	388	441	487	542	623	677	725	826	926	1081	1242	1403	1564	1725	1887
M Screen Deco 3%	120"	418	476	528	622	671	732	783	893	1003	1168	1341	1516	1688	1863	2035
M Screen Deco 5%	132"	449	513	601	666	723	785	841	974	1093	1254	1439	1625	1811	1997	2185
S Screen Naturals 5%	144"	480	548	642	710	770	838	898	1041	1170	1340	1540	1737	1935	2134	2333
SheerWeave 2500 1%	156"	509	616	680	755	819	893	957	1108	1245	1426	1637	1848	2059	2271	2481
SheerWeave 2701 1%	168"	541	653	721	798	867	946	1015	1175	1323	1513	1735	1959	2182	2407	2630
SheerWeave 4600 3%	180"	571	687	760	844	917	1000	1074	1243	1400	1598	1834	2070	2308	2542	2780
SheerWeave 4650 3%	192"	601	723	800	888	966	1054	1133	1311	1478	1683	1933	2181	2430	2680	2928
SheerWeave 4800 1%																
SheerWeave 4901 1%																
SheerWeave 5000 1,3,5,7,10%																
SheerWeave 7100 BO																
SheerWeave 7200R BO																
SheerWeave 7500 BO																
SheerWeave 7700R BO																
SheerWeave 7850 LF																
T Screen 3%																
Verona Daylight <1%																

● Width (Inches)

● Height (Inches)

PRICE GRID 6 MSRP

FABRICS

WINDOW OPENING

		36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
E Screen 1%	36"	237	266	286	317	337	367	387	436	537	634	737	844	949	1053	1158
E Screen Deco 1%	48"	268	306	330	366	390	425	450	510	622	728	847	964	1082	1202	1320
E Screen Deco 3%	60"	304	344	375	413	445	484	515	585	705	821	954	1085	1218	1350	1482
Green Screen REVIVE 1%	72"	338	382	417	463	499	543	577	708	789	917	1062	1207	1355	1499	1645
GreenScreen REVIVE 5%	84"	370	422	462	510	551	602	690	781	874	1011	1171	1329	1488	1647	1807
Mesa BO	96"	405	461	505	562	653	709	754	855	957	1122	1292	1461	1630	1801	1969
Natte 10%	108"	439	499	549	610	706	768	818	930	1041	1216	1400	1583	1767	1950	2131
S Screen 1%	120"	472	538	594	705	759	827	881	1004	1126	1311	1507	1704	1901	2097	2294
S Screen 4%	132"	506	576	683	754	815	886	946	1096	1227	1404	1616	1826	2035	2246	2457
SheerWeave 7600 BO	144"	541	614	726	802	867	945	1010	1170	1311	1498	1723	1946	2172	2396	2620
SheerWeave 7800 BO	156"	573	699	770	851	921	1003	1074	1243	1396	1591	1830	2069	2307	2543	2782
SheerWeave 8000 3% PVC Free	168"	608	737	814	899	975	1062	1137	1318	1480	1687	1938	2191	2441	2693	2944
T Screen 1%	180"	642	778	857	949	1030	1120	1202	1392	1563	1781	2047	2311	2576	2842	3106
T Screen Deco 3%	192"	675	816	900	997	1082	1180	1265	1465	1647	1874	2153	2433	2712	2989	3268
T Screen Deco 5%																

● Width (Inches)

● Height (Inches)

PRICE GRID 7 MSRP

FABRICS

WINDOW OPENING

	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"	
Balmoral BO	36"	262	294	318	350	373	406	430	485	593	703	816	928	1042	1154	1267
SheerWeave 7400 BO	48"	299	338	367	406	435	474	503	571	689	811	939	1068	1197	1326	1456
SheerWeave Infinity2 3%	60"	338	382	417	462	496	542	575	656	785	918	1062	1206	1353	1496	1642
SheerWeave Infinity2 5%	72"	376	426	468	517	559	609	648	789	881	1025	1184	1345	1506	1667	1828
T Screen Deco 1%	84"	414	471	516	573	619	676	770	874	978	1134	1309	1485	1662	1838	2014
Verona Twilight 0%	96"	452	515	567	630	727	791	842	958	1074	1260	1447	1636	1824	2011	2199
	108"	491	561	616	686	789	857	916	1042	1170	1366	1571	1774	1978	2182	2386
	120"	529	602	667	786	850	926	989	1128	1265	1475	1692	1913	2133	2353	2573
	132"	568	646	760	842	912	992	1060	1230	1380	1583	1817	2053	2288	2524	2759
	144"	607	691	812	897	973	1059	1135	1314	1476	1689	1941	2192	2442	2693	2945
	156"	644	780	861	954	1035	1128	1207	1399	1572	1798	2064	2332	2598	2864	3131
	168"	683	825	912	1010	1096	1195	1280	1483	1668	1906	2188	2471	2754	3035	3318
	180"	723	869	961	1065	1158	1262	1355	1567	1766	2013	2311	2609	2908	3206	3505
	192"	759	913	1011	1120	1219	1329	1427	1653	1862	2120	2435	2748	3062	3377	3690

● Width (Inches)

● Height (Inches)

PRICE GRID 8 MSRP

FABRICS

WINDOW OPENING

	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"	
E Screen KOOL BLACK 5%	36"	278	312	338	373	400	434	458	519	630	748	866	985	1104	1223	1342
Natte 3%	48"	319	360	391	434	464	506	538	610	733	865	1001	1136	1273	1407	1544
Natte 5%	60"	360	409	446	494	531	579	616	703	838	981	1135	1287	1439	1593	1747
Satine 5%	72"	403	455	501	553	597	653	696	844	942	1099	1267	1438	1609	1779	1950
SheerWeave 2390 Performance Plus 5%	84"	444	504	553	613	665	725	824	934	1045	1215	1402	1589	1777	1964	2151
SheerWeave 7000 BO	96"	484	550	608	675	778	846	900	1025	1151	1349	1550	1750	1953	2152	2354
SheerWeave Infinity2 1%	108"	527	598	663	734	844	918	981	1118	1256	1467	1685	1903	2119	2337	2556
T Screen KOOL BLACK 1%	120"	567	646	715	841	911	990	1059	1210	1359	1584	1817	2054	2288	2522	2758
T Screen KOOL BLACK 3%	132"	609	693	815	900	977	1064	1139	1319	1481	1701	1953	2205	2457	2708	2959
Vizela LF	144"	652	740	869	961	1043	1136	1218	1411	1586	1816	2087	2355	2623	2893	3163
	156"	691	834	921	1021	1110	1210	1297	1502	1689	1934	2219	2505	2792	3079	3365
	168"	733	882	977	1081	1176	1281	1377	1593	1794	2051	2354	2657	2961	3264	3567
	180"	773	930	1032	1142	1242	1356	1456	1686	1898	2168	2490	2807	3128	3449	3770
	192"	816	978	1083	1202	1309	1427	1536	1777	2003	2284	2621	2959	3296	3634	3969

● Width (Inches)

● Height (Inches)

PRICE GRID 9 MSRP

FABRICS

WINDOW OPENING

		36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
E Screen KOOL BLACK 3%	36"	311	350	380	418	448	486	516	585	703	838	969	1100	1230	1360	1490
GreenScreen NATURE 5%	48"	358	405	441	487	525	571	608	690	824	974	1123	1274	1424	1575	1724
Satine 1%	60"	406	459	504	556	601	655	699	796	943	1108	1277	1448	1619	1788	1958
SheerWeave 2410 Performance Plus 3%	72"	452	514	566	627	677	738	791	951	1064	1243	1434	1622	1813	2003	2192
SheerWeave 2500 Performance Plus 1%	84"	502	570	629	696	755	824	928	1056	1184	1378	1588	1798	2007	2217	2426
	96"	548	624	690	765	877	955	1019	1163	1306	1530	1756	1984	2210	2435	2660
	108"	596	678	752	834	954	1038	1111	1267	1426	1667	1911	2157	2403	2649	2895
	120"	643	733	815	950	1032	1122	1202	1375	1547	1802	2068	2333	2597	2863	3128
	132"	690	788	920	1019	1106	1205	1294	1498	1685	1936	2221	2506	2792	3078	3363
	144"	737	844	982	1089	1183	1289	1384	1605	1805	2071	2377	2682	2986	3291	3597
	156"	785	942	1044	1159	1261	1375	1476	1710	1926	2208	2531	2855	3181	3506	3830
	168"	832	997	1106	1227	1337	1458	1566	1815	2047	2341	2686	3031	3376	3720	4065
	180"	880	1053	1170	1297	1414	1542	1658	1922	2166	2476	2841	3206	3571	3934	4300
	192"	928	1106	1232	1366	1491	1624	1749	2027	2287	2611	2998	3380	3764	4148	4532

● Width (Inches)

● Height (Inches)

PRICE GRID 10 MSRP

FABRICS

WINDOW OPENING

		36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
E Screen KOOL BLACK 1%	36"	394	446	484	533	573	623	663	751	890	1070	1227	1387	1545	1705	1864
Flocke BO	48"	458	517	567	627	675	734	784	893	1051	1250	1435	1621	1806	1992	2179
Laminates	60"	521	590	648	717	778	848	907	1035	1212	1429	1643	1855	2069	2280	2494
	72"	584	664	732	811	880	958	1028	1225	1375	1611	1850	2090	2331	2567	2807
	84"	646	735	815	901	981	1071	1197	1366	1536	1793	2058	2324	2591	2858	3123
	96"	709	807	896	995	1130	1230	1319	1507	1698	1991	2280	2568	2859	3148	3436
	108"	772	880	979	1088	1233	1342	1441	1648	1860	2173	2490	2803	3119	3435	3751
	120"	834	954	1060	1226	1335	1455	1563	1792	2019	2354	2697	3038	3382	3724	4066
	132"	897	1025	1191	1319	1436	1566	1685	1952	2197	2536	2905	3272	3642	4012	4380
	144"	959	1099	1272	1411	1540	1679	1806	2092	2358	2716	3111	3508	3904	4300	4695
	156"	1023	1216	1355	1503	1642	1792	1929	2233	2521	2896	3319	3741	4164	4587	5010
	168"	1084	1288	1436	1596	1744	1903	2051	2376	2682	3078	3527	3976	4426	4874	5324
	180"	1149	1361	1519	1688	1846	2014	2173	2517	2843	3258	3735	4210	4687	5163	5639
	192"	1212	1434	1601	1780	1947	2127	2294	2658	3005	3440	3942	4445	4948	5450	5953

● Width (Inches)

● Height (Inches)

PRICE GRID 11 MSRP

BRACKETS & ACCESSORIES

Banded Shade Coupler Acmeda 44	96
4" Fascia Bracket & Indexable Coupler Set	141
7" Fascia Dual Shade Bracket	257
7" Dual Coupler Set	379

SPRING ASSIST

R Series Pin End Spring Assist	39
R Series & Skyline Spring Assist 36"	196
R Series & Skyline Spring Assist 45"	202

MANUAL CLUTCH ACCESSORIES

SafetyHold3	4
Stainless Steel & Other Finish Chain	13
Outdoor Clutch	7
Galaxy 200 Clutch	53
Galaxy 400 Clutch	68
EasySpring Plus/ULTRA Cordless System	100
Batten Surcharge Per Foot, Per Batten	22

SKYLINE BOTTOM UP ROLLER SHADES

Width	36"	48"	60"	72"	84"	96"
MSRP	336	421	505	588	674	757

FASCIA—includes brackets

3" Uncovered Fascia
 4" Uncovered Fascia
 5" Uncovered Fascia system (dual or single)
 7" Dual Shade Uncovered Fascia
 3" Covered Fascia
 4" Covered Fascia
 5" Covered Fascia

● Width (Inches)

CASSETTES

Cassette 100
 Cassette 120
 P95 Cassette

● Width (Inches)

VALANCE & HEM BAR

Standard Inserted Valance
 Soft Valance
 External Oval Hem Bar

● Width (Inches)

HANGER

SB21-0514-075490 I Clip Recess Closure White (No Lip)
 SB21-0514-020490 I Clip Recess Closure Ano (No Lip)

● Width (Inches)

POCKET-CONTRACT**RCBC3W 3" Pocket Contract (3.51" x 3.09") White**

RCBC2W Bottom Closure for 3" (2.22") White
 RCEP3W End Plate for 3" Pocket White, Pair, Inc screws

RCBC3A 3" Pocket Contract (3.51" x 3.09") Ano

RCBC2A Bottom Closure for 3" (2.22") Ano
 RCEP3A End Plate for 3" Pocket Ano, Pair, inc screws

RCBC4W 4" Pocket Contract (4.51" X 4.09") White

RCBC3W Bottom Closure for 4" (2.73") White
 RCEP4W End Plate for 4" Pocket, White, Pair

RCBC4A 4" Pocket Contract (4.51" X 4.09") Ano

RCBC3A Bottom Closure for 4" (2.73") Ano
 RCEP4A End Plate for 4" Pocket, Ano, Pair

RCBC5W 5" Pocket Contract (5.63" X 5.30") White

RCBC5W Bottom Closure for 5" (2.67") White
 RCEP5W End Plate for 5" Pocket, White

RCBC5A 5" Pocket Contract (5.63" X 5.30") Ano

RCBC5W Bottom Closure for 5" (2.67") Ano
 RCEP5W End Plate for 5" Pocket, Ano, Pair

RCBC6W 6" Pocket Contract (6.13" X 5.81") White

RCBC6W Bottom Closure for 6" (3.6") White
 RCEP6W End Plate for 6" Pocket, White, Pair

RCBC6A 6" Pocket Contract (6.13" X 5.81") Anno

RCBC6A Bottom Closure for 6" (3.6") Ano
 RCEP6A End Plate for 6" Pocket, Ano, Pair

Note: Shade Pocket Sizing: OB Exact Width, IB Width less 1/8". A pair of end caps further reduce width by 3/16"

● Width (Inches)

SIDE CHANNELS- PRICE GRID IS BASED ON HEIGHT

RS-TC1-5 OB Mount Commercial Side Channel 2.17" x 1"
 SCH25-XX IB Mount Commercial U Channel 2.5" x 1"

● Height (Inches)

Note:MSRP is for 1 channel only but typically 2 are used

Note: Both Commercial Side Channels and fabric Guides are available in White, Alabaster, Anodized, Bronze and Black

Note: Side Rails include black 7mm x 5mm black brush strip. Caps available in White or Black.

SILL CHANNEL-PRICE GRID IS BASED ON WIDTH

SCH10-XX IB Mount Sill Channel 1"x1"

● Width (Inches)

Note: available in White, Alabaster, Anodized, Bronze and Black

LUTRON COMPATIBLE SHADE POCKET**Shade Pocket (3.5"x3.5") White**

Bottom Closure for 3.5" White
 End Cap for 3.5" Pocket, White, Pair

Note: White only, other colors available by special order

Shade Pocket (4.75" X 5") White

Bottom Closure for 4.75" White
 End Cap for 4.75" Pocket White, Pair

Note: White only, other colors available by special order

● Width (Inches)

Porter Preston
 61 Mattatuck Heights Road
 Waterbury, CT 06705
 PH 866-753-1113
 FX 203-597-8828

PRICE GRID 11 MSRP CONTINUED

36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
62	68	73	83	89	94	101	116	127	142	156	168	182	195	209
80	89	95	103	113	121	127	145	160	177	192	209	226	241	257
123	138	154	169	185	200	216	231	248	262	278	294	309	324	341
382	432	480	529	577	625	674	721	770	817	866	915	963	1013	1060
154	172	187	205	220	238	255	287	321	354	388	421	455	487	520
200	219	240	261	280	301	321	361	401	441	481	521	562	601	644
368	415	461	508	555	601	648	693	742	786	835	880	928	974	1021

36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
92	103	116	126	139	150	161	185	208	231	253	277	300	323	347
102	116	127	142	154	167	181	206	231	256	282	308	333	359	384
102	116	127	142	154	167	181	206	231	256	282	308	333	359	384

36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
48	56	61	67	73	77	80	96	105	118	127	138	149	159	167
48	56	61	67	73	77	80	96	105	118	127	138	149	159	167
39	49	55	60	65	69	73	80	90	100	110	121	130		

36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
38	45	50	57	64	70	76	89	101	114	126	139	152	164	177
42	48	55	62	69	76	83	96	111	124	138	152	165	180	193

36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
100	117	134	150	167	184	200	233	266	300	333	367	400	434	467
42	48	55	62	69	76	83	96	111	124	138	152	165	180	193
11														

36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
111	129	147	165	184	203	220	257	295	331	368	404	441	479	515
45	53	60	68	75	83	90	105	119	135	149	164	180	194	209
15														

36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
131	153	175	196	218	240	262	306	349	393	437	481	525	567	611
59	69	78	89	98	108	117	137	157	176	195	215	234	254	274
18														

36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
141	165	188	213	236	260	283	330	377	424	471	518	565	612	659
80	69	78	89	98	108	117	137	157	176	195	215	234	254	274
20														

36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
238	278	318	357	397	437	475	555	634	714	793	873	952	1031	1111
62	72	83	93	103	114	124	145	165	186	207	228	249	269	289
25														

36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
273	319	364	410	455	501	544	635	726	817	908	999	1090	1181	1272
72	85	96	110	121	134	145	169	193	217	241	265	289	314	338
26														

36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
366	426	487	549	609	670	732	853	975	1096	1218	1341	1462	1584	1705
62	72	82	93	103	114	124	145	165	186	207	228	249	270	289
27														

36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
393	459	525	589	655	721	786	918	1048	1180	1310	1441	1573	1703	1835
76	89	101	114	126	139	152	177	203	228	253	278	303	329	354
27														

36"	48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"	216"
55	73	92	111	129	147	165	184	203	220	239	257	276	295	
72	96	121	145	169	193	217	241	265	289	314	338	363	387	397

36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
52	60	70	78	86	96	104	121	138	156	173	190	208	225	242

36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
125	146	167	188	209	230	251	293	334	376	418	460	502	543	585
41	48	54	62	68	75	82	95	109	122	136	149	163	177	190
38														

36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
179	209	238	269	298	328	357	417	477	536	596	655	715	774	834
63	73	84	94	105	115	125	146	167	188	209	230	251	272	293
57														

SOMFY RTS BATTERY		
Part #	Somfy External Battery Powered RTS Motors & Accessories	MSRP
1241230	Sonesse 28 WireFree RTS External Battery Motor - requires 9021217 Li-ion Rechargeable Battery Pack and 9025166 Charger	432
9021217	Li-ion Rechargeable External Battery Pack for 1241230- requires the 9025166 charger	112
1822445	12V DC Plug in Power Supply w/ 3m cable - white for 1241230 Sonesse 28 External Battery Motor	248
9027294	WireFree Li-Ion Solar Panel Kit – kit includes solar panel, brackets and glass mount adhesive-when used with 1241230 motor, requires 9021217 Rechargeable External Battery Pack	203
Part #	Somfy Internal Li-ion Rechargeable Battery RTS Motors-Interior	MSRP
1240278	Roll Up 24 WireFree RTS Li-ion Motor	404
1003297	Sonesse 28 WireFree RTS Li-ion Motor 1.1 nm	512
1003310	Sonesse ULTRA 30 WireFree RTS Li-ion Motor	533
1240485	Sonesse 40 WireFree 403 RTS Li-ion	755
Part #	Somfy Li-ion Battery Chargers & Extension Cables	MSRP
9027294	WireFree Li-Ion Solar Panel Kit – includes solar panel, brackets and glass mount adhesive	203
9025166	Charger 6' Cable for 1003297 Sonesse 28, 1003310 Sonesse 30 ULTRA, 1240485 Sonesse 40 & 1240278 Roll Up 24	42
9021131	Charger 8" Extension Cable-for Version 2 motors. Recommended for fascia/shadebox/cassette options	13
9021016	Charger 94.5" Extension Cable-for 9025166	15
SOMFY WIRED		
Part #	SOMFY Wired 24 Volt DC RTS Motors-Interior	MSRP
1241142	Sonesse 30 RTS 24v Motor -901474 power cable included	789
1134023	Sonesse ULTRA 504 A8 DC RTS -9020005 power cable included	1096
Part #	24v DC Power Options	MSRP
1822209	24v Single Motor Wall Wart Power Supply (for ST-30 & ULTRA 504 DC)	106
9014794	24 V DC 2 Conductor Power Cable for 1241142 motor (cable provided with motor)	23
9020005	RTS Power Cable for 1134023 motors (cable provided with motor)	61
24v 5 Motor	24v 5 Motor Power/Distribution Panel (for ST-30 & ULTRA DC)	1246
24v 10 Motor	24v 10 Motor Power/Distribution Panel (for ST-30 & ULTRA DC)	1515

SOMFY RTS		
Part #	SOMFY 110v AC Line Voltage RTS Motors-Interior/Exterior	MSRP
1001636	Sonesse 40 RTS 404S2 (w/ 11' pigtail)	872
1240380	Sonesse 40 RTS 404S2 (with 19" FAST CONNECT)	872
1240382	Sonesse 40 RTS 409R2 (w/ 19" FAST CONNECT)	916
1002562	Sonesse ULTRA 506A2 RTS	1012
1001809	Sonesse 506S2 RTS (non-ULTRA)	752
1001807	Sonesse 510S S2 RTS	1088
RTS MOTOR CABLES & PLUGS		
Note: LT-40 Motor cables ARE NOT Removable and Motors are Ordered with the Fast Connect Motor Side Cable Preinstalled		
Note: LT-50 Motor cables ARE Removable and Motors are Ordered with the Motor Side Fast Connect Cable-9020803 below		
Part #	LT-50 RTS & RS485 (SDN) 3 Wire	MSRP
9020803	LT50 RTS & RS485 (SDN) Motor Side to FAST Connect Cable - 1.6'	80
Part #	3 WIRE RTS, RS485 (SDN) Fast Connect Extension Cables with AC Plug	MSRP
9021113	Fast Connect RTS/RS485 (SDN) Extension Cable w/ AC plug - 1.4'	47
9021114	Fast Connect RTS/RS485 (SDN) Extension Cable w/ AC plug - 4.4'	54
9021115	Fast Connect RTS/RS485 (SDN) Extension Cable w/ AC plug - 8.4'	64
9020791	Fast Connect RTS/RS485 (SDN) Extension Cable w/ AC plug - 10.4'	86
9020792	Fast Connect RTS/RS485 (SDN) Extension Cable w/ AC plug - 18'	107
9020793	Fast Connect RTS/RS485 (SDN) Extension Cable w/ AC plug - 24'	126
Part #	RTS, RS485 (SDN) 3 Wire Fast Connect Cables without Plug	MSRP
9021157	Fast Connector RTS/RS485 (SDN) Extension Cable OPEN LEADS - 8.4'	66
Part #	Other Motor Cable & Plug Options	MSRP
AP Loose	Angle AC Plug installed on motor (cable length must be specified)	34
AP installed	Angle AC Plug installed on motor (cable length must be specified)	59

Part #	RTS RS485 (SDN) 3 WIRE Cables with Plug for LT 50	MSRP
9021049	LT50 RTS/RS485 Motor Cable w/ AC Plug – 1.5'	34
9021050	LT50 RTS/RS485 Motor Cable w/ AC Plug – 6'	47
9021051	LT50 RTS/RS485 Motor Cable w/ AC Plug – 10'	49
9021052	LT50 RTS/RS485 Motor Cable w/ AC Plug – 18'	62
9021053	LT50 RTS/RS485 Motor Cable w/ AC Plug – 24'	103
Part #	LT-50 RTS RS 485 3 WIRE Cables without AC Plug	MSRP
9018190	LT50 RTS/RS485 Motor Cable OPEN LEADS AC Plug – 10'	66
9020985	LT50 RTS/RS485 Motor Cable OPEN LEADS AC Plug – 24'	115
SOMFY RTS CONTROLS		
Part #	Situo Handheld RTS Controls - Interior Use Only	MSRP
1870571	Situo 1 Pure - white (stocked)	122
1870572	Situo 1 Iron	176
1870573	Situo 1 Natural	176
1870574	Situo 1 Arctic	176
1870575	Situo 5 Pure - white (stocked)	160
1870576	Situo 5 Iron	215
1870577	Situo 5 Natural	215
1870578	Situo 5 Arctic	215
1811081	Telis 16 Pure - white	544
1811082	Telis 16 - silver	599
1805237	Telis 1 Chronis Pure	431
Part #	Telis Handheld RTS Controls – Exterior & Interior Use	MSRP
1810643	Telis 1 Patio Transmitter exterior/interior	166
1810645	Telis 4 RTS Patio Transmitter-exterior	231
Part #	Smoove Wall Mounted RTS Controls	MSRP
1811533	Smoove 1 RTS Pure - white (stocked)	161
1811748	Smoove 4 RTS Pure - white (stocked)	200
9015022	Smoove Frame Pure - white	6
9015023	Smoove Frame - black	17
9015025	Smoove Frame - silver matte	17
9015026	Smoove Frame - amber bamboo	54
9015027	Smoove Frame - light bamboo	54
9015236	Smoove Frame - cherry	54
9015237	Smoove Frame - walnut	54
9015238	Smoove Frame Double - pure	54

Part #	MISC RTS Controls					MSRP
1811731	Tahoma RTS Interface					505
1870470	Tahoma Ethernet Adapter					43
1810872	Somfy Universal RTS Interface II - URTSI					972
1810791	RTS Repeater					441
9013707	RTS Sunis Indoor WireFree Sun Sensor					473
DecoFlex in Wall Wireless Remote Controls						
White			Ivory		Black	
	Part #	MSRP	Part #	MSRP	Part #	MSRP
DecoFlex 1	1810897	306	1810898	308	1810899	353
DecoFlex 2	1811068	310	1811069	310	1811067	370
DecoFlex 3	1811071	314	1811072	314	1811070	362
DecoFlex 4	1811074	317	1811075	317	1811073	366
DecoFlex 5	1810813	321	1810814	321	1810830	370
Part #		MSRP	Custom Engraving Available-contact Customer Service			
1811185	DecoFlex Table Top White	71				
1811051	DecoFlex Table Top Black	71				
1810972	DecoFlex Table Top Silver	71				

SOMFY STANDARD MOTORS - Interior		
Part #	Somfy Standard Motors – 4 Conductor	MSRP
1001553	Sonesse 40 404S2 RH - WITHOUT FAST CONNECT	573
1240377	Sonesse 40 404S2 RH - WITH 4 wire FAST CONNECT	573
1240379	Sonesse 40 409S2 RH - WITH 4 wire FAST CONNECT	615
1002558	Sonesse ULTRA 506S2 Star Head	774
1001814	Sonesse 506S2 Star Head	673
1001813	Sonesse 510S2 Star Head	821
Part #	Standard Motor Cable Options – 4 Conductor	MSRP
9012160	Anderson Power Plug Installed on Motor side (male-white) 12"	28
9012161	Anderson Power Plug Installed on J-Box side (female-black) 60"	29
	Wago Plug loose	46
	Wago Plug Installed on Motor	80
Part #	4 Conductor Fast Connect Extension Cable with Open Leads	MSRP
9020804	LT50 4 Wire Motor Pigtail to Fast Connector - 1.6'	80
9021117	Fast connector Extension Cable 4 Wire - 4.4'	57
9021118	Fast connector Extension Cable 4 Wire - 8.4'	67
9021120	Fast connector Extension Cable 4 Wire - 16.4'	101
9021121	Fast connector Extension Cable 4 Wire - 22.4'	117
9018345	LT50 4 Wire Motor Cable with Open Leads – 10'	64
9021046	LT50 4 Wire Motor Cable with Open Leads – 24'	137
Part #	Standard Motor Controls	MSRP
1811416	IGC 4n1 Motor Controller	870
1811402	Decoflex Dry Contact Keypad	113
1811492	IGC 4n1 RTS Radio Receiver	354
1800374	Single Pole Double Throw Maintained Decora Switch White	45
1800373	Single Pole Double Throw Maintained Decora Switch Ivory	41
1800375	Double Pole Double Throw Maintained Decora Switch White	82
1800376	Double Pole Double Throw Maintained Decora Switch Ivory	82

SOMFY DIGITAL NETWORK - SDN		
Part #	Somfy Digital Network (SDN) RS485 Motors	MSRP
1134022	Sonesse ULTRA 504 A8 DC RS485 (24v DC Motor)	1329
1000658	Sonesse 30 RS485 (24v DC Motor)	867
1002566	Sonesse ULTRA 506A2 RS485 (110v AC)	1246
1002286	Sonesse 506S2 RS485	1174
1002287	Sonesse 510S2 RS485	1321
Part #	RS485 Power & Data Cable Options- Power & Data Grey	MSRP
9018545	4 Cond. 26 AWG modular cable with RJ9 on one end and RJ45 other end-2.5 ft.	25
9018546	4 Cond. 26 AWG modular cable with RJ9 on one end and RJ45 other end-8 ft.	39
9018547	4 Cond. 26 AWG modular cable with RJ9 on one end and RJ45 other end-12 ft.	44
9018548	4 Cond. 26 AWG modular cable with RJ9 on one end and RJ45 other end-24 ft.	56
Part #	Data Only Black	MSRP
9018541	4 Cond. 26 AWG modular cable with RJ9 on one end and RJ45 other end-2.5 ft.	25
9018542	4 Cond. 26 AWG modular cable with RJ9 on one end and RJ45 other end-8 ft.	39
9018543	4 Cond. 26 AWG modular cable with RJ9 on one end and RJ45 other end-12 ft.	44
9018544	4 Cond. 26 AWG modular cable with RJ9 on one end and RJ45 other end-24 ft.	56
Part #	RS485 Accessories	MSRP
1822440	Buss & Sensor Station Power Supply	302
1870259	Power Panel for SDN	3096
1870262	Data HUB	225
1870272	Somfy Connect Universal Automation Interface (UAI) Plus	1160
9015260	USB to RS485 Adaptor for SDN	898
9017142	RS485 Motor Limit Setting & Address Reader Tool	849
9019873	RS485 Sonesse ULTRA 50 Dc SETTING Tool Cable - 20'	196
1811252	SDN Decoflex Keypad 6 button (white)	302
1811253	SDN Decoflex Keypad 8 button (white)	326
1800219	Dry Contact Open, Close, Stop Wall Switch (White)	154
1800220	Dry Contact Open, Close, Stop Wall Switch (Ivory)	162
1822294	RTS Receiver for SDN	216

AUTOMATE RADIO COMMUNICATION BY ROLLESE ACMEDA		
PART #	MOTORS	
MT01-1320-069001	5 Volt Li-Ion 0.5nm 20mm Motor	450
MT01-1325-069001	5 Volt Li-Ion 1.1nm 25mm Motor SHORT	450
MT01-1325-069002	5 Volt Li-Ion 1.1nm 25mm Motor	450
MT01-1328-069001	5 Volt Li-Ion 2.0nm 28mm Motor	547
MT01-1335-069001	5 Volt Li-Ion 3.0nm 35mm Motor	613
MT01-1345-069001	5 Volt Li-Ion 3.0nm 45mm Motor	658
MT01-1345-069002	5 Volt Li-Ion 10.0nm 45mm Motor	703
PART #	CHARGER & CABLES	
MT03-0301-069008	5V USB Charger - Includes 157" MT03-0301-069007	47
MT03-0301-069007	5V USB Charging Cable - 157"	28
MT03-0301-069014	5V USB Charging Extension Cable - 8"	13
MT03-0301-069013	5V USB Charging Extension Cable - 48"	20
PART #	SOLAR CHARGER & CABLES	
MT03-0302-067001	Solar Panel 2.0 for 5V Motors	253
PART #	CONTROLS - HAND HELD	
MTRF-REM 1C	1 Channel Remote - White	153
MT02-0101-067004	Push5 5 Channel Remote - White	158
MT02-0101-050004	Push5 5 Channel Remote - Black	158
MT02-0101-067008	Push15 15 Channel Remote - White	181
MT02-0101-050008	Push15 15 Channel Remote - Black	181
PART #	CONTROLS - WALL MOUNT	
MTRF-WS-1C	1 Channel Wall Switch - Cut In - White	92
MTRF-WS-2C	2 Channel Wall Switch - Cut In - White	103
MTRF-WS5-FLUSH	5 Channel Wall Switch - Surface Mount - White	139
MTRF-WS-15	15 Channel Wall Switch - Cut In - White	146
MTRF-WS-COVER	Decorator Screw-less Switch Cover Plate - White	25
PART #	AUTOMATION ACCESSORIES	
MT02-0401-067001	Automate Pulse 2 Bridge - White/Platinum	504
MT02-0401-069007	ARC USB Repeater - White	172
MTRF-SUNSENS	Internal Sun Sensor	78
Note: These prices represent the upcharge to motorize Pristine Roller Shades with Automate Radio Communication (ARC). Add this price to the manual shade price.		

Porter Preston
61 Mattatuck Heights Road Waterbury, CT 06705
PH 866-753-1113
FX 203-597-8828

customerservice@porterpreston.com
www.porterpreston.com



Quality Wholesale Window Coverings
Contract • Hospitality • Healthcare • Residential

LIFETIME LIMITED WARRANTY FOR CUSTOM ROLLER SHADES

Porter Preston proudly extends a lifetime-limited warranty on the enclosed product to the original retail purchaser as long as the product remains in the original window.

WARRANTY COVERAGE

Entire product against manufacturing defects (i.e., a flaw in the product design, materials or workmanship that causes the product to no longer function).....	Lifetime
All fabric (except laminated shades).....	5 years
Somfy/Rollease products.....	5 years

NOT COVERED

Normal wear and tear

Any product that fails due to:

- abuse
- exposure to salt air
- improper installation
- accident
- extraordinary use
- improper operation
- alterations
- improper cleaning
- misapplication
- damage from pets/insects
- improper handling
- misuse

Any product that, with the passage of time, has:

- loss of color intensity

Costs associated with:

- product removal
- transportation to and from the retailer
- brand label removal
- product remeasure
- incidental or consequential damages
- product reinstallation
- shipping

In the event there are multiple shades in the same room, only the defective shade will be replaced.

If damage occurred during shipping, call 1-866-753-1113 and report within 14 calendar days or else you may be denied credit for your damaged product.

Any unauthorized returns will not be accepted.

THIS SHALL BE YOUR SOLE REMEDY UNDER THIS LIMITED WARRANTY.

If this product is found to have a manufacturing defect in materials or workmanship, we will (at our discretion) do one of the following:

- repair the product
- replace the product
- refund the cost of the product
- Colors vary from lot to lot and may not exactly match sample swatch or previous purchases.
- Discontinued items or color selections will be replaced with the closest equivalent current product.

YOUR RIGHTS UNDER STATE LAW

This lifetime limited warranty gives you specific legal rights, and you may have other rights, which vary from state to state. Some states do not allow limitations on how long a warranty lasts, so the above limitations may not apply to you. No agent, representative, dealer, or unauthorized employee has the authority to increase or alter the obligation of this warranty. This lifetime limited warranty supersedes any previous versions.