

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Pizza Hut-Viking Way (#23562)	Facility Type Food Service Establishment	
Licensee Name ADF Mid Atlantic LLC	Facility Telephone # 304 263-8828	
Facility Address 205 S Viking Way Martinsburg , WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 02/11/2019	Total Time Spent 1.25

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Pepsi Cooler	39
Pizza Prep	35
Left side	33
Right side	37
Hot box	145
Walkin	35
Salad Prep	39
Wing Cooler	36

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
FrontBucketDish machine3BaySink	ChemicalheatCh emicalChemicalC		30030030 0200		
BackBucketPrepB ucket	hemical				

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

**Observed Critical Violations**

**Total # 3**

**Repeated # 3**

**4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS**

**This is a critical violation**

**OBSERVATION: (CORRECTED DURING INSPECTION):** salad cooler needs cleaned, dressing on the inside racks

**4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS**

**This is a critical violation**

**OBSERVATION:** All green shelving units in walk in need cleaned, mold

**4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS**

**This is a critical violation**

**OBSERVATION: (CORRECTED DURING INSPECTION):** Pizza pans found stored not clean, old foodstuffs

**Observed Non-Critical Violations**

**Total # 15**

**Repeated # 3**

**4-601.11(C) - NON-FOOD CONTACT SURFACES**

**OBSERVATION:** Green racks holding dough containers need cleaned

**4-601.11(C) - NON-FOOD CONTACT SURFACES**

**OBSERVATION:** Gaskets of Traulsen freezers need cleaned

**4-601.11(C) - NON-FOOD CONTACT SURFACES**

**OBSERVATION:** Shelves near fryer need cleaned, grease

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION: (CORRECTED DURING INSPECTION):** Several broken pizza/dough pans found in dishroom

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Inside of microwave coating coming off needs repaired or disposed of

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Kick plate of salad cooler needs cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Floor under and around fryer needs cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Floor drain near mop sink needs cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

REPEAT OBSERVATION Ceiling above fryer and top of fryer need cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Sides of fryer need cleaned, grease

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

REPEAT OBSERVATION Pizza hood need cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

REPEAT OBSERVATION ceiling vents need cleaned throughout kitchen

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Ceiling vents in bathrooms need cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Floor under soda syrup racks need cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** floor under hand sink near fryer needs cleaned

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge



Sanitarian



**Luke Hartley**